

CALIFORNIA WOMEN'S HEALTH SURVEY
SAS DATASET DOCUMENTATION AND TECHNICAL REPORT
1993-2007

Survey Research Group
Cancer Surveillance and Research Branch
California Department of Public Health
1700 Tribute Rd. Suite 100
Sacramento, CA 95815

February 2008



California Women's Health Survey

SAS Dataset Documentation and Technical Report

Introduction	1
The California Women's Health Survey	1
Survey Research Group.....	2
Survey Research Group Capabilities.....	2
Present, Past and Future Research.....	3
California Behavioral Risk Factor Survey.....	3
California Adult Tobacco Survey	3
California Youth Tobacco Survey	3
Sacramento and Santa Clara Lung Cancer Risk Factor Survey	4
California Teen Eating, Exercising and Nutrition Survey	4
California Department of Transportation Pedestrian Safety Study.....	4
Questions concerning the CWHS, this documentation or SRG.....	4
Part I: Technical Report.....	5
Sample and Methods	5
Questionnaire Design.....	5
Interview Procedures.....	5
Sample Selection	6
Response Rates	7
The Dataset	7
Representativeness of the Sample	8
Weighting Procedures	11
Part II: Data Dictionary	12
Part III: Continuous Variable Formats.....	42
Part IV: Categorical Variable Formats	44
Part V: Variable Locations on Questionnaires by Subject.....	79
Part VI: Weights	99
Why Weight	99
Single Year Weights.....	101
CWHS Final Weights	102
Values for Age Variables	102
Values for Race Variables	102
Department of Finance 1990 California Population Estimates.....	103
Department of Finance 2000 California Population Estimates.....	104
Part VII: Calculated Variables	105
Data User Agreement	118

Tables

Table I	Response Rates	7
Table II	Sample Sizes	7
Table III	Sample Sizes for Age/Race Groups in Cumulative 1997-2006 Dataset	7
Table IV	Race Distribution of the 2006 CWHS	8
Table V	Educational Level of Adults Aged \geq 25 Years in the 2006 CWHS Sample	9
Table VI	Distribution of Household Income in the 2006 CWHS Sample	10
Table VII	Distribution of Age by Race in the 2006 CWHS Sample	10
Table VIII	DOF 1990 CA Population Estimates Used to Create Weight _WT90N	103
Table IX	DOF 1990 CA Population Estimates Used to Create Weight _WT90BN	103
Table X	DOF 1990 CA Population Estimates Used to Create Weight _WT90CN	103
Table XI	DOF 2000 CA Population Estimates Used to Create Weight _WT00	104
Table XII	DOF 2000 CA Population Estimates Used to Create Weight _WT00B	104
Table XIII	DOF 2000 CA Population Estimates Used to Create Weight _WT00R4	104

Acknowledgements

When a publication or abstract results from analysis of California Women's Health Survey data, the CWHS Group's contributions will be acknowledged. The following wording is strongly recommended for use in such acknowledgements.

"Data for these analyses were provided by The California Women's Health Survey (CWHS) Group. The CWHS is coordinated by the California Department of Public Health in collaboration with the California Department of Mental Health, the California Department of Alcohol and Drug Programs, CMRI, the California Department of Social Services, the California Office of Women's Health and the Survey Research Group of the Public Health Institute. Questionnaire development and funding for the survey were provided by collaborating programs. Analyses, findings and conclusions described in this report are not necessarily endorsed by the CWHS Group."

Suggested Citation:

Wayland, Seth, Marta Induni, and Bonnie Davis. California Women's Health Survey SAS Dataset Documentation and Technical Report: 1997–2007, Survey Research Group, California Department of Health Services, 2008.

References:

Please note, more methodological information for the CWHS can be found in Chapter 1 of the report titled "Women's Health: Findings from the California Women's Health Survey, 1997-2003". This report may be downloaded at

http://www.dhs.ca.gov/director/owh/owh_main/cwhs/wmns_hlth_survey/97-03_findings/CWHS_Findings_97-03.pdf.

The suggested citation for this chapter is:

Induni M, Hoegh H., "California Women's Health Survey Methods" in Weinbaum, Z, and Thorfinnson, T (eds.) Women's Health: Findings from the California Women's Health Survey, 1997-2003. California Department of Health Services, Office of Women's Health. Sacramento, California, May 2006. Chapter 1.

Introduction

The California Women's Health Survey

The California Women's Health Survey (CWHs) is an on-going monthly telephone survey that collects information on a wide variety of health-related behaviors and attitudes from a randomly selected sample of adult women. This survey began in March of 1997 as a collaborative effort between the California Department of Health Services, the California Department of Mental Health, the Department of Alcohol and Drug Program, CMRI (formerly the California Medical Review, Inc.), the Department of Social Services, and the Public Health Institute (formerly California Public Health Foundation). These data or subsets of the data are available upon request as a SAS dataset, which is updated annually. This documentation is designed to facilitate use of this database by public health researchers.

Part I is a technical report which summarizes CWHs interview procedures, sample selection and questionnaire design. Parts II–V include a data dictionary, coding for categorical and numeric variables, and a cross-reference of variable name and question number. Part VI provides information about weights.

In planning your analyses and reviewing this document, a few critical features of CWHs and the dataset should be kept in mind:

- The SAS labels shown in the data dictionary provide very abbreviated information on the content of the variable. It is highly recommended that the actual question and response categories be carefully reviewed before analyzing data.
- Not every question is asked of all participants. Some questions are skipped during the interview because of answers to previous questions or age criteria. Skip patterns and selection criteria are indicated on the survey instruments. In general, questions that have been skipped are set to missing, thus restricting the denominator for the rate based on that question. For example, only people who state that they have been pregnant in the past five years (PREG5YR) or who are currently pregnant (PREGNANT) are asked if they have had the AFP blood test (AFPTEST). Therefore, the frequency of AFPTEST=1 (yes) is the proportion of those who are currently pregnant or were pregnant in the last five years who reply that they have had an AFP blood test. To calculate the proportion of the population who had blood drawn for an AFP test, assuming that those women who are not currently pregnant and have not been pregnant in the last five years have not had an AFP test, set the missing values in the AFPTEST variable to 2 (no).
- Some continuous variables have special values (i.e., 999 = refused). These values may need to be re-coded (e.g., set to missing) prior to analysis to obtain

meaningful results. These coded variables are indicated in the data dictionary in Part II and a list of codes given in Part III.

- The age and race distribution of the sample does not exactly match that of the California population. To adjust for this difference and to equalize the probability of being drawn into the sample, weights have been created. Part IV describes the creation and use of these weights. It is important to use these weights to obtain meaningful prevalence estimates for the California population and to assess changes in behavior while controlling for changes in the demographics of the California population.
- Statisticians calculate the annual weights to sum to the total 2000 California population, thus adjusting for the annual changes in sample size. To calculate meaningful estimates based on data aggregated over two or more years, weights must be calculated to account for the pooling of data, as discussed in Part VI.
- SRG recommends that statistical packages (such as SAS, SPSS, R etc.) with capabilities for analyzing survey data collected with complex sampling methods be used to analyze the data.
- The dataset does not contain any personal identifiers such as name, address or social security number. Unique records can be identified with the variable RESPNO or _PSU.
- Although every effort has been made to accurately document the database, it is possible that the database contains some coding errors or inconsistencies. A prudent approach would be to first run a simple frequency on any question you intend to use in your analyses to check for out of range values, special codes, or unexpected skip patterns. SRG staff would be grateful to have any such problems brought to our immediate attention.

Survey Research Group (SRG)

The CWHS is administered by the Survey Research Group, which is located with the Cancer Surveillance Section of the California Department of Public Health. Established in 1985, SRG specializes in conducting scientific health-related telephone surveys. To ensure the highest standards for survey data, SRG maintains rigorous quality control procedures.

SRG Capabilities:

SRG has a capacity of 80 interview workstations and 12 silent-monitoring stations for survey management. This capacity allows the SRG call center to conduct interviews for several different survey research projects simultaneously. SRG's interview facilitation

software makes it possible to tailor questionnaire design and sampling strategy for each research project. For example, SRG can design a survey to randomly sample from the statewide California population or from populations limited to smaller geographic areas. It is also possible to refine the survey sample to populations with special characteristics, such as women over the age of 40 or youth between the ages of 12 and 17.

SRG has the in-house capability to generate Waksberg-Mitofsky method samples or to use standard RDD (random digit dial) samples. SRG implements screened RDD samples, typically purchased from commercial sampling firms, using Computer Assisted Telephone Interviewing (CATI) technology. SRG currently has the capability to conduct several thousand general population interviews per month and is available to conduct interviews seven days a week in all time zones. Approximately 70 percent of the interviewing staff and 35 percent of the supervisory staff are fluent Spanish speakers; prevalence of bilingual staff allows interviews to be conducted in Spanish at time of need. SRG also has interview staff who are fluent in Cantonese and Mandarin. As of 2007, all new interviewer hires meet a minimum bilingual requirement. All interviewers receive training in general telephone survey techniques as well as focused training of additional technical requirements for specific surveys.

Present, Past and Future Research

The following are examples of survey research projects undertaken by SRG in addition to the CWHS.

California Behavioral Risk Factor Survey (BRFS)

Funded by the Centers for Disease Control and Prevention and the California Department of Health Services. Ongoing since January 1984. SRG conducts interviews of California adults aged 18 and over. The BRFS survey covers a wide variety of health behaviors. The survey is part of a surveillance effort planned by the Centers for Disease Control and the California Department of Health Services. The annual sample size for this survey increased from 1,200 interviews in 1984 to a current sample size of 5,500.

California Adult Tobacco Survey (CATS)

Funded by the Tobacco Control Section of the California Department of Health Services. Ongoing since February 1993. The emphasis of this survey is on adult tobacco use, past and present. This survey, conducted annually, is part of a surveillance effort planned by the Tobacco Control Section. The sample size for this survey is 4,200 interviews.

California Youth Tobacco Survey (CYTS)

Funded by the Tobacco Control Section of the California Department of Health Services. In 1994, SRG conducted interviews of California youth aged 12 through 17. The emphasis of the survey is on youth tobacco use and attitudes toward tobacco. This

survey, conducted annually, is part of a surveillance effort planned by the Tobacco Control Section. The sample size for this survey is approximately 2,200 interviews. The sample is drawn from a sampling frame provided by a commercial sampling firm.

Sacramento and Santa Clara Lung Cancer Risk Factor Survey, 1991

Supported by the Cancer Surveillance Section of the California Department of Health Services. SRG conducted interviews of males aged 45 and older in Sacramento and Santa Clara Counties. The emphasis of the survey was on obtaining information about behavioral, occupational and environmental risk factors for lung cancer. The survey consisted of approximately 250 completed interviews in each county.

California Teen Eating, Exercising and Nutrition Survey (Cal TEENS), 1998, 2000, 2002, 2004.

Supported by the California Department of Health Services, Cancer Prevention and Nutrition Section and the California Wellness Foundation. The survey consisted of statewide interviews with youth aged 12 through 17. The emphasis of the survey is on youth attitudes and behaviors toward eating and exercising. SRG collected approximately 1,200 completed interviews.

California Department of Transportation Pedestrian Safety Study, 2001 – 2002.

Funded by the California Department of Transportation (Caltrans) and the California Department of Health Services Epidemiology and Prevention for Injury Control Branch. The emphasis of this survey was learning about pedestrian related activities, practices and safety issues. The specific focus of this survey was to determine what type of pedestrian activities (such as walking/jogging) California adults take part in, how often they do these activities, and where they engage in them. The survey also investigated barriers to common pedestrian activities. SRG employed regional quota sampling methods to ensure that each of the 12 Caltrans regions had a minimum of 785 completed interviews. SRG completed over 12,000 interviews between July 2001 and June 2002.

Questions concerning the CWHS, this documentation or SRG should be addressed to:

Marta Induni, PhD
Chief, Survey Research Group
Public Health Institute
1700 Tribute Road
Sacramento, CA 95815-4402
Phone: (916) 779-0331
Fax: (916) 779-0336
Email: minduni@surveyresearchgroup.org
Website: <http://surveyresearchgroup.org>

Part I: Technical Report

Sample and Methods

The CWHS involves an ongoing effort by the California Department of Health Services, the California Department of Alcohol and Drug Program, the California Department of Mental Health, CMRI, the Department of Social Services, and the Survey Research Group (SRG) of the Public Health Institute. SRG collects data monthly from a random sample of California adult women living in households with telephones. The CWHS database contains information on California residents from March through December 1997, May through December 1998, February through December 1999, and January through December thereafter.

Questionnaire Design

The CWHS questionnaire reflects development by the California Women's Health Survey Group and SRG staff working in collaboration with experts in women's health research. Wherever possible, survey designers selected questions from previously conducted national or statewide surveys to improve comparability. Researchers can implement changes to the CWHS questionnaire at any time to address topical issues. Because the questionnaire has evolved since the survey began, SRG recommends that researchers review questions carefully before analyzing multiple year data.

The CWHS asks participants about a wide variety of behaviors related to past and present involvement in health care systems, participation in the government nutrition program, WIC, prenatal care, vitamin consumption, alcohol consumption, breastfeeding, sexually transmitted diseases, utilization of cancer screening procedures and other preventative measures. Participants typically provide basic demographic information such as age, race/ethnicity, employment status, and education. Participation in the CWHS is completely voluntary and anonymous.

Interview Procedures

To conduct interviews, interviewers must meet rigorous training standards and follow procedures developed by SRG staff and the Centers for Disease Control and Prevention (CDC). In general, SRG conducts interviews during weekday evenings and on weekends, although some interviews occur during weekday business hours. The average interview in English takes approximately 30 minutes to complete. Interview staff make appointments to accommodate busy or non-English speaking potential participants.

Using the CATI system, interviewers read questions as displayed on a computer screen. Interviewers key responses directly into the computer in real-time. Automatic data editing and coding programs prevent invalid responses and greatly increase the accuracy and speed of data entry. In addition, computer programming facilitates the interview process by automatically skipping questions based on prior responses; for example, women aged 60 or over are not asked if they are currently pregnant.

Sample Selection

SRG uses a screened random digit dial (RDD) sample purchased from a commercial sampling firm to select households.

All women aged 18 years or older who live in a selected household are eligible to participate in the survey. If more than one member of the household is eligible, then one person is selected at random (using computer-generated random selection) to become the respondent. If the respondent is not available, then interview staff make an appointment to conduct the interview at a different time. Once a respondent is selected no other household member can be interviewed, even if it is not possible to obtain an interview from the selected respondent.

In order to ensure that the sample is representative of the entire population, SRG follows standardized procedures for calling back numbers that ring with no answer, give a busy signal, or to encourage selected respondents who are reluctant to participate. Each phone call generates a record history for that phone number. Elimination of numbers occurs when: 1) a telephone number is non-working or assigned to a business; 2) there is no eligible respondent in the household, or; 3) the selected respondent is unavailable during the time period of the survey, is unable to complete the interview in a language supported by SRG, or if the respondent has an impairment that prevents communication via telephone.

SRG does not immediately eliminate respondents who refuse to participate. To maintain survey integrity, SRG attempts to persuade selected respondents to cooperate. Respondents receive a second call after a 2 to 5 day "cooling off" period. If a second refusal comes from a household member, then a third call is made to that household within a day or two of the second refusal. SRG eliminates a number if the third call results in a refusal. Telephone numbers with no answer, a busy signal, or an answering machine result in elimination after 15 attempts on these phone numbers. At least one call must occur during every type of shift: day, evening, and weekend.

Response Rates

Response rates measure how successful a survey has been in reaching selected respondents. SRG calculates two response rates for the CWHS, an "upper bound" rate and a CASRO (Council of American Survey Research Organizations) rate. The upper bound response rate indicates the proportion of eligible households contacted that resulted in a completed interview. The CASRO rate includes a correction for households in the sample that were not contacted but may have been eligible. During 2000, and again in 2001, the disposition codes for the CWHS changed to correspond exactly with CDC disposition codes. Because of this change, the upper-bound and CASRO response rates declined from prior years. As of 2002, SRG uses response rate formulas as defined by the American Association of Public Opinion Research (AAPOR) guidelines, in accordance with the CDC policy.

Table I. Response Rates

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Upper Bound	67%	70%	81%	74%	74%	72%	72%	74%	73%	72%	72%
CASRO	49%	49%	46%	38%	25%	37%	40%	41%	42%	41%	41%

The Dataset

The information from all the CWHS interviews collected during a calendar year makes up the annual CWHS dataset for that year. Each month, before the data become part of the annual dataset, they are checked extensively for possible errors. The respondent's original answers, as recorded at the time of the interview, provide a comparison to the coded data and an accurate record for any suspicious or out-of-range values. The original data allow SRG analysts to make the necessary corrections when errors occur.

Beginning in 2002, each annual dataset includes interviews with complete demographic information. The "PARTIAL" variable includes all incomplete interviews, so dataset users can look at this variable to determine whether a particular respondent completed the entire survey. In 2005 and 2006, SRG coded the unanswered questions in the partial interviews as "Refused," but for 2007 SRG set the unanswered variable fields to missing. In 2007, SRG added a second variable containing the name of the last question completed in the partial interview, "LASTQUEST". The dataset user has the option of not including the "PARTIAL" observations, but should note (as always when analyzing any other subgroup of the data) that the weighting procedures do not change. Table II shows completed and partial data from 2002 to the present.

Table II. Sample Sizes

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Completed	4,010	4,006	4,163	4,012	4,018	4,009	4,004	4,037	4,025	4,190	4,779
Partial	-	-	-	-	-	416	393	520	600	461	597

Table III shows the distribution of the cumulative sample (1997-2007) by age and race before weighting and without partials. In this table, and throughout the remainder of this report, "White" refers to non-Hispanic Whites, "Hispanic" refers to those persons who indicated that they were of Hispanic origin regardless of race, "Black" refers to those persons who indicated that their race was African American, and the categories "Asian/Other" or "Other" refer to all other racial/ethnic groups combined.

Table III. Sample Sizes for Age/Race Groups in Cumulative 1997-2007 Dataset

	18-24	25-34	35-44	45-54	55-64	65+	Total
White	1,439	3,863	5,652	6,066	4,616	6,146	27,782
Black	241	500	571	480	305	317	2,414
Hispanic	1,612	3,831	3,149	1,686	912	688	11,878
Asian/Other	319	812	849	606	310	276	3,172
Total	3,611	9,006	10,221	8,838	6,143	7,427	45,246

Note: Table III data does not include partial completes

Representativeness of the Sample

During the sampling process described above, CWHS administrators attempt to collect interviews from a random sample that is representative of the state population. In an effort to assess the degree to which the composition of the sample matches the demographic composition of the state, SRG compares the CWHS sample for 2007 to the California Department of Finance population estimates for 2004¹ and the California results from the 2006 American Community Survey² (ACS). The US Census Bureau conducts the ACS annually. The comparisons are by race, educational level, household income, and age. In the following discussion, "sample" refers to the 2007 CWHS sample unless otherwise indicated.

Table IV compares the racial/ethnic distribution of the CWHS sample to the distribution of racial/ethnic groups in the California population estimates. As the table shows, Whites are somewhat over-represented in the sample, while the other race/ethnicity groups are under-represented. As a percentage of the total number of interviews, approximately 15% more interviews with whites were obtained in the sample than would be expected given the proportion of whites in the California population. Blacks had approximately 1% fewer interviews than expected, while Hispanics had 6% fewer and the Other group had 7% fewer interviews than expected.

Table IV. Race Distribution of the 2007 CWHS Sample Compared to the 2004 California Population Estimate

	CWHS	CA 2004
White	59%	44%
Black	5%	6%
Hispanic	28%	34%
Asian/Other	8%	15%

Source:

2007 CWHS Sample (n=4,774 Completed Interviews)

[California Department of Finance 2004 California Population Estimate](#)

¹ State of California, Department of Finance, [Estimated Race/Ethnic Population with Age and Sex Detail, 2000–2004](#). Sacramento, CA, April 2006.

² United States Census Bureau, 2006 [American Community Survey](#). Washington D.C., August 2007.

Table V shows the distribution of educational level among adults aged 25 and older, comparing the 2007 CWHS sample to data from the 2006 American Community Survey (ACS).

Table V. Educational Level of Adults Aged 25 Years and Older 2007 CWHS Sample vs. 2006 American Community Survey

	25-34		35-44		45-64		65+	
	CWHS	CA 2006						
Eighth Grade or Less	10.5%	8.7%	10.4%	9.7%	7.4%	10.2%	5.8%	15.4%
Some High School	11.2%	11.1%	9.6%	9.9%	4.8%	7.0%	6.2%	10.8%
Grade 12 (HS Graduate)	24.4%	24.7%	18.5%	22.9%	17.7%	21.2%	26.1%	25.9%
Some College	22.1%	27.5%	20.8%	27.2%	26.1%	30.2%	29.3%	24.4%
Bachelor's Degree	20.0%	20.4%	25.6%	19.8%	22.6%	19.1%	19.1%	13.6%
Post Graduate Degree	11.9%	7.5%	15.1%	10.6%	21.2%	12.2%	13.4%	9.8%

Source:

2007 CWHS Sample Age 25+ (n=4,384 Completed Interviews)

[2006 American Community Survey](#)

As shown in Table V, the 2007 CWHS sample is somewhat better educated than the general population. Those persons with a high school education are under-represented in the CWHS sample. The most under-represented are those aged 65 or older with a high school education or less.

As this table shows, the 2007 CWHS sample has a larger proportion of more highly educated persons across all age groups than would be expected given their proportions in the population. The discrepancy is proportionally greatest among those respondents aged 65 or older. The sample appears to be least biased for those aged 25-34.

Table VI compares the household income distribution of the 2007 CWHS sample to the 2006 ACS, the sample includes those who said they did not know their household income or who refused to answer the question in the CWHS. The CWHS sample shows a distribution that appears much the same as the ACS, but an analysis comparing the CWHS income distribution to the ACS income distribution is difficult, since 6% of the CWHS respondents declined to provide their household income.

Table VI. Distribution of Household Income 2007 CWHS Sample vs. 2006 American Community Survey

	CWHS	CA 2006
Less Than \$10,000	8.4%	6.0%
\$10,000 to \$14,999	7.1%	5.2%
\$15,000 to \$19,999	6.0%	5.0%
\$20,000 to \$24,999	5.9%	5.2%
\$25,000 to \$34,999	9.4%	9.7%
\$35,000 to \$49,999	10.6%	13.4%
\$50,000 to \$74,999	14.8%	18.3%
\$75,000 to \$99,999	12.6%	12.7%
\$100,000 or more	19.3%	24.6%
Unknown or Refused	5.8%	-

Source:

2007 CWHS Sample (n=4,774 Completed Interviews)

[2006 American Community Survey](#)

Table VII compares the age distribution by race for the unweighted 2007 CWHS sample and the 2004 California population. Females aged 18 to 24 are under-represented in all race/ethnicity groups. Women aged 25 to 34 are over-represented among Blacks, Hispanics and Asian/Others and under-represented among Whites. Women aged 35 to 44 and aged are over-represented in every race/ethnicity group. Women aged 45 to 54 are over-represented in every race/ethnicity group. Women aged 55 to 64 are over-represented among Whites and Blacks and under-represented among Hispanics and Asian/Others. Women aged 65+ are under-represented among all race/ethnicity categories.

Table VII. Distribution of Age by Race 2007 CWHS Sample vs. 2004 California Population Estimates

	White		Hispanic		Black		Asian/Other	
	CWHS	CA 2004	CWHS	CA 2004	CWHS	CA 2004	CWHS	CA 2004
18-24	2.9%	7.0%	9.4%	14.2%	4.9%	8.7%	3.3%	9.8%
25-34	9.6%	11.6%	27.9%	20.0%	16.1%	16.8%	15.5%	13.5%
35-44	15.3%	11.1%	27.8%	17.0%	24.3%	14.7%	24.3%	14.2%
45-54	22.3%	12.5%	18.0%	17.3%	20.2%	14.3%	23.2%	16.1%
55-64	22.2%	16.6%	9.2%	13.9%	17.3%	16.9%	15.0%	16.2%
65+	27.6%	41.3%	7.7%	17.7%	17.3%	28.6%	18.8%	30.2%

Source:

2007 CWHS Sample (n=4,774 Completed Interviews)

[California Department of Finance 2004 California Population Estimate](#)

Weighting Procedures

As discussed above, the age and race characteristics of the CWHS sample differ from the age and race characteristics of the female California population. Weighting adjustments compensate for these discrepancies. When performing analyses on the CWHS data, analysts should always weight the sample so that the age and race distributions correspond to the California population. Part VI of this document describes calculated weights adjusting for age and race in the CWHS sample. The weights are specific to the year of the data collection, SRG statisticians design weighting measurements to allow comparisons between years or point estimates for a particular year. Researchers interested in combining data from several years for more accurate estimates must develop different weights.

The weights provided with the dataset adjust only for age and race discrepancies between the CWHS sample and the California female population. There are no adjustments to the observed differences in education or income. Dataset users should control for education and income in their analyses when necessary.

Part II: Data Dictionary

Dataset Name: CWHS9707
Creation Date: January, 2008
N Records: 48,233

Description: This dataset contains data from interviews with 48,233 randomly selected California women conducted during 1997 through 2007.

Part III explains the variables containing special values (e.g., 999=refused) and the Roman numeral naming convention of the continuous variables. Variables with no specified format are either character strings or numeric with no special values; i.e., all missing values are coded as '.' on the SAS dataset. Part IV and the program FORM9707.SAS reference the formats below (e.g., YESNO.); SAS files can be obtained by request.

Parts V, VI and VII provide information about the specific questions, the location of the question within the questionnaire, definitions of calculated variables, and use of weights. Dataset users should consult this documentation information prior to using the dataset.

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
ABTREAT	YESNO	2000	TREAT URINARY TRACT INFECT W/ANTIBIOTIC
ACEDEPMI	YESNO	2003-2005	BEFORE 18 LIVE WITH SOMEONE MENTALLY ILL
ACEDVMO2	YESNO	2004-2005	BEFORE 18 MOM TREATED VIOLENTLY
ACEDVMOM	YESNO	2003	BEFORE 18 MOM TREATED VIOLENTLY
ACEDVRCE	YESNO	2004-2005	BEFORE 18 PARENTS SEPARATED/DIVORCED
ACEHNGR	YESNO	2005-2007	BEFORE 18 EVER HUNGRY
ACEJAIL	YESNO	2003-2005	BEFORE 18 LIVED WITH SOMEONE WHO WENT TO JAIL
ACESUBAB	YESNO	2003-2005	BEFORE 18 LIVED WITH SUBSTANCE ABUSER
ACEWLFAR	YESNO	2005-2007	BEFORE 18 HOUSEHOLD RECEIVED WELFARE
AFPBOOK	YESNO	1997-1999	GET A BOOKLET ABOUT AFP TEST
AFPNOT1	YESNO	1997-1999	NOT TOLD OF AFP TEST/ASKED IF WANTED IT
AFPNOT2	YESNO	1997-1999	DIDNT UNDERSTAND REASON FOR AFP TEST
AFPNOT3	YESNO	1997-1999	NO TEST: DONT LIKE HAVING BLOOD DRAWN
AFPNOT4	YESNO	1997-1999	HEARD AFP RESULTS WERE UNRELIABLE
AFPNOT5	YESNO	1997-1999	HAD AMNIOCENTESIS INSTEAD OF AFP TEST
AFPNOT6	YESNO	1997-1999	DIDNT WANT TO KNOW OF BIRTH DEFECT
AFPNOT7	YESNO	1997-1999	DIDNT WANT TO DECIDE ABOUT ABORTION
AFPNOT8	YESNO	1997-1999	AFP BLOOD TEST TOO EXPENSIVE
AFPNOT9	YESNO	1997-1999	REASON DIDNT HAVE AFP TEST (SPECIFY)
AFPNOTXT	AFPNOTXT	1997-1999	REASON DIDNT HAVE AFP TEST (TEXT)
AFPTEST	YESNOTER	1997-1999	HAVE YOUR BLOOD DRAWN FOR AFP TEST
AFRDMEAL	TRUEFALB	1998-2007	WHEN COULD NOT AFFORD BALANCED MEALS
AGE	I	1997-2001	REPORTED AGE IN YEARS
AGEB	I	2002-2007	REPORTED AGE IN YEARS
AGEBRTH	I	1998-2000	AGE AT BIRTH OF FIRST CHILD
AIDSNOT	AIDSNOT	1997	MAIN REASON FOR NOT BEING TESTED FOR HIV
AIDSTALK	AIDSTALK	1998	TALK ABOUT AIDS WITH SEX PARTNER
AIDSTST3	YESNO	1997	EVER TESTED FOR HIV
ALTD0C	YESNO	2000	TELL DOCTOR ABOUT USE OF HERBAL PRODUCT
ALTHERB	YESNO	2000	USED HERBAL PRODUCT LAST 12 MONTHS
ANTBEAR	YESNO	2000	SHOULD TAKE ANTIBIOTIC: EAR INFECTION
ANTBLAD	YESNO	2000	SHOULD TAKE ANTIBIOTIC: BLADDER INFECTION
ANTCOLD	YESNO	2000	SHOULD TAKE ANTIBIOTIC: COLDS OR FLU
ANTCOLD2	YESNO	2003, 2007	COLD/FLU SHOULD BE TREATED WITH ANTIBIOTICS

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
AREACODE		1997-2005	AREA CODE
ASKFRTST	SCALED	1998-2000	HOW LIKELY ASK CHLAMYDIA TEST NEXT YEAR
ASTHEVER	YESNO	2004	DOCTOR SAID YOU HAD ASTHMA
ASTHSTL	YESNO	2004-2005	STILL HAVE ASTHMA
BABY	BABY	1997	EVER GIVEN BIRTH TO A LIVE BABY
BABYWHEN	I	1997	YEAR LAST GAVE BIRTH TO LIVE BABY
BARRPA	BARRPA	2003-2004	MAIN REASON NOT MORE PHYSICALLY ACTIVE
BARRPA2	BARRPAB	2005-2007	MAIN REASON NOT MORE PHYSICALLY ACTIVE
BCBAR	BCBAR	1997	FREQUENCY OF CONDOM USE
BCBAR2	BCBAR	1998	FREQUENCY OF CONDOM USE
BCBARNO2	BCBARNOB	1998	WHY NOT ALWAYS USING CONDOM
BCBARNOT	BCBARNOT	1997	MAIN REASON NOT USING CONDOM ALWAYS
BCFAM	YESNO	1997	FAMILY MEMBERS EVER HAD BREAST CANCER
BCGENET	YESNO	2001	TAKE GENETIC BREAST CANCER RISK TEST
BCHAD	YESNO	1997-2002	EVER HAD BREAST CANCER
BCMEMA	YESNO	1997	MOTHER HAD BREAST CANCER
BCMEMB	YESNO	1997	SISTER HAD BREAST CANCER
BCMEMC	YESNO	1997	DAUGHTER HAD BREAST CANCER
BCMEMD	YESNO	1997	OTHER RELATIVE HAD BREAST CANCER
BCPAY_A	YESNO	1999-2004	HOW PAY FOR BC: PRIVATE INSURANCE
BCPAY_B	YESNO	1999-2004	HOW PAY FOR BC: MEDI-CAL
BCPAY_C	YESNO	1999-2004	HOW PAY FOR BC: FAMILY PACT
BCPAY_D	YESNO	1999-2004	HOW PAY FOR BC: COLLEGE INSURANCE
BCPAY_E	YESNO	1999-2004	HOW PAY FOR BC: FREE NOT SCHOOL CLINIC
BCPAY_F	YESNO	1999-2004	HOW PAY FOR BC: FREE SCHOOL CLINIC
BCPAY_G	YESNO	1999-2004	HOW PAY FOR BC: RESPONDENT PAID CO-PAY
BCPAY_H	YESNO	1999-2004	HOW PAY FOR BC: PARTNER PAID CO-PAY
BCPAY_I	YESNO	1999-2004	HOW PAY FOR BC: RESPONDENT PAID ALL COST
BCPAY_J	YESNO	1999-2004	HOW PAY FOR BC: PARTNER PAID ALL COST
BCPAY_K	YESNO	1999-2004	HOW PAY FOR BC: SHARED COST WITH PARTNER
BCPAY_L	YESNO	1999-2004	HOW PAY FOR BC: FAMILY MEMBER PAID COST
BCPAY_M	YESNO	1999-2004	HOW PAY FOR BC: OTHER (SPECIFY)
BCPAY_N	YESNO	1999-2004	HOW PAY FOR BC: DO NOT USE BIRTH CONTROL
BCPAY2_A	YESNO	2000-2004	STERILIZATION PAID: PRIVATE HEALTH INS
BCPAY2_B	YESNO	2000-2004	STERILIZATION PAID: MEDI-CAL
BCPAY2_C	YESNO	2000-2004	STERILIZATION PAID: FAMILY PACT ETC
BCPAY2_D	YESNO	2000-2004	STERILIZATION PAID: COLLEGE HEALTH INS
BCPAY2_E	YESNO	2000-2004	STERILIZATION PAID: FREE COMM CLINIC
BCPAY2_F	YESNO	2000-2004	STERILIZATION PAID: FREE @SCHOOL CLINIC
BCPAY2_G	YESNO	2000-2004	STERILIZATION PAID: YOU PAID COPAY
BCPAY2_H	YESNO	2000-2004	STERILIZATION PAID: PARTNER PAID COPAY
BCPAY2_I	YESNO	2000-2004	STERILIZATION PAID: YOU PAID FULL COST
BCPAY2_J	YESNO	2000-2004	STERILIZATION PAID: PARTNER PAY FULL COST
BCPAY2_K	YESNO	2000-2004	STERILIZATION PAID: SHARE COST W/PARTNER
BCPAY2_L	YESNO	2000-2004	STERILIZATION PAID: FAMILY MEMBER PAID
BCPAY2_M	YESNO	2000-2004	STERILIZATION PAID: OTHER (SPECIFY)
BCPAY2_N	YESNO	2000-2004	STERILIZATION PAID: NOT STERILIZED
BCPAY2TX	BCPAYTXT	2000-2004	STERILIZATION PAID (TEXT)
BCPAYTXT	BCPAYTXT	1999,2001-2004	HOW PAY FOR BC (TEXT)
BCPREVNT	YESNO	1999-2000	EVER HEARD OF TAMOXIFEN OR RALOXIFENE
BCPRVMED	YESNO	1999-2000	DISCUSSED MEDS TO PREVENT BREAST CANCER
BCRISK	SCALEB	1998	PERCEIVED RISK OF GETTING BREAST CANCER
BCRISK2	RISKB	1999-2000	PERCEIVED RISK OF GETTING BREAST CANCER
BCTYP_A	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: MALE STERILIZATION
BCTYP_B	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: FEMALE STERILIZATION
BCTYP_C	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: NORPLANT/IMPLANTS
BCTYP_D	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: DEPO-PROVERA
BCTYP_E	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: ORAL CONTRACEPTIVE
BCTYP_F	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: IUD/COIL/LOOP
BCTYP_G	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: CONDOMS
BCTYP_H	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: DIAPHRAGM

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
BCTYP_I	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: FEMALE CONDOM/POUCH
BCTYP_J	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: CERVICAL CAP
BCTYP_K	YESNO	1997-2004, 06-07	BC USED: FOAM/JELLY/CREAM/ETC
BCTYP_L	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: WITHDRAWAL
BCTYP_M	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: NATURAL FAM PLANNING
BCTYP_N	YESNO	1997-2004, 06-07	BIRTH CONTROL USED: OTHER (SPECIFY)
BCTYP_O	YESNO	1997-2004, 06-07	REFUSED BIRTH CONTROL MODULE
BCTYP_P	YESNO	2004, 2006-2007	BIRTH CONTROL USED: PATCH (ORTHO EVRA)
BCTYP_Q	YESNO	2004, 2006-2007	BIRTH CONTROL USED: VAGINA RING (NUVARING)
BCTYP_R	YESNO	2004, 2006-2007	BIRTH CONTROL USED: EMERGENCY CONTRACEPTION
BCTYPTX2	BCTYPETB	2003	BIRTH CONTROL USED (TEXT)
BCTYPTXT	BCTYPETX	1997-2002, 2004	BIRTH CONTROL USED (TEXT)
BCUSE2	YESNOM	1998-1999	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUSE3	YESNOM	2000-2003	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUSE4	YESNOM	2004-2007	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCWHYNOT	BCWHYNOT	1997-2004, 06-07	MAIN REASON NOT USING BIRTH CONTROL
BCWHYNOX	BCWHYNOT	1998-2004	REASON NOT USING BIRTH CONTROL (TEXT)
BCWNTHOW	PORTION	1999-2003	IF WANTED BIRTH CONTROL HOW MUCH INS PAY
BFBENEFT	YESNO	1997	MD DISCUSS BENEFITS OF BREASTFEEDING
BFDIS_A	YESNO	1997	OBSTETRICIAN DISCOURAGED BREASTFEEDING
BFDIS_B	YESNO	1997	PEDIATRICIAN DISCOURAGED BREASTFEEDING
BFDIS_C	YESNO	1997	FAM PRACTICE DOC DISCOURAGED BRSTFEED
BFDIS_D	YESNO	1997	OTHER DOCTOR DISCOURAGED BREASTFEEDING
BFDIS_E	YESNO	1997	NURSE DISCOURAGED BREASTFEEDING
BFDIS_F	YESNO	1997	DIETITIAN DISCOURAGED BREASTFEEDING
BFDIS_G	YESNO	1997	FRIEND DISCOURAGED BREASTFEEDING
BFDIS_H	YESNO	1997	MOTHER DISCOURAGED BREASTFEEDING
BFDIS_I	YESNO	1997	GRANDMOTHER DISCOURAGED BREASTFEEDING
BFDIS_J	YESNO	1997	SISTER DISCOURAGED BREASTFEEDING
BFDIS_K	YESNO	1997	HUSBAND DISCOURAGED BREASTFEEDING
BFDIS_L	YESNO	1997	LACTATION CONSULT DISCOURAGED BREASTFEED
BFDIS_M	YESNO	1997	WIC STAFF DISCOURAGED BREASTFEEDING
BFDIS_N	YESNO	1997	COWORKER DISCOURAGED BREASTFEEDING
BFDIS_O	YESNO	1997	EMPLOYER DISCOURAGED BREASTFEEDING
BFDIS_P	YESNO	1997	NO ONE/SELF DISCOURAGED BREASTFEEDING
BFDIS_Q	YESNO	1997	OTHER DISCOURAGED BREASTFEED (SPECIFY)
BFDISCOU	YESNO	1997	POST BIRTH ANYONE DISCOURAGE BRSTFEEDING
BFDISTXT	BFDISCOR	1997	OTHER WHO DISCOURAGED BRSTFEEDING (TEXT)
BFENC_A	YESNO	1997	DOCTOR ENCOURAGED BREASTFEEDING
BFENC_B	YESNO	1997	NURSE ENCOURAGED BREASTFEEDING
BFENC_C	YESNO	1997	LACTATION SPECIALIST ENCOURAGE BRSTFEED
BFENC_D	YESNO	1997	WIC STAFF ENCOURAGED BREASTFEEDING
BFENC_E	YESNO	1997	FRIEND ENCOURAGED BREASTFEEDING
BFENC_F	YESNO	1997	HUSBAND ENCOURAGED BREASTFEEDING
BFENC_G	YESNO	1997	MOTHER ENCOURAGED BREASTFEEDING
BFENC_H	YESNO	1997	FATHER ENCOURAGED BREASTFEEDING
BFENC_J	YESNO	1997	MIDWIFE ENCOURAGED BREASTFEEDING
BFENC_K	YESNO	1997	NO ONE/SELF ENCOURAGED BREASTFEEDING
BFENC_L	YESNO	1997	OTHER WHO ENCOURAGED BRSTFEED (SPECIFY)
BFENCTXT	BFENCWHO	1997	OTHER WHO ENCOURAGED BRSTFEEDING (TXT)
BFFORM	BFFORM	1997	GET FORMULA/COUPONS ON LEAVING HOSPITAL
BFHELP	YESNO	1997	GET HELP WITH BREASTFEEDING PROBLEM
BFHLP_A	YESNO	1997	OBSTETRICIAN HELPED BREASTFEEDING PROB
BFHLP_B	YESNO	1997	PEDIATRICIAN HELPED BREASTFEEDING PROB
BFHLP_C	YESNO	1997	FAMILY PRACTICE DOC HELPED BRSTFEED PROB
BFHLP_D	YESNO	1997	HOSPITAL NURSE HELPED BREASTFEED PROB
BFHLP_E	YESNO	1997	OFFICE NURSE HELPED BREASTFEEDING PROB
BFHLP_F	YESNO	1997	FRIEND HELPED BREASTFEED PROBLEM
BFHLP_G	YESNO	1997	MOTHER HELPED BREASTFEED PROBLEM
BFHLP_H	YESNO	1997	GRANDMOTHER HELPED BREASTFEED PROBLEM
BFHLP_I	YESNO	1997	SISTER HELPED BREASTFEED PROBLEM

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
BFHLP_J	YESNO	1997	HUSBAND HELPED BREASTFEED PROBLEM
BFHLP_K	YESNO	1997	LA LECHE LEAGUE HELPED BRSTFEED PROB
BFHLP_L	YESNO	1997	LACTATION CONSULT HELPED BRSTFEED PROB
BFHLP_M	YESNO	1997	WIC STAFF HELPED BREASTFEED PROBLEM
BFHLP_N	YESNO	1997	COWORKER HELPED BREASTFEED PROBLEM
BFHLP_O	YESNO	1997	SELF: BOOK HELPED BREASTFEED PROBLEM
BFHLP_P	YESNO	1997	SELF: PAST EXPERIENCE HELP BRSTFEED PROB
BFHLP_Q	YESNO	1997	OTR HELP SOURCE BRSTFEED PROB (SPECIFY)
BFINF_A	YESNO	1997	GOT BREASTFEED INFO: NOWHERE/NO ONE
BFINF_B	YESNO	1997	GOT BREASTFEED INFO: NURSE
BFINF_C	YESNO	1997	GOT BREASTFEED INFO: LACTATION CONSULT
BFINF_D	YESNO	1997	GOT BREASTFEED INFO: WIC STAFF
BFINF_E	YESNO	1997	GOT BREASTFEED INFO: BOOK
BFINF_F	YESNO	1997	GOT BREASTFEED INFO: FRIEND
BFINF_G	YESNO	1997	GOT BREASTFEED INFO: COWORKER
BFINF_H	YESNO	1997	GOT BREASTFEED INFO: MOTHER
BFINF_I	YESNO	1997	GOT BREASTFEED INFO: CHILDS FATHER
BFINF_J	YESNO	1997	GOT BREASTFEED INFO: SISTER
BFINF_K	YESNO	1997	GOT BREASTFEED INFO: GRANDMOTHER
BFINF_L	YESNO	1997	GOT BREASTFEED INFO: OTHER FAMILY MEMBER
BFINF_M	YESNO	1997	GOT BREASTFEED INFO: MAGAZINE
BFINF_N	YESNO	1997	GOT BREASTFEED INFO: PAMPHLET
BFINF_O	YESNO	1997	GOT BREASTFEED INFO: CHILDBRTH PREP CLASS
BFINF_P	YESNO	1997	GOT BREASTFEED INFO: PARENTING CLASS
BFINF_Q	YESNO	1997	GOT BREASTFEED INFO: LA LECHE LEAGUE
BFINF_R	YESNO	1997	DIDNT GET BRSTFEED INFO TIL AFTER BIRTH
BFINF_S	YESNO	1997	GOT BREASTFEED INFO: OTHER (SPECIFY)
BFINTXT	BFENCWHO	1997	GOT BREASTFEED INFO: OTHER (TEXT)
BFLONG	BFLONG	1997	LENGTH OF TIME BREASTFED
BFMLKGD	BFMLKGD	1997	BELIEF ABOUT BREASTMILK
BFNOTXT	BFNOT	1997	WHY NOT BREASTFEED: OTHER REASON (TEXT)
BFNURSE	BFNURSE	1997	NURSES ENCOURAGEMENT OF BREASTFEEDING
BFPRBXT	BFPROBTX	1997	OTHER BREASTFEEDING PROBLEM (TEXT)
BFPRO_A	YESNO	1997	BREASTFEED PROB: ENGORGED BREASTS
BFPRO_B	YESNO	1997	BREASTFEED PROB: SORE NIPPLES
BFPRO_C	YESNO	1997	BREASTFEED PROB: MASTITIS (FEVER, SORE)
BFPRO_D	YESNO	1997	BREASTFEED PROB: OBSTRUCTED DUCT
BFPRO_E	YESNO	1997	BREASTFEED PROB: NOT ENOUGH MILK
BFPRO_F	YESNO	1997	BREASTFEED PROB: BABY REFUSED BREAST
BFPRO_G	YESNO	1997	BREASTFEED PROB: BABY WANTED FORMULA
BFPRO_H	YESNO	1997	BREASTFEED PROB: BABY NURSED TOO OFTEN
BFPRO_I	YESNO	1997	BREASTFEED PROB: BABY COULD NOT GET MILK
BFPRO_J	YESNO	1997	OTHER BREASTFEEDING PROBLEM (SPECIFY)
BFPROB	YESNO	1997	EVER HAVE ANY PROBLEMS BREASTFEEDING
BFWHERE2	YESNO	1999	OFFENDED WHEN SEE BREASTFEEDING IN PUBLI
BFWHERE	BFWHERE	1997-1998	BELIEF ABOUT BREASTFEEDING IN PUBLIC
BFWHOTXT	BFENCWHO	1997	OTR SOURCE OF HELP BRSTFEED PROB(TEXT)
BFWHY_A	YESNO	1997	WHY QUIT BREASTFEED: RETURNED TO WORK
BFWHY_B	YESNO	1997	WHY QUIT BREASTFEED: RETURNED TO SCHOOL
BFWHY_C	YESNO	1997	WHY QUIT BREASTFEED: NOT ENOUGH TIME
BFWHY_D	YESNO	1997	WHY QUIT BREASTFEED: NOT ENOUGH MILK
BFWHY_E	YESNO	1997	WHY QUIT BRETFEED: UNCOMFORTABLE BODY
BFWHY_F	YESNO	1997	WHY QUIT BREASTFEED: FELT EMBARRASSED
BFWHY_G	YESNO	1997	WHY QUIT BREASTFEED: PAIN
BFWHY_H	YESNO	1997	WHY QUIT BRSTFEED: HUSBAND CANT FEED
BFWHY_I	YESNO	1997	WHY QUIT BRETFEED: NO FAMILY SUPPORT
BFWHY_J	YESNO	1997	WHY QUIT BREASTFEED: BABY GOT BENEFIT
BFWHY_K	YESNO	1997	WHY QUIT BREASTFEED: BABY DIDNT SLEEP
BFWHY_L	YESNO	1997	WHY QUIT BRSTFEED: BEGAN BIRTH CONTROL
BFWHY_M	YESNO	1997	WHY QUIT BRSTFEED: TAKING MEDS NOT BC
BFWHY_N	YESNO	1997	WHY QUIT BREASTFEED: HIV POSITIVE

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
BFWHY_O	YESNO	1997	WHY QUIT BREASTFEED: BABY TEETHING
BFWHY_P	YESNO	1997	WHY QUIT BRSTFEED: BABY REFUSED BREAST
BFWHY_Q	YESNO	1997	WHY QUIT BREASTFEED: MED PROB NOT HIV
BFWHY_R	YESNO	1997	WHY QUIT BREASTFEED: OTHER (SPECIFY)
BFWHYNA	YESNO	1997	WHY NOT BRSTFEED: NEVER OCCURRED TO YOU
BFWHYNB	YESNO	1997	WHY DIDNT BREASTFEED: RETURN TO SCHOOL
BFWHYNC	YESNO	1997	WHY DIDNT BREASTFEED: RETURN TO WORK
BFWHYND	YESNO	1997	WHY DIDNT BREASTFEED: EMBARRASSMENT
BFWHYNE	YESNO	1997	WHY DIDNT BREASTFEED: UNAPPEALING
BFWHYNF	YESNO	1997	WHY DIDNT BREASTFEED: HEARD IT HURT
BFWHYNG	YESNO	1997	WHY DIDNT BREASTFEED: BREASTS TOO SMALL
BFWHYNH	YESNO	1997	WHY DIDNT BREASTFEED: INVERTED NIPPLES
BFWHYNI	YESNO	1997	WHY NOT BRSTFEED: PREVIOUS BAD EXPERIENCE
BFWHYNJ	YESNO	1997	WHY NOT BRSTFEED: FORMULA EQ BREASTMILK
BFWHYNK	YESNO	1997	WHY DIDNT BRSTFEED: DIDNT KNOW ADVANTAGE
BFWHYNL	YESNO	1997	WHY DIDNT BREASTFEED: TOO BUSY
BFWHYNM	YESNO	1997	WHY DIDNT BRSTFEED: BABYS FATHER OPPOSED
BFWHYNN	YESNO	1997	WHY DIDNT BREASTFEED: MOTHER OPPOSED
BFWHYNO	YESNO	1997	WHY DIDNT BREASTFEED: WORRIED ABOUT DIET
BFWHYNP	YESNO	1997	WHY DIDNT BRSTFEED: WORRIED ABOUT ALCOHOL
BFWHYNQ	YESNO	1997	WHY DIDNT BREASTFEED: WORRIED ABOUT MOOD
BFWHYNR	YESNO	1997	WHY DIDNT BREASTFEED: TOO MUCH TROUBLE
BFWHYNS	YESNO	1997	WHY DIDNT BREASTFEED: BABY PREMATURE
BFWHYNT	YESNO	1997	WHY DIDNT BREASTFEED: BABY ADOPTED
BFWHYNU	YESNO	1997	WHY NOT BRSTFEED: OTHER REASON (SPECIFY)
BFWHYTXT	BFWHYQT	1997	WHY QUIT BREASTFEED: OTHER (TEXT)
BIRTHPLC	BIRTHPLC	1997-2002,04-07	COUNTRY OF BIRTH
BLADINF	YESNO	1997	HAD BLADDER INFECTION SYMPTOMS 3+ MONTHS
BLADINF2	YESNO	2000	URINARY TRACT INFECTION LAST 12 MONTHS
BLKACT	III	1998-1999	CITY BLOCKS WALKED PER DAY
BONEDEN	YESNO	2006	EVER HAD A BONE DENSITY TEST?
BPCK12M	YESNO	2001-2002	HAD BLOOD PRESSURE CHECKED IN LAST 12 MOS
BRSTFED2	YESNO	2001-2003	TRY TO BREASTFEED BABY BORN IN YEAR
BRSTFEED	BABY	1997-1998	TRY TO BREASTFEED LAST BABY
BRTHMNT	MON_YEAR	1998-2000	MONTH LAST GAVE BIRTH TO LIVE BABY
BRTHW_A	II	1999-2005	WEIGHT IN POUNDS OF LAST BABY
BRTHW_B	II	1999-2005	WEIGHT IN OUNCES OF LAST BABY
BRTHW_C	II	1999-2005	WEIGHT IN GRAMS OF LAST BABY
BRTHYR	IV	1998-2000	YEAR LAST GAVE BIRTH TO LIVE BABY
CAREGIV2	YESNO	1998	GIVE FREQUENT CARE DURING LAST 12 MONTHS
CAREGIVE	YESNO	1997	GIVE FREQUENT CARE DURING LAST 12 MONTHS
CAREL_A	V	1997	NUMBER OF DAYS ACTED AS CAREGIVER
CAREL_B	V	1997	NUMBER OF WEEKS ACTED AS CAREGIVER
CAREL_C	V	1997	NUMBER OF MONTHS ACTED AS CAREGIVER
CAREL_D	V	1997	NUMBER OF YEARS ACTED AS CAREGIVER
CAREPBLM	YESNO	2006-2007	CHILDCARE A SERIOUS PROBLEM?
CARER_A	YESNO	1997	REASON FOR CARE: SURGERY/MAJOR ILLNESS
CARER_B	YESNO	1997	REASON FOR CARE: PHYS ILLNESS/DISABILITY
CARER_C	YESNO	1997	REASON FOR CARE: HANDLE A MENTAL PROBLEM
CARER_D	YESNO	1997	OTHER REASON FOR CARE (SPECIFY)
CARERCVD	YESNO	2006-2007	REGULAR CHILDCARE OUTSIDE HOME/FAMILY
CARERESP	SCALEC	1998	CAREGIVING LIMITED FULFILLING OTHR DUTIE
CARERTXT	CAREWHY	1997	OTHER REASON FOR CARE (TEXT)
CAREW_A	YESNO	1997-1998	GAVE CARE TO SPOUSE
CAREW_B	YESNO	1997	GAVE CARE TO SON OR DAUGHTER
CAREW_C	YESNO	1997-1998	GAVE CARE TO PARENT OR PARENT-IN-LAW
CAREW_D	YESNO	1997-1998	GAVE CARE TO GRANDPARENT
CAREW_E	YESNO	1997-1998	GAVE CARE TO OTHER RELATIVE
CAREW_F	YESNO	1997-1998	GAVE CARE TO FRIEND OR NEIGHBOR
CAREW_G	YESNO	1997-1998	GAVE CARE TO OTHER PERSON (SPECIFY)
CAREW_H	YESNO	1998	GAVE CARE TO ADULT CHILD/STEPCHILD

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
CAREW_I	YESNO	1998	GAVE CARE TO MINOR CHILD/STEPCHILD
CAREW_J	YESNO	1998	GAVE CARE TO GRANDCHILD
CAREWH_A	YESNO	2006-2007	CHILDCARE PROBLEM: COST TOO MUCH
CAREWH_B	YESNO	2006-2007	CHILDCARE PROBLEM: COULDN'T FIND FOR TIMES NEEDED
CAREWH_C	YESNO	2006-2007	CHILDCARE PROBLEM: TOO FAR FROM WORK OR HOME
CAREWH_D	YESNO	2006-2007	CHILDCARE PROBLEM: CAREGIVERS UNRELIABLE/UNAVAILABLE
CAREWH_E	YESNO	2006-2007	CHILDCARE PROBLEM: WORRY ABOUT CHILD'S SAFETY
CAREWH_F	YESNO	2006-2007	CHILDCARE PROBLEM: CHILD SICK OR DISABLED
CAREWH_G	YESNO	2006-2007	CHILDCARE PROBLEM: SUBSIDY PAYMENT LATE
CAREWH_H	YESNO	2006-2007	CHILDCARE PROBLEM: OTHER (SPECIFY)
CAREWXTX	CAREWHO	1997	GAVE CARE TO OTHER PERSON (TEXT)
CAREWXTX	CAREWHOB	1998	GAVE CARE TO OTHER PERSON (TEXT)
CBEGUID2	IMPORT	1999-2000	HOW IMPORTANT IS CBE FOR WOMAN RESP AGE
CBEGUIDE	BGUIDE	1997	HOW OFTEN SHOULD WOMAN 40+ HAVE CBE(<40)
CBEGUIDE	BGUIDE	1998	HOW OFTEN SHOULD WOMAN 40+ HAVE CBE (ALL)
CHCK12M	YESNO	2001-2002	HAD CHOLESTEROL CHECKED IN LAST 12 MONTHS
CHD1317	CHILD	1997-2007	NUMBER OF CHILDREN AGED 13 TO 17 IN HH
CHECKUP2	HOWLONG	1997-2004	HOW LONG SINCE LAST ROUTINE CHECKUP
CHECKUP3	HOWLONGE	2006-2007	HOW LONG SINCE ROUTINE MEDICAL CHECKUP
CHILD1	II	1997-2007	AGE OF YOUNGEST CHILD
CHILD18	II	1997-2007	NUMBER OF CHILDREN UNDER 18 IN HOUSEHOLD
CHILD2	II	1997-2007	AGE OF 2ND YOUNGEST CHILD
CHILD3	II	1997-2007	AGE OF 3RD YOUNGEST CHILD
CHILD4	II	1997-2007	AGE OF 4TH YOUNGEST CHILD
CHILD5	II	1997-2007	AGE OF 5TH YOUNGEST CHILD
CHILD6	II	1997-2007	AGE OF 6TH YOUNGEST CHILD
CHILD612	CHILD	1997-2007	NUMBER OF CHILDREN AGED 6 TO 12 IN HH
CHILD7	II	1997-2007	AGE OF 7TH YOUNGEST CHILD
CHILD8	II	1997-2007	AGE OF 8TH YOUNGEST CHILD
CHILD9	II	1997-2007	AGE OF 9TH YOUNGEST CHILD
CHILDINT	YESNO	2006-2007	ARE YOU RESPONSIBLE FOR CHILDCARE ARRANGEMENTS?
CHILDLT1	CHILDLT	1999-2003	AGE OF CHILD LESS THAN 1 YEAR
CHILDLT6	CHILD	2003-2007	NUMBER OF CHILDREN AGED 1 TO 5 IN HH
CHILDPRT	CHILDAGE	1998	AGE BABY WHEN MOM RETURN TO WORK/SCHOOL
CHKHGHT	HOWLONGK	2004, 2006	LAST TIME HEALTH PROFESSIONAL MEASURED HEIGHT
CHKUP_A	YESNO	2006	DOCTOR DISCUSS EMOTIONAL NEEDS?
CHKUP_B	YESNO	2006	DOCTOR DISCUSS SEXUAL HISTORY/PRACTICES?
CHKUP_C	YESNO	2006	DOCTOR DISCUSS SEXUALLY TRANSMITTED DISEASE?
CHKUP_D	YESNO	2006	DOCTOR DISCUSS DIET/EXERCISE?
CHKUP_E	YESNO	2006	DOCTOR DISCUSS DENTAL/EYECARE?
CHKUP_F	YESNO	2006	DOCTOR DISCUSS FAMILY HISTORY OF DISEASE?
CHKUP_G	YESNO	2006	DOCTOR DISCUSS HISTORY OF PHYSICAL TRAUMA?
CHKUP_H	YESNO	2006	DOCTOR DISCUSS DRUG/ALCOHOL/TOBACCO USE?
CHKUP_I	YESNO	2006	DOCTOR DISCUSS SEAT BELTS?
CHLD__0	YESNO	2000-2003	AGE LESS THAN 1 MONTH
CHLD__1	YESNO	2000-2003	AGE 1 MONTH TO LT 2 MONTH
CHLD__10	YESNO	2000-2003	AGE 10 MONTHS TO LT 11 MONTHS
CHLD__11	YESNO	2000-2003	AGE 11 MONTHS TO LT 12 MONTHS
CHLD__12	YESNO	2000-2003	CHILD EXACTLY 1 YEAR
CHLD__2	YESNO	2000-2003	AGE 2 MONTHS TO LT 3 MONTHS
CHLD__3	YESNO	2000-2003	AGE 3 MONTHS TO LT 4 MONTHS
CHLD__4	YESNO	2000-2003	AGE 4 MONTHS TO LT 5 MONTHS
CHLD__5	YESNO	2000-2003	AGE 5 MONTHS TO LT 6 MONTHS
CHLD__6	YESNO	2000-2003	AGE 6 MONTHS TO LT 7 MONTHS
CHLD__7	YESNO	2000-2003	AGE 7 MONTHS TO LT 8 MONTHS
CHLD__8	YESNO	2000-2003	AGE 8 MONTHS TO LT 9 MONTHS
CHLD__9	YESNO	2000-2003	AGE 9 MONTHS TO LT 10 MONTHS
CHLYDHIV	YESNORF	2007	T/F HAVING CHLAMYDIA INC. RISK OF HIV INFECTION
CHLYDTS2	YESNOUN	2003, 2005	TESTED FOR CHLAMTDIA PAST YEAR
CHLYDTS3	YESNOUN	2004	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTS4	YESNORF	2007	TESTED FOR CHLAMYDIA PAST YEAR

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
CHLYDTST	YESNOUN	1998-2002	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDXTX	STDWHETX	1999-2000	WHERE TESTED FOR CHLAMYDIA - TEXT
CHLYD_A	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: IS A STD
CHLYD_B	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: YOUNG WOMEN CAN GET IT
CHLYD_C	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: CAN CAUSE HEALTH PROBLEMS SUCH AS INFERTILITY
CHLYD_D	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: OTHER
CHLYDWH2	WHERE	2003, 2005	WHERE TESTED FOR CHLAMYDIA
CHLYDWHR	WHERE	1999-2000, 2002	WHERE TESTED FOR CHLAMYDIA
CNCBELIF	CNCBELIF	2002	WHAT IS LEADING CAUSE OF CANCER DEATH FOR WOMEN
CNCRTYPE	YESNO	2004	DOCTOR SAID YOU HAD BREAST/REPRODUCTIVE CANCER
COLOEVER	YESNO	2000-2002	EVER HAD A BLOOD STOOL TEST
COLOIMP	IMPORTB	2000	HOW IMPORTANT A PROBLEM IS COLON CANCER
COLOTLK	YESNO	2001-2002	DOCTOR/NURSE EVER TALK ABOUT COLORECTAL EXAM
CONDOFTN	OFTEND	2007	HOW OFTEN USED CONDOM
CONSEC		1997-2000	SEQUENTIAL RESPONDENT NUMBERING
COUNTYS	COUNTY	1997-2007	COUNTY OF RESIDENCE, BRFS CODING
COUNTY1S	COUNTYA	1997-2007	COUNTY OF RESIDENCE, FIPS CODING
COUPLE	YESNO	1998	MEMBER OF COUPLE LAST 12 MONTHS
CRC1	AGREEE	2005	UNCOMFORTABLE WHEN PARTNER WANT TO BE CLOSE
CRC10	AGREEE	2005	PREFER NOT TO SHOW PARTNERS MY FEELINGS
CRC10REV	AGREER	2005	REVERSE SCALE OF CRC10
CRC1REV	AGREER	2005	REVERSE SCALE OF CRC1
CRC2	AGREEE	2005	WORRY A LOT ABOUT RELATIONSHIPS
CRC2REV	AGREER	2005	REVERSE SCALE OF CRC2
CRC3	AGREEE	2005	WORRY ABOUT LOSING MY PARTNERS
CRC3REV	AGREER	2005	REVERSE SCALE OF CRC3
CRC4	AGREEE	2005	WORRY PARTNERS DON'T CARE ABOUT ME AS MUCH
CRC4REV	AGREER	2005	REVERSE SCALE OF CRC4
CRC5	AGREEE	2005	COMFORTABLE SHARING FEELINGS WITH PARTNER
CRC6	AGREEE	2005	WISH PARTNERS FEELINGS WERE AS STRONG AS MINE
CRC6REV	AGREER	2005	REVERSE SCALE OF CRC6
CRC7	AGREEE	2005	COMFORTABLE BEING CLOSE TO PARTNERS
CRC8	AGREEE	2005	PULL AWAY WHEN PARTNERS GET CLOSE
CRC8REV	AGREER	2005	REVERSE SCALE OF CRC8
CRC9	AGREEE	2005	I DON'T WORRY ABOUT BEING ABANDONED
CRCSCALE		2005	ATTACHMENT SCALE-AVERAGED
CRIME	SAFE	2004-2005	HOW SAFE IS NEIGHBORHOOD: CRIME
CRIMJAIL	YESNO	2005	BEEN CONVICTED OF CRIME AND SPENT TIME IN JAIL
CURRALOX	YESNO	1999-2000	CURRENTLY TAKING RALOXIFENE
CURRTAMX	YESNO	1999-2000	CURRENTLY TAKING TAMOXIFEN
CUTMEAL	YESNO	1999-2007	CUT MEAL SIZE BECAUSE NO \$\$ FOR FOOD
CUTOFTN	HOWLONGG	1999-2007	FREQUENCY CUT SIZE OF MEAL BECAUSE NO \$\$
CVDBELI2	CVDMORTB	2001-2002	WHAT IS LEADING CAUSE OF DEATH FOR WOMEN
CVDBELIF	TRUEFALS	1999	HEART DISEASE IS LEADING CAUSE OF DEATH
CVDMORT	CVDMORT	1999	LEADING CAUSE OF DEATH OF WOMEN
CVDPROB	CVDPROB	1999	GREATEST HEALTH PROBLEM FACING WOMEN
CYCLNOW	YESNO	2007	TAKING HORMONAL CONTRACEPTIVES TO SUPPRESS MENSTRUAL CYCLE
CYSTITIS	YESNOTS	1997	MD TOLD YOU HAD INTERSTITIAL CYSTITIS
DAILYEAT	III	2001-2005, 2007	AVG SERVINGS OF FRUIT/VEGS EAT PER DAY
DAILYMLK	XIII	2002	AVG SERVINGS OF MILK PRODUCTS YOU SHOULD EAT/DAY
DAILYMLK	II	2000-2001	AVG SERVINGS OF MILK PRODUCTS U SHOULD EAT/DAY
DAILYVEG	II	2000-2001	AVG SERVINGS OF RUIT/VEGS YOU SHOULD EAT/DAY
DAILYVEG	III	2002-2005, 2007	AVG SERVINGS OF FRUIT/VEGS YOU SHOULD EAT/DAY
DATEB_A	MON_YEAB	2002-2004	MONTH LAST GAVE BIRTH TO LIVE BABY
DATEB_B	MON_YEAB	2002-2004	YEAR LAST GAVE BIRTH TO LIVE BABY
DATEB_MON	MON_YEAB	2005	MONTH LAST GAVE BIRTH TO LIVE BABY (NUMERIC)
DATEB_YR	MON_YEAB	2005	YEAR LAST GAVE BIRTH TO LIVE BABY (NUMERIC)
DATEBRTH	MON_YEAB	1998-2005	DATE LAST GAVE BIRTH TO LIVE BABY
DAYSANX	III	1998-2000,02-05	DAYS WORRIED OR ANXIOUS PAST 30 DAYS
DAYSLEEP	III	1997	DAYS DID NOT GET ENOUGH SLEEP IN PAST 30

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DAYSSAD	III	1998-2005	DAYS SAD PAST 30 DAYS
DAYURIN	III	1998	URINE LOSS FREQUENCY DURING LAST MONTH
DCTRHERB	YESNO	2005	TOLD DOCTOR YOU USE HERBS
DCTRHIV	YESNO	2002-2003	MD TALK OF RISK OF HIV PAST 12 MTS
DEMOC1R	CHILDREL	2005-2007	HOW IS 1ST CHILD RELATED TO YOU
DEMOC2R	CHILDREL	2005-2007	HOW IS 2ND CHILD RELATED TO YOU
DEMOC3R	CHILDREL	2005-2007	HOW IS 3RD CHILD RELATED TO YOU
DEMOC4R	CHILDREL	2005-2007	HOW IS 4TH CHILD RELATED TO YOU
DEMOC5R	CHILDREL	2005-2007	HOW IS 5TH CHILD RELATED TO YOU
DEMOC6R	CHILDREL	2005-2007	HOW IS 6TH CHILD RELATED TO YOU
DEMOC7R	CHILDREL	2005-2007	HOW IS 7TH CHILD RELATED TO YOU
DEMOC8R	CHILDREL	2005-2007	HOW IS 8TH CHILD RELATED TO YOU
DEMOC9R	CHILDREL	2005-2007	HOW IS 9TH CHILD RELATED TO YOU
DIABDRN2	YESNO PG	1999	HAVE GLUCOLA TEST DURING LAST PREGNANCY
DIABDRNK	YESNO PG	1998	HAVE GLUCOLA TEST DURING LAST PREGNANCY
DIABEVR	YESNO GES	2004	DOCTOR SAID YOU HAVE DIABETES
DIABPREG	YESNO	2004-2005	DIABETES ONLY WHILE PREGNANT
DIET12M	YESNO	2001-2007	TRIED TO LOSE WEIGHT IN LAST 12 MONTHS
DIETDRK	OFTENA	2001-2002	HOW OFTEN REPLACE MEAL WITH SUPPLEMENT
DIETLB	IV	2001	HOW MANY POUNDS LOST
DIETLBYO	IV	2001	HOW MANY POUNDS LOST MOST RECENT ATTEMPT
DIETPILL	OFTENA	2001-2002	HOW OFTEN USE OTC PILLS TO LOSE WEIGHT
DIETYOYB	YESNO	2002	LOSE AND GAIN WEIGHT MORE THAN ONCE
DIETYOYO	YESNO	2001	LOSE AND GAIN WEIGHT MORE THAN ONCE
DISANY	YESNO	2003-2007	ANY PHYSICAL, MENTAL, EMOTIONAL LIMITATION
DISBEND	YESNO	1999-2000	HEALTH LIMITS BENDING OR LIFTING
DISCARE	YESNO	2003-2004	HAS PROBLEM MADE IT HARD TO GET MEDICAL CARE
DISLONG	HOWLONGJ	2003	HOW LONG HAVE YOU BEEN LIMITED
DISLONGB	HOWLONGJ	2004	HOW LONG HAVE YOU BEEN LIMITED
DISMD_A	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: TRANSPORTATION
DISMD_B	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: NO SPECIALISTS
DISMD_C	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: WRONG EQUIPMENT
DISMD_D	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: NO ASSISTANCE
DISMD_E	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: BAD ATTITUDE
DISMD_F	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: COSTS/INSURANCE
DISMD_G	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: APPT TOO SHORT
DISMD_H	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: OTHER
DISMODER	YESNO	1998-1999	HEALTH LIMITS MODERATE ACTIVITY
DISSTAIR	YESNO	1998-1999	HEALTH LIMITS CLIMBING
DISUSUAL	YESNO	1998-1999	HEALTH LIMITS CARING FOR SELF
DISVIGOR	YESNO	1998-1999	HEALTH LIMITS VIGOROUS ACTIVITY
DISWALK	YESNO	1998-1999	HEALTH LIMITS WALKING ONE BLOCK
DISWORK	OFTENC	2003-2005	HOW OFTEN LIMITATION AFFECTED WORK OR EDUCATION
DMPREG	YESNO	1997	WOMEN WITH DM NEED SPEC CARE BEFORE PG
DOUCHEVR	YESNO	2000-2001	DOUCHED DURING PAST 12 MONTHS
DOUCHOFN	IV	2000-2001	TIMES DOUCHED LAST 12 MONTHS
DRINKGE4	III	2007	TIMES HAD FOUR+ ALCOHOLIC DRINKS
DRINKGE5	III	1997-2006	TIMES HAD FIVE+ ALCOHOLIC DRINKS
DRKALC	MANYV	1997-2007	TIMES DRANK ALCOHOL PER WEEK OR MONTH
DRKGUILT	YESNODK	2000-2003	FEEL GUILTY ABOUT DRINKING LAST 12 MTHS
DRNKANY1	YESNO	1997-2007	DRANK ALCOHOL IN PAST MONTH
DRNKHARM	YESNO	2004-2005	DRINKING EVER HARM HEALTH
DRNKHHELP	YESNO	2004-2005	EVER SEEN PROFESSIONAL ABOUT DRINKING
DRNKPROB	YESNO	1997-1998	HAVING PROB FROM OTHERS DRINKING EXCESS
DRUNK	III	1999-2001	HOW OFTEN GET DRUNK IN PAST YEAR
DRUNK	IV	2002-2005	HOW OFTEN GET DRUNK IN PAST YEAR
DRUNKNUM	III	1999-2003	HOW MANY DRINKS FOR YOU TO FEEL DRUNK
DVAID_A	YESNO	2002	DV PROGRAM YOU WOULD USE: FINANCIAL
DVAID_B	YESNO	2002	DV PROGRAM YOU WOULD USE: CHILD COUNS
DVAID_C	YESNO	2002	DV PROGRAM YOU WOULD USE: CRISIS COUNS
DVAID_D	YESNO	2002	DV PROGRAM YOU WOULD USE: JOB HELP

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DVAID_E	YESNO	2002	DV PROGRAM YOU WOULD USE: LEGAL
DVAID_F	YESNO	2002	DV PROGRAM YOU WOULD USE: HOUSING HELP
DVAID_G	YESNO	2002	DV PROGRAM YOU WOULD USE: SUPPORT GROUP
DVAID_H	YESNO	2002	DV PROGRAM YOU WOULD USE: HEALTH SERVICES
DVAID_I	YESNO	2002	DV PROGRAM YOU WOULD USE: SAFEHOUSE
DVAID_J	YESNO	2002	DV PROGRAM YOU WOULD USE: OTHER(SPECIFY)
DVBEATDG	SCALEE	2000-2001	BEAT UP LAST YR: DRUGS INVOLVED
DVBEATU2	WHO	1998-2001,03-05	WHICH PARTNER BEAT YOU UP LAST YEAR
DVBEATUP	YESNODVA	1998-1999	PARTNER BEAT YOU UP DURING PAST 12 MTHS
DVCANTLK	YESNORF	1998-2001	HAVE PRIVACY TO TALK ABOUT DV
DVCHLD	YESNO	2005	WERE ANY KIDS PRESENT FOR DV INCIDENT
DVCHLD2	YESNO	2006	CHILDREN WITNESS DOMESTIC VIOLENCE
DVCHLD3	YESNO	2007	WERE ANY KIDS PRESENT FOR DV INCIDENT
DVCHOKE	YESNODVA	1998-1999	PARTNER CHOKED YOU DURING PAST 12 MTHS
DVCHOKE2	WHO	1998-1999	WHICH PARTNER CHOKED YOU
DVCNTROL	YESNODVA	1999-2001,03-07	PARTNER TRIED TO CONTROL PAST 12 MONTHS
DVDRGALC	SCALEE	2005-2006	HOW MUCH DRUGS/ALCOHOL INVOLVED IN DV INCIDENT
DVDRGAL2	SCALEE	2007	HOW MUCH DRUGS/ALCOHOL INVOLVED IN DV INCIDENT
DVEBETDG	SCALEE	2000	BEAT UP EVER: DRUGS INVOLVED
DVEHITDG	SCALEE	2000	KICKED/HIT EVER: DRUGS INVOLVED
DVEMED11	YESNORF	2000	EVER SEEK MED CARE @THREAT W/KNIFE/GUN
DVEMED13	YESNORF	2000	EVER SEEK MED CARE CAUSE KNIFE/GUN ON U
DVEMED14	YESNORF	2000	EVER SEEK MEDICAL CARE CAUSE FORCED SEX
DVESEXDG	SCALEE	2000	FORCED SEX EVER: DRUGS INVOLVED
DVETHRDG	SCALEE	2000	THROWN OBJECT EVER: DRUGS INVOLVED
DVEUSEDG	SCALEE	2000	USED KNIFE/GUN EVER: DRUGS INVOLVED
DVEVBET2	WHO	2000	WHICH PARTNER BEAT YOU UP EVER
DVEVHIT2	WHO	2000	WHICH PARTNER KICKED/HIT YOU EVER
DVEVMED4	YESNORF	2000	EVER SEEK MEDICAL CARE @THROWN OBJECT
DVEVMED5	YESNORF	2000	EVER SEEK MEDICAL CARE BECAUSE PUSHED
DVEVMED7	YESNORF	2000	EVER SEEK MEDICAL CARE CAUSE KICKED/HIT
DVEVMED9	YESNORF	2000	EVER SEEK MEDICAL CARE BECAUSE BEATEN UP
DVEVPSDG	SCALEE	2000	PUSHED EVER: DRUGS INVOLVED
DVEVPSH2	WHO	2000	WHICH PARTNER PUSHED YOU EVER
DVEVRBET	YESNORF	2000	PARTNER BEAT YOU UP EVER
DVEVRCMB	YESNO	2002	ANY DV COMBINED EVER
DVEVRHIT	YESNORF	2000	PARTNER KICKED/HIT YOU EVER
DVEVRPSH	YESNORF	2000	PARTNER PUSHED EVER
DVEVRSEX	YESNORF	2000	PARTNER FORCED SEX EVER
DVEVRTH2	WHO	2000	WHICH PARTNER THREW OBJECT EVER
DVEVRTHR	YESNORF	2000	PARTNER THREW OBJECT EVER
DVEVRUSE	YESNORF	2000	PARTNER USED KNIFE/GUN ON U EVER
DVEVRWPN	YESNORF	2000	PARTNER THREATEN W/KNIFE OR GUN EVER
DVEVSEX2	WHO	2000	WHICH PARTNER FORCED SEX EVER
DVEVUSE2	WHO	2000	WHICH PARTNER USED KNIFE/GUN ON U EVER
DVEVWPN2	WHO	2000	WHICH PARTNER THREATEN W/KNIFE/GUN EVER
DVEWPN2	SCALEE	2000	THREATEN W/KNIFE OR GUN EVER: DRUGS INVOLVED
DVFEAR	YESNODVA	1999-2007	AFRAID OF PARTNER PAST 12 MONTHS
DVFLODG	SCALEE	2001	PARTNER FOLLOWED U LAST YR: DRUGS INVOLVED
DVFLOWU	WHO	2001-2005	WHICH PARTNER FOLLOWED U LAST YR
DVHITDG	SCALEE	2000-2001	KICKED/HIT LAST YR: DRUGS INVOLVED
DVHITTH2	WHO	1998-1999	WHICH PARTNER TRIED TO HIT YOU W/OBJECT
DVHITTHG	YESNODVA	1998-1999	PARTNER TRIED HIT W/OBJECT PAST 12 MTHS
DVHITYO2	WHO	1998-2001,03-05	WHICH PARTNER KICKED/HIT U LAST YR
DVHITYOU	YESNODVA	1998-1999	PARTNER KICKED/HIT YOU PAST 12 MTHS
DVINSLT	YESNODVA	1998-1999	INSULTED BY PARTNER PAST 12 MONTHS
DVINSLT2	WHO	1998-1999	WHICH PARTNER INSULTED
DVMED1	YESNODVA	1998-1999	SEEK MEDICAL CARE FOR INSULT
DVMED10	YESNODVA	1998-1999	SEEK MEDICAL CARE BECAUSE CHOKED
DVMED11	YESNORF	1999	SEEK MED CARE FOR THREAT W/KNIFE/GUN
DVMED11	YESNODVA	1998-2000	SEEK MED CARE: THREAT W/KNIFE/GUN LAST YR

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DVMED12	YESNODVA	1998	SEEK MED CARE CAUSE OF KNIFE/GUN WOUND
DVMED13	YESNODVA	1999	SEEK MED CARE CAUSE OF KNIFE/GUN ON U
DVMED13	YESNORF	2000	SEEK MED CARE FOR KNIFE/GUN ON U LAST YR
DVMED14	YESNORF	2000	SEEK MEDICAL CARE FOR FORCED SEX LAST YR
DVMED2	YESNODVA	1998-1999	SEEK MEDICAL CARE FOR THREAT TO HIT
DVMED3	YESNODVA	1998-1999	SEEK MEDICAL CARE DUE TO THROWN OBJECT
DVMED4	YESNORF	1999	SEEK MED CARE FOR OBJECT THROWN AT YOU
DVMED4	YESNODVA	1998-2000	SEEK MEDICAL CARE: THROWN OBJECT LAST YR
DVMED5	YESNORF	1999	SEEK MEDICAL CARE BECAUSE PUSHED
DVMED5	YESNODVA	1998-2000	SEEK MEDICAL CARE CAUSE PUSHED LAST YR
DVMED6	YESNODVA	1998-1999	SEEK MEDICAL CARE BECAUSE SLAPPED
DVMED7	YESNORF	1999	SEEK MEDICAL CARE BECAUSE KICKED/HIT
DVMED7	YESNODVA	1998-2000	SEEK MED CARE CAUSE KICKED/HIT LAST YR
DVMED8	YESNODVA	1998-1999	SEEK MED CARE CAUSE TRIED HIT U W/OBJECT
DVMED9	YESNORF	1999	SEEK MEDICAL CARE BECAUSE BEATEN UP
DVMED9	YESNODVA	1998-2000	SEEK MED CARE CAUSE BEATEN UP LAST YR
DVPUSHDG	SCALEE	2000-2001	PUSHED LAST YR: DRUGS INVOLVED
DVPUSHE2	WHO	1998-2001,03-05	WHICH PARTNER PUSHED YOU LAST YR
DVPUSHED	YESNODVA	1998-1999	PARTNER PUSHED DURING PAST 12 MONTHS
DVSER_A	YESNODVC	2006	DOMESTIC VIOLENCE HELP: HOTLINE
DVSER_B	YESNODVC	2006	DOMESTIC VIOLENCE HELP: MEDICAL
DVSER_C	YESNODVC	2006	DOMESTIC VIOLENCE HELP: SOCIAL WORKER
DVSER_D	YESNODVC	2006	DOMESTIC VIOLENCE HELP: PASTORAL/RELIGIOUS
DVSER_E	YESNODVC	2006	DOMESTIC VIOLENCE HELP: FRIEND/FAMILY
DVSER_F	YESNODVC	2006	DOMESTIC VIOLENCE HELP: OTHER
DVSERV_A	YESNO	2007	SEEK HELP FOR DV INCIDENT: LOCAL DV HOTLINE
DVSERV_B	YESNO	2007	SEEK HELP FOR DV INCIDENT: MEDICAL
DVSERV_C	YESNO	2007	SEEK HELP FOR DV INCIDENT: PSYCHOLOGIST/SOCIAL WORKER
DVSERV_D	YESNO	2007	SEEK HELP FOR DV INCIDENT: PASTORAL/RELIGIOUS
DVSERV_E	YESNO	2007	SEEK HELP FOR DV INCIDENT: TALKED TO FAMILY/FRIENDS
DVSERV_F	YESNO	2007	SEEK HELP FOR DV INCIDENT: OTHER
DVSERV_G	YESNO	2007	SEEK HELP FOR DV INCIDENT: DV SHELTER
DVSERV_H	YESNO	2007	SEEK HELP FOR DV INCIDENT: POLICE/LAW ENFORCEMENT
DVSERV_I	YESNO	2007	SEEK HELP FOR DV INCIDENT: LEGAL SERVICES/RESTRAINING ORDER
DVSERV_J	YESNO	2007	SEEK HELP FOR DV INCIDENT: HEALTH SERVICES
DVSEXDG	SCALEE	2000-2001	FORCED SEX LAST YR: DRUGS INVOLVED
DVSHLTER	YESNODVA	1999-2000	KNOWLEDGE OF COMMUNITY DV PROGRAMS
DVSKHLP	YESNO	2003-2004	SEEK HELP AFTER ANY DV INCIDENT
DVSLAP	YESNODVA	1998-1999	PARTNER SLAPPED YOU DURING PAST 12 MTHS
DVSLAP2	WHO	1998-1999	WHICH PARTNER SLAPPED YOU
DVTHRDG	SCALEE	2000,01,03-05	THROWN OBJECT LAST YEAR: DRUGS INVOLVED
DVTHRTH2	WHO	1998-1999	WHICH PARTNER THREW OBJECT
DVTHRTHG	YESNODVA	1998-1999	PARTNER THREW OBJECT PAST 12 MONTHS
DVTHRTN	YESNODVA	1998-1999	PARTNER THREATEN HIT DURING PAST 12 MTHS
DVTHRTN2	WHO	1998-1999	WHICH PARTNER THREATENED TO HIT
DVTHRWP2	WHO	1998-2001,03-05	WHO THREATEN W/KNIFE OR GUN LAST YR
DVTHRWP2	YESNODVA	1998-1999	PARTNER THREATENED YOU WITH KNIFE/GUN
DVTHRYO2	WHO	1998-2001,03-05	WHICH PARTNER THREW OBJECT LAST YEAR
DVTHRYOU	YESNODVA	1998-1999	PARTNER THREW OBJECT AT YOU PAST 12 MTHS
DVUSEDG	SCALEE	2000-2001	USED KNIFE/GUN LAST YR: DRUGS INVOLVED
DVUSEWP2	WHO	1998	WHICH PARTNER USED KNIFE/GUN
DVUSEWP2	YESNODVA	1998-1999	PARTNER USED KNIFE/GUN PAST 12 MTHS
DVWHR1	WHEREHLP	1998-1999	WHERE RECEIVED MEDICAL CARE FOR INSULT
DVWHR1_A	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 1ST SOURCE
DVWHR1_B	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 2ND SOURCE
DVWHR1_C	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 3RD SOURCE
DVWHR1_D	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 4TH SOURCE
DVWHR1_E	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 5TH SOURCE
DVWHR1_F	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 6TH SOURCE
DVWHR1_G	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 7TH SOURCE
DVWHR1_H	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 8TH SOURCE

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DVWHR1_I	WHERHLPB	2000	CARE EVER - THROWN OBJECT: 9TH SOURCE
DVWHR1_J	WHERHLPB	2000	CARE EVER - THROWN OBJECT: 10TH SOURCE
DVWHR1_K	WHERHLPB	2000	CARE EVER - THROWN OBJECT: 11TH SOURCE
DVWHR10	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE CHOCKED
DVWHR11	WHEREHLP	1998-1999	WHERE GET MED CARE: THREATEN W/KNIFE/GUN
DVWHR12	WHEREHLP	1998	WHERE GET MED CARE FOR KNIFE/GUN WOUND
DVWHR13	WHEREHLP	1999	WHERE GET MED CARE FOR KNIFE/GUN ON U
DVWHR2	WHEREHLP	1998-1999	WHERE RECD MED CARE FOR THREATENED HIT
DVWHR2_A	WHERHLPB	2000	CARE EVER - PUSHED: 1ST SOURCE
DVWHR2_B	WHERHLPB	2000	CARE EVER - PUSHED: 2ND SOURCE
DVWHR2_C	WHERHLPB	2000	CARE EVER - PUSHED: 3RD SOURCE
DVWHR2_D	WHERHLPB	2000	CARE EVER - PUSHED: 4TH SOURCE
DVWHR2_E	WHERHLPB	2000	CARE EVER - PUSHED: 5TH SOURCE
DVWHR2_F	WHERHLPB	2000	CARE EVER - PUSHED: 6TH SOURCE
DVWHR2_G	WHERHLPB	2000	CARE EVER - PUSHED: 7TH SOURCE
DVWHR2_H	WHERHLPB	2000	CARE EVER - PUSHED: 8TH SOURCE
DVWHR2_I	WHERHLPB	2000	CARE EVER - PUSHED: 9TH SOURCE
DVWHR2_J	WHERHLPB	2000	CARE EVER - PUSHED: 10TH SOURCE
DVWHR2_K	WHERHLPB	2000	CARE EVER - PUSHED: 11TH SOURCE
DVWHR3	WHEREHLP	1998-1999	WHERE RECD MED CARE DUE TO THROWN OBJECT
DVWHR3_A	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 1ST SOURCE
DVWHR3_B	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 2ND SOURCE
DVWHR3_C	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 3RD SOURCE
DVWHR3_D	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 4TH SOURCE
DVWHR3_E	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 5TH SOURCE
DVWHR3_F	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 6TH SOURCE
DVWHR3_G	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 7TH SOURCE
DVWHR3_H	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 8TH SOURCE
DVWHR3_I	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 9TH SOURCE
DVWHR3_J	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 10TH SOURCE
DVWHR3_K	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 11TH SOURCE
DVWHR4	WHEREHLP	1998-1999	WHERE RECD MED CARE FOR OBJ THROWN AT U
DVWHR4_A	WHERHLPB	2000	CARE EVER - BEAT UP: 1ST SOURCE
DVWHR4_B	WHERHLPB	2000	CARE EVER - BEAT UP: 2ND SOURCE
DVWHR4_C	WHERHLPB	2000	CARE EVER - BEAT UP: 3RD SOURCE
DVWHR4_D	WHERHLPB	2000	CARE EVER - BEAT UP: 4TH SOURCE
DVWHR4_E	WHERHLPB	2000	CARE EVER - BEAT UP: 5TH SOURCE
DVWHR4_F	WHERHLPB	2000	CARE EVER - BEAT UP: 6TH SOURCE
DVWHR4_G	WHERHLPB	2000	CARE EVER - BEAT UP: 7TH SOURCE
DVWHR4_H	WHERHLPB	2000	CARE EVER - BEAT UP: 8TH SOURCE
DVWHR4_I	WHERHLPB	2000	CARE EVER - BEAT UP: 9TH SOURCE
DVWHR4_J	WHERHLPB	2000	CARE EVER - BEAT UP: 10TH SOURCE
DVWHR4_K	WHERHLPB	2000	CARE EVER - BEAT UP: 11TH SOURCE
DVWHR5	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE PUSHED
DVWHR5_A	WHERHLPB	2000	CARE EVER - FORCED SEX: 1ST SOURCE
DVWHR5_B	WHERHLPB	2000	CARE EVER - FORCED SEX: 2ND SOURCE
DVWHR5_C	WHERHLPB	2000	CARE EVER - FORCED SEX: 3RD SOURCE
DVWHR5_D	WHERHLPB	2000	CARE EVER - FORCED SEX: 4TH SOURCE
DVWHR5_E	WHERHLPB	2000	CARE EVER - FORCED SEX: 5TH SOURCE
DVWHR5_F	WHERHLPB	2000	CARE EVER - FORCED SEX: 6TH SOURCE
DVWHR5_G	WHERHLPB	2000	CARE EVER - FORCED SEX: 7TH SOURCE
DVWHR5_H	WHERHLPB	2000	CARE EVER - FORCED SEX: 8TH SOURCE
DVWHR5_I	WHERHLPB	2000	CARE EVER - FORCED SEX: 9TH SOURCE
DVWHR5_J	WHERHLPB	2000	CARE EVER - FORCED SEX: 10TH SOURCE
DVWHR5_K	WHERHLPB	2000	CARE EVER - FORCED SEX: 11TH SOURCE
DVWHR6	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE SLAPPED
DVWHR6_A	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 1ST SOURCE
DVWHR6_B	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 2ND SOURCE
DVWHR6_C	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 3RD SOURCE
DVWHR6_D	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 4TH SOURCE
DVWHR6_E	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 5TH SOURCE

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DVWHR6_F	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 6TH SOURCE
DVWHR6_G	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 7TH SOURCE
DVWHR6_H	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 8TH SOURCE
DVWHR6_I	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 9TH SOURCE
DVWHR6_J	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 10TH SOURCE
DVWHR6_K	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 11TH SOURCE
DVWHR7	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE CAUSE KICKED/HIT
DVWHR7_A	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 1ST SOURCE
DVWHR7_B	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 2ND SOURCE
DVWHR7_C	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 3RD SOURCE
DVWHR7_D	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 4TH SOURCE
DVWHR7_E	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 5TH SOURCE
DVWHR7_F	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 6TH SOURCE
DVWHR7_G	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 7TH SOURCE
DVWHR7_H	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 8TH SOURCE
DVWHR7_I	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 9TH SOURCE
DVWHR7_J	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 10TH SOURC
DVWHR7_K	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 11TH SOURC
DVWHR8	WHEREHLP	1998-1999	WHERE GET MED CARE: TRIED HIT U W/OBJECT
DVWHR9	WHEREHLP	1998-1999	WHERE GET MEDICAL CARE BECAUSE BEATEN UP
DVWPNDG	SCALEE	2000-2001	THREAT W/KNIFE OR GUN LAST YR: DRUGS INVOLVED
DVWPNON2	WHO	1999-2001,03-05	WHICH PARTNER USE KNIFE/GUN ON U LAST YR
DVWPNONU	YESNODVA	1999	PARTNER USED KNIFE/GUN ON U PAST 12 MTHS
DVYRBEAT	YESNORF	1999-2001,03-07	PARTNER BEAT YOU UP DURING PAST 12 MTHS
DVYRCMB	YESNO	2002	ANY DV COMBINED PAST 12 MONTHS
DVYRFLOW	YESNORF	2000-2001,03-07	PARTNER FOLLOWED U PAST 12 MTHS
DVYRHIT	YESNORF	2000-2001,03-07	PARTNER KICKED/HIT YOU PAST 12 MTHS
DVYRPUSH	YESNORF	2000-2001,03-07	PARTNER PUSHED DURING PAST 12 MONTHS
DVYRSEX	YESNORF	2000-2001,03-07	PARTNER FORCED SEX LAST 12 MONTHS
DVYRSEX2	WHO	2000-2001,03-04	WHICH PARTNER FORCED SEX LAST YR
DVYRTHRW	YESNORF	2000-2001,03-07	PARTNER THREW OBJECT PAST 12 MONTHS
DVYRUSE	YESNORF	2000-2001,03-04	PARTNER USED KNIFE/GUN ON U PAST 12 MTHS
DVYRUSE2	YESNO	2005-2007	PARTNER USED KNIFE/GUN ON U PAST 12 MTHS
DVYRW1_A	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 1ST SOURCE
DVYRW1_B	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 2ND SOURCE
DVYRW1_C	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 3RD SOURCE
DVYRW1_D	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 4TH SOURCE
DVYRW1_E	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 5TH SOURCE
DVYRW1_F	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 6TH SOURCE
DVYRW1_G	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 7TH SOURCE
DVYRW1_H	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 8TH SOURCE
DVYRW1_I	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 9TH SOURCE
DVYRW1_J	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 10TH SOURCE
DVYRW1_K	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 11TH SOURCE
DVYRW2_A	WHERHLPB	2000	CARE LAST YR - PUSHED: 1ST SOURCE
DVYRW2_B	WHERHLPB	2000	CARE LAST YR - PUSHED: 2ND SOURCE
DVYRW2_C	WHERHLPB	2000	CARE LAST YR - PUSHED: 3RD SOURCE
DVYRW2_D	WHERHLPB	2000	CARE LAST YR - PUSHED: 4TH SOURCE
DVYRW2_E	WHERHLPB	2000	CARE LAST YR - PUSHED: 5TH SOURCE
DVYRW2_F	WHERHLPB	2000	CARE LAST YR - PUSHED: 6TH SOURCE
DVYRW2_G	WHERHLPB	2000	CARE LAST YR - PUSHED: 7TH SOURCE
DVYRW2_H	WHERHLPB	2000	CARE LAST YR - PUSHED: 8TH SOURCE
DVYRW2_I	WHERHLPB	2000	CARE LAST YR - PUSHED: 9TH SOURCE
DVYRW2_J	WHERHLPB	2000	CARE LAST YR - PUSHED: 10TH SOURCE
DVYRW2_K	WHERHLPB	2000	CARE LAST YR - PUSHED: 11TH SOURCE
DVYRW3_A	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 1ST SOURCE
DVYRW3_B	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 2ND SOURCE
DVYRW3_C	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 3RD SOURCE
DVYRW3_D	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 4TH SOURCE
DVYRW3_E	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 5TH SOURCE
DVYRW3_F	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 6TH SOURCE

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DVYRW3_G	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 7TH SOURCE
DVYRW3_H	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 8TH SOURCE
DVYRW3_I	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 9TH SOURCE
DVYRW3_J	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 10TH SOURCE
DVYRW3_K	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 11TH SOURCE
DVYRW4_A	WHERHLPB	2000	CARE LAST YR - BEAT UP: 1ST SOURCE
DVYRW4_B	WHERHLPB	2000	CARE LAST YR - BEAT UP: 2ND SOURCE
DVYRW4_C	WHERHLPB	2000	CARE LAST YR - BEAT UP: 3RD SOURCE
DVYRW4_D	WHERHLPB	2000	CARE LAST YR - BEAT UP: 4TH SOURCE
DVYRW4_E	WHERHLPB	2000	CARE LAST YR - BEAT UP: 5TH SOURCE
DVYRW4_F	WHERHLPB	2000	CARE LAST YR - BEAT UP: 6TH SOURCE
DVYRW4_G	WHERHLPB	2000	CARE LAST YR - BEAT UP: 7TH SOURCE
DVYRW4_H	WHERHLPB	2000	CARE LAST YR - BEAT UP: 8TH SOURCE
DVYRW4_I	WHERHLPB	2000	CARE LAST YR - BEAT UP: 9TH SOURCE
DVYRW4_J	WHERHLPB	2000	CARE LAST YR - BEAT UP: 10TH SOURCE
DVYRW4_K	WHERHLPB	2000	CARE LAST YR - BEAT UP: 11TH SOURCE
DVYRW5_A	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 1ST SOURCE
DVYRW5_B	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 2ND SOURCE
DVYRW5_C	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 3RD SOURCE
DVYRW5_D	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 4TH SOURCE
DVYRW5_E	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 5TH SOURCE
DVYRW5_F	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 6TH SOURCE
DVYRW5_G	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 7TH SOURCE
DVYRW5_H	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 8TH SOURCE
DVYRW5_I	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 9TH SOURCE
DVYRW5_J	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 10TH SOURCE
DVYRW5_K	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 11TH SOURCE
DVYRW6_A	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 1ST SOURCE
DVYRW6_B	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 2ND SOURCE
DVYRW6_C	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 3RD SOURCE
DVYRW6_D	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 4TH SOURCE
DVYRW6_E	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 5TH SOURCE
DVYRW6_F	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 6TH SOURCE
DVYRW6_G	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 7TH SOURCE
DVYRW6_H	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 8TH SOURCE
DVYRW6_I	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 9TH SOURCE
DVYRW6_J	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 10TH SOURC
DVYRW6_K	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 11TH SOURC
DVYRW7_A	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 1ST SOURCE
DVYRW7_B	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 2ND SOURCE
DVYRW7_C	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 3RD SOURCE
DVYRW7_D	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 4TH SOURCE
DVYRW7_E	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 5TH SOURCE
DVYRW7_F	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 6TH SOURCE
DVYRW7_G	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 7TH SOURCE
DVYRW7_H	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 8TH SOURCE
DVYRW7_I	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 9TH SOURCE
DVYRW7_J	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 10TH SOURCE
DVYRW7_K	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 11TH SOURCE
DVYRWPN	YESNORF	2000-2001, 2003	PARTNER THREATEN W/KNIFE OR GUN LAST YR
EATBURGR	IV	1999	FREQUENCY ATE RARE HAMBURGERS LAST YEAR
EATCATCH	YESNO	2005	EAT CAUGHT FISH PAST 12 MTHS
EATCHKID	YESNOKID	2005	CHILDREN IN HOUSEHOLD EAT CAUGHT FISH
EATCHOFN	XIV	2005	HOW MANY TIMES EAT CAUGHT FISH IN PAST 30 DAYS
EATEGG	IV	1999	FREQUENCY ATE EGGS W/RUNNY YOLK LAST YR
EATFSKID	YESNOKID	2005	CHILDREN IN HOUSEHOLD EAT STORE FISH
EATFSMKT	YESNO	2005	EAT STORE FISH PAST 12 MTHS
EATFSOFN	XIV	2005	HOW MANY TIMES EAT STORE FISH PAST 30 DAYS
EATLESSB	YESNO	1997	ATE LESS BECAUSE NO FOOD/\$\$ FOR FOOD
EATLESSC	YESNO	1998-2007	ATE LESS BECAUSE NO \$\$ FOR FOOD
EATRAW2	IV	1999	FREQUENCY ATE RAW OYSTERS LAST YEAR

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
EATSPROT	IV	1999	FREQUENCY ATE ALFALFA SPROUTS LAST YEAR
ECWHERE	YESNO	2006	KNOW WHERE TO GET EMERGENCY CONTRACEPTION
ECWHERE2	ECWHERE	2007	KNOW WHERE TO GET EMERGENCY CONTRACEPTION
EDUCA	EDUCA	1997-2004	EDUCATION LEVEL
EDUCA2	EDUCAB	2005-2007	EDUCATION LEVEL
EMERGWHT	EMERGWHT	1999-2004, 06-07	KNOWLEDGE OF EMERGENCY BIRTH CONTROL
EMPLOY3	EMPLOYB	1997-2007	EMPLOYMENT STATUS
EMPLAN	YESNO	1997-2007	OWN EMPLOYER PROVIDES HEALTH COVERAGE
EMRGC	YESNO	1999-2004, 06-07	DOES EMERGENCY BIRTH CONTROL EXIST?
EPHEDRA	YESNOUN	2001-2002	TAKE EPHEDRA IN LAST 12 MONTHS
EQUIP	YESNO	2005-2007	ANY SPECIAL EQUIPMENT FOR DISABILITY
ESTROHR2	ESTROHRT	1997	TAKING ESTROGEN OR HRT
ESTROHR3	YESNO	1999	CURRENTLY TAKING ESTROGEN FOR MENOPAUSE
ESTROHR4	YESNO	2001	NOW TAKING ESTROGEN/PROGESTERONE FOR MENOPAUSE
ESTROHRT	YESNO	1997	TAKING ESTROGEN OR HRT
EVEREST	YESNO	1999	EVER TAKEN ESTROGEN FOR MENOPAUSE
EVEREST2	YESNO	2001	EVER TAKEN ESTROGEN/PROGESTERONE FOR MENOPAUSE
EVRHNGRY	YESNO	1998-2007	EVER HUNGRY BECAUSE COULDN'T AFFORD FOOD
EXBMODAB	III	2002-2005	HOW MANY DAYS SHOULD DO MOD ACTIVITY
EXBMODAY	III	2001	HOW MANY DAYS SHOULD DO MOD ACTIVITY
EXBMODMB	III	2002-2005, 2007	HOW MANY MINUTES SHOULD DO MOD ACTIVITY
EXBMODMI	III	2001	HOW MANY MINUTES SHOULD DO MOD ACTIVITY
EXERMOD	III	2001-2002	DAYS PER WK DO MOD ACTIVITY FOR 10 MIN
EXERMOD2	III	2003-2007	DAYS PER WK DO MOD/VIG ACTIVITY FOR 10 MIN
EXEROFT2	XIV	2003-2007	HOW MUCH AVG TIME DO MOD/VIG ACTIVITY (IN MINUTES)
EXEROFTM	XIV	2001-2002	HOW MUCH AVG TIME DO MOD ACTIVITY (IN MINUTES)
EXERWORK	EXERWORK	2001-2004	PHYSICAL ACTIVITY DURING WORK
EXPHRS	IX	1997-1998	HRS AND MIN EXPOSED TO SECOND HAND SMOKE
F40	YESNO	1997	WOMAN AGE 40+ LIVING IN HOUSEHOLD
F40A	I	1997	AGE OLDEST WOMAN 40+ LIVING IN HOUSEHOLD
F40B	I	1997	AGE 2ND OLDEST WOMAN 40+ IN HOUSEHOLD
F40C	I	1997	AGE OF 3RD OLDEST WOMAN 40+ IN HOUSEHOLD
F40CBEG	BGUIDE	1997	HOW OFTEN SHOULD WOMEN 40+ HAVE CBE(40+)
F40CBEGB	BGUIDE	2002-2004	HOW OFTEN SHOULD WOMEN YOUR AGE HAVE CBE
F40DFPAY	DIFFIC	1997	DIFFICULTY PAYING FOR MAMMOGRAM (40+)
F40GUID2	BGUIDE	2000	MAMMOGRAM FREQUENCY FOR WOMAN RESP AGE
F40GUIDE	BGUIDE	1997-1999	FREQUENCY OF MAMMOGRAMS WOMAN 40+ (40+)
F40INPAY	YESNO	1997	INSURANCE PAYS FOR MAMMOGRAM (40+)
F40NUM	II	1997	NUMBER OF WOMEN 40+ LIVING IN HOUSEHOLD
F40RXMAM	YESNO	1997	DR SUGGEST LAST MAMMOGRAM (AGE 40+)
F40RXMAM	YESNO	1998	DR SUGGEST LAST MAMMOGRAM (ALL)
F40SFPAY	YESNO	1997	PAID FOR ALL/PART OF LAST MAMMO (40+)
F50GUID2	IMPORT	1997-1998	HOW IMPORT MAMM 50+ NO BC IN FAMILY(ALL)
F50GUID3	IMPORT	1997-1998	HOW IMPORT MAMM, 50+ NO BC SYMPTOMS(ALL)
F50GUIDE	BGUIDE	1997-1998	FREQUENCY OF MAMMOGRAMS WOMAN 50+(ALL)
F50RXMAM	YESNO	1997-1998	EVER TOLD BY DR NEED MAMMOGRAM
FALLBR2	YESNO	2004, 2006	BROKEN BONE FROM FALL EVER
FALLBRK	YESNO	2002	BROKEN BONE FROM FALL LAST 12 MONTHS
FALLTEST	YESNO	2004, 2006	DID YOU HAVE BONE DENSITY TEST BECAUSE YOU FELL
FAS	FAS	1999	KNOWLEDGE ABOUT FETAL ALCOHOL SYNDROME
FASAWARE	FASAWARE	2006-2007	KNOW ABOUT FETAL ALCOHOL SYNDROME
FASCURED	YESNODF	2006-2007	CAN FETAL ALCOHOL SYNDROME BE CURED?
FASDNUM	MANYIII	2006-2007	HOW OFTEN OK FOR PREGNANT WOMAN DRINK ALCOHOL
FDSTMAPP	YESNO	2000-2007	APPLY FOR FOOD STAMPS LAST 12 MONTHS
FDSTMDEN	YESNO	2000-2007	DENIED FOOD STAMPS LAST 12 MONTHS
FERTADV	YESNO	2005	SERVICE TO HELP FERTILITY: ADVICE
FERTBRD	YESNO	2005	SERVICE TO HELP FERTILITY: TRTMT/SRGRY FIBROIDS
FERTCAM	YESNO	2005	SERVICE TO HELP FERTILITY: OTHER ALTERNATIVE HELP
FERTDCTR	YESNO	2005	TALKED WITH HEALTH PROFESSIONAL ABOUT FERTILITY
FERTDRUG	YESNO	2005	SERVICE TO HELP FERTILITY: FERT DRUGS
FERTINSM	YESNO	2005	SERVICE TO HELP FERTILITY: INSEMINATION

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
FERTIVF	YESNO	2005	SERVICE TO HELP FERTILITY: IVF
FERTOTHR	YESNO	2005	SERVICE TO HELP FERTILITY: OTHER MEDICAL HELP
FERTTEST	YESNO	2005	SERVICE TO HELP FERTILITY: FERT TESTING
FERTTUBE	YESNO	2005	SERVICE TO HELP FERTILITY: TUBE SURGERY
FIBROIDS	YESNO	2005	DOCTOR SAID YOU HAD FIBROIDS
FIPS		1997-2004	STATE FIPS CODE
FISHOFT	IV	2003	HOW OFTEN DO YOU EAT FISH
FISHPORT	IV	2005	PORTIONS OF FISH EATEN PER OCCASION
FISHSERV	IV	2003	HOW MANY SERVINGS OF FISH DO YOU EAT
FISHWARN	YESNO	2003, 2005	AWARE OF PUBLIC HEALTH WARNINGS ABOUT FISH
FLUVAC	YESNO	2003-2004	FLU SHOT IN PAST 12 MONTHS
FLUVAC2	YESNO	2005-2006	FLU SHOT OR SPRAY IN PAST 12 MONTHS
FLUVAC50	XVI	2003-2004	AGE RECOMMENDED THAT GEN PUBLIC GET FLU SHOT
FOLIC_A	YESNO	1997	FOODS INCREASE FOLIC ACID
FOLIC_B	YESNO	1997	VITAMIN SUPPLEMENTS INCREASE FOLIC ACID
FOLIC_C	YESNO	1997	PRESCRIPTION MEDS INCREASE FOLIC ACID
FOLIC_D	YESNO	1997	WAYS TO INCREASE FOLIC ACID (SPECIFY)
FOLICEAB	FOLICEAT	2002	MORE LIKELY TO BUY CEREAL WITH FOLATE
FOLICEAT	FOLICEAT	2001	MORE LIKELY TO BUY CEREAL WITH FOLATE
FOLICHER	YESNO	1997-2000	EVER HEARD OF FOLIC ACID
FOLICIN2	SOURCE	1998	WAYS TO INCREASE FOLIC ACID INTAKE
FOLICL_A	YESNO	1998-2000, 2003	FOLATE EDUC: MAGAZINE ARTICLE
FOLICL_B	YESNO	1998-2000, 2003	FOLATE EDUC: RADIO
FOLICL_C	YESNO	1998-2000, 2003	FOLATE EDUC: TELEVISION
FOLICL_D	YESNO	1998-2000, 2003	FOLATE EDUC: PHYSICIAN
FOLICL_E	YESNO	1998-2000, 2003	FOLATE EDUC: BOOKS
FOLICL_F	YESNO	1998-2000, 2003	FOLATE EDUC: BROCHURES IN DOCTORS OFFICE
FOLICL_G	YESNO	1998-2000, 2003	FOLATE EDUC: FRIEND
FOLICL_H	YESNO	1998-2000, 2003	FOLATE EDUC: SCHOOL
FOLICL_I	YESNO	1998-2000, 2003	FOLATE EDUC: LABEL ON VITAMIN BOTTLE
FOLICL_J	YESNO	1998-2000, 2003	FOLATE EDUC: NUTRITION CLASS OUT OF SCHOOL
FOLICL_K	YESNO	1998-2000, 2003	FOLATE EDUC: NURSE/NURSE PRACTITIONER
FOLICL_L	YESNO	1998-2000, 2003	FOLATE EDUC: NURSING SCHOOL
FOLICL_M	YESNO	1998-2000, 2003	FOLATE EDUC: MEDIA
FOLICL_N	YESNO	1998-2000, 2003	FOLATE EDUC: OTHER (SPECIFY)
FOLICL_O	YESNO	2003	FOLATE EDUC: MOVIE THEATER
FOLICLTX	FOLICLTX	1998-2000	FOLATE EDUC (TEXT)
FOLICS_A	YESNO	1998	FOLATE SOURCE: BROCCOLI
FOLICS_B	YESNO	1998	FOLATE SOURCE: SPINACH
FOLICS_C	YESNO	1998	FOLATE SOURCE: GREEN VEGETABLES
FOLICS_D	YESNO	1998	FOLATE SOURCE: GREEN SALAD
FOLICS_E	YESNO	1998	FOLATE SOURCE: OTHER NOT GREEN VEGS
FOLICS_F	YESNO	1998	FOLATE SOURCE: DRIED BEANS OR PEAS
FOLICS_G	YESNO	1998	FOLATE SOURCE: CEREALS AND GRAINS
FOLICS_H	YESNO	1998	FOLATE SOURCE: DAIRY PRODUCTS
FOLICS_I	YESNO	1998	FOLATE SOURCE: MEAT
FOLICS_J	YESNO	1998	FOLATE SOURCE: ORANGE JUICE
FOLICS_K	YESNO	1998	FOLATE SOURCE: FRUITS
FOLICS_L	YESNO	1998	FOLATE SOURCE: OTHER (SPECIFY)
FOLICSOA	FOLICSOA	1997	BEST SOURCE OF FOLIC ACID
FOLICSTX	FOLICTXT	1998	FOLATE SOURCE (TEXT)
FOLICTXT	FOLICTXT	1997-2003	WAYS TO INCREASE FOLIC ACID (TEXT)
FOLICWHY	RISK	1997	EFFECT OF FOLIC ACID ON BIRTH DEFECTS
FOODBANK	YESNO	2000-2007	FOOD ASSISTANCE: FOODBANK
FOODKIT	YESNO	2000-2002	FOOD ASSISTANCE: MEALS AT COMMUNITY SITE
FOODS_A	FOODSTORE	1997	FOOD PREPARED IN HOME: CONVENIENCE STORES
FOODS_B	FOODSTORE	1997	FOOD PREPARED IN HOME: HOME GARDEN
FOODS_C	FOODSTORE	1997	FOOD PREPARED IN HOME: COMMUNITY GARDEN
FOODS_D	FOODSTORE	1997	FOOD PREPARED IN HOME: FARMERS MARKET
FOODS_E	FOODSTORE	1997	FOOD PREPARED IN HOME: FRUIT & VEG STANDS
FOODS_F	FOODSTORE	1997	FOOD PREPARED IN HOME: FOOD BANKS

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
FOODS_G	FOODSTORE	1997	FOOD PREPARED IN HOME: FOOD OUTLETS
FOODS_H	FOODSTORE	1997	FOOD PREPARED IN HOME: FRIENDS/RELATIVES
FOODS_I	FOODSTORE	1997	FOOD PREPARED IN HOME: GROCERY STORE ONLY
FOODS_J	FOODSTORE	1997	FOOD PREPARE IN HOME: OTHR PLACE(SPECIFY)
FOODSEN	YESNO	2000-2002	FOOD ASSISTANCE: SENIOR MEAL OR DELIVERY
FOODSHOP	FOODSH	2006-2007	HOW FAR DO YOU TRAVEL FOR GROCERIES?
FOODSTLS	III	2001-2007	HOW MANY DAYS OUT OF MONTH DO FOOD STAMPS LAST
FOODSTP	YESNO	2001-2003	FOOD ASSISTANCE: FOOD STAMPS
FOODSTP2	YESNO	2004-2007	FOOD ASSISTANCE: FOOD STAMPS OR EBT CARD
FOODSTXT	FOODSHOP	1997	FOOD PREPARED IN HOME: OTHER PLACE (TEXT)
FOODWIC	YESNO	2000-2002	FOOD ASSISTANCE: WIC
FOODWIC2	YESNO	2003-2007	FOOD ASSISTANCE: WIC
FOTCARE	YESNO	2001-2007	EVER REMOVED FROM HOME BY GOVT OR COURT
FPDENAP	YESNORF	1998-2004	GONE W/O BC SUPPLY: NO CONVENIENT APOINTM
FPDENIE2	YESNORF	1998-2002	GONE W/O BC SUPPLY CAUSE NO \$\$ TO BUY
FPDENIE3	YESNORF	2003-2004	GONE W/O BC SUPPLY CAUSE NO \$\$ TO BUY
FPDENIED	YESNO	1997	GONE W/O BC PLANNING FROM NO MONEY
FPDENLO	YESNORF	1998-2002	GONE W/O BC SUPPLY: DIDNT KNOW WHERE TO G
FPDENLO2	YESNORF	2003-2004	GONE W/O BC SUPPLY: DONT KNOW WHERE TO GET
FPKID	AGREE	1997	FAMILY PLANNING: DECIDING # OF CHILDREN
FPKIDWEN	AGREE	1997	FAMILY PLAN: DECIDING WHEN TO HAVE KIDS
FPOTHR	YESNO	1997	WHAT ELSE FAMILY PLANNING MEANS(SPECIFY)
FPOTHTXT	FPOTHTXT	1997	WHAT ELSE FAMILY PLANNING MEANS(TEXT)
FPPREG	AGREE	1997	FAMILY PLANNING: PREVENTING UNINTENDED PG
FPREPRO	AGREE	1997	FAMILY PLANNING: IMPROVING WOMEN HEALTH
FPWHEN	HOWLONGD	1997	WHEN LAST VISIT TO DISCUSS BIRTH CONTROL
FPWHEN2	HOWLONGD	1998-2004, 06-07	LAST VISIT TO DISCUSS/GET BIRTH CONTROL
FPWHERE	FPWHERE	1997	WHERE USUALLY GO FOR BIRTH CONTROL SERV
FPWHERE2	FPWHERE	1998	WHERE USUALLY GET BIRTH CONTROL SUPPLY
FPWHETX2	FPLOCATE	1998	WHERE USUALLY GO FOR BC SUPPLIES (TEXT)
FPWHETXT	FPLOCATE	1997	WHERE USUALLY GO FOR BC SERVICES (TEXT)
FRSTCOND	YESNORF	1998-2002, 04, 06	USE CONDOM WITH NEW SEX PARTNER 1ST TIME
FSEGGS	YESNO	1999	HEAR EGGS W/RUNNY YOLK CAUSE ILLNESS
FSHAMB	YESNO	1999	HEAR RARE HAMBURGER CAUSE ILLNESS
FSOYSTER	YESNO	1999	HEAR RAW OYSTERS CAUSE ILLNESS
FSSPROUT	YESNO	1999	HEAR ALFALFA SPROUTS CAUSE ILLNESS
FVCANNED	FVCANNED	2006	PERCENT CANNED FRUITS AND VEGETABLES EATEN
GAPPLN	YESNO	1997-2003	GAP IN HEALTH COVERAGE IN PAST 12 MONTHS
GAPPLNT	II	1997-2002	NUMBER OF MONTHS W/O HEALTH COVERAGE
GAPPLNT2	II	2003-2007	NUMBER OF MONTHS W/O HEALTH COVERAGE
GENHLTH	HEALTH	1998-2007	GENERAL HEALTH STATUS
GYNEXAM	IV	2003-2004	WHEN WAS LAST GYNECOLOGIC EXAM
HADCBE	YESNO	1997-2007	EVER HAD CLINICAL BREAST EXAM
HADMAM	YESNO	1997-2003, 05-07	EVER HAD MAMMOGRAM
HADPAP	YESNO	1997, 1999-2001	EVER HAD A PAP SMEAR
HADPAP2	YESNO	2005-2007	EVER HAD A PAP SMEAR
HAPP1	HAPPA	2006	HAPPINESS: INTERESTED IN WHAT YOU ARE DOING
HAPP2	HAPPB	2006	HAPPINESS: SPEND TIME DOING IMPROTANT THINGS
HAPP3	HAPPC	2006	HAPPINESS: EXPERIENCE PLEASURE OR PAIN
HAPP4	HAPPD	2006	HAPPINESS: MY LIFE IS GOOD/BAD
HARTATCK	YESNO	2004	DOCTOR SAID YOU HAD HEART ATTACK
HARTDIS	YESNO	2004	DOCTOR SAID YOU HAD ANGINA
HARTSTRK	YESNO	2004	DOCTOR SAID YOU HAD A STROKE
HAVEPLN3	YESNO	1997-2007	HAVE ANY HEALTH CARE PLAN
HEARSERV	YESNO	2002	NOTICED ANY MEDIA ABOUT NUM OF FRUIT/VEG TO EAT
HEARSTOR	YESNO	2002	NOTICED IN PRODUCE SECTION NUM OF FRUIT/VEG TO EAT
HEARTEAT	RISKC	2001	DOES DIET MAKE DIF IN HEART DISEASE RISK
HEARTEXR	RISKC	2000	EFFECT OF EXERCISE ON HEART DISEASE RISK
HEARTHBP	RISKC	2000	EFFECT OF HBP ON HEART DISEASE RISK
HEARTHRT	RISKC	2001	DOES HRT MAKE DIF IN HEART DISEASE RISK
HEARTIMP	IMPORTB	2000	HOW IMPORTANT IS HEART DISEASE FOR WOMEN

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
HEARTSMK	RISKC	2000	EFFECT OF SMOKING ON HEART DISEASE RISK
HEARTTLK	YESNO	2000-2002	DOCTOR TALKED W/YOU ABOUT HEART DISEASE
HEARTWT	RISKC	2001	DOES WEIGHT MAKE DIF IN HEART DISEASE RISK
HEIGHT	IV	1997-2007	REPORTED HEIGHT IN FEET AND INCHES
HELP3TXT	MHWHELPC	2002	PROVIDED HELP FOR MENTAL HEALTH CONDITION
HELPGOOD	YESNO	2000	GOOD TO GET PROF MENTAL HEALTH HELP
HELPKID	OFTENB	2001-2002	ENOUGH SUPPORT TO HELP W/STRESS OF CHILD
HERBSORC	HERBSORC	2003	MOST IMPORTANT SOURCE IN DECIDING TO USE HERBS
HERBSUP	YESNO	2003-2004	TAKEN ANY HERBS FROM LIST
HERBTAK2	YESNO	2005	TAKEN ANY HERBAL SUPPLEMENTS IN PAST 12 MOS
HERBTAKE	YESNO	2003-2004	TAKEN ANY HERBS IN PAST 12 MOS
HERBTALK	YESNO	2003-2005	HEALTHCARE PROVIDER KNOW ABOUT HERB USE
HHSIZE		1997-2007	HOUSEHOLD SIZE
HINSNTRN	YESNO	2002-2006	HEALH INSURANCE COVER NUTRITION/WEIGHT LOSS
HISP3	YESNO	2002-2007	HISPANIC ORIGIN
HISPANIC	YESNO	1997-2001	HISPANIC ORIGIN
HIVPGTLK	YESNO	2003-2005	HEALTH PROVIDER DISCUSS HIV DURING LAST PREG
HIVPGTST	YESNO	2003-2005	HAVE HIV BLOOD TEST WHEN PREG IN LAST 5 YEARS
HLPACT	YESNO	1997-1998	GET HELP IF NEEDED WITH DAILY ACTIVITIES
HLPONEY	YESNO	1997-1998	BORROW A LITTLE MONEY IF NEEDED
HLPRIDE	YESNO	1997-1998	GET RIDE TO APPOINTMENT IF NEEDED
HLPSICK	YESNO	1997-1998	GET HELP IF SICK OR INJURED
HLTHLIST	HLTHLIST	1997-1998	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHLIST	HLTHLIB	1999-2002	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHLIST	HLTHLISC	2003-2005	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHTXT	HLTHLIB	2002	HEALTH PLAN DEFINED - TEXT
HLTHTXT	II	1999-2001	HEALTH PLAN DEFINED - TEXT
HLTHTXT	HLTHLISC	2003-2005	HEALTH PLAN DEFINED - TEXT
HMLSADQ	YESNO	2003	PAST 12 MONTHS TROUBLE FINDING ACCEPTABLE HOUSING
HMLSMOVE	IV	2003	PAST 12 MONTHS HOW MANY TIMES MOVED
HMLSRENT	YESNO	2003	PAST 12 MONTHS LATE WITH RENT/MORTGAGE
HMOPPO2	YESNO	1997-2005	HEALTH PLAN IS HMO
HOMELESS	YESNO	2003	PAST 12 MONTHS BEEN WITHOUT HOUSING
HOWLONG2	HOWLONGB	1997-2007	HOW LONG SINCE LAST MAMMOGRAM (1992)
HPVCERV	YESNO	2007	HAS DOCTOR TALKED ABOUT HPV AND CERVICAL CANCER
HPVCRVCA	TRUEFAL	2007	T/F SOME HPV CAUSES CERVICAL CANCER
HPVHEARD	YESNO	2007	HEARD OF HPV VACCINE
HPVNUM	II	2007	HOW MANY TIMES RECEIVED HPV SHOT
HPVSTD	TRUEFAL	2007	T/F SOME HPV IS SEXUALLY TRANSMITTED
HPVVAC	YESNO	2007	RECEIVED HPV VACCINE
HPVWHYNT	HPVWHYNT	2007	MAIN REASON DIDN'T RECEIVE HPV VACCINE
HRTBELIF	YESNOEST	1997	POST MENOPAUSE WOMEN SHOULD HAVE HRT
HRTCURR	YESNO	2007	TAKING HORMONE REPLACEMENTS FOR MENOPAUSE
HTF		1997-2000	REPORTED HEIGHT - FEET
HTI		1997-2000, 05-07	REPORTED HEIGHT - INCHES
HYSTER2	YESNO	1997-2007	HAD A HYSTERECTOMY, ALL WOMEN
IDEALBF	MANYIV	1998	IDEAL LENGTH OF TIME FOR BREASTFEEDING
ILLDR_A	YESNODR	1997	USED MARIJUANA PAST MONTH
ILLDR_B	YESNODR	1997	USED COCAINE PAST MONTH
ILLDR_C	YESNODR	1997	USED AMPHETAMINES PAST MONTH
ILLDR_D	YESNODR	1997	USED HEROIN PAST MONTH
ILLDR_E	YESNODR	1997	USED PCP PAST MONTH
ILLDR_F	YESNODR	1997	USED OTHER HALLUCINOGENS PAST MONTH
ILLDR_G	YESNODR	1997	USED OTHER STREET DRUGS PAST MONTH
INCOM01	INCOMEB	2001-2002, 05-06	HOUSEHOLD INCOME
INCOM02	INCOMEB	2003-2004, 2007	HOUSEHOLD INCOME
INCOM94B	INCOMEC	1997-2004	PERSONAL INCOME
INCOM95	INCOMEC	1997-2000	HOUSEHOLD INCOME
INCOMADQ	YESNO	1997,2000-2007	FEEL HAD ENOUGH MONEY FOR BASIC NEEDS
INDIANHS	YESNO	1997,2000-2007	INDIAN HEALTH SERVICE
INDOTHR	YESNO	1998	INDIAN HEALTH SERVICE OR SOME OTHER PLAN

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
INFERTIL	YESNORF	1997-1998,01,03	EVER TOLD YOU WERE INFERTILE
INFERTI2	YESNO	2007	EVER TOLD BY DOCTOR HAVE NON-AGE FERTILITY PROBLEMS
INTEREST	INTEREST	1997	INTERESTED IN WIC IF ELIGIBLE
INTID		1998-2001,03,04	INTERVIEWER ID
IRON	YESNO	1997-1998	CURRENTLY TAKING IRON SUPPLEMENT
IRONLOCK	YESNO	1997	KEEP IRON SUPPLEMENTS IN LOCKED CABINET
LANGCHLD	LANGMORE	2005	WHAT LANG USED AS CHILD
LANGFRND	LANGMORE	2005	WHAT LANG SPEAK WITH FRIENDS
LANGHOME	LANGMORE	2005	WHAT LANG SPEAK AT HOME
LANGSPK	LANGMORE	2005	WHAT LANG READ AND SPEAK
LANGTHNK	LANGMORE	2005	WHAT LANG THINK IN
LASTQUEST		2007	LAST QUESTION COMPLETED IN PARTIAL INTEVIEWS
LAXWGHT	YESNO	2000	CONTROL WEIGHT LAST 12 MONTHS: LAXATIVE
LIKEWT2	IV	2001-2003	WHAT IS HEALTHY WEIGHT FOR YOU
LIVEBRT2	II	2001-2007	NUMBER OF LIVE BIRTHS EVER HAD
LIVEBRTH	III	1998-2000	NUMBER OF LIVE BIRTHS EVER HAD
LOBRTHWT	II	2003-2005	HOW MANY HAD BIRTH WEIGHT OF LESS THAN 55 POUNDS
LOSEWT	YESNO	1998	EVER TRY TO LOSE WEIGHT
LTCBUY	YESNO	2003	PURCHASED/WILL PURCHASE LONG TERM CARE FOR SELF/FAMILY
LTCDISC	YESNO	2003	DISCUSSED OWN LONG TERM CARE NEEDS
LTCGIVE	YESNO	2003	PROVIDED LONG TERM CARE FOR MORE THAN 1 MONTH
LTCRCVD	YESNO	2003	KNOW ANYONE WHO RECEIVED LONG TERM CARE
LTCWHO	LTCWHO	2003	WHO WILL CARE FOR YOU IF YOU ARE UNABLE
LUMPOFT2	YESNO	2001	EXAMINED OWN BREASTS LAST 12 MONTHS
MAINCOND	YESNORF	1997	LAST MAIN PARTNER INTERCOURSE USE CONDOM
MAINPART	YESNORF	1997	HAVE A MAIN MALE PARTNER PAST 12 MONTHS
MAINPLAN	MAINPLN	1997	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
MAINPLN2	MAINPLNB	1998-2005	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
MAJRPROB	MAJRPROB	1998-1999	MAJOR PROBLEM THAT LIMITS ACTIVITIES
MAMMDFP	DIFFIC	1998-2001	DIFFICULTY PAYING FOR MAMMOGRAM
MAMMDFPB	DIFFIC	2002-2004	DIFFICULTY PAYING FOR MAMMOGRAM
MAMMED12	YESNO	2001	SINCE JAN 2000 SEEN ADS FOR MAMMOGRAM
MAMMED1B	YESNO	1997-1998	SAW MAMMOGRAM IN MEDIA RECENT PAST
MAMMPAY	PORTION	1998-2004	PORTION OF MAMMOGRAM WOMAN MUST PAY
MANYCBE	II	2002-2004	HOW MANY CLINICAL BREAST EXAMS LAST 5 YEARS
MANYMAM	II	1997,2002-2004	NUMBER OF MAMMOGRAMS IN LAST 5 YEARS
MARITAL	MARITAL	1997-2007	MARITAL STATUS
MEDI_FU2	YESNO	2001-2007	HAVE RED WHITE & BLUE SOCIAL SECURITY CARD
MEDI_FUP	YESNO	1999-2000	EVER HAD MEDICARE CARD (NO MEDICARE REP)
MEDICAL	YESNO	1997-2007	COVERED BY MEDI-CAL
MEDICARE	YESNO	1997-2007	COVERED BY MEDICARE
MENCYCPL	YESNO	2007	HEARD OF HORMONAL CONTRACEPTIVES TO SUPPRESS MENSTRUAL CYCLE
MENODEPR	YESNO	1997	BECOME DEPRESSED FROM MENOPAUSE SYMPTOMS
MENOLMT	YESNO	1997	MENO SYMPTOMS: DIDNT DO USUAL ACTIVITIES
MENOMED	YESNO	1997	SEEK MEDICAL CARE FOR MENOPAUSE SYMPTOMS
MENOPAUS	MENOPAUS	1997	STAGE OF LIFE - MENOPAUSE
MENOPAU2	MENOPAUS	2007	STAGE OF LIFE – MENOPAUSE
MENOWHEN	I	1997, 2007	AGE PERIODS STOPPED/BECAME IRREGULAR
MENOWORK	YESNO	1997	LOST WORK DAYS DUE TO MENOPAUSE SYMPTOMS
MENSES	II	1997	AGE AT FIRST MENSES
MENSES2	II	2007	AGE AT FIRST MENSES
MENSPRMT	MENSPRMT	2007	AGE AT FIRST MENSES <12 OR >13
MENTBELF	IV	2001	PERCENT OF ADULTS YOU THINK HAVE MH PROB
MENTHELP	YESNO	2001	EMBARRASSED TO GET HELP FROM MH PROFESISONAL
MENTHLTH	III	1998-2007	DAYS OF POOR MENTAL HEALTH IN LAST MO
MENTMED	AGREED	2001	MEDICATION AVAILABLE TO HELP MH PROB
MHDX	MHDX	1997	MENTAL HEALTH CONDITION DIAGNOSIS
MHDX2	MHDXB	1998-1999, 2005	MENTAL HEALTH CONDITION DIAGNOSIS
MHELPEVR	YESNO	2000	EVER GET PROFESSIONAL MENTAL HEALTH HELP
MHEVER	YESNO	1998	EVER DIAGNOSED WITH MENTL HLTH CONDITION

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
MHHELP	YESNO	1997	WANT MENTAL HEALTH HELP IN PAST 12 MTHS
MHHELP2	YESNO	1998-2000, 02-07	WANT MENTAL HEALTH HELP IN PAST 12 MTHS
MHHELP3	YESNO	2001	WANT MH PROFESSIONAL HELP IN PAST 12 MTHS
MHHELPTX	MHHELPTX	1999	HELP MENTAL HEALTH (TEXT)
MHHLPW2	YESNO	1999,2001-2004	GET MENTAL HEALTH HELP
MHHLPW3	YESNO	2000	GET MENTAL HEALTH HELP IN LAST 12 MONTHS
MHHLPW4	YESNO	2006-2007	DID YOU GET WANTED HELP WITH PERSONAL PROBS.
MHHLPWNT	YESNO	1997-1998, 2005	GET MENTAL HEALTH HELP WANTED
MHLMTDY	SCALEC	1998	MOOD LIMITED DAILY ACTIVITY PAST 30 DAYS
MHLMTWK	SCALEC	1998	MOOD LIMITED ABILITY TO WORK PAST 30 DYS
MHLONG	V	1997	LENGTH OF TIME HAD MH CONDITON
MHMED	YESNO	1997, 2005	TAKEN MEDS FOR MENTAL COND LAST 12 MTHS
MHMED2	YESNO	1998-1999	PRESCRIBE MEDS FOR MENTAL HEALTH PROBLEM
MHNO2_A	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 1ST REASON
MHNO2_B	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 2ND REASON
MHNO2_C	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 3RD REASON
MHNO2_D	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 4TH REASON
MHNO2_E	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 5TH REASON
MHNO2_F	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNO2_G	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNO2_H	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNOINTX	MHNOINTX	1998-1999	WHY NO INSURANCE FOR MH CARE (TEXT)
MHNOT_A	YESNO	1997	WHY NO MH HELP: NO MONEY TO PAY FOR HELP
MHNOT_B	YESNO	1997	WHY NO MH HELP: NO INSURANCE
MHNOT_C	YESNO	1997	WHY NO MH HELP: INSURANCE WOULDNT PAY
MHNOT_D	YESNO	1997	WHY NO MH HELP: DIDNT KNOW WHERE TO GO
MHNOT_E	YESNO	1997	WHY NO MH HELP: NO ONE TAKE AS PATIENT
MHNOT_F	YESNO	1997	WHY NO MH HELP: COULDNT GET APPOINTMENT
MHNOT_G	YESNO	1997	WHY NO MH HELP: OFFICE HRS NOT CONVENIENT
MHNOT_H	YESNO	1997	WHY NO MH HELP: NO TRANSPORT TO OFFICE
MHNOT_I	YESNO	1997	WHY DIDNT GET MH HELP: NO CHILD CARE
MHNOT_J	YESNO	1997	WHY NO MH HELP: NO TIME OFF WORK
MHNOT_K	YESNO	1997	WHY NO MH HELP: COUNSELING HELP LINE BUSY
MHNOT_L	YESNO	1997	WHY NO MH HELP: DR DIDNT UNDERSTAND PROB
MHNOT_M	YESNO	1997	WHY NO HELP: DIDNT WANT MENTAL ILL LABEL
MHNOT_N	YESNO	1997	WHY NO MH HELP: OTHER REASON (SPECIFY)
MHNOTTX2	MHWHYNOT	1998-1999	WHY NO MH HELP (TEXT)
MHNOTTXT	MHWHYNOT	1997	WHY NO MH HELP: OTHER REASON (TEXT)
MHNOW	YESNO	1997, 2005	CURRENTLY HAVE MH CONDITION 6+ MONTHS
MHNTCTRL	OFTEN	1999-2002	HOW OFTEN FELT OUT-OF-CONTROL IN PAST 30
MHOVRWL2	OFTEN	2000	HOW OFTEN FELT OVERWHELMED IN PAST 30
MHOVRWLM	OFTEN	1997-1999, 02-07	DAYS FELT OVERWHELMED IN PAST 30
MHPAYDIF	DIFFICB	2000	DIFFICULTY PAYING FOR MENTAL HEALTH HELP
MHPAYDOC	MHPAYDOB	1997	WHO PAID FOR MENTAL HEALTH PROVIDER
MHPAYDOC	MHPAYDOC	1998-1999, 2005	WHO PAID FOR MENTAL HEALTH PROVIDER
MHPAYRX	MHPAY	1997	WHO PAID FOR MENTAL HLTH COND MEDS
MHPROHLP	YESNO	1997, 2005	EVER GET HELP FOR MENTAL HLTH CONDITION
MHTLKHLP	YESNO	2000	DID TALKING W/MENTAL HEALTH PROF HELP
MHTRYHL2	YESNO	2001	TRY TO GET MENTAL HEALTH HELP FROM PROFESSIONAL
MHTRYHLP	YESNO	1999	SEEK MENTAL HEALTH AID FROM PROFESSIONAL
MHUSUAL	YESNO	1997	DOES MH CONDITION LIMIT USUAL ACTIVITIES
MHWHE_A	YESNO	1998-1999,2002	MENTAL HEALTH HELP: PSYCHIATRIST
MHWHE_B	YESNO	1998-1999,2002	MENTAL HEALTH HELP: PSYCHOLOGIST
MHWHE_C	YESNO	1998-1999,2002	MENTAL HEALTH HELP: MEDICAL DOCTOR
MHWHE_D	YESNO	1998-1999,2002	MENTAL HEALTH HELP: COUNSELOR (SPECIFY)
MHWHE_E	YESNO	1998-1999,2002	MENTAL HEALTH HELP: SOCIAL WORKER
MHWHE_F	YESNO	1998-1999,2002	MENTAL HEALTH HELP: MINISTER/PRIEST/RABBI
MHWHE_G	YESNO	1998-1999,2002	MENTAL HEALTH HELP: SELFHHELP GROUP
MHWHE_H	YESNO	1998-1999,2002	MENTAL HEALTH HELP: HEALER
MHWHE_I	YESNO	1998-1999,2002	MENTAL HEALTH HELP: CASE MANAGER
MHWHE_J	YESNO	1998-1999,2002	MENTAL HEALTH HELP: OTHER (SPECIFY)

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
MHWHE_K	YESNO	1999	MENTAL HEALTH HELP: DIDNT KNOW ANSWER
MHWHE_L	YESNO	1999	MENTAL HEALTH HELP: REFUSED QUESTION
MHWHE2_A	YESNO	2005	MENTAL HEALTH HELP: PSYCHOTHERAPIST
MHWHE2_B	YESNO	2005	MENTAL HEALTH HELP: PSYCHIATRIST
MHWHE2_C	YESNO	2005	MENTAL HEALTH HELP: PSYCHOLOGIST
MHWHE2_D	YESNO	2005	MENTAL HEALTH HELP: MEDICAL DOCTOR
MHWHE2_E	YESNO	2005	MENTAL HEALTH HELP: COUNSELOR (SPECIFY)
MHWHE2_F	YESNO	2005	MENTAL HEALTH HELP: MINISTER/PRIEST/RABBI
MHWHE2_G	YESNO	2005	MENTAL HEALTH HELP: SELFHLP GRP EMOTIONAL STRESS
MHWHE2_H	YESNO	2005	MENTAL HEALTH HELP: OTHER (SPECIFY)
MHWHE2_I	YESNO	2005	MENTAL HEALTH HELP: SELFHLP GRP MENTAL ILLNESS STRESS
MHWHELP	MHWHELP	1997	PROVIDED HELP FOR MENTAL HLTH CONDITION
MHWHELP2	MHWHELPB	1997	PROVIDED HELP FOR MENTAL HLTH CONDITION
MHWHERGO	YESNO	2000	KNOW WHERE TO GET PROF MENTAL HLTH HELP
MHWHETXT	MHWHO	1998-1999	MENTAL HEALTH HELP (TEXT)
MHWORK	YESNO	1997, 2005	DOES MH CONDITION LIMIT WORK KIND/AMOUNT
MHWTH_A	YESNO	1999	HELP MENTAL HEALTH: CHILDCARE
MHWTH_B	YESNO	1999	HELP MENTAL HEALTH: BETTER JOB
MHWTH_C	YESNO	1999	HELP MENTAL HEALTH: HEALTH CARE
MHWTH_D	YESNO	1999	HELP MENTAL HEALTH: ENOUGH FOOD
MHWTH_E	YESNO	1999	HELP MENTAL HEALTH: COUNSELING
MHWTH_F	YESNO	1999	HELP MENTAL HEALTH: TRANSPORTATION
MHWTH_G	YESNO	1999	HELP MENTAL HEALTH: HOUSING
MHWTH_H	YESNO	1999	HELP MENTAL HEALTH: MORE MONEY
MHWTH_I	YESNO	1999	HELP MENTAL HEALTH: CONVENIENT COUNSELIN
MHWTH_J	YESNO	1999	HELP MENTAL HEALTH: OTHER (SPECIFY)
MHWTH_K	YESNO	1999	HELP MENTAL HEALTH: NOTHING WOULD HELP
MICROBIC	YESNOMB	2007	WOULD USE VAGINAL MICROBICIDE IF AVAILABLE
MILINDOT	YESNO	1997	MIL/CHAMPUS/VA/IHS/OTHER COVERS HEALTH
MILPLAN	YESNO	1998-2007	MIL/CHAMPUS/VA HEALTH
MLKPREWK	MILK	1998	MILK FOR BABY MONTH BEFORE RETURING WORK
MLKPSTWK	MILKB	1998	MILK FOR BABY 2 MTHS AFTER RETURN WORK
MONTH	MONTHS	1997	MONTH OF DATA COLLECTION
MONTHS	MONTHS	1998-2007	MONTH OF DATA COLLECTION
NALCOCC	III	1997-2007	NUMBER OF DRINKS PER OCCASION
NEEDDOC2	YESNO	1997-1998	NEEDED TO SEE MD IN PAST 12 MONTHS
NEWCHILD	YESNO	1997	ADOPTING OR FOSTERING CHILD <5
NOCOND	YESNO	2007	DIDN'T USE CONDOM, WORRIED ABOUT PARTNER'S REACTION
NOFDHLTH	YESNO	2000-2001	DONT HAVE FOOD WANT: HLTH POOR CANT COOK
NOFDOUT	YESNO	2000	DONT HAVE FOOD WANT: NOT AT WORK OR OUT
NOFDOUT2	YESNO	2001	DONT HAVE FOOD WANT: NOT AT WORK OR OUT
NOFDSTOR	YESNO	2000-2001	DONT HAVE FOOD WANT: HARD TO GET TO STORE
NOTEAT	YESNO	2000-2007	EAT LESS SO OTHERS COULD EAT
NOTMED	YESNO	2000	DELAYED GETTING MEDICAL CARE TO BUY FOOD
NUMADULT		1997-2007	NUMBER OF ADULTS IN HOUSEHOLD
NUMHRWRK	III	1998	NUMBER HRS AWAY FROM BABY FIRST 2 MONTHS
NUMMEN		1997-2007	NUMBER OF ADULT MALES IN HOUSEHOLD
NUMPHON2	II	1997-2006	HOW MANY UNIQUE PHONE NUMBERS
NUMPHON3	II	2007	HOW MANY UNIQUE PHONE NUMBERS
NUMWOMEN		1997-2007	NUMBER OF ADULT FEMALES IN HOUSEHOLD
OEMPLAN	YESNO	1997-2007	ANOTHERS EMPL PROVIDES HEALTH COVERAGE
OFTCERL	IV	2003	HOW OFTEN EAT COLD CEREAL
ORACE	ORACE	1997-2000	REPORTED RACE
ORACE2	ORACEB	1997-2000	REPORTED RACE (EXPANDED)
ORACE2A	ORACE2A	1997-2007	REPORTED RACE - ASIAN
ORACE2X	ORACE2X	2006	REPORTED RACE: HISPANIC SUBCATEGORIES
ORACE3	ORACEC	2001-2007	REPORTED RACE (EXPANDED)
ORACE3_A	YESNO	2001-2007	REPORTED RACE: WHITE
ORACE3_B	YESNO	2001-2007	REPORTED RACE: BLACK
ORACE3_C	YESNO	2001-2007	REPORTED RACE: ASIAN
ORACE3_D	YESNO	2001-2007	REPORTED RACE: HAWAII/PI

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
ORACE3_E	YESNO	2001-2007	REPORTED RACE: AM IND/ALASKA NATIVE
ORACE3_F	YESNO	2001-2007	REPORTED RACE: OTHER
ORACE4	ORACEC	2001-2007	WHICH BEST REPRESENTS YOUR RACE
OSTEO	YESNO	1999	HAD BONE DENSITY TEST LAST 2 YEARS
OSTEO2	YESNO	2004	EVER HAD BONE DENSITY TEST FOR OSTEOPOROSIS
OSTEOCAL	YESNO	2006	CURRENTLY TAKING CALCIUM SUPPLEMENTS
OSTEODEF	OSTEO	2000-2002	WHAT IS OSTEOPOROSIS
OSTEOFOD	MANYII	2006	HOW OFTEN EAT HIGH CALCIUM FOODS
OSTEOHAD	YESNO	2006	BEEN TOLD YOU HAVE OSTEOPOROSIS
OSTEOHRD	YESNO	2000-2001	EVER HEARD OF OSTEOPOROSIS
OSTEOIMP	IMPORTB	2000-2001	HOW IMPORTANT IS OSTEOPOROSIS FOR WOMEN
OSTEOPA	MANYII	2006	HOW OFTEN DO STRENGTHENING EXERCISES
OSTEOPHY	SCALEF	2002	INCREASE PHYSICAL ACTIVITY TO PREVENT OSTEOPOROSIS
OSTEOPRV	YESNO	2004, 2006	DOING ANY OSTEOPOROSIS PREVENTION/MANAGEMENT
OSTEORSK	YESNO	2004-2005	THINK YOU HAVE RISK FACTOR FOR OSTEOPOROSIS
OSTEORX	YESNO	2006	CURRENTLY TAKING PERSCRIPTION FOR OSTEOPOROSIS
OSTEOTL2	YESNO	2002	EVER TOLD YOU HAVE OSTEOPOROSIS
OSTEOTL3	YESNO	2004-2005	DOCTOR SAID YOU HAVE OSTEOPOROSIS
OSTEOTLB	YESNO	2002	DOC EVER TALKED @PREVENTING OSTEOPOROSIS
OSTEOTLC	YESNO	2004-2005	DOCTOR DISCUSSED OSTEOPOROSIS PREVENTION
OSTEOTLD	YESNO	2000-2001,04-05	EVER TOLD YOU HAVE OSTEOPOROSIS
OSTEOTLK	YESNO	2000-01	DOC EVER TALKED @PREVENTING OSTEOPOROSIS
OTHRCOND	YESNORF	1997	LAST NON-STEADY INTERCOURSE USED CONDOM
OTHRPAR2	YESNORF	1998-1999	HAVE NEW MALE SEX PARTNER LAST YR
OTHRPAR3	YESNORF	2000, 2002, 04, 07	HAVE NEW MALE SEX PARTNER LAST YR
OTHRPART	YESNORF	1997	HAVE NON-STEADY/NEW MALE PARTNER LAST YR
OTHRSRCE	YESNO	1999-2007	SOME OTHER SOURCE OF HEALTH INSURANCE
OUTOFFD	TRUEFALB	1998-2007	WHEN DID NOT HAVE ENOUGH FOOD
OVARRISK	OVARRISK	2002	NAME RISK FOR OVARIAN CANCER
OWNPLAN	YESNO	1997-2007	BUYS OWN HEALTH COVERAGE
PAIN	YESNO	1998-1999	PAIN PREVENTS DOING WHAT WANTED
PAPINFO	YESNO	2001	RECEIVE PAMPHLET AT LAST PAP EXAM
PAPINFO2	YESNO	2002-2004	RECEIVE PAMPHLET AT LAST PAP EXAM
PARTIAL	YESNO	2002-2006	INCOMPLETE SURVEY--COMPLETED THROUGH DEMOS
PASTPLAN	HOWLONGC	1997-2007	HOW LONG SINCE LAST HEALTH CARE PLAN
PHONE93		1997-2000, 03-07	HOW MANY UNIQUE PHONE NUMBERS IN HOUSEHOLD
PHQ1	II	2006-2007	MOOD: IN LAST 14, DAYS LITTLE INTEREST DOING THINGS
PHQ2	II	2006-2007	MOOD: IN LAST 14, DAYS FELT DEPRESSED
PHQ3	II	2006-2007	MOOD: IN LAST 14, DAYS WITH SLEEP TROUBLE
PHQ4	II	2006-2007	MOOD: IN LAST 14, DAYS WITH LOW ENERGY
PHQ5	II	2006-2007	MOOD: IN LAST 14, DAYS WITH POOR/EXCESS APPETITE
PHQ6	II	2006-2007	MOOD: IN LAST 14, DAYS FEEL BAD ABOUT SELF
PHQ7	II	2006-2007	MOOD: IN LAST 14, DAYS TROUBLE CONCENTRATING
PHQ8	II	2006-2007	MOOD: IN LAST 14, DAYS MOVED SLOW/FAST
PHYSHLTH	III	1998-2007	DAYS OF POOR PHYSICAL HEALTH IN LAST MO
PLEASANT	PLEASANT	2004-2005	HOW PLEASANT IS YOUR NEIGHBORHOOD
POORHLTH	III	1998-2007	DAYS OF RESTRICTED ACTIVITY IN LAST MO
PREG5YR	YESNO	1997-2007	PREGNANT IN THE PAST FIVE YEARS
PREGHLTH	HEALTH	2000	GENERAL HEALTH DURING LAST PREGNANCY
PREGNANT	YESNO	1997-2007	PREGNANCY STATUS
PREGNUM	X	1998	TOTAL NUMBER OF PREGNANCIES EVER HAD
PRENATA2	X	1999-2000	WKS OR MNTS PREGNANT 1ST PRENATAL VISIT
PRENATAL	X	1997	TIME IN PREGNANCY WHEN 1ST SAW PHYSICIAN
PRENHIV	YESNO	1998	DOC DISCUSS HIV RISK LAST PREGNANCY
PREVB_A	MON_YEAR	2000	MONTH 2ND MOST RECENT BIRTH OF LIVE BABY
PREVB_B	MON_YEAR	2000	YEAR 2ND MOST RECENT BIRTH OF LIVE BABY
PRIORBIR	MON_YEAR	2000	MONTH & YEAR PRIOR RECENT LIVE BIRTH
PRIORMNT	II	2000	MONTH OF PRIOR RECENT LIVE BIRTH
PRIORYR	IV	2000	YEAR OF PRIOR RECENT LIVE BIRTH
PROBPREG	YESNORF	1997-98,01,03,06	TRIED 12+ MONTHS TO GET PREGNANT
PROBPRE2	YESNO	2007	PROBLEMS GETTING PREGNANT IN 12 MONTH PERIOD

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
PROBR_A	YESNO	2005	NAME AN STD PROB: INFERTILITY
PROBR_B	YESNO	2005	NAME AN STD PROB: MORE CERVICAL CANCER RISK
PROBR_C	YESNO	2005	NAME AN STD PROB: PREG COMPLICATION
PROBR_D	YESNO	2005	NAME AN STD PROB: PELVIC INFLAM DISEASE
PROBR_E	YESNO	2005	NAME AN STD PROB: BLINDNESS
PROBR_F	YESNO	2005	NAME AN STD PROB: MENTAL ILLNESS
PROBR_G	YESNO	2005	NAME AN STD PROB: DEATH
PROBR_H	YESNO	2005	NAME AN STD PROB: SCARRING
PROBR_I	YESNO	2005	NAME AN STD PROB: LIFE-LONG SYMPTOMS
PROBR_J	YESNO	2005	NAME AN STD PROB: MORE AIDS/HIV RISK
PROBR_K	YESNO	2005	NAME AN STD PROB: OTHER
PROBR_L	YESNO	2005	NAME AN STD PROB: CAN'T NAME ANY, KNOW EXIST
PROBR_M	YESNO	2005	NAME AN STD PROB: ALWAYS TAKE MEDICATIONS
PTSD1	YESNO	2000-2001, 04-05	EVER HAD A HORRIBLE EXPERIENCE
PTSD1	_DV	2002-2003	EVER HAD A HORRIBLE EXPERIENCE
PTSD2	YESNO	2000-2005	LAST 30 DAYS: HAVE NIGHTMARES @EXPERIENCE
PTSD3	YESNO	2000-2005	LAST 30 DAYS: TRY TO NOT THINK @EXPERIENCE
PTSD4	YESNO	2000-2005	LAST 30 DAYS: CONSTANTLY ON GUARD
PTSD5	YESNO	2000-2005	LAST 30 DAYS: FELT DETACHED FROM OTHERS
PUBASST	YESNO	2001	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST2	YESNO	2002	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST3	YESNO	2003-2006	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST4	YESNO	2007	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASTCH	YESNO	2004	AS CHILD DID YOUR FAMILY RECEIVE WELFARE
PUBASTN2	YESNO	2002-2007	LAST 30 DAYS RECEIVE PUBLIC ASSISTANCE
PUBASTNW	YESNO	2001	CURRENTLY RECEIVING PUBLIC ASSISTANCE
QUARTER		2005-2007	QUARTER SURVEY DATA COLLECTED
REASTST3	REASTSTC	1997	WHY WAS LAST AIDS TEST DONE
REAUNPLN	REAUNPLN	2006-2007	REASON FOR SEX W/O ANY BIRTH CONTROL
RECSERV	III	2002	WHAT WAS THE NUM OF FRUIT/VEG RECOMMENDED
RELIGION	MANYV	2007	HOW MANY TIMES PER YEAR ATTEND RELIGIOUS SERVICES
RESPNO		1997-2007	RESPONDENT NUMBER
RUBELLA	YESNO	1999-2000	EVER VACCINATED FOR RUBELLA
SCHLBRTH	II	1998	EDUCATION AT FIRST BIRTH
SCHLMEAL	YESNO	2006-2007	CHILDREN RECEIVE FREE/REDUCED LUNCH IN LAST YEAR
SEEDOC	YESNO	1997-1998	SAW MD FOR HEALTH CONDITION
SEHEALTH	AGREEC	1999	SELF EFFICACY: HEALTH DEPENDS ON SELF
SELFWGHT	WEIGHT	2000-2007	ASSESSMENT OF CURRENT WEIGHT
SEX	SEX	1997-2007	SEX
SEXBEH1	VIII	1997	HOW MANY NEW MALE PARTNERS LAST YEAR
SEXBHAG2	VIII	2004-2007	AGE AT FIRST INTERCOURSE WITH MAN
SEXBHAGE	VIII	1997-2003	AGE AT FIRST INTERCOURSE
SEXBHNU2	YESNORF	2002	MORE THAN ONE MALE SEX PARTNER LAST 12 MONTHS
SEXBHNU3	NUMCOUNT	2005	HOW MANY MALE SEX PARTNERS PAST 12 MTHS
SEXBHNUM	VIII	1997-1998, 04-07	NUMBER MALE PARTNERS PAST 12 MONTHS
SEXBHVER	YESNO	1998-2004	VERIFICATION OF AGES 12 AND YOUNGER
SEXED	AGREEB	1997	SCHOOLS SHOULD TEACH HUMAN SEXUALITY
SEXEDBC	AGREEB	1997	SCHOOLS SHOULD TEACH CONTRACEPTION
SEXEDSTD	AGREEB	1997	SCHOOLS SHOULD TEACH STD PREVENTION
SEXWOTHR	SCALEG	2002	HOW LIKELY SEX PARTNERS HAVE HAD SEX WITH OTHER
SEXWOTH2	SCALEG	2004	HOW LIKELY RECENT MALE SEX PARTNER HAD SEX WITH OTHER
SEXWOTH3	SCALEH	2007	HOW LIKELY RECENT MALE SEX PARTNER HAD SEX WITH OTHER
SFCHEESE	YESNO	2000	LAST PREGNANCY: EAT SOFT CHEESE
SFMEAT	YESNO	2000	LAST PREGNANCY: EAT PROCESSED MEATS
SIGEVER	YESNO	2000-2002	EVER HAD A SIGMOIDOSCOPY TEST
SIZEFEE2	RELATED	2000	WEIGHT INFLUENCE FEELINGS OF SELF WORTH
SIZEFEEL	SCALE	1998	WEIGHT INFLUENCE FEELINGS OF SELF WORTH
SMKEVDA2	EVDAY	1997-2007	SMOKE EVERY DAY/SOME DAYS/NOT AT ALL
SMOKE100	YESNO	1997-2007	SMOKED AT LEAST 100 CIGS
SPANINT	SPANINT	1997-2007	LANGUAGE OF SURVEY
SSTDC_A	YESNO	2006	CAUSES CERVICAL CANCER: HERPES

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
SSTDC_B	YESNO	2006	CAUSES CERVICAL CANCER: CHLAMYDIA
SSTDC_C	YESNO	2006	CAUSES CERVICAL CANCER: HUMAN PAPILLOMA VIRUS
SSTDC_D	YESNO	2006	CAUSES CERVICAL CANCER: GONORRHEA
STAIRAC2	MANYI	1998	FLIGHT OF STAIRS CLIMBED DAILY OR WEEKLY
STDADV	YESNORF	1997	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDADV	HOWLONGE	1998	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDADV2	YESNO	2002-2004, 2007	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDCHILD	YESNO	2006	TALKED WITH CHILD ABOUT STD
STDCHK	YESNO	2002	HAD STD CHECK/TREATMENT PAST 12 MONTHS
STDCHK	YESNORF	1997-1998	HAD STD CHECK/TREATMENT PAST 12 MONTHS
STDCHLTD	YESNOUN	2003-2006	EVER TOLD YOU HAVE CHLAMYDIA
STDCHLY2	TRUEFALS	1997,2000-2001	WOMEN WITH CHLAMYDIA HAVE SYMPTOMS?
STDCHLY3	YESNOUN	2002-2003, 2006	WOMEN WITH CHLAMYDIA HAVE SYMPTOMS?
STDCHLYD	YESNORF	97, 00-01, 04, 07	EVER HEARD OF CHLAMYDIA
STDDX_A	YESNO	1997, 2004	STD DX: CHLAMYDIA
STDDX_B	YESNO	1997, 2004	STD DX: GENITAL HERPES
STDDX_C	YESNO	1997, 2004	STD DX: GENITAL WARTS (HPV)
STDDX_D	YESNO	1997, 2004	STD DX: GONORRHEA
STDDX_E	YESNO	1997, 2004	STD DX: HIV OR AIDS
STDDX_F	YESNO	1997, 2004	STD DX: PELVIC INFLAMMATORY DISEASE (PID)
STDDX_G	YESNO	1997, 2004	STD DX: SYPHILIS
STDDX_H	YESNO	1997, 2004	STD DX: TRICHOMONAS
STDDX_I	YESNO	1997, 2004	STD DX: YEAST INFECTION
STDDX_J	YESNO	1997, 2004	STD DX: OTHER (SPECIFY)
STDDX_K	YESNO	1997, 2004	REFUSED STD MODULE
STDDX2_A	YESNO	2005	WHAT WAS STD: CHLAMYDIA
STDDX2_B	YESNO	2005	WHAT WAS STD: GENITAL HERPES
STDDX2_C	YESNO	2005	WHAT WAS STD: GENITAL WARTS (HPV)
STDDX2_D	YESNO	2005	WHAT WAS STD: GONORRHEA
STDDX2_E	YESNO	2005	WHAT WAS STD: HIV OR AIDS
STDDX2_F	YESNO	2005	WHAT WAS STD: PELVIC INFLAMMATORY DISEASE (PID)
STDDX2_G	YESNO	2005	WHAT WAS STD: SYPHILIS
STDDX2_H	YESNO	2005	WHAT WAS STD: TRICHOMONAS
STDDX2_I	YESNO	2005	WHAT WAS STD: YEAST INFECTION
STDDX2_J	YESNO	2005	WHAT WAS STD: OTHER (SPECIFY)
STDDX2_K	YESNO	2005	WHAT WAS STD: BACTERIAL VAGINOSIS
STDDX2_L	YESNO	2005	WHAT WAS STD: CHRANCROID
STDDX2_M	YESNO	2005	WHAT WAS STD: CYTOMEGALOVIRUS
STDDX2_N	YESNO	2005	WHAT WAS STD: CRABS
STDDX2_O	YESNO	2005	WHAT WAS STD: HEPATITIS
STDDX2_P	YESNO	2005	WHAT WAS STD: PUBIC LICE
STDDX2_Q	YESNO	2005	WHAT WAS STD: SCABIES
STDDX2_R	YESNO	2005	WHAT WAS STD: CAN'T NAME ANY
STDDXTXT	STDDXTXT	1997-2004	STD DX: OTHER (TEXT)
STDHI_A	YESNO	1998	STD INCREASES RISK OF HIV INFECTION
STDHI_B	YESNO	1998	STD HAVE NO EFFECT ON HIV INFECTION RISK
STDHI_C	YESNO	1998	STD DECREASES RISK OF HIV INFECTION
STDHRPNO	TRUEFALS	1999-2001	GENITAL HERPES KNOWLEDGE: PEOPLE KNOW IT
STDHRPT2	TRUEFALS	2001	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDHRPT3	TRUEFALS	2002, 2006	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDHRPTD	YESNO	1999-2003, 2006	EVER TOLD HAVE GENITAL HERPES
STDHRPTR	TRUEFALS	1999	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDPROB	YESNO	2005	ANY LONG TERM HEALTH PROB FOR WOMEN W/STD
STDPROPG	YESNORF	2001	WOMEN WITH CHLAMYDIA HAVE PROBS GETTING PREGNANT
STDRC_A	YESNO	2005	NAME AN STD: GONORRHEA
STDRC_B	YESNO	2005	NAME AN STD: SYPHILIS
STDRC_C	YESNO	2005	NAME AN STD: GENITAL HERPES
STDRC_D	YESNO	2005	NAME AN STD: AIDS/HIV
STDRC_E	YESNO	2005	NAME AN STD: CHLAMYDIA
STDRC_F	YESNO	2005	NAME AN STD: GENITAL WARTS
STDRC_G	YESNO	2005	NAME AN STD: HEPATITIS

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
STDRC_H	YESNO	2005	NAME AN STD: CRABS
STDRC_I	YESNO	2005	NAME AN STD: TRICHOMONIASIS
STDRC_J	YESNO	2005	NAME AN STD: PELVIC INFLAM DISEASE
STDRC_K	YESNO	2005	NAME AN STD: PUBIC LICE
STDRC_L	YESNO	2005	NAME AN STD: BACTERIAL VAGINOSIS
STDRC_M	YESNO	2005	NAME AN STD: CHRANCROID
STDRC_N	YESNO	2005	NAME AN STD: YEAST INFECTION
STDRC_O	YESNO	2005	NAME AN STD: SCABIES
STDRC_P	YESNO	2005	NAME AN STD: CYTOMEGALVIRUS
STDRC_Q	YESNO	2005	NAME AN STD: OTHER
STDRC_R	YESNO	2005	NAME AN STD: CAN'T NAME ANY
STD TALK	DISCUSS	2003	ANY DISCUSSION WITH PARENTS ABOUT SEX
STD TALK2	SEXTALK	2004	ANY DISCUSSION WITH MALE PARTNER ABOUT STDS
STDTEST	YESNO	2004	PAST 12 MOS DOCTOR SAID YOU HAD STD
STD TOLD	YESNORF	1997	PAST 12 MONTHS MD TOLD YOU HAVE STD
STD TOLD2	YESNO	2005	DOCTOR EVER SAID YOU HAD STD
STDWH_A	YESNO	1997-1998	HAD STD CHECK AT PUBLIC STD CLINIC
STDWH_B	YESNO	1997-1998	HAD STD CHECK AT OTHER PUBLIC CLINIC
STDWH_C	YESNO	1997-1998	HAD STD CHECK AT FAMILY PLANNING CLINIC
STDWH_D	YESNO	1997-1998	HAD STD CHECK AT COMMUNITY CLINIC
STDWH_E	YESNO	1997	HAD STD CHECK AT PRIVATE DOCTOR/HMO
STDWH_E	YESNO	1998	HAD STD CHECK AT PRIVATE DOCTOR
STDWH_F	YESNO	1997-1998	HAD STD CHECK AT EMERGENCY ROOM
STDWH_G	YESNO	1997-1998	HAD STD CHECK AT STUDENT HEALTH CENTER
STDWH_H	YESNO	1997-1998	HAD STD CHECK AT MILITARY FACILITY
STDWH_I	YESNO	1997-1998	HAD STD CHECK AT JAIL/DETENTION FACILITY
STDWH_J	YESNO	1997-1998	HAD STD CHECK AT OTHER LOCATION(SPECIFY)
STDWH_K	YESNO	1997-1998	REFUSED STD CHECK MODULE
STDWH_L	YESNO	1998	HAD STD CHECK AT HMO
STDWHTXT	STDWHETX	1997-1998	HAD STD CHECK AT OTHER LOCATION (TEXT)
STOPSUPP	YESNO	1999-2000	STOPPED SUPPLEMENT DUE TO BAD REACTION
STRATUM		1997-2004	WEIGHTING ADJUSTMENT
SUPSLEEP	YESNO	1999	TAKE ANYTHING TO CALM NERVES PAST YEAR
SXORIEN2	ORIENT	2005-2007	SEXUAL ORIENTATION: NEW SPANISH INTRO
SXORIENT	ORIENT	2004	WHICH DESCRIBES YOUR SEXUAL ORIENTATION†
SYMPL_A	V	2000	DAYS URINARY TRACT INFECTION LASTED
SYMPL_B	V	2000	WEEKS URINARY TRACT INFECTION LASTED
SYMPL_C	V	2000	MONTHS URINARY TRACT INFECTION LASTED
TAKEMED	YESNO	1998-1999	TAKE MEDS FOR MH PROBLEM AS DIRECTED
TAKESUPP	YESNO	2000	TAKE ANY SUPPLEMENTS LAST 12 MONTHS
THRESH00	YESNO	2007	HH INCOME ABOVE HIGHER THRESHOLD
THRESH01	YESNO	2007	HH INCOME BETWEEN LOWER THRESHOLD AND HIGH THRESHOLD
THRESH03	YESNO	2004-2005	HH INCOME ABOVE THRESHOLD
THRESH95	THRESH	1997-1999	POVERTY THRESHOLDS FOR PRIOR YEAR
THRESH98	THRESH	2000	POVERTY THRESHOLDS FOR PRIOR YEAR
THRSH185	THRESH	1999-2000	185% OF POVERTY FOR PRIOR YEAR
THRSH250	THRESH	2000	200% OF POVERTY FOR PRIOR YEAR
TIMEPLAN	HOWLNGD	1998-2002	HOW LONG HAD CURRENT HEALTH CARE PLAN
TIMES_A	VIII	1998	HOURS SPENT SITTING DAILY
TIMES_B	VIII	1998	MINUTES SPENT SITTING DAILY
TIMESIT	IV	1998	HOURS & MINUTES SPENT SITTING DAILY
TIMESIT2	IX	2001	HOURS & MINUTES SPENT SITTING DAILY
TLDSTRPB	YESNO	2000	LAST PREG: PREVENT GROUP B STREP PLAN
TOLDINF	YESNOTS	1997	MD TOLD HAD BLADDER INFECTION 3+ MONTHS
TRAFFIC	SAFE	2004-2005	HOW SAFE IS NEIGHBORHOOD: TRAFFIC
TRYLO_A	YESNO	1998	WEIGHT LOSS ACTION TAKEN: NOTHING
TRYLO_B	YESNO	1998	WEIGHT LOSS ACTION TAKEN: DIET
TRYLO_C	YESNO	1998	WEIGHT LOSS ACTION TAKEN: FAST
TRYLO_D	YESNO	1998	WEIGHT LOSS ACTION TAKEN: LAXATIVES, ETC
TRYLO_E	YESNO	1998	WEIGHT LOSS ACTION TAKEN: PURGE
TRYLO_F	YESNO	1998	WEIGHT LOSS ACTION TAKEN: DRANK ALCOHOL

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
TRYLO_G	YESNO	1998	WEIGHT LOSS ACTION TAKEN: SMOKE TOBACCO
TRYLO_H	YESNO	1998	WEIGHT LOSS ACTION TAKEN: EXERCISE
TRYLO_I	YESNO	1998	WEIGHT LOSS ACTION TAKEN: OTHER (SPECIFY)
TRYLOTXT	TRYLOTXT	1998	WEIGHT LOSS ACTION TAKEN (TEXT)
TRYPREG	YESNO	1997, 1999, 00-07	CURRENTLY TRYING TO GET PREGNANT
TSSBTAD	YESNORF	2001-2005	AS ADULT ANYONE EVER BEAT YOU
TSSBTCH	YESNORF	2001-2005	AS CHILD ANYONE EVER BEAT YOU (Begun 6/01)
TSSDIAD	YESNORF	2001-2005	AS ADULT ANYONE CLOSE DIE IN ACCIDENT
TSSDICH	YESNORF	2001-2005	AS CHILD ANYONE CLOSE DIE IN ACCIDENT (Begun 6/01)
TSSINSCH	YESNORF	2001-2005	AS CHILD ANYONE IN HOUSEHOLD INSULT OR THREATEN YOU
TSSSXAD	YESNORF	2001-2007	AS ADULT ANYONE FORCE SEX ON YOU
TSSSXCH	YESNORF	2001-2007	AS CHILD ANYONE FORCE SEX ON YOU (Begun 6/01)
TSSSXJR	YESNORF	2005-2007	DID FORCE SEX HAPPEN IN PAST 12 MTHS
TSSTKAD	YESNORF	2001-2005	AS ADULT ANYONE FORCE SOMETHING FROM YOU
TSSTKCH	YESNORF	2001-2005	AS CHILD ANYONE FORCE SOMETHING FROM YOU (Begun 6/01)
UIPROB	YESNO	1997-1998	CURRENTLY HAVE PROB WITH LEAKING URINE
UNPLANSX	OFTEN	2006-2007	HOW OFTEN HAD UNPROTECTED SEX IN LAST YEAR
USENTRY	IV	1998-2001	YEAR FIRST ENTERED US
USENTRY2	IV	2003-2007	YEAR FIRST LIVED IN US
VITAIU	IU	2000	DOSAGE OF IU OF VITAMIN A
VITAMA	YESNO	1999	NOW TAKING: VITAMIN A
VITAMBF	BABY	1997-1998	TAKE PRENATAL VITAMINS PRE-PREGNANCY
VITAMCT	YESNO	1997	CURRENTLY TAKING MULTI-VITAMINS
VITAMCT2	YESNO	1998	CURRENTLY TAKING MULTI-VITAMINS
VITANX	YESNO	1999	TAKING SUPPLEMENT: ANXIETY OR DEPRESSION
VITAT_A	YESNO	1998	CURRENTLY TAKING: MULTI/PRENATAL VITAMIN
VITAT_B	YESNO	1998-1999	CURRENTLY TAKING: FOLATE
VITAT_C	YESNO	1998	CURRENTLY TAKING: VITAMIN C SUPPLEMENT
VITAT_D	YESNO	1998	CURRENTLY TAKING: IRON SUPPLEMENT
VITAT_E	YESNO	1998	CURRENTLY TAKING: BODY BUILDING SUPPLEME
VITAT_F	YESNO	1998	CURRENTLY TAKING: WEIGHT LOSS DRINK
VITAT_G	YESNO	1998	CURRENTLY TAKING: VITAMIN FORIFIED DRINK
VITAT_H	YESNO	1998	CURRENTLY TAKING: OTHER (SPECIFY)
VITATAK2	YESNO	1999	NOW TAKING: OTHER VITAMIN OR MINERALS
VITATXT	VITAMIN	1998	OTHER SUPPLEMENTS (TEXT)
VITBWHY	VITBWHY	2000	REASON WOMEN SHOULD TAKE B VITAMIN
VITBWHYB	VITBWHYB	2002-2004	REASON WOMEN SHOULD TAKE B VITAMIN
VITCVD	YESNO	1999	TAKING SUPPLEMENT: CARDIOVASCULAR HEALTH
VITDAILY	YESNO	2002-2007	DO YOU TAKE VITAMIN B DAILY
VITGHLT	YESNO	1999	TAKING SUPPLEMENT: GENERAL HEALTH
VITIMMU	YESNO	1999	TAKING SUPPLEMENT: IMMUNE FUNCTION
VITMILK	YESNO	2003	DRINK REMAINING MILK IN BOWL
VITMNAL	YESNO	1999	TAKING SUPPLEMENT: MENTAL ALERTNESS
VITOTR	YESNO	1999	TAKING SUPPLEMENT: OTHER REASON
VITPREN	YESNO	1999	NOW TAKING: MULTI OR PRENATAL VITAMIN
VITPREN2	YESNO	2000-2001	CURRENTLY TAKE: MULTI OR PRENATAL VITAMIN
VITSEDOC	YESNO	1999-2000	GET CARE FOR REACTION TO SUPPLEMENT
VITTAKEA	YESNO	2000	CURRENTLY TAKE: VITAMIN A PILL
VITTAKEB	YESNO	2000-2001	CURRENTLY TAKE: B VITAMIN FOLATE PILL
VITTAKEC	YESNO	2002-2007	CURRENTLY TAKE: B VITAMIN FOLATE PILL
VITWTLS	YESNO	1999	TAKING SUPPLEMENT: WEIGHT LOSS
VOMTWGHT	YESNO	2000	CONTROL WEIGHT LAST 12 MONTHS: VOMIT
WATCHTV	XIV	2004-2007	TIME SPENT WATCHING TV YESTERDAY IN MINUTES
WEIGHT	IV	1997-2007	REPORTED WEIGHT IN POUNDS
WGHTHLTH	YESNO	2003	CONSIDER YOURSELF AT A HEALTHY WEIGHT
WHAT2_A	YESNO	2003	WIC FOR PEOPLE ON WELFARE
WHAT2_B	YESNO	2003	WIC FOR PEOPLE ON MEDI-CAL
WHAT2_C	YESNO	2003	WIC FOR PREGNANT WOMEN
WHAT2_D	YESNO	2003	WIC FOR TEENS
WHAT2_E	YESNO	2003	WIC FOR WOMEN AND THEIR CHILDREN
WHAT2_F	YESNO	2003	WIC FOR FREE FOOD AND FORMULA

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
WHAT2_G	YESNO	2003	WIC FOR NUTRITION COUNSELING
WHAT2_H	YESNO	2003	WIC FOR LOWER INCOME PEOPLE
WHAT2_I	YESNO	2003	WIC FOR CHILDREN UNDER 5
WHAT2_J	YESNO	2003	WHAT ELSE HEARD ABOUT WIC (SPECIFY)
WHAT2TXT	WHATHEAX	2003	WHAT ELSE HEARD ABOUT WIC (TEXT)
WHATB_A	WHATBONE	2004, 2006	BONE BROKEN: 1
WHATB_B	WHATBONE	2004, 2006	BONE BROKEN: 2
WHATB_C	WHATBONE	2004, 2006	BONE BROKEN: 3
WHATB_D	WHATBONE	2004, 2006	BONE BROKEN: 4
WHATB_E	WHATBONE	2004, 2006	BONE BROKEN: 5
WHATB_F	WHATBONE	2004, 2006	BONE BROKEN: 6
WHATB_G	WHATBONE	2004, 2006	BONE BROKEN: 7
WHATB_H	WHATBONE	2004, 2006	BONE BROKEN: 8
WHATB_I	WHATBONE	2004, 2006	BONE BROKEN: 9
WHATB_J	WHATBONE	2004, 2006	BONE BROKEN: 10
WHATB_K	WHATBONE	2004, 2006	BONE BROKEN: 11
WHATB_L	WHATBONE	2004, 2006	BONE BROKEN: 12
WHATB_M	WHATBONE	2004, 2006	BONE BROKEN: 13
WHATB_N	WHATBONE	2004, 2006	BONE BROKEN: 14
WHATBONE	WHATBONE	2002, 2004	WHICH BONE WAS BROKEN
WHATH_A	YESNO	1997, 1999	WIC FOR PEOPLE ON WELFARE
WHATH_B	YESNO	1997, 1999	WIC FOR PEOPLE ON MEDI-CAL
WHATH_C	YESNO	1997, 1999	WIC FOR PREGNANT WOMEN
WHATH_D	YESNO	1997, 1999	WIC FOR WOMEN AND THEIR CHILDREN
WHATH_E	YESNO	1997, 1999	GET FREE FOOD OR FORMULA FROM WIC
WHATH_F	YESNO	1997, 1999	GET NUTRITION COUNSELING FROM WIC
WHATH_G	YESNO	1997	GET COUPONS FOR DAIRY PRODUCTS
WHATH_H	YESNO	1997	WIC FOR THE NEEDY/LOW INCOME PEOPLE
WHATH_I	YESNO	1997, 1999	WHAT ELSE HEARD ABOUT WIC (SPECIFY)
WHATH_J	YESNO	1999	WIC FOR TEEN PARENTS
WHATH_K	YESNO	1999	WIC FOR LOWER INCOME PEOPLE
WHATP_A	YESNO	2002	WHAT DETECTED BY PAP: OVARIAN CANCER
WHATP_B	YESNO	2002	WHAT DETECTED BY PAP: CERVICAL CANCER
WHATP_C	YESNO	2002	WHAT DETECTED BY PAP: STD
WHATP_D	YESNO	2002	WHAT DETECTED BY PAP: NONE
WHATP_E	YESNO	2002	WHAT DETECTED BY PAP: OTHER
WHATPAP	WHATCA	2000-2001	WHICH CANCER DETECTED BY PAP
WHATTXT	WHATHEAX	1997, 1999, 2003	WHAT ELSE HEARD ABOUT WIC (TEXT)
WHENCARD	HOWLONGH	2000-2002	WHEN WAS LAST BLOOD STOOL TEST
WHENCBE	HOWLONGB	1997-2007	WHEN WAS LAST CLINICAL BREAST EXAM
WHENDRUG	MANYV	1997	TIMES PER WK OR MONTH USED ILLEGAL DRUGS
WHENPAP2	HOWLONGB	1997, 1998, 2000	WHEN WAS LAST PAP SMEAR (1992)
WHENPAP3		2001, 2003	WHEN WAS LAST PAP SMEAR (MONTH AND YEAR)
WHENPAP4	HOWLONGB	2005-2007	HOW LONG AGO WAS LAST PAP SMEAR
WHENSIG	HOWLONGH	2000-2001	WHEN WAS LAST SIGMOIDOSCOPY TEST
WHENSIG2	HOWLONGI	2002	WHEN WAS LAST SIGMOIDOSCOPY TEST
WHERCARE	WHERCARE	2001-2005	LAST 12 MONTHS WHERE USUALLY GO FOR CARE
WHERH_A	YESNO	1997, 1999	HEARD OF WIC AT FOOD STORE
WHERH_B	YESNO	1997, 1999	HEARD OF WIC AT PRIVATE DOCTORS OFFICE
WHERH_C	YESNO	1997, 1999	HEARD OF WIC AT PUBLIC HEALTH CLINIC
WHERH_D	YESNO	1997, 1999	READ OF WIC IN NEWSPAPER OR MAGAZINE
WHERH_E	YESNO	1997, 1999	HEARD OF WIC AT SOCIAL SERVICES AGENCY
WHERH_F	YESNO	1997, 1999, 2001	HEARD OF WIC ON TELEVISION
WHERH_G	YESNO	1997, 1999, 2001	HEARD OF WIC FROM RADIO
WHERH_H	YESNO	1997, 1999, 2001	HEARD OF WIC FROM FRIEND
WHERH_I	YESNO	1997	SAW AD FOR WIC ON PUBLIC TRANSPORTATION
WHERH_J	YESNO	1997, 1999, 2001	HEARD OF WIC FROM OTHER SOURCE (SPECIFY)
WHERH_K	YESNO	1999	SAW AD FOR WIC ON BILLBOARD
WHERH_L	YESNO	1999	SAW AD FOR WIC ON BUS BENCHES
WHERH_M	YESNO	1999	HEAR OF WIC AT HOSPITAL
WHERH_N	YESNO	2001	HEARD OF WIC FROM DOCTORS OFFICE

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
WHERH_O	YESNO	2001-2004	HEARD OF WIC FROM BILLBOARD
WHERTXT	WHEREHR	1997, 1999	HEARD OF WIC FROM OTHER SOURCE (TEXT)
WHNSTPBF	CHILDAGE	1998	BABYS AGE WHEN STOPPED BREASTFEEDING
WHOSEX	WHOSEX	1998	SEXUAL PARTNERS DURING PAST 5 YEARS
WHOSX12M	WHOSEXB	1999-2007	SEXUAL PARTNERS OVER LAST 12 MONTHS
WHOSXEVR	WHOSEXB	1999-2004	SEXUAL PARTNERS OVER ADULT LIFE
WHTHLPBF	PUMPHLP	1998	HELP BREASTFEED AFTER RETURNING WORK
WHTHLTXT	PUMPHLP	1998	HELP BREASTFEED AFTER RETURN WORK (TEXT)
WHYCBE	WHYCBE	1997-1998	WHY HAD LAST CLINICAL BREAST EXAM
WHYCBE2	WHYDONE	2005-2007	WHY HAD LAST CLINICAL BREAST EXAM
WHYDON2	WHYDONEB	1999-2001	MAIN REASON HAD MAMMOGRAM
WHYDONE	WHYDONE	1997-1998, 02-07	WHY HAD MAMMOGRAM
WHYNO_A	YESNO	1997-1998	DIDNT HAVE ENOUGH MONEY OR INSURANCE
WHYNO_B	YESNO	1997-1998	DIDNT KNOW WHERE TO GET HEALTH CARE
WHYNO_C	YESNO	1997-1998	COULDNT FIND A HEALTH CARE PROVIDER
WHYNO_D	YESNO	1997-1998	COULDNT GET AN APPOINTMENT
WHYNO_E	YESNO	1997-1998	OFFICE HOURS NOT CONVENIENT
WHYNO_F	YESNO	1997-1998	NO TRANSPORTATION TO GET TO OFFICE
WHYNO_G	YESNO	1997-1998	NO CHILD CARE
WHYNO_H	YESNO	1997-1998	COULDNT TAKE OFF FROM WORK
WHYNO_I	YESNO	1997-1998	FELT BETTER PROBLEM WENT AWAY
WHYNO_J	YESNO	1997-1998	TOO EMBARRASSED TO GO TO DOCTOR
WHYNO_K	YESNO	1997-1998	DIDNT WANT LECTURE ABOUT WEIGHT
WHYNO_L	YESNO	1997-1998	LANGUAGE PROBLEM
WHYNO_M	YESNO	1997-1998	AGAINST RELIGION
WHYNO_N	YESNO	1997-1998	DONT BELIEVE IN WESTERN MEDICINE
WHYNO_O	YESNO	1997-1998	OTHER REASON (SPECIFY)
WHYNOFS	WHYNOFS	2002-2007	MAIN REASON NOT CURRENTLY RECEIVING FOOD STAMPS
WHYNOMED	WHYNOMED	1998-1999	WHY NOT TAKE MH PROBLEM MEDS AS DIRECTED
WHYNOSIG	WHYNODNB	2000-2002	WHY HAVENT YOU HAD A SIGMOIDOSCOPY TEST
WHYNOTDB	WHYNOTDB	2002-2004	MAIN REASON NO MAMMOGRAM IN PAST YEAR
WHYNOTDC	WHYNOTDC	2005-2007	MAIN REASON NO MAMMOGRAM IN PAST YEAR
WHYNOTDN	WHYNOTDN	1999-2001	MAIN REASON NO MAMMOGRAM PAST 2 YEARS
WHYNOTF2	WHYNOTFVB	2006-2007	REASON DONT EAT MORE VEGETABLES
WHYNOTFV	WHYNOTFVB	2005	MAIN REASON DON'T EAT MORE FRUIT/VEG
WHYNOTIN	WHYNOTIN	1997	MAIN REASON NOT INTERESTED IN WIC
WHYNOTXT	WHYNOTXT	1997-1998	REASON DIDNT GET MEDICAL CARE (TEXT)
WHYNOVAC	WHYNOVAC	2005	WHY NO FLU SHOT/SPRAY IN PAST 12 MTHS
WHYNU_A	YESNO	1998-1999, 2005	INSURANCE DIDNT COVER MENTAL HLTH CARE
WHYNU_B	YESNO	1998-1999, 2005	INSURANCE FOR MENTAL HEALTH CARE USED UP
WHYNU_C	YESNO	1998-1999, 2005	INSURANCE REFUSED PAY MENTAL HLTH CARE
WHYNU_D	YESNO	1998-1999, 2005	DIDNT WANT RECORD OF MENTAL HLTH CARE
WHYNU_E	YESNO	1998-1999, 2005	DIDNT LIKE HEALTH PLAN APPROVED PROVIDER
WHYNU_F	YESNO	1998-1999, 2005	DIDNT WANT INSURANCE OVERSEEING CARE
WHYNU_G	YESNO	1998-1999, 2005	DID USE INSURANCE
WHYNU_H	YESNO	1998-1999, 2005	WHY NO INSURANCE FOR MH CARE: OTR SPECIFY
WHYPAP	WHYPAP	1997-1998	WHY HAD LAST PAP SMEAR
WHYSIG	WHYDONEC	2001-2002	MAIN REASON FOR LAST SIGMOIDOSCOPY
WIC2YR	YESNO	1998-1999	ENROLLED IN WIC DURING LAST 2 YEARS
WICAD	YESNO	2001	IN LAST 12 MONTHS SEEN MESSAGES ABOUT WIC
WICCURR	YESNO	1998-1999	CURRENTLY ENROLLED IN WIC
WICDISLK	WICDISLK	1997-1998	WHAT LEAST LIKED ABOUT WIC
WICDITXT	WICDISLK	1998	WHAT LEAST LIKED ABOUT WIC (TEXT)
WICDSLK2	WICDISLKB	1999	WHAT LEAST LIKED ABOUT WIC
WICEVER	YESNO	1997	EVER BEEN ENROLLED IN THE WIC
WICHEAR	YESNO	1997, 1999, 03-04	EVER HEARD OF WIC
WICHEAR2	YESNO	2001	EVER HEARD OF WIC
WICLIKE	WICLIKE	1997-1998	WHAT MOST LIKED ABOUT WIC
WICLIKE2	WICLIKEB	1999	WHAT MOST LIKED ABOUT WIC
WICLITXT	WICLIKE	1998	WHAT MOST LIKED ABOUT WIC (TEXT)
WICNOGO	WHYNOGO	1998	MAIN REASON DIDNT FOLLOW WIC REFERRAL

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
WICNOTE2	WICNOTEB	1999	REASON NO LONGER ENROLLED IN WIC
WICNOTEN	WICNOTEN	1998	REASON NO LONGER ENROLLED IN WIC
WICNOTXT	WICNOTEN	1998	REASON NO LONGER ENROLLED IN WIC (TEXT)
WICQU_A	YESNO	2004	WIC IS FOR PEOPLE ON WELFARE
WICQU_B	YESNO	2004	WIC IS FOR PEOPLE ON MEDI-CAL
WICQU_C	YESNO	2004	WIC IS FOR PREGNANT WOMEN
WICQU_D	YESNO	2004	WIC IS FOR WOMEN AND KIDS UNDER 5
WICQU_E	YESNO	2004	WIC IS FOR KIDS UNDER 5
WICQU_F	YESNO	2004	WIC IS FOR OTHER
WICQU_G	YESNO	2004	WIC IS FOR ANYBODY
WICQU_H	YESNO	2004	WIC IS FOR SICK/DISABLED PEOPLE
WICQU_I	YESNO	2004	WIC IS FOR SICK/DISABLED KIDS
WICQU_J	YESNO	2004	WIC IS FOR ELDERLY/OLDER PEOPLE
WICQU_K	YESNO	2004	WIC IS FOR SINGLE PARENTS
WICQU_L	YESNO	2004	WIC IS FOR THE UNINSURED
WICQU_M	YESNO	2004	WIC IS FOR NUTRITION FOR KIDS
WICQU_N	YESNO	2004	WIC IS FOR TEEN MOMS
WICRE_A	REFERRAL	1998	WIC REFERRAL: 1ST
WICRE_B	REFERRAL	1998	WIC REFERRAL: 2ND
WICRE_C	REFERRAL	1998	WIC REFERRAL: 3RD
WICRE_D	REFERRAL	1998	WIC REFERRAL: 4TH
WICRE_E	REFERRAL	1998	WIC REFERRAL: 5TH
WICRE_F	REFERRAL	1998	WIC REFERRAL: 6TH
WICRE_G	REFERRAL	1998	WIC REFERRAL: 7TH
WICRE_H	REFERRAL	1998	WIC REFERRAL: 8TH
WICRE_I	REFERRAL	1998	WIC REFERRAL: 9TH
WICRE_J	REFERRAL	1998	WIC REFERRAL: 10TH
WICRE_K	REFERRAL	1998	WIC REFERRAL: 11TH
WICRE_L	REFERRAL	1998	WIC REFERRAL: 12TH
WICRE_M	REFERRAL	1998	WIC REFERRAL: 13TH
WICRE_N	REFERRAL	1998	WIC REFERRAL: 14TH
WICREF	YESNO	1998	WIC REFERRED TO COMMUNITY PROGRAM
WICRETX	REFERRAL	1998	WIC REFERRAL (TEXT)
WICSVGO	YESNO	1998	FOLLOWED WIC REFERRAL
WICWHEN	HOWLONGF	1999	WHEN FIRST HEAR ABOUT WIC
WNSTPBF2	IV	2001-2003	HOW OLD CHILD WHEN STOPPED BREASTFEEDING (IN WEEKS)
WORKNTRN	YESNO	2002-2006	EMPLOYER PROVIDE NUTRITION BENEFITS
WORKPHYS	YESNO	2002-2006	EMPLOYER PROVIDE PHYSICAL FITNESS BENEFITS
WT12M	IV	2001	WEIGHT ONE YEAR AGO
WT12MB	IV	2002-2003	WEIGHT ONE YEAR AGO
WTBARRI	WTBARRI	2003, 2005-2007	SINGLE BIGGEST BARRIER TO HEALTHY WIEGHT
WTFACIL	WTFACIL	2003	ONE CHANGE TO HELP REACH HEALTHY WEIGHT
WTFACIL2	WTFACILB	2004-2007	ONE CHANGE TO HELP REACH HEALTHY WEIGHT
WTGAIN	IV	1997-2000	PREGNANCY WEIGHT GAIN
WTGAINRT	GAIN	1997-2000	BELIEF ABOUT PREGNANCY WEIGHT GAIN
WTGAIVER	YESNO	1999-2000	VERIFIED RESPONSE IF GAIN GE 55 LBS
WTPREPG	IV	1997-2000	PRE-PREGNANCY WEIGHT
WWWHELTH	WHENVI	2002	LAST TIME YOU USED THE INTERNET FOR HEALTH INFO
WWWIN_A	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: SPECIFIC ILLNESS
WWWIN_B	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: SPECIFIC DOCTOR/HMO
WWWIN_C	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: BASIC HEALTH INFO
WWWIN_D	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: FITNESS AND NUTRITION
WWWIN_E	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: OTHER
WWWHER	WWWHER	2002	WHERE DO YOU USUALLY ACCESS THE INTERNET
YEAR		1997-2007	YEAR OF DATA COLLECTION
YEARINCO	XVIII	2006	HH TOTAL ANNUAL INCOME
ZIPCODE*	IX	1997-2007	ZIP CODE OF RESIDENCE
_AGEG	_AGEG	1997-2007	TEN YEAR AGE CATEGORY
_AGEGB	_AGEGB	1997-2007	TEN YEAR AGE CATEGORY, AT DECADE
_AGEGC	_AGEGC	1997-2007	TWO AGE CATEGORIES: 18-44 & 45+
_APA		1997-2007	ADULTS PER PHONE ADJUSTMENT

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
_BFLONG	BFLONG	1997	DAYS BREASTFED
_BMI		1997-2007	BODY MASS INDEX
_BMIREV	_BMIREV	1999-2004	REVISED (1998) WEIGHT CATEGORIES
_CARELNG	IX	1997	DAYS ACTED AS CAREGIVER
_CBE1	_BREASTA	1997-1998	NEVER/EVER HAD CBE, ASYMPTOMATIC WOMEN
_CBE2	_BREASTB	1997-1998	CBE STATUS, ASYMPTOMATIC WOMEN
_CBE3	_BREASTA	1997-2007	NEVER/EVER HAD CBE, ALL WOMEN
_CBE4	_BREASTB	1997-2007	CLINICAL BREAST EXAM STATUS, ALL WOMEN
_CSA		1997-2007	CLUSTER SIZE ADJUSTMENT
_DRKALC	III	1997-2007	TIMES DRANK ALCOHOL PER MONTH
_DVANY	_DV	1998	ANY TYPE OF DOMESTIC VIOLENCE REPORTED
_DVERBAL	_DV	1998	VERBAL ABUSE REPORTED
_DVEVHIT	YESNORF	2000	EVER EXPERIENCED: PARTNER KICKED, BIT, H
_DVEVRBT	YESNORF	2000	EVER EXPERIENCED: PARTNER BEAT OR CHOCKE
_DVEVRPS	YESNORF	2000	EVER EXPERIENCED: PUSHED, GRABBED, SHOVED
_DVEVRTH	YESNORF	2000	EVER EXPERIENCED: PARTNER THREW OBJECT
_DVEVSEX	YESNORF	2000	EVER EXPERIENCED: PARTNER FORCED SEX
_DVEVUSE	YESNORF	2000	EVER EXPERIENCED: PARTNER USE KNIFE OR G
_DVEVWPN	YESNORF	2000	EVER EXPERIENCED: PARTNER THREATENED W/G
_DVMINOR	_DV	1998	DV: LESS SEVERE PHYSICAL ABUSE (<=DVSLAP)
_DVPHYS	_DV	1998	ANY PHYSICAL ABUSE REPORTED
_DVSEVRE	_DV	1998	DV: SEVERE ABUSE REPORTED (>=DVHITYOU)
_DVTYPE	_DVTYPE	1998-1999	DOMESTIC ABUSE: MOST SEVERE TYPE REPORTED
_DVTYPE2	_DVTYPEB	2000	DOMESTIC ABUSE: MOST SEVERE LAST 12 MONTHS
_DVTYPEV	_DVTYPEC	2000	DOMESTIC ABUSE: MOST SEVERE TYPE EVER
_EXPHRS	IX	1997-1998	MINUTES EXPOSED TO SECOND HAND SMOKE
_IDEALBF		1998	IDEAL LENGTH OF TIME FOR BRSTFEED (MONTHS)
_MAINPL2	MAINPLNB	1998-2000	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
_MAINPLN	MAINPLN	1997	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
_MAMM1	_BREASTA	1997-1998	NEVER/EVER HAD MAMMOGRAM, ASYMPTOMATIC
_MAMM2	_BREASTB	1997-1998	MAMMOGRAPHY STATUS, ASYMPTOMATIC WOMEN
_MAMM3	_BREASTA	1997-2007	NEVER/EVER HAD MAMMOGRAM, ALL WOMEN
_MAMM4	_BREASTB	1997-2007	MAMMOGRAPHY STATUS, ALL WOMEN
_MHLONG	IX	1997	DAYS HAD MENTAL HEALTH CONDITION
_NALCMO	III	1997-2006	TOTAL ALCOHOL CONSUMED MONTHLY
_PAP5	_PAPC	1997-98, 2000-07	NEVER/EVER PAP SMEAR, NO HYSTERECTOMY
_PAP6	_PAPD	1997,1999,2000	PAP SMEAR STATUS, WOMEN W/O HYSTERECTOMY
_PAP7	_PAPC	1997-98, 2000-07	NEVER/EVER PAP SMEAR, ALL WOMEN
_PAP8	_PAPD	1997, 1999, 2000	PAP SMEAR STATUS, ALL WOMEN
_POVST	_POVST	1997-1998	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST2	_POVSTE	1999	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST3	_POVSTF	2000	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST4	_POVSTG	2001-2007	POVERTY STATUS--RELATIVE TO POVERTY LINE
_PRENATL	X	1997	DAYS PREGNANT WHEN FIRST SAW PHYSICIAN
_PST90		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90
_PST90B		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90B
_PST90C		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90R4
_PST00		1997-2006	POSTSTRATIF TO 2000 CA POP-- _WT00
_PST00B		1997-2006	POSTSTRATIF TO 2000 CA POP-- _WT00B
_PST00C		1997-2006	POSTSTRATIF TO 2000 CA POP-- _WT00R4
_PSU		1997-2007	PRIMARY SAMPLING UNIT
_RACE	_RACE	1997-2007	RACE, 8 CATEGORIES
_RACEG	_RACEG	1997-2007	RACE, WHITE-NONWHITE
_RACEGR	_RACEGR	1997-2007	RACE, 4 CATEGORIES
_RAWWT		1997-2006	RAW WEIGHT (_CSA * _APA)
_RFBMI2	_RF	2007	AT RISK FOR OVERWEIGHT/OBESE (BMI >= 25)
_RFDRACU	_RF	1997-2007	AT RISK FOR ACUTE DRINKING
_RFDRCH2	_RF	1997-2007	AT RISK FOR CHRONIC DRINKING
_RFHUNGR	_RF	1997-2000	AT RISK FOR HUNGER
_RFSMOKE	_RF	1997-2007	AT RISK FOR SMOKING, INC IRREGULAR
_RFWHBMI	_RF	1997-2004	AT RISK FOR OVERWEIGHT (BASED ON BMI)

Part II: Data Dictionary

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
_SMOKER	_SMOKER	1997-2007	SMOKING STATUS
_STATE		1997-2004	STATE FIPS CODE
_STDHIV	_STDHIV	1998	BELIEF ABOUT STD AND HIV RELATIONSHIP
_STRATA		1997-2004	STRATUM CODE
_STSTR		1997-2004	_STATE AND _STRATA COMBINED
_WHENDRG		1997	TIMES USED DRUGS IN PAST MONTH
_WT90		1997-2006	FINAL WEIGHT: 2 RACE, 6 AGE GPS TO 1990
_WT90B		1997-2006	FINAL WEIGHT: 4 RACE, 2 AGE GPS TO 1990
_WT90R4		1997-2006	FINAL WEIGHT: 4 RACE, 6 AGE GPS TO 1990
_WT00		1997-2007	FINAL WEIGHT: 2 RACE, 6 AGE GPS TO 2000
_WT00B		1997-2007	FINAL WEIGHT: 4 RACE, 2 AGE GPS TO 2000
_WT00R4		1997-2007	FINAL WEIGHT: 4 RACE, 6 AGE GPS TO 2000
_WWWUSE	XV	2002	HOW OFTEN USED INTERNET IN LAST 12 MONTHS

§ Counties with populations of less than 100,000 have been suppressed from the dataset to preserve confidentiality.

† Use caution when analyzing the 2004 SXORIENT data for Spanish speaking respondents. The Spanish translation for this question was changed in 2005 to be more culturally appropriate.

* Suppressed from dataset to preserve confidentiality.

Part III: Continuous Variable Formats

Format Type	Special Codes	Variables
CHILD	9–Refused	CHD1317, CHILD612, CHILDLT6
I	7–Don't Know/Not Sure 9–Refused	AGE, AGEB, AGEBRTH, BABYWHEN, F40A, F40B, F40C, MENOWHEN
II	88–Not Applicable 77–Don't Know/Not Sure 98–Other 99–Refused	BRTHW_A, BRTHW_B, BRTHW_C, CHILD1–CHILD9, CHILD18, DAILYMLK, DAILYVEG, F40NUM, GAPPLNT, GAPPLNT2, HLTHTXT, HPVNUM, LIVEBRT2, LOBRTHWT, MANYCBE, MANYMAM, MENSES, MENSES2, NUMPHON2, NUMPHON3, PHQ1–PHQ8, PRIORMNT, SCHLBRTH
III	88, 888–None 77, 777–Don't Know/Not Sure 99, 999–Refused	BLKACT, DAILYEAT, DAILYVEG, DAYSANX, DAYSLEEP, DAYSSAD, DAYURIN, DRINKGE4, DRINKGE5, DRUNK, DRUNKNUM, EXBMODAB, EXBMODAY, EXBMODMB, EXBMODMI, EXERMOD, EXERMOD2, EXBMOD2, FOODSTLS, LIVEBRTH, MENTHLTH, NALCOCC, NUMHRWRK, PHYSHLTH, POORHLTH, RECSERV, _DRKALC, _NALCMO
IV	777, 7777–Don't Know/Not Sure 888, 8888–Not Applicable/None 999, 9999–Refused	BRTHYR, DIETLB, DIETLBYO, DOUCHOFN, DRUNK, EATBURGR, EATEGG, EATRAW2, EATSPROT, FISHOFT, FISHSERV, GYNEXAM, HEIGHT, HMLSMOVE, LIKEWT2, MENTBELF, OFTCERL, PRIORYR, TIMESIT, USENTRY, USENTRY2, WEIGHT, WNSTPBF2, WT12M, WT12MB, WTGAIN, WTPREPG
V	88, 888–Time Frame Doesn't Apply 77, 777–Don't Know/Not Sure 99, 999–Refused	CAREL_A, CAREL_B, CAREL_C, CAREL_D, MHLONG, SYMPL_A, SYMPL_B, SYMPL_C,
VIII	555, 5555–Never 777, 7777–Don't Know/Not Sure 888, 8888–Refused Module 999, 9999–Refused Question	SEXBEH1, SEXBHAG2, SEXBHAGE, SEXBHNUM, TIMES_A TIMES_B
IX	77777–Don't Know/Not Sure 88888–Time Frame Doesn't Apply 99999–Refused	EXPHRS, TIMESIT2, ZIPCODE, _CARELNG, _EXPHRS, _MHLONG
X	444, 4444–At Delivery 888, 8888–At Delivery 777, 7777–Don't Know/Not Sure 999, 9999–Refused	PREGNUM, PRENATA2, PRENATAL, _PRENATL
XIII	88–Lactose Intolerant 77–Don't Know/Not Sure 99–Refused	DAILYMLK

Format Type	Special Codes	Variables
XIV	8888–Not Applicable 7777–Don't Know/Not Sure 9999–Refused	EATCHOFN, EATFSOFN, EXEROFTM, EXEROFT2, WATCHTV
XV	88888–Never 77777–Don't Know/Not Sure 99999–Refused	_WWWUSE
XVI	8888–Have Not Heard 7777–Don't Know/Not Sure 9999–Refused	FLUVAC50
XVIII	77777777–Don't Know/Not Sure 99999999–Refused	YEARINCO
FOODSH	77–Doesn't Shop/Internet Shops 88–Don't Know/Not Sure 99–Refused	FOODSHOP
MANYI	1xx–Number per Day 2xx–Number per Week 777–Don't Know/Not Sure 888–None 999–Refused	STAIRAC2
MANYII	1xx–Times per Day 2xx–Times per Week 3xx–Times per Month 777–Don't Know/Not Sure 888–Never 999–Refused	OSTEOFOD, OSTEOPA
MANYIII	1xx–Number per Day 2xx–Number per Week 3xx–Number per Month 4xx–Number During Entire Pregnancy 555–Never 777–Don't Know/Not Sure 999–Refused	FASDNUM
MANYIV	1xx–Number of Days 2xx–Number of Weeks 3xx–Number of Months 4xx–Number of Years 555–Not at All 777–Don't Know/Not Sure 999–Refused	IDEALBF
MANYV	1xx–Number per Week 2xx–Number per Month 777–Don't Know/Not Sure 888–None 999–Refused	DRKALC, RELIGION

Part IV: Categorical Variable Formats

AFPNOTXT

- 1–Pregnancy Terminated
- 2–Wouldn't Terminate Pregnancy
- 3–Didn't Want to Know
- 4–Had Other Test
- 5–Too Early In Pregnancy
- 6–Not at Risk for Birth Defects
- 7–Didn't Know About AFP
- 8–Doesn't Want to Be Guinea Pig
- 9–Test Unnecessary
- 10–Too Late In Pregnancy
- 11–Unreliable Results
- 12–Concerns About Miscarriage
- 13–Against Religion
- 14–No Regular Physician
- 15–Family Recommended Against Test
- 16–Other

AGREE

- 1–Agree
- 2–Disagree
- 7–Don't Know/Not Sure
- 9–Refused

AGREEB

- 1–Strongly Agree
- 2–Agree
- 3–Neither Agree Nor Disagree
- 4–Disagree
- 5–Strongly Disagree
- 7–Don't Know/Not Sure
- 9–Refused

AGREEC

- 1–Strongly Agree
- 2–Agree
- 3–Disagree
- 4–Strongly Disagree
- 7–Don't Know/Not Sure
- 9–Refused

AGREED

- 1–Agree
- 2–Disagree
- 3–Neither Agree Nor Disagree
- 7–Don't Know/Not Sure
- 9–Refused

AGREEE

- 1–Strongly Agree
- 2–Agree
- 3–Disagree
- 4–Strongly Disagree

- 8–Not Applicable
- 7–Don't Know/Not Sure
- 9–Refused

AGREER

- 1–Strongly Disagree
- 2–Disagree
- 3–Agree
- 4–Strongly Agree
- 8–Not Applicable
- 7–Don't Know/Not Sure
- 9–Refused

AIDSNOT

- 1–Not High Risk Group
- 2–Feel Nervous About Results
- 3–Don't Know How to Get Tested
- 4–Confidentiality Concerns
- 5–Celibate
- 6–Monogamous
- 7–Fear of Needles
- 8–Had Other Blood Test
- 9–Physician Discouraged
- 10–Physician Didn't Recommend
- 11–No Symptoms
- 12–Partner Tested Negative
- 13–Didn't Want to Have Test
- 14–Didn't Want to Know
- 15–Not Using Drugs
- 16–No Aids in Family
- 17–Too Old
- 18–No Insurance
- 19–Not Promiscuous
- 20–Inconvenient
- 21–No Reason/Didn't Think About It
- 22–Doesn't Receive Regular Medical Care
- 23–Other Reason
- 24–Never Been Asked to Have Test
- 77–Don't Know/Not Sure
- 99–Refused

AIDSTALK

- 1–Never Talked to Your Partner About Aids
- 2–Mentioned Aids 1 or 2 Times, Not Serious Talk
- 3–Talked Seriously About Your Risks
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

BABY

- 1–Yes
- 2–No
- 3–Never Been Pregnant
- 7–Don't Know/Not Sure
- 9–Refused

BARRPA

- 1–Already Exercise Enough
- 2–Not Enough Time/Too Busy/Too Tired
- 3–Lazy/No Reason
- 4–Do Not Find Exercise Enjoyable/Boring
- 5–Lack Self-Motivation
- 6–Medical/Health Condition/Disability
- 7–Pregnant/Recent Birth
- 8–Weather
- 9–Depressed
- 10–Child Care
- 11–On a Program
- 12–Age
- 13–Inconvenient
- 14–Safety Concerns
- 15–No One to Exercise With
- 16–Other
- 77–Don't Know/Not Sure
- 99–Refused

BARRPAB

- 1–Already Exercise Enough
- 2–Not Enough Time/Too Busy
- 3–Too Tired
- 4–Lazy
- 5–Don't Find Exercise Enjoyable/Boring
- 6–Lack Self-Motivation
- 7–Medical/Health Condition/Disability
- 8–Weather
- 9–Depressed
- 10–Child Care
- 11–On a Program
- 12–Age
- 13–Inconvenient
- 14–Safety Concerns
- 15–Other
- 30–Pregnant/Recent Birth
- 31–Money/Costs
- 32–Other Priorities
- 33–No Equipment
- 34–No Companion
- 34–Don't Want to Be
- 77–Don't Know/Not Sure
- 99–Refused

BCBAR

- 1–Always Use It
- 2–Use It Sometimes
- 3–Never Use It

- 4–No Male Sex Partner
- 7–Don't Know/Not Sure
- 9–Refused
- 8–Refused Module

BCBARNOB

- 1–Use Birth Control Pills/Other Method
- 2–Believe There Is a Safe Time of Month
- 3–Method Not Available
- 4–Respondent Dislikes Method
- 5–Partner Dislikes Method
- 6–Didn't Think About It
- 7–Doesn't See a Need to Use Condoms
- 8–Wants to Get Pregnant
- 9–Can't Get Pregnant/Sterilized
- 10–Under the Influence of Drugs/Alcohol
- 11–Didn't Feel Like It
- 12–In a Monogamous Relationship
- 13–Allergic to Method
- 14–Both Partners Tested for HIV
- 15–Pregnancy Not a Problem
- 16–Currently/Recently Pregnant
- 17–Doesn't Believe In Method/Unsafe
- 18–Costly & Inconvenient
- 19–Refused Module
- 20–Too Old
- 21–Not Sexually Active
- 22–Health Reasons
- 77–Don't Know/Not Sure
- 99–Refused

BCBARNOT

- 1–Use Birth Control Pills/Other Method
- 2–Believe There Is a Safe Time of Month
- 3–Method Not Available
- 4–Respondent Dislikes Method
- 5–Partner Dislikes Method
- 6–Didn't Think About It
- 7–Doesn't See a Need to Use Condoms
- 8–Wants to Get Pregnant
- 9–Under the Influence of Drugs/Alcohol
- 10–Didn't Feel Like It
- 11–In a Monogamous Relationship
- 12–Cant Get Pregnant/Sterilized
- 13–Allergic to Method
- 14–Both Partners Tested for HIV
- 15–Pregnancy Not a Problem
- 16–Currently/Recently Pregnant
- 17–Doesn't Believe In Method/Unsafe Method
- 18–Costly & Inconvenient
- 19–Other Reason
- 77–Don't Know/Not Sure
- 99–Refused

BCPAYTXT

- 1–Free Clinic
- 2–Planned Parenthood Clinic
- 3–Natural Family Planning Method
- 4–No Cost
- 5–Other
- 6–Infertility Problem
- 7–Doesn't Remember
- 8–Menopausal
- 98–Other

BCTYPETB

- 1–Celibate/Abstinent
- 2–Natural Family Planning
- 3–Spermicide/Spermicide for Women
- 4–Sponge
- 5–Other
- 6–Multiple Types Used
- 7–Currently Pregnant
- 8–Nothing
- 9–Menopausal
- 10–Patch
- 77–Don't Know/Not Sure
- 99–Refused

BCTYPETX

- 1–Celibate/Abstinent
- 2–Natural Family Planning
- 3–Spermicide/Spermicide for Women
- 4–Sponge
- 5–Other
- 6–Multiple Types Used
- 7–Currently Pregnant
- 8–Nothing
- 9–Menopausal
- 77–Don't Know/Not Sure
- 99–Refused

BCWHYNOT

- 1–Does Not Like Side Effects
- 2–Birth Control Is Too Difficult to Use
- 3–Lovemaking Would Be Interrupted
- 4–Birth Control Is Too Messy
- 5–Concerned About Long Term Health Problem
- 6–Partner Objects to Using Birth Control
- 7–Does Not Know How or Where to Get
- 8–Cannot Afford Birth Control
- 9–Against Religion
- 10–Pregnancy Would Be O.K.
- 11–Postpartum Nursing
- 12–Didn't Think About It
- 13–Not Sexually Active
- 14–Can't Get Pregnant/Sterilized
- 15–Partner Is a Woman
- 16–Refused Module

- 17–Partner Sterile
- 18–Natural Family Planning
- 19–Monogamous
- 20–Doesn't Like/Want to Use B.C.
- 21–Infrequent Sexual Activity
- 22–Health Reasons
- 23–Not Worried About Pregnancy
- 24–Too Old to Get Pregnant
- 25–No Need for Birth Control
- 26–Other Reason
- 51–Pregnant/Recently Pregnant
- 77–Don't Know/Not Sure
- 99–Refused

BFDISCOR

- 1–Other Children

BFENCWHO

- 1–Sister/Sister-In-Law
- 2–Other Relative
- 3–Pediatrician
- 4–Physician
- 5–Self/No One Else
- 6–Book/Literature/Video
- 7–Breastfeeding Class
- 8–Birthing Class
- 9–La Leche Society/Other BF Group
- 10–Healthcare Organization
- 11–Midwife
- 12–Hospital/Clinic
- 13–Prior Experience
- 14–WIC
- 15–Other, Non-related Persons
- 16–Other Source
- 17–Other Health Professional
- 18–Grandmother
- 19–Mother/Mother-In-Law
- 77–Don't Know/Not Sure
- 99–Refused

BFFORM

- 1–Yes
- 2–No
- 3–Home Birth
- 7–Don't Know/Not Sure
- 9–Refused

BFLONG

- 55, 555, 5555–Still Breastfeeding
- 77, 777, 7777–Don't Know/Not Sure
- 99, 999, 9999–Refused

BFMLKGD

- 1–Formula a Lot Healthier
- 2–Formula a Little Healthier
- 3–There Is No Difference
- 4–Breast Milk a Little Healthier
- 5–Breast Milk a Lot Healthier
- 7–Don't Know/Not Sure
- 9–Refused

BFNOT

- 1–Dr. Advised Against
- 2–Baby Refused
- 3–Mother Had Medical Problem
- 4–Mother Taking Medications
- 5–Baby Ill
- 6–Mother Too Young
- 7–Didn't Like Prior Experience
- 8–Too Painful
- 9–Inconvenient
- 10–Didn't Want to
- 11–Didn't Want to Damage Breasts
- 12–Didn't Feel Comfortable
- 13–Not Enough Milk for Baby
- 14–Bottle Feeding Easier
- 15–Work Demands Made Difficult
- 16–Home Demands Too Great
- 17–Had Cesarean Section
- 18–Unable to Breastfeed
- 19–Multiple Births
- 20–Breastfeeding Not Common
- 21–Other

BFNURSE

- 1–Strongly Encouraged
- 2–Slightly Encouraged
- 3–Didn't Mention Breastfeeding
- 4–Slightly Discouraged
- 5–Strongly Discouraged
- 7–Don't Know/Not Sure
- 9–Refused

BFPROBTX

- 1–Baby Ill
- 2–Mother Had Medical Problem
- 3–Pre-Existing Breast Problem
- 4–Baby Couldn't Nurse
- 5–Too Painful
- 6–Not Enough Milk for Baby
- 7–Inverted Nipples
- 8–Didn't Know How to B.F.
- 9–Engorged Breast
- 10–Sore Nipples
- 11–Other

BFWHERE

- 1–Bottle Feed at Time
- 2–Not Take Baby Out of House
- 3–Find Private Place to Breastfeed
- 4–Breastfeed Discreetly W/O Showing Breast
- 5–Breastfeed Openly Even If Shows Breast
- 7–Don't Know/Not Sure
- 9–Refused

BFWHYQT

- 1–Baby Became Ill
- 2–Mother Became Ill
- 3–Age of Baby
- 4–Baby Drinking From Cup
- 5–Not Enough Milk for Baby
- 6–Baby Wouldn't Take Bottle
- 7–Traveling W/O Baby
- 8–Returned to Work
- 9–Nursing Problems
- 10–Baby Refused Breast
- 11–Became Pregnant
- 12–Mothers Diet Not Healthy Enough
- 13–Inconvenient to Breastfeed
- 14–Still Breastfeeding
- 15–Just Wanted to Quit
- 16–Breast Problem
- 17–Other

BGUIDE

- 1–More than 1 a Year
- 2–Once Per Year
- 3–LT 1/Yr But at Least Every 2/Yrs
- 4–Less than Once Every 2 Years
- 5–Never
- 7–Don't Know/Not Sure
- 9–Refused

BIRTHPLC

- 1–United States
- 2–Mexico
- 3–Japan
- 4–China
- 5–Taiwan
- 6–Philippines
- 7–Korea
- 8–Vietnam
- 9–India
- 10–Indonesia
- 11–Cambodia
- 12–Laos
- 13–Canada
- 14–Guatemala
- 15–England
- 16–Ireland

Part IV: Categorical Variable Formats

- 17–Europe
- 18–Sweden
- 19–Denmark
- 20–Norway
- 21–Holland
- 22–Belgium
- 23–France
- 24–Italy
- 25–Switzerland
- 26–Russia
- 27–Armenia
- 28–Croatia
- 29–Israel
- 30–Lebanon
- 31–Iran
- 32–Iraq
- 33–Pakistan
- 34–Germany
- 35–Ukraine
- 36–South America
- 37–Argentina
- 38–Peru
- 39–Brazil
- 40–Venezuela
- 41–Honduras
- 42–Nicaragua
- 43–El Salvador
- 44–Ecuador
- 45–Panama
- 46–Cuba
- 47–Bangladesh
- 48–Fiji
- 49–American Samoa
- 50–Saipan
- 51–Australia
- 52–Africa
- 53–Zimbabwe
- 54–Greece
- 55–Jordan
- 56–Nigeria
- 57–Panama
- 58–Portugal
- 59–Thailand
- 60–Virgin Islands
- 61–Burma
- 62–Columbia
- 63–Yugoslavia
- 64–Austria
- 65–Dominican Republic
- 66–Poland
- 67–West Indies
- 68–Belize
- 69–Egypt
- 70–Ivory Coast
- 71–Singapore
- 72–Uruguay
- 73–Guam
- 74–Finland
- 75–Hungary
- 76–United Kingdom
- 77–Spain
- 78–Chile
- 79–Malaysia
- 80–Other
- 81–Bosnia
- 82–Romania
- 83–Puerto Rico
- 84–Albania
- 85–Bahrain
- 86–Bolivia
- 87–Morocco
- 88–Tahiti
- 89–South Africa
- 90–Trinidad
- 91–Slovakia
- 92–Guyana
- 93–Saudi Arabia
- 94–Latvia
- 95–Iceland
- 96–Kenya
- 97–Sudan
- 98–New Zealand
- 99–Paraguay
- 100–Hong Kong
- 101–Afghanistan
- 102–Syria
- 103–Costa Rica
- 104–Czech Republic
- 105–Sri Lanka
- 106–Tunisia
- 107–Cyprus
- 108–Scotland
- 109–Barbados
- 110–Libya
- 111–Jamaica
- 112–Bulgaria
- 113–Mozambique
- 114–Turkey
- 115–Uganda
- 116–Bermuda
- 117–Estonia
- 118–Tonga
- 119–Lithuania
- 120–Marshall Islands
- 121–Kazakhstan
- 122–Ethiopia
- 123–Malta
- 124–Netherlands
- 125–Yemen
- 126–Ghana
- 127–Moldova
- 128–Sierra Leone

Part IV: Categorical Variable Formats

129–Palau	8–8 Months
130–Haiti	9–9 Months
777–Don't Know/Not Sure	10–10 Months
999–Refused	11–11 Months
CAREWHO	12–1 Yr
1–Spouse/Ex-Spouse	13–1 Yr 1 Months
2–Son or Daughter/In-Laws	14–1 Yr 2 Months
3–Parent or Parent-In-Law	15–1 Yr 3 Months
4–Grandparent	16–1 Yr 4 Months
5–Other Relative	17–1 Yr 5 Months
6–Friend or Neighbor	18–1 Yr 6 Months
7–Other Non-Related Adult	19–1 Yr 7 Months
8–Other Non-Related Child	20–1 Yr 8 Months
9–Significant Other	21–1 Yr 9 Months
10–Foster Child/Sibling	22–1 Yr 10 Months
11–Grandchild	23–1 Yr 11 Months
12–Refused	24–2 Yrs 0 Months
CAREWHOB	25–2 Yrs 1 Months
1–Ex-Spouse	26–2 Yrs 2 Months
2–Son or Daughter/In-Laws	27–2 Yrs 3 Months
3–Brother/Sister-In-Law	28–2 Yrs 4 Months
4–Grandparent	29–2 Yrs 5 Months
5–Other Relative	30–2 Yrs 6 Months
6–Friend or Neighbor	31–2 Yrs 7 Months
7–Other Non-Related Adult	32–2 Yrs 8 Months
8–Other Non-Related Child	33–2 Yrs 9 Months
9–Significant Other	34–2 Yrs 10 Months
10–Foster Child/Sibling	35–2 Yrs 11 Months
11–Grandchild	36–3 Yrs 0 Months
12–Refused	37–3 Yrs 1 Months
CAREWHY	38–3 Yrs 2 Months
1–Recovery From Surgery/Major Illness	39–3 Yrs 3 Months
2–Physical Illness or Disability	40–3 Yrs 4 Months
3–Mental Illness or Disability	41–3 Yrs 5 Months
4–Childcare Needed	42–3 Yrs 6 Months
5–Elderly	43–3 Yrs 7 Months
6–Financial Problem	44–3 Yrs 8 Months
7–Transportation Problems	45–3 Yrs 9 Months
8–Family Crisis	46–3 Yrs 10 Months
9–Pregnant/Had Baby	47–3 Yrs 11 Months
10–Needed Companionship	48–4 Yrs 0 Months
11–Other	49–4 Yrs 1 Months
12–Refused	50–4 Yrs 2 Months
CHILDAGE	51–4 Yrs 3 Months
61–LT 1 Month	52–4 Yrs 4 Months
1–1 Month	53–4 Yrs 5 Months
2–2 Months	54–4 Yrs 6 Months
3–3 Months	55–4 Yrs 7 Months
4–4 Months	56–4 Yrs 8 Months
5–5 Months	57–4 Yrs 9 Months
6–6 Months	58–4 Yrs 10 Months
7–7 Months	59–4 Yrs 11 Months
	60–5+ Yrs
	88–Not Applicable
	77–Don't Know/Not Sure
	99–Refused

CHILDLT

- 1–LT 1 Month
- 2–1 to LT 2 Months
- 3–2 to LT 3 Months
- 4–3 to LT 4 Months
- 5–4 to LT 5 Months
- 6–5 to LT 6 Months
- 7–6 to LT 7 Months
- 8–7 to LT 8 Months
- 9–8 to LT 9 Months
- 10–9 to LT 10 Months
- 11–10 to LT 11 Months
- 12–11 to LT 12 Months
- 13–Child Exactly 1 Year
- 14–1+ Years
- 15–More than 1 Child Under1
- 77–Don't Know/Not Sure
- 99–Refused

CHILDREL

- 1–Own Child
- 2–Grandchild
- 3–Partners Child
- 4–Brother/Sister
- 5–Niece/Nephew
- 6–Cousin
- 7–Unrelated Child
- 8–Stepchild
- 9–Adopted
- 10–Great Grandchild
- 11–Other
- 77–Don't Know/Not Sure
- 99–Refused

CNCBELIF

- 1–Lung Cancer
- 2–Breast Cancer
- 3–Ovarian Cancer
- 4–Colon or Rectal Cancer
- 5–None of These
- 7–Don't Know/Not Sure
- 9–Refused

COUNTYA

- 001–Alameda
- 003–Alpine
- 005–Amador
- 007–Butte
- 009–Calaveras
- 013–Contra Costa
- 015–Del Norte
- 017–El Dorado
- 019–Fresno
- 021–Glenn
- 023–Humboldt

- 025–Imperial
- 027–Inyo
- 029–Kern
- 031–Kings
- 033–Lake
- 035–Lassen
- 037–Los Angeles
- 039–Madera
- 041–Marin
- 043–Mariposa
- 045–Mendocino
- 047–Merced
- 049–Modoc
- 053–Monterey
- 055–Napa
- 057–Nevada
- 059–Orange
- 061–Placer
- 063–Plumas
- 065–Riverside
- 067–Sacramento
- 069–San Benito
- 071–San Bernardino
- 073–San Diego
- 075–San Francisco
- 077–San Joaquin
- 079–San Luis Obispo
- 081–San Mateo
- 083–Santa Barbara
- 085–Santa Clara
- 087–Santa Cruz
- 091–Sierra
- 093–Siskiyou
- 095–Solano
- 097–Sonoma
- 099–Stanislaus
- 101–Sutter
- 103–Tehama
- 105–Trinity
- 107–Tulare
- 109–Tuolumne
- 111–Ventura
- 113–Yolo
- 115–Yuba
- 777–Don't Know/Not Sure
- 999–Refused

CVDMORT

- 1–Cancer (General)
- 2–Heart Disease/Heart Attack
- 3–Aids
- 4–Breast Cancer
- 5–Lung Cancer
- 6–Smoking
- 7–Drug Addiction/Alcoholism
- 8–Violent Crime
- 9–Stroke
- 10–Diabetes
- 11–Accidental Death/Drunk Drivers
- 12–Osteoporosis
- 13–Aging
- 14–Ovarian/Uterine/Cervical Cancer
- 15–Domestic Violence
- 16–Other
- 17–Blood Pressure
- 18–Mental Health/Stress/Depression
- 19–Weight
- 20–Nutrition
- 21–Healthcare
- 77–Don't Know/Not Sure
- 99–Refused

CVDPROB

- 1–Aids
- 2–Cancer (General)
- 3–Heart Disease/ Heart Attack
- 4–Smoking
- 5–Drug Addiction/Alcoholism
- 6–Breast Cancer
- 7–Stroke
- 8–Diabetes
- 9–Osteoporosis
- 10–Alzheimer's
- 11–Menopause
- 12–Weight
- 13–Stress
- 14–Health Insurance
- 15–Diet and Exercise
- 16–Aging
- 17–Arthritis
- 18–Depression
- 19–Ovarian/Uterine/Cervical Cancer
- 20–Other
- 21–Domestic Violence
- 22–Blood Pressure
- 23–Mental Health
- 24–Gynecological (Preg., Menopause, Etc.)
- 25–Hormonal
- 26–Lack of Education
- 27–Exercise
- 77–Don't Know/Not Sure
- 99–Refused

DIFFIC

- 1–Very Difficult
- 2–Somewhat Difficult
- 3–Not Very Difficult
- 4–Not at All Difficult
- 7–Don't Know/Not Sure
- 9–Refused

DIFFICB

- 1–Very Difficult
- 2–Somewhat Difficult
- 3–Somewhat Easy
- 4–Very Easy
- 7–Don't Know/Not Sure
- 9–Refused

DISCUSS

- 1–No Discussion
- 2–A Little Discussion
- 3–Some Discussion
- 4–Moderate Discussion
- 5–A Lot of Discussion
- 7–Don't Know/Not Sure
- 9–Refused

ECWHERE

- 1–Doctor's Office/Hospital
- 2–Pharmacy
- 3–School Nurse/Clinic
- 4–Friend
- 5–Convenience Store
- 6–Other
- 7–College Graduate
- 9–Refused

EDUCA

- 1–Less than 9th Grade
- 2–Some High School
- 3–HS Grad or GED Cert
- 4–Some Technical School
- 5–Technical School Grad
- 6–Some College
- 7–College Graduate
- 8–Post Graduate
- 9–Refused

EDUCAB

- 1–Eighth Grade or Less (Grades 0–8)
- 2–Some High School (Grades 9–11)
- 3–Grade 12 or GED Certificate
- 4–Some Technical School
- 5–Technical School Grad
- 6–Some College (Include AA)
- 7–College Graduate
- 8–Post Graduate or Professional Degree
- 9–Refused

EMERGWHT

- 1–Use Emergency Contraception
- 2–Take the Morning After Pill
- 3–Have IUD Inserted
- 4–Take High Dose/Extra BC Pills
- 5–Take Birth Control Pills
- 6–Take Ru486
- 7–Have an Abortion
- 8–Douche
- 9–Pray
- 10–Knows Ru486 Is Illegal In Us
- 11–Seek Medical Help
- 12–Injection
- 13–Herbal Remedies
- 14–Other
- 15–Pill–Didn’t Know Name
- 77–Don’t Know/Not Sure
- 99–Refused

EMPLOYB

- 1–Employed Full Time
- 2–Employed Part time
- 3–Self Employed
- 4–Out of Work > 1 Yr
- 5–Out of Work < 1 Yr
- 6–Homemaker
- 7–Student
- 8–Retired
- 9–Unable to Work
- 77–Don’t Know/Not Sure
- 99–Refused

ESTROHRT

- 1–Yes–Pills
- 2–Yes–Patches
- 3–Yes–Creams
- 4–No
- 7–Don’t Know/Not Sure
- 9–Refused

EVDAY

- 1–Everyday
- 2–Some days
- 3–Not at All
- 9–Refused

EXERWORK

- 1–Mostly Sit/Stand
- 2–Mostly Walk
- 3–Mostly Physical Labor
- 4–Doesn’t Work
- 7–Don’t Know/Not Sure
- 9–Refused

FAS

- 1–Drunk
- 2–Addicted to Alcohol
- 3–With Certain Birth Defects
- 4–Doesn’t Know What FAS Is
- 7–Don’t Know/Not Sure
- 9–Refused

FASAWARE

- 1–Never Heard of FAS
- 2–Heard of FAS
- 3–Know a Little About FAS
- 4–Know a Lot About FAS
- 7–Don’t Know/Not Sure
- 9–Refused

FOLICEAT

- 1–Not at All
- 2–Somewhat
- 3–Very Likely
- 4–Doesn’t Eat Cereal
- 7–Don’t Know/Not Sure
- 8–Doesn’t Know What Folic Acid Is
- 9–Refused

FOLICLTX

- 1–Food Label
- 2–Health Food Store
- 3–Other Healthcare Provider
- 4–Read About It, Unknown Source
- 5–WIC
- 6–Work
- 7–Didn’t Remember
- 8–Family & Friends
- 9–Other Source
- 10–Internet
- 11–Just Heard Term, No Knowledge of It
- 12–Family Planning Clinic
- 13–Advertisement, Billboard

FOLICSOA

- 1–Milk
- 2–Meat
- 3–Dried Beans
- 4–Bananas
- 5–None Are Good Source
- 7–Don't Know/Not Sure
- 9–Refused

FOLICTXT

- 1–Green Vegetables/Vegetables
- 2–OJ/Oranges
- 3–Other Foods
- 4–Diet
- 5–Pills/Supplements
- 6–Minerals/Vitamins
- 7–Ask Physician
- 8–Injections
- 9–Iron Pills
- 10–Topical Cream
- 11–Personal Responsibility
- 12–Sunshine
- 13–Other
- 77–Don't Know/Not Sure

FOODSHOP

- 1–Convenience Stores
- 2–Home Garden
- 3–Community Garden
- 4–Farmers Market
- 5–Fruit & Vegetable Stands
- 6–Food Banks
- 7–Food Outlets
- 8–Friends and Relatives
- 9–No Other Place—Grocery Store Only
- 10–Other
- 11–Commissary
- 12–Specialty Store
- 13–Restaurants
- 14–Food Service/Home Delivery
- 15–Food Co-Op
- 16–Health Food Store
- 17–Drug Store
- 18–Grocery Store
- 19–Hunting/Fishing
- 20–Meals-on-Wheels
- 21–WIC
- 22–At Work
- 77–Don't Know/Not Sure
- 88–No Food Prepared In the Home
- 99–Refused

FOODSTOR

- 1–Yes
- 2–No
- 7–Don't Know/Not Sure
- 8–No Food Prepared at Home
- 9–Refused

FPLOCATE

- 1–Private Doctors Office
- 2–HMO
- 3–Health Dept Family Planning Clinic
- 4–Planned Parenthood
- 5–Other Family Planning Clinic
- 6–Other Clinic
- 7–Hospital
- 8–Friend
- 9–Student Health Center
- 10–Drug Store
- 11–Church
- 12–Family Member
- 13–Military
- 14–Other
- 15–Women's Health Clinic
- 16–No Need for Birth Control
- 17–No Where
- 18–Mail Order Pharmacy
- 19–Grocery Store
- 77–Don't Know

FPOTHTXT

- 1–Couples Decision/Both Partners
- 2–Abortion/Choice/Preg. Termination
- 3–Access
- 4–Adoption
- 5–Awareness
- 6–Birth Control/Contraception
- 7–Communication
- 8–Counseling
- 9–Dealing W/Overpopulation
- 10–Does Not Include Abortion
- 11–Education & Counseling
- 12–Financial Planning/Family Security
- 13–Finding Right Partner/Relationship W/Partner
- 14–Gov. Program/Interference/An Organization
- 15–Healthcare
- 16–Help Raising Kids/Caring for Family
- 17–Improving Quality of Life
- 18–Infertility Services
- 19–Preparedness
- 20–Prevention of STDs
- 21–Responsibility
- 22–Sex Education
- 23–Women’s Health
- 24–Control/Prevent Unwanted Preg.
- 25–Deciding When/If to Have Kids
- 26–Other
- 77–Don’t Know/Not Sure

FPWHERE

- 1–Private Doctors Office
- 2–HMO
- 3–Health Dept Family Planning Clinic
- 4–Planned Parenthood
- 5–Other Family Planning Clinic
- 6–Other Clinic (Specify)
- 7–Hospital
- 8–Friend
- 9–Other (Specify)
- 10–Drug Store
- 11–Church/Natural Birth Control
- 12–Family Member
- 13–Doesn’t Go Anywhere
- 14–Sterile/Partner Sterile
- 15–Student Health Center
- 16–Refused Module
- 77–Don’t Know/Not Sure
- 99–Refused

FVCANNED

- 1–All of Them
- 2–Most of Them
- 3–About Half of Them
- 4–A Little of Them
- 5–None of Them
- 7–Don’t Know/Not Sure
- 9–Refused

GAIN

- 1–Too Little
- 2–Too Much
- 3–Just Right
- 7–Don’t Know/Not Sure
- 8–Not Applicable
- 9–Refused

HAPPA

- 1–Bored
- 2–Neither Bored nor Interested in What I am Doing
- 3–Interested in What I am Doing
- 4–Quite Interested in What I am Doing
- 5–Fascinated by What I am Doing
- 7–Don’t Know/Not Sure
- 9–Refused

HAPPB

- 1–All of My Time Doing Unimportant Things
- 2–A Lot of My Time Doing Unimportant Things
- 3–Some of My Time Doing Important Things
- 4–Most of My Time Doing Important Things
- 5–Practically Every Moment Doing Important Things
- 7–Don’t Know/Not Sure
- 8–Not Applicable
- 9–Refused

HAPPC

- 1–More Pain than Pleasure
- 2–Equal Measures of Pain and Pleasure
- 3–More Pleasure than Pain
- 4–Much More Pleasure than Pain
- 5–My Life is Filled With Pleasure
- 7–Don’t Know/Not Sure
- 9–Refused

HAPPD

- 1–Bad
- 2–Okay
- 3–Good
- 4–Very Good
- 5–Wonderful
- 7–Don't Know/Not Sure
- 9–Refused

HEALTH

- 1–Excellent
- 2–Very Good
- 3–Good
- 4–Fair
- 5–Poor
- 7, 77–Don't Know/Not Sure
- 9, 99–Refused
- 96–Other

HERBSORC

- 1–Physician
- 2–Other Health Care Provider
- 3–Health Food Store Employee
- 4–Pharmacist
- 5–Herbalist
- 6–Other Alternative Health Provider
- 7–Product Label
- 8–Magazines/Books
- 9–Internet
- 10–Television/Radio/Newspaper
- 11–Friend/Relative/Co-Worker
- 12–Safety/Side Effect Info
- 13–Other
- 77–Don't Know/Not Sure
- 99–Refused

HLTHLISB

- 1–Aetna Health Plans
- 2–Alameda Alliance for Health
- 3–Anthem Health Companies
- 4–Blue Cross
- 5–Blue Shield
- 6–Bps (Vivahealth)
- 7–Care First Health Plan
- 8–Careamerica
- 9–Ccn
- 10–Chinese Community Health Plan
- 11–Cigna Health Care
- 12–Cna
- 13–Community Health Group
- 14–Community Health Plan
- 15–Contra Costa Health Plan
- 16–Foundation Health Systems
- 17–Great American Health Plan
- 18–Greater Pacific Healthplan
- 19–Guardian

- 20–Health Net
- 21–Health Plan of San Joaquin
- 22–Health Plan of San Mateo
- 23–Health Plan of Redwoods
- 24–HMO California (Employers Health)
- 25–Employers Health (HMO CA)
- 26–Inland Empire Health Plan
- 27–Inter Valley Health Plan
- 28–Kaiser Foundation Health Plan
- 29–Kern Health Systems
- 30–Key Health Plan
- 31–L.A. Care Health Plan
- 32–Lifeguard Health Plan
- 33–Maxicare
- 34–Molina Medical Center
- 35–National Health Plan
- 38–Pacific Mutual Life Ins Co
- 39–Pacificare of California
- 40–Principal Financial Group
- 41–Prudential Healthcare of CA, Inc
- 42–San Francisco Health Plan
- 43–Santa Barbara Health Initiative
- 44–Santa Clara County Health Authority
- 45–Santa Cruz County Health Options
- 46–Scan Health Plan
- 47–Sharp Health Plan
- 48–Solano Partnership Healthplan
- 49–Tower Health
- 50–Ullico Inc
- 51–United Health Care (Metra Health)
- 52–Metra Health (United Health Care)
- 53–United Health Plan
- 54–United Ins Company of America
- 55–Universal Care, Inc
- 56–Valley Health Plan
- 57–Ventura County Health Care Plan
- 58–Western Health Advantage
- 59–Blue Cross California Care
- 60–Blue Shield Access+/HMO
- 61–Prucare of California
- 62–Blue Cross Senior CA Care
- 63–Foundation Senior Value
- 64–Health Net Seniority Plus
- 65–Pacificare Secure Horizons
- 66–Shield 65
- 67–Affordable/Health Care Compare
- 68–Anthem Health
- 69–Beech Street
- 70–Blue Cross Prudent Buyer
- 71–Blue Cross Standard (Standard Ins)
- 72–Beckwith, Hightower, & Renberg
- 73–Foundation
- 74–Healthcare Foundation of Superior CA
- 75–Health Net Elect
- 76–Health Net Select
- 77–Interplan

Part IV: Categorical Variable Formats

78–Ouch
79–Pacificare
80–Pacific Health Alliance
81–PPO Alliance
82–Pru Net (Prudential)
83–Qual Care
84–Universal Health Network
85–Other (Specify)
86–Medicare
87–Medi-Cal
88–Self Pay
89–Tricare Prime (Champus)
90–Champus/Va/Tricare
91–Uc Care
92–Met Life
93–Union Self-Insured
94–Employer Self-Insured
95–Farm Bureau
96–Farmers Insurance
97–Great Western
98–New York Life
99–Northwest Nat Life
100–PERS Care
101–Gov. Hosp. Asso.
102–Travelers
103–Golden Outlook
104–Joint Benefit Trust
105–Sierra Comm. Care
106–State Farm Ins.
107–Gallagher Basset Service PPO
108–Provident Insurance
109–Delta Health Care
110–Am. Western Life
111–Mass. Mutual
112–Sutter Preferred
113–John Alden Life
114–John Hancock
115–Operating Engineers
116–Pacificare Secure Horizons
117–Cal Farm
118–Motion Picture
119–Cal Optima
120–AARP
121–First Health
122–Harder & Company
123–Unicare
124–General American
125–Gov. Employee Health Association
126–Mutual of Omaha
127–Adventist Health
128–Exclusive Health Care
129–Risk Management
130–United American
131–Humana Employers Health
132–Self Insured Schools of CA
133–Corestar

888–None
134–Aftra
777–Don't Know/Not Sure
999–Refused

HLTHLISC

1–Aetna Health Plans
2–Alameda Alliance for Health
3–Anthem Health Companies
4–Blue Cross
5–Blue Shield
6–Bps (Vivahealth)
7–Care First Health Plan
8–Careamerica
9–Ccn
10–Chinese Community Health Plan
11–Cigna Health Care
12–Cna
13–Community Health Group
14–Community Health Plan
15–Contra Costa Health Plan
16–Foundation Health Systems
17–Great American Health Plan
18–Greater Pacific Healthplan
19–Guardian
20–Health Net
21–Health Plan of San Joaquin
22–Health Plan of San Mateo
23–Health Plan of Redwoods
24–HMO California (Employers Health)
25–Employers Health (HMO CA)
26–Inland Empire Health Plan
27–Inter Valley Health Plan
28–Kaiser Foundation Health Plan
29–Kern Health Systems
30–Key Health Plan
31–L.A. Care Health Plan
32–Lifeguard Health Plan
33–Maxicare
34–Molina Medical Center
35–National Health Plan
36–Omni Healthcare Inc
37–One Health Plan of CA, Inc
38–Pacific Mutual Life Ins Co
39–Pacificare of California
40–Principal Financial Group
41–Prudential Hlthcare of CA, Inc
42–San Francisco Health Plan
43–Santa Barbara Health Initiative
44–Santa Clara Cnty Health Authority
45–Santa Cruz County Health Options
46–Scan Health Plan
47–Sharp Health Plan
48–Solano Partnership Healthplan
49–Tower Health
50–Ullico Inc

51–United Health Care (Metra Health)
52–Metra Health (United Health Care)
53–United Health Plan
54–United Ins Company of America
55–Universal Care, Inc
56–Valley Health Plan
57–Ventura County Health Care Plan
58–Western Health Advantage
59–Blue Cross California Care
60–Blue Shield Access+/HMO
61–Prucare of California
62–Blue Cross Senior CA Care
63–Foundation Senior Value
64–Health Net Seniority Plus
65–Pacificare Secure Horizons
66–Shield 65
67–Affordable/Health Care Compare
68–Anthem Health
69–Beech Street
70–Blue Cross Prudent Buyer
71–Blue Cross Standard (Standard Ins)
72–Beckwith, Hightower, & Renberg
73–Foundation
74–Healthcare Foundation of Superior CA
75–Health Net Elect
76–Health Net Select
77–Interplan
78–Ouch
79–Pacificare
80–Pacific Health Alliance
81–PPO Alliance
82–Pru Net (Prudential)
83–Qual Care
84–Universal Health Network
85–Other (Specify)
86–Medicare
87–Medi-Cal
88–Self Pay
89–Tricare Prime (Champus)
90–Champus/Va/Tricare
91–UC Care
92–Met Life
93–Union Self- Insured
94–Employer Self-Insured
95–Farm Bureau
96–Farmers Insurance
97–Great Western
98–New York Life
99–Northwest Nat Life
100–PERS Care
101–Gov. Hosp. Asso.
102–Travelers
103–Golden Outlook
104–Joint Benefit Trust
105–Sierra Comm. Care
106–State Farm Ins.

107–Gallagher Basset Service PPO
108–Provident Insurance
109–Delta Health Care
110–Am. Western Life
111–Mass. Mutual
112–Sutter Preferred
113–John Alden Life
114–John Hancock
115–Operating Engineers
116–Pacificare Secure Horizons
117–Cal Farm
118–Motion Picture
119–Cal Optima
120–AARP
121–First Health
122–Harder & Company
123–Unicare
124–General American
125–Gov. Employee Health Association
126–Mutual of Omaha
127–Adventist Health
128–Exclusive Health Care
129–Risk Management
130–United American
131–Humana Employers Health
132–Self Insured Schools of CA.
133–Corestar
888–None
134–Aftra
135–Healthy Families
136–Carpenters Health And Welfare Fund
137–Central Valley Trust
138–GSHIP Grad Stud Health Ins Plan
139–Great West-One Health Plan
140–Blue Cross/Blue Shield
777–Don't Know/Not Sure
999–Refused

HLTHLIST

1–Aetna/Senior Choice
2–Bs/Bc/Ca Care
3–Careamerica
4–Cigna Health Care
5–Fhp/Foundat Health/Take Care
6–Health Net/Seniority+
7–Health Plan Redwoods/Mediprime
8–Inter Valley Health Plan
9–Kaiser
10–Lifeguard Health Plan
11–Maxicare
12–Nat. Health Plans/Security Care
13–Omni Healthcare
14–Pacificare/Secure Horizons
15–Prud/Careplus/Senior Care
16–Tricare Prime (Champus)
17–UC Care

Part IV: Categorical Variable Formats

18–United Health Plan
19–Self-Pay
20–Medicare
21–Medi-Cal
22–Met Life
23–Union Ins. Plan
24–Champus/Va/Tricare
25–AARP
26–Employer Ins. Plan
27–Farm Bureau
28–Farmers Ins.
29–Great Western
30–New York Life
31–Northwest Nat. Life
32–PERS Care
33–Gov. Emp. Hos. Asso.
34–Inland Empire Health Plan
35–Travelers
36–Guardian/Phn
37–Golden Outlook
38–Joint Benefit Trust
39–Sharp Health Plan
40–Scan Health Plan
41–Sierra Comm. Care
42–State Farm Ins.
43–Tower Health
44–United Health Care/Metra Health
45–United Ins. Co. of America
46–Valley Health Plan
47–Anthem Health Co.
48–Ccn
49–Gallagher Basset Service PPO
50–Health Plan of San Joaquin
51–Health Plan of San Mateo
52–HMO CA/Employers Health
53–Key Health Plan
54–Provident Insurance
55–Principal Financial Group
56–Other
57–Alameda Alliance for Health
58–Delta Health Care
59–Am. Western Life
60–Mass. Mutual
61–Sutter Preferred
62–Beckwick, Hightower &
63–John Alden Life
64–John Hancock
65–Affordable/Health Care Compare
66–Molina Medical Center
67–Kern Health Systems
68–Solano Partnership Healthplan
69–Accordia
70–Carpenters Health & Welfare
71–Connecticut General
72–Contra Costa Health Plan
73–Flexnet

74–Friendly Hills
75–General American
76–Operating Engineers Union Ins.
77–Mailhandlers Union Ins.
78–Relia-Star
79–Valley Clerks Union Ins.
80–Jefferson Pilot
81–Memorial Healthcare
82–Other
83–Indian Health Service
84–Medical Indemnity
85–Physicians Health Care
777–Don't Know/Not Sure
888–None
999–Refused

HOWLNGD

1–Within Past 6 Months
2–Within the Past Yr
3–Within the Past 2 Yrs
4–Within the Past 5 Yrs
5–More than 5 Yrs Ago
8–Never
7–Don't Know/Not Sure
9–Refused

HOWLONG

1–Within Past Yr
2–Within Past Two Yrs
3–Within Past Five Yrs
4–More than Five Yrs
5–Refused Module
8–Never Had
7–Don't Know/Not Sure
9–Refused

HOWLONGB

1–Within Past Yr
2–Within Past 2 Yrs
3–Within Past 3 Yrs
4–Within Past 5 Yrs
5–More than 5 Yrs
7–Don't Know/Not Sure
9–Refused

HOWLONGC

1–Within Past 6 Months
2–Within Past Yr
3–Within Past 2 Yrs
4–Within Past 5 Yrs
5–More than 5 Yrs
8–Never Had
7–Don't Know/Not Sure
9–Refused

HOWLONGD

- 1–Within Past 6 Months
- 2–Within Past Yr
- 3–Within Past 2 Yrs
- 4–More than 2 Yrs
- 5–Never
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

HOWLONGE

- 1–Within Past Yr
- 2–Within Past Two Yrs
- 3–Within Past Five Yrs
- 4–More than Five Yrs
- 5–Never Had
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

HOWLONGF

- 1–Within Past 6 Months
- 2–Within Past Year
- 3–More than a Year Ago
- 7–Don't Know/Not Sure
- 9–Refused

HOWLONGG

- 1–Almost Every Month
- 2–Some, But Not Every Month
- 3–Only In One or Two Months
- 7–Don't Know/Not Sure
- 9–Refused

HOWLONGH

- 1–LT 1 Year
- 2–1–2 Years
- 3–More than 2 Years
- 7–Don't Know/Not Sure
- 9–Refused

HOWLONGI

- 1–LT 1 Year
- 2–1–5 Years
- 3–More than 5 Years
- 7–Don't Know/Not Sure
- 9–Refused

HOWLONGJ

- 1–LT 6 Months
- 2–6–12 Months
- 3–1–5 Years
- 4–More than 5 Years
- 7–Don't Know/Not Sure
- 9–Refused

HOWLONGK

- 1–Last Year
- 2–1–2 Years
- 3–2–5 Years
- 4–More than 5 Years
- 5–Never
- 7–Don't Know/Not Sure
- 9–Refused

HPVWHYNT

- 1–Doctor Didn't Recommend
- 2–Haven't Gone to Doctor
- 3–Plan to Get Vaccine Soon
- 4–Expensive/Cost
- 5–Safety Concerns Regarding Vaccines
- 6–Safety Concerns Regarding HPV Vacc.
- 7–Don't Need Vaccine
- 8–Other
- 77–Don't Know/Not Sure
- 99–Refused

IMPORT

- 1–Very Important
- 2–Somewhat Important
- 3–Not Very Important
- 4–Not at All Important
- 7–Don't Know/Not Sure
- 9–Refused

INCOMEB

- 1–< \$10,000
- 2–\$10,000–\$14,999
- 3–\$15,000–\$19,999
- 4–\$20,000–\$24,999
- 5–\$25,000–\$34,999
- 6–\$35,000–\$49,999
- 7–\$50,000–\$75,000
- 8–\$75,000–\$99,999
- 9–> \$100,000
- 10–\$0, No Income
- 77–Don't Know/Not Sure
- 99–Refused

INCOME C

- 1–< \$10,000
- 2–\$10,000–\$14,999
- 3–\$15,000–\$19,999
- 4–\$20,000–\$24,999
- 5–\$25,000–\$34,999
- 6–\$35,000–\$49,999
- 7–\$50,000–\$75,000
- 8–Over \$75,000
- 9–\$0 No Personal Income
- 77–Don't Know/Not Sure
- 99–Refused

INTEREST

- 1–Yes
- 2–No
- 3–Not Low Income
- 7–Don't Know/Not Sure
- 9–Refused

IU

- 1–<10,000 IU
- 2–>10,000 IU
- 7–Don't Know/Not Sure
- 9–Refused

LANGMORE

- 1–Only Spanish
- 2–More Span than Eng
- 3–Both Equally
- 4–More Eng than Span
- 5–Only English
- 7–Don't Know/Not Sure
- 9–Refused

LTCWHO

- 1–Family/Spouse/Partner
- 2–Friends
- 3–Community Services
- 4–Nursing Home
- 5–Assisted Living
- 6–Government
- 7–Never Thought About It
- 8–No One
- 9–Myself
- 10–Health Care Program
- 11–Nurse
- 12–Lawyer
- 13–Other
- 14–Long Term Care Ins
- 88–Not Applicable
- 77–Don't Know/Not Sure
- 99–Refused

MAINPLN

- 1–Your Employer
- 2–Someone Else's Employer
- 3–A Plan You Buy
- 4–Medicare
- 5–Medi-Cal (Medicaid)
- 6–Military/Champus/VA/Ihs/Other
- 7–None
- 88–Not Applicable
- 77–Don't Know/Not Sure
- 99–Refused

MAINPLNB

- 1–Your Employer
- 2–Someone Else's Employer
- 3–A Plan You Buy
- 4–Medicare
- 5–Medi-Cal (Medicaid)
- 6–Military/Champus/VA
- 7–Indian Health Service
- 8–Some Other Source
- 9–None
- 88–Not Applicable
- 77–Don't Know/Not Sure
- 99–Refused

MAJRPROB

- 1–Back or Neck Problem
- 2–Broken Bone or Joint Injury
- 3–Problems Walking
- 4–Hearing Problem
- 5–Lung or Breathing Problem
- 6–Arthritis or Rheumatism
- 7–Heart Trouble
- 8–Stroke
- 9–Cancer, Other than Skin Cancer
- 10–Depression
- 11–Flu
- 12–Aging/Getting Old
- 13–Poor Health/Doesn't Feel Good
- 14–Too Tired/Exhausted/Fatigued
- 15–Other
- 16–Pregnancy Related Issues
- 17–Accident/Injury
- 18–Surgery
- 19–Overweight/Weight Related Issues
- 20–Infection
- 21–Respiratory Ailment
- 22–Multiple Problems (2 or More Indicated)
- 23–Diabetes, Complications of Diabetes
- 24–Other Chronic Conditions
- 25–Other Acute Conditions
- 26–Pain
- 27–Mentioned Body Part (Not Condition or DX)
- 77–Don't Know/Not Sure
- 99–Refused

MARITAL

- 1–Married
- 2–Divorced
- 3–Widowed
- 4–Separated
- 5–Never Married
- 6–Unmarried Couple
- 7–Don't Know/Not Sure
- 9–Refused

MENOPAUS

- 1–Still Having Periods
- 2–Periods Stopped Medical/Surgical Reasons
- 3–Periods Irregular Because of Menopause
- 4–Periods Stopped Because of Menopause
- 7–Don't Know/Not Sure
- 9–Refused

MENSPRMT

- 1–Younger Than 12
- 2–12–13
- 3–Older Than 13
- 7–Don't Know/Not Sure
- 9–Refused

MHDX

- 1–Eating Disorder
- 2–Major (Clinical) Depression
- 3–Situational (Temporary) Depression
- 4–Manic Depression or Bi-Polar Disorder
- 5–Anxiety
- 6–Panic Disorder
- 7–Post Traumatic Stress Disorder (PTSD)
- 8–Schizophrenia
- 9–Attention Deficit Disorder (ADD)
- 10–Mental Breakdown
- 11–Neurosis
- 12–Alzheimer's Disease
- 13–Senile Dementia
- 14–Effects of Heart Disease or Stroke
- 15–Alcohol Abuse
- 16–Drug Abuse
- 17–Family Problems
- 18–Disassociative Identity Disorder (DID)
- 19–Other
- 77–Don't Know/Not Sure
- 99–Refused

MHDXB

- 1–Eating Disorder
- 2–Major (Clinical) Depression
- 3–Situational (Temporary) Depression
- 4–Manic Depression or Bi-Polar Disorder
- 5–Anxiety
- 6–Panic Disorder
- 7–Post Traumatic Stress Disorder (PTSD)
- 8–Schizophrenia
- 9–Attention Deficit Disorder (ADD)
- 10–Mental Breakdown
- 11–Neurosis
- 12–Alzheimer's Disease
- 13–Senile Dementia
- 14–Effects of Heart Disease or Stroke
- 15–Alcohol Abuse

- 16–Drug Abuse
- 17–Stress
- 18–Obsessive Compulsive Disorder (OCD)
- 19–Disassociative Identity Disorder (DID)
- 20–Multiple Personality Disorder (MPD)
- 21–Mourning/Bereavement
- 22–Adjustment Disorder
- 23–Marital Problems
- 24–Dementia
- 25–Emotional Reaction to Physical Illness
- 26–Didn't Tell Me What It Was
- 27–Relationship Problem
- 28–Parenting Problem
- 29–Other
- 77–Don't Know/Not Sure
- 99–Refused

MHHELPTX

- 1–Child Care/Family Care
- 2–Better Job/ More Steady Job/ Job Training
- 3–Medical or Dental Care
- 4–Adequate Food
- 5–Counseling
- 6–Transportation
- 7–Housing
- 8–More Money/Financial Help
- 9–More Convenient Counseling
- 10–Other
- 11–Nothing Would Have Helped
- 12–A Friend/Someone to Talk to
- 13–Household Help
- 14–Lawyer/Legal Services
- 15–Time Off/Time to Relax/Vacation
- 16–Spiritual Support/Religious Help
- 17–More Time/Time Management
- 18–Support From Family
- 19–Help at Work/Working/Finding Work
- 20–Don't Know/Haven't Thought About It
- 21–Exercise/Fitness/Weight
- 22–Don't Need Help/No Problems
- 23–Social Services

MHNOINTX

- 1–Needed Referral
- 2–Didn't Want to Wait for Referral
- 3–Insurance Not Needed
- 4–Inconvenient Location If Used Ins.
- 5–Used Up Insurance Coverage
- 6–Other
- 7–No Insurance at Time of Care
- 8–Insurance Didn't Cover Entire Cost

MHPAY

- 1–Self
- 2–Private Insurance
- 3–Medicare
- 4–Medi-Cal
- 5–Husband/Partner
- 6–Boyfriend/Girlfriend
- 7–Parent
- 8–Other Family Member
- 9–Other Friend
- 10–County Mental Health Program
- 11–Community Clinic
- 12–Self & Insurance
- 13–Employer & State
- 14–Medicare & Medi-Cal
- 15–Military
- 16–State/Workmans Comp
- 17–Employer
- 18–Medicare & Insurance
- 19–Self & State
- 77–Don't Know/Not Sure
- 99–Refused

- 10–County Mental Health Program
- 11–Community Clinic
- 12–Self & Insurance
- 13–Employer & State
- 14–Medicare & Medi-Cal
- 15–Military
- 16–State/Workmans Comp
- 17–Employer
- 18–Self & State
- 19–Employee Assistance Program
- 20–Other
- 21–No One—Free
- 77–Don't Know/Not Sure
- 99–Refused

MHWHELP

- 1–Mental Health Professional
- 2–Paraprofessional, Medical Doctor, Clergy
- 3–Self-Help Support Group
- 8–Not Applicable
- 7–Don't Know/Not Sure
- 9–Refused

MHPAYDOB

- 1–Self
- 2–Private Insurance
- 3–Medicare
- 4–Medi-Cal
- 5–Husband/Partner
- 6–Boyfriend/Girlfriend
- 7–Parent
- 8–Other Family Member
- 9–Other Friend
- 10–County Mental Health Program
- 11–Community Clinic
- 12–Self & Insurance
- 13–Employer
- 14–Medicare & Medi-Cal
- 15–Military
- 16–Workers Comp
- 17–Employee Assistance Program
- 18–No One/Free
- 19–Other
- 77–Don't Know
- 99–Refused

MHWHELPB

- 1–Psychotherapist
- 2–Psychiatrist
- 3–Psychologist
- 4–Medical Doctor
- 5–Counselor
- 6–Minister/Priest/Rabbi
- 7–Self-Support Group for Emotional Stress
- 77–Don't Know/Not Sure
- 88–Not Applicable
- 99–Refused

MHWHELPC

- 1–Psychiatrist
- 2–Psychologist
- 3–Medical Doctor
- 4–Counselor
- 5–Social Worker
- 6–Minister/Priest/Rabbi
- 7–Self-Help, Support Group
- 8–Healer, Medicine Person
- 9–Case Worker
- 10–Other
- 11–MFT, MFCC
- 12–Alternative, Spiritual
- 13–Non-Professional
- 14–HMO
- 77–Don't Know/Not Sure
- 88–Not Applicable
- 99–Refused

MHPAYDOC

- 1–Self
- 2–Private Insurance
- 3–Medicare
- 4–Medi-Cal
- 5–Husband/Partner
- 6–Boyfriend/Girlfriend
- 7–Parent
- 8–Other Family Member
- 9–Other Friend

MHWHO

- 1–County Mental Health Counselor
- 2–Family Member
- 3–Nurse/Other Health Care Provider
- 4–Spiritual Leader
- 5–Therapist
- 6–Friend
- 7–Health Clinic
- 8–Other
- 9–Support Group

MHWHYNOB

- 1–Couldn't Afford It
- 2–Didn't Know Where to Go
- 3–Concerned What Others Would Think
- 4–Appointment Times Inconvenient
- 5–Didn't Want Medical Record of Condition
- 6–Other
- 7–Didn't Like Provider/Provider Didn't Help
- 77–Don't Know/Not Sure
- 88–Refused

MHWHYNOT

- 1–Resolved Problem by Self
- 2–Problem Not Bad Enough
- 3–Family/Friend Discouraged
- 4–Family/Friend Wouldn't Go
- 5–Didn't Take Insurance
- 6–No Insurance
- 7–No Money for Treatment
- 8–Childcare Problems
- 9–Embarrassed/Pride
- 10–Language Barrier
- 11–Inconvenient
- 12–Just Didn't Do It
- 13–No Time to Seek Help
- 14–Didn't Know Where to Get Help
- 15–Didn't Know Help Available
- 16–Got Help Elsewhere
- 17–Couldn't Find Anyone Who Helped
- 18–Doesn't Trust Health Prof./Fear
- 19–Did Seek Help But Didn't Get Any
- 20–Currently Seeking Help
- 21–Other Reason
- 77–Don't Know/Not Sure
- 99–Refused

MILK

- 1–Breast Milk Only
- 2–Formula & Breast Milk Combination
- 3–Formula Only
- 4–Cows Milk & Breast Milk
- 5–Cows Milk Only
- 6–Cows Milk & Formula Combination
- 7–Goats Milk & Formula Combination

- 8–Soy Milk Only
- 9–Goats Milk/Goats Milk + Other
- 10–Breast Milk & Soy Milk Combination
- 77–Don't Know/Not Sure
- 99–Refused

MILKB

- 1–Breast Milk Only
- 2–Formula & Breast Milk Combination
- 3–Formula Only
- 4–Cows Milk & Breast Milk
- 5–Cows Milk Only
- 6–Cows Milk & Formula Combination
- 7–Goats Milk & Formula Combination
- 8–Soy Milk Only
- 9–NA/Baby Too Young to Respond
- 10–Goats Milk/Goats Milk + Other
- 77–Don't Know/Not Sure
- 99–Refused

MON_YEAR

- 1–January
- 2–February
- 3–March
- 4–April
- 5–May
- 6–June
- 7–July
- 8–August
- 9–September
- 10–October
- 11–November
- 12–December
- 841928–1928
- 831929–1929
- 821930–1930
- 811931–1931
- 801932–1932
- 791933–1933
- 781934–1934
- 771935–1935
- 761936–1936
- 751937–1937
- 741938–1938
- 731939–1939
- 721940–1940
- 711941–1941
- 701942–1942
- 691943–1943
- 681944–1944
- 671945–1945
- 661946–1946
- 651947–1947
- 641948–1948
- 631949–1949
- 621950–1950

Part IV: Categorical Variable Formats

611951–1951	9999, 17–Refused Year
601952–1952	
591953–1953	MON_YEAR
581954–1954	1–January
571955–1955	2–February
561956–1956	3–March
551957–1957	4–April
541958–1958	5–May
531959–1959	6–June
521960–1960	7–July
511961–1961	8–August
501962–1962	9–September
491963–1963	10–October
481964–1964	11–November
471965–1965	12–December
461966–1966	841928–1928
451967–1967	831929–1929
441968–1968	821930–1930
431969–1969	811931–1931
421970–1970	801932–1932
411971–1971	791933–1933
401972–1972	781934–1934
391973–1973	771935–1935
381974–1974	761936–1936
371975–1975	751937–1937
361976–1976	741938–1938
351977–1977	731939–1939
341978–1978	721940–1940
331979–1979	711941–1941
321980–1980	701942–1942
311981–1981	691943–1943
301982–1982	681944–1944
291983–1983	671945–1945
281984–1984	661946–1946
271985–1985	651947–1947
261986–1986	641948–1948
251987–1987	631949–1949
241988–1988	621950–1950
231989–1989	611951–1951
221990–1990	601952–1952
211991–1991	591953–1953
201992–1992	581954–1954
191993–1993	571955–1955
181994–1994	561956–1956
171995–1995	551957–1957
161996–1996	541958–1958
151997–1997	531959–1959
141998–1998	521960–1960
131999–1999	511961–1961
852000–2000	501962–1962
862001–2001	491963–1963
872002–2002	481964–1964
77, 13–Don't Know Month	471965–1965
7777, 16–Don't Know Year	461966–1966
88–Not Applicable	451967–1967
99, 15–Refused Month	441968–1968

431969–1969
421970–1970
411971–1971
401972–1972
391973–1973
381974–1974
371975–1975
361976–1976
351977–1977
341978–1978
331979–1979
321980–1980
311981–1981
301982–1982
291983–1983
281984–1984
271985–1985
261986–1986
251987–1987
241988–1988
231989–1989
221990–1990
211991–1991
201992–1992
191993–1993
181994–1994
171995–1995
161996–1996
151997–1997
141998–1998
131999–1999
852000–2000
862001–2001
872002–2002
77–Don't Know Month
7777–Don't Know Year
88–Not Applicable
99–Refused Month

MONTHS

1–January
2–February
3–March
4–April
5–May
6–June
7–July
8–August
9–September
10–October
11–November
12–December
77–Don't Know/Not Sure
99–Refused

NUMCOUNT

1–One
2–Two
3–More than Two
4–None
7–Don't Know/Not Sure
9–Refused

OFTEN

1–Very Often
2–Often
3–Sometimes
4–Rarely
5–Never
7–Don't Know/Not Sure
9–Refused

OFTENA

1–Regularly
2–Occasionally
3–Never
7–Don't Know/Not Sure
9–Refused

OFTENB

1–All the Time
2–Most of the Time
3–Some of the Time
4–Almost Never
7–Don't Know/Not Sure
8–Not Applicable
9–Refused

OFTENC

1–Always
2–Nearly Always
3–Sometimes
4–Seldom
5–Never
6–Retired
7–Don't Know/Not Sure
9–Refused

OFTEND

1–Always
2–More Than Half the Time
3–Half the Time
4–Less Than Half the Time
5–Never
6–No Male Partner
77–Don't Know/Not Sure
88–No Sex in Last 12 Months
99–Refused

ORACE

- 1–White
- 2–Black
- 3–Asian or Pacific Islander
- 4–Aleutian, Eskimo or American Indian
- 5–Other
- 7–Don't Know/Not Sure
- 9–Refused

ORACE2A

- 1–Chinese
- 2–Japanese
- 3–Korean
- 4–Filipino
- 5–Vietnamese
- 6–Cambodian
- 7–Laotian
- 8–East Indian
- 9–Indonesian
- 10–Hawaiian
- 11–Samoan
- 12–Pakistani
- 13–Saipanese
- 14–Fijian
- 15–Burmese
- 16–Tahitian
- 17–Iranian
- 18–Thai
- 19–Guamanian
- 20–Micronesian
- 21–Afghan
- 22–Malayan
- 23–Mongolian
- 24–Hmong
- 25–Sri Lankan
- 26–Tonganese
- 27–Taiwanese
- 88–Other
- 77–Don't Know/Not Sure
- 99–Refused

ORACE2X

- 1–White Hispanic
- 2–Black Hispanic
- 3–Asian Hispanic
- 4–Pacific Islander Hispanic
- 5–American Indian And Hispanic
- 6–Other Hispanic
- 77–Don't Know/Not Sure
- 99–Refused

ORACEB

- 1–White
- 2–Black
- 3–Asian
- 4–Pacific Islander
- 5–American Indian, Alaska Native
- 6–Other
- 7–Don't Know/Not Sure
- 9–Refused

ORACEC

- 1–White
- 2–Black
- 3–Asian
- 4–Native Hawaiian, Pacific Islander
- 5–American Indian, Alaska Native
- 6–Other
- 7–Don't Know/Not Sure
- 9–Refused

ORIENT

- 1–Heterosexual
- 2–Gay or Lesbian
- 3–Bisexual
- 4–Unsure
- 7–Don't Know/Not Sure
- 9–Refused

OSTEO

- 1–Bone Loss
- 2–Joint Problems
- 3–Other
- 7–Don't Know/Not Sure
- 9–Refused

OVARRISK

- 1–HRT
- 2–Family History
- 3–Breast Cancer
- 4–Talc in Genital Area
- 5–Never Given Birth
- 6–Fertility Drugs
- 7–GI Problems
- 88–Other
- 77–Don't Know/Not Sure
- 99–Refused

PLEASANT

- 1–Very Pleasant
- 2–Somewhat Pleasant
- 3–Somewhat Unpleasant
- 4–Very Unpleasant
- 7–Don't Know/Not Sure
- 9–Refused

PORTION

- 1–All
- 2–Part
- 3–None
- 7–Don't Know/Not Sure
- 9–Refused

PUMPHLP

- 1–Access to Pump
- 2–Time to Pump
- 3–Place to Pump
- 4–Baby at Work/School With Mother
- 5–More Support From Employer
- 6–Better Breast Pump
- 7–More Time
- 8–Not Returning to Work/School
- 9–Did Continue to Breastfeed
- 10–Other Non-Work Related
- 11–More Information
- 12–Nothing Would Have Helped
- 77–Don't Know/Not Sure
- 99–Refused

REASTSTC

- 1–Hospitalization/Surgical Proc
- 2–Routine Checkup
- 3–Part of a Blood Donation
- 4–Because of Pregnancy
- 5–Find Out If Infected/Curiosity
- 6–Partner Is HIV Positive
- 7–Partner Shoots Drugs
- 8–Male Partner Has Sex With Men
- 9–Partner With Hemophilia
- 10–Told by Doctor Had a STD
- 11–I Have Shot Drugs
- 12–Unprotected Sex W/Partner Unknown Drug Use
- 13–Unprotected Sex W/Partner Unknown HIV Status
- 14–Occupational Exposure
- 15–For Employment
- 16–Marriage
- 17–For Insurance Policy
- 18–For Immigration
- 19–Unsure About Sex Partner
- 20–Had Blood Transfusion
- 21–New Sexual Relationship
- 22–Multiple Sex Partners
- 23–It Was Free
- 24–Because of Health Problem
- 25–Other
- 77–Don't Know/Not Sure
- 99–Refused

REAUNPLN

- 1–Did Not Expect to Have Sex
- 2–No Money for Birth Control
- 3–No Available Transportation to Go to Clinic
- 4–No Time to Get Birth Control Supplies
- 5–Can't Afford Birth Control Supplies
- 6–Can't Get Appointment for Birth Control
- 7–Can't Get Pregnant
- 8–Partner Did Not Like Using Birth Control
- 9–Recently Pregnant/Postpartum Nursing
- 10–Partner is Sterile
- 11–Pregnancy is OK/Not Worried About Pregnancy
- 12–Trying to Get Pregnant
- 13–Forgot to Take My Pills
- 14–Thought is Was a Safe Time of the Month
- 15–Too Tired
- 16–Don't Like Using Birth Control
- 17–Condom Broke
- 18–Forced Intercourse/Rape
- 19–Thought Partner Was Using a Method
- 20–Drinking Alcohol at the Time
- 21–Using Drugs at the Time
- 77–Don't Know/Not Sure
- 99–Refused
- 300–Other

REFERRAL

- 1–Healthcare
- 2–Alcohol Treatment or Support Programs
- 3–Drug Treatment or Support Programs
- 4–Stop Smoking Classes
- 5–Child Care Referrals
- 6–Head Start
- 7–Food Closet
- 8–Family Counseling
- 9–Homeless Services
- 10–Battered Women's Shelter
- 11–Family Violence Programs
- 12–Legal Services
- 13–Child Abuse Programs
- 14–Other (Specify)
- 15–Breastfeeding
- 16–Food Co-Op
- 88–Not Applicable
- 77–Don't Know/Not Sure
- 99–Refused

RELATED

- 1–Very Related
- 2–Somewhat Related
- 3–Not Very Related
- 4–Not at All Related
- 7–Don't Know/Not Sure
- 9–Refused

RISK

- 1–Increase Risk
- 2–Reduce Risk
- 3–No Effect
- 7–Don't Know/Not Sure
- 9–Refused

RISKB

- 1–Much Higher
- 2–Somewhat Higher
- 3–About the Same
- 4–Lower
- 7–Don't Know/Not Sure
- 9–Refused

RISKC

- 1–Increase
- 2–Decrease
- 3–Make No Difference
- 7–Don't Know/Not Sure
- 9–Refused

SAFE

- 1–Very Safe
- 2–Somewhat Safe
- 3–Somewhat Unsafe
- 4–Very Unsafe
- 7–Don't Know/Not Sure
- 9–Refused

SCALE

- 1–Very Much
- 2–Somewhat
- 3–Not Very Much
- 4–Not at All
- 7–Don't Know/Not Sure
- 9–Refused

SCALEB

- 1–High
- 2–Medium
- 3–Low
- 4–None
- 7–Don't Know/Not Sure
- 9–Refused

SCALEC

- 1–Not at All
- 2–Slightly
- 3–Moderately
- 4–Extremely
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

SCALED

- 1–Very Likely
- 2–Somewhat Likely
- 3–Somewhat Unlikely
- 4–Very Unlikely
- 5–Doesn't Know Term
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

SCALEE

- 1–Not at All
- 2–Somewhat
- 3–Very Much
- 4, 88–Refused Module
- 7, 77–Don't Know/Not Sure
- 9, 99–Refused

SCALEF

- 1–Not at All Likely
- 2–Somewhat Likely
- 3–Very Likely
- 7–Don't Know/Not Sure
- 9–Refused

SCALEG

- 1–Definitely Yes
- 2–Very Likely
- 3–Somewhat Likely
- 4–Not Very Likely
- 5–Definitely No
- 7–Don't Know/Not Sure
- 9–Refused

SCALEH

- 1–Definitely Yes
- 2–Not Sure, Possibly
- 3–No, Very Unlikely
- 7–Don't Know/Not Sure
- 9–Refused

SEX

- 1–Male
- 2–Female

SEXTALK

- 1–Talked Seriously About STDs
- 2–Talked About STDs—Not Seriously
- 3–Never Talked About STDs
- 7–Don't Know/Not Sure
- 9–Refused

SOURCE

- 1–Foods
- 2–Vitamin Supplement
- 3–Both
- 7–Don't Know/Not Sure
- 9–Refused

SPANINT

- 1–Spanish
- 2–English

STDDXTXT

- 1–Condyloma
- 77–Don't Know/Not Sure
- 99–Refused

STDWHETX

- 1–Hospital
- 2–Health Clinic
- 3–Community Organization
- 4–Private Doctor
- 5–Insurance Clinic
- 6–Refused
- 7–Blood Bank

THRESH

- 1–Over
- 2–Under
- 7–Don't Know
- 9–Refused

TRUEFAL

- 1–True
- 2–False
- 7–Don't Know/Not Sure
- 9–Refused

TRUEFALB

- 1–Often True
- 2–Sometimes True
- 3–Never True
- 7–Don't Know/Not Sure
- 9–Refused

TRUEFALS

- 1–True
- 2–False
- 3–Doesn't Know Term
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

TRYLOTXT

- 1–Did Nothing
- 2–Went on a Diet
- 3–Went on a Fast
- 4–Took Laxatives, Ipecac, or Diuretics
- 5–Made Myself Throw Up (Vomit)
- 6–Drank Alcohol
- 7–Smoked
- 8–Exercised
- 9–Saw Doctor, Nutritionist, or Registered Dietician
- 10–Health Condition/Illness
- 11–Drink Less Alcohol
- 12–Drank Water
- 13–Tried Herbal Supplements
- 14–Tried OTC Diet Supplements
- 15–Tried Prescription Pills
- 16–Other

VITAMIN

- 1–Vitamin A
- 2–B Vitamins
- 3–Calcium
- 4–Vitamin C
- 5–Vitamin D
- 6–Vitamin E
- 7–Garlic
- 9–Minerals/Mineral Supplements
- 10–Multipurpose Vitamin
- 11–Antioxidants
- 12–Other
- 13–Bodybuilding/Protein Supplement
- 14–Weight Loss Drink
- 15–Other Herbs
- 16–Vitamin Fortified Drink
- 17–Omega 3 & Omega 6 Fatty Acids
- 18–Folic Acid/Folate
- 19–Food Supplement
- 20–Ginkgo Biloba, Ginkgo
- 21–Ginseng
- 22–Iron
- 23–Magnesium
- 24–Selenium
- 25–Zinc
- 77–Don't Know/Not Sure
- 99–Refused

VITBWHY

- 1–Make Strong Bones
- 2–Prevent Birth Defects
- 3–Prevent High Blood Pressure
- 7–Don't Know/Not Sure
- 9–Refused

VITBWHYB

- 1–Make Strong Bones
- 2–Prevent Birth Defects
- 3–Prevent Weight Gain
- 7–Don't Know/Not Sure
- 9–Refused

WEIGHT

- 1–Overweight
- 2–Underweight
- 3–About Right
- 7–Don't Know/Not Sure
- 9–Refused

WHATBONE

- 1–Hip or Pelvis
- 2–Wrist or Forearm
- 3–Foot or Leg
- 4–Back
- 5–Clavicle
- 6–Fingers
- 7–Ribs
- 8–Multiple Bones
- 9–Knee
- 10–Toe
- 11–Elbow
- 12–Ankle
- 13–Shoulder
- 14–Other Bone
- 77–Don't Know/Not Sure
- 99–Refused

WHATCA

- 1–Ovarian
- 2–Cervical
- 3–Both
- 4–Neither
- 7–Don't Know/Not Sure
- 9–Refused

WHATHEAX

- 1–Just Name—Don't Know About Program
- 2–I/Relative/Friend Has Been on WIC
- 3–Government Program
- 4–Health/Nutrition Program
- 5–Program for Women/Children
- 6–Provides Free Service/Free Food
- 7–Offers Classes
- 8–Welfare Program

- 9–Program for Low Income People
- 10–It's a Good Program
- 11–For Teens/Teen Mothers
- 12–Other
- 13–Don't Remember/Don't Know
- 14–Refused
- 15–Breastfeeding Program
- 16–Family Planning/Sex Ed
- 17–Job Training
- 18–Works at Social Service Agency

WHERCARE

- 1–Emergency Room
- 2–Private Doctor
- 3–Hospital Clinic
- 4–HMO Clinic
- 5–Community Clinic
- 6–Acute Care Clinic
- 7–Urgent Care Clinic
- 8–Doesn't Go One Place Most Often
- 9–Didn't See Anyone During Past 12 Months
- 10–Other (Specify)
- 11–Campus Health Center
- 12–Military Clinic
- 13–Alternative Practitioner
- 77–Don't Know/Not Sure
- 99–Refused

WHERE

- 1–Public STD Clinic
- 2–Other Public Clinic
- 3–Family Planning Clinic
- 4–Community Clinic
- 5–Private Doctor
- 6–Emergency Room
- 7–Student Health Center
- 8–Military Facility
- 9–Jail or Other Detention Facility
- 10–HMO
- 11–Other (Specify)
- 77–Don't Know/Not Sure
- 99–Refused

WHEREHLP

- 1–Overnight Hospital Stay
- 2–Emergency Room Visit
- 3–Doctors Office, Clinic, Walk-in Center
- 4–Dentist
- 5–Mental Health Care
- 7–Women's Shelter
- 88–Refused Module
- 77–Don't Know/Not Sure
- 99–Refused

WHEREHR

- 1–School/Class
- 2–Friend/Family
- 3–At Work
- 4–At Church
- 5–Grocery Store
- 6–Hospital/Dr./DDS Office/Clinic
- 7–County Health Dept.
- 8–Childcare Center
- 9–Nursing School/Nurse
- 10–Media Campaign
- 11–AFDC
- 12–Community Center/Shelter
- 13–Military
- 14–Don't Remember
- 15–Other
- 16–Personal Experience
- 77–Don't Know/Not Sure
- 99–Refused

WHENVI

- 1–Week
- 2–Month
- 3–6 Months
- 4–Over 6 Months
- 5–Never
- 7–Don't Know/Not Sure
- 9–Refused

WHERHLPB

- 1–Overnight Hospital Stay
- 2–Emergency Room Visit
- 3–Doctors Office, Clinic, Walk-in Ctr
- 4–Dentist
- 5–Mental Health Care
- 6–Women's Shelter
- 7–Clergy
- 8–Police
- 9–Marriage Counselor
- 10–Parents/Relatives
- 11–Friends
- 13–Support Group
- 14–Lawyer
- 15–Military
- 16–Other
- 88–Refused Module
- 77–Don't Know/Not Sure
- 99–Refused

WHO

- 1–Husband
- 2–Former Husband
- 3–Partner
- 4–Former Partner
- 5–Boyfriend
- 6–Girlfriend

- 7–Former Boyfriend
- 8–Former Girlfriend
- 10–Childs Father
- 11–Friend (Gender Not Indicated)
- 12–Father/Step-Father
- 13–Brother/Step-Brother
- 14–Uncle/Cousin
- 15–Stranger
- 16–Family Friend
- 17–Roommate/Housemate
- 18–Other Family Member
- 9–Refused Module
- 88–Refused Module
- 77–Don't Know/Not Sure
- 99–Refused

WHOSEX

- 1–Man
- 2–Woman
- 3–Both
- 4–Neither
- 7–Don't Know/Not Sure
- 9–Refused

WHOSEXB

- 1–Woman
- 2–Man
- 3–Both
- 4–Neither
- 7–Don't Know/Not Sure
- 9–Refused

WHYCBE

- 1–Routine Checkup
- 2–Breast Problem
- 3–Had Breast Cancer
- 7–Don't Know/Not Sure
- 9–Refused

WHYDONE

- 1–Routine
- 2–Problem
- 3–Cancer
- 7–Don't Know/Not Sure
- 9–Refused

WHYDONEB

- 1–Doctor/Nurse Recommended
- 2–Saw or Heard Media Messages
- 3–Friend or Relative Recommended
- 4–Friend or Relative Has Cancer
- 5–Experiencing Breast Problems
- 6–Routine Checkup
- 7–Other Reason
- 77–Don't Know/Not Sure
- 99–Refused

WHYDONEC

- 1–Doctor/Nurse Recommended
- 2–Saw or Heard Media Messages
- 3–Friend or Relative Recommended
- 4–Friend or Relative Has Cancer
- 5–Experiencing Bowel Problems
- 6–Routine Checkup
- 7–Other Reason
- 77–Don't Know/Not Sure
- 99–Refused

WHYNODNB

- 1–Doctor Didn't Recommend It
- 2–Cost
- 3–Embarrassment
- 4–Test Preparation
- 5–Afraid of What It Would Show
- 6–Heard Bad Things About Tests
- 7–Painful
- 8–Didn't Want It
- 9–Didn't Need It
- 10–Other
- 11–No Time
- 77–Don't Know/Not Sure
- 99–Refused

WHYNOFS

- 1–Don't Need Them
- 2–Don't Think I'm Eligible
- 3–Don't Know How to Get Them
- 4–Too Hard to Apply
- 5–Don't Want Govt. Help
- 6–Worried About Citizenship
- 7–Too Embarrassed
- 8–Didn't Think About It
- 9–Don't Qualify
- 10–Didn't Know About Them
- 11–In Process
- 12–Other
- 13–Denied Food Stamps
- 77–Don't Know/Not Sure
- 99–Refused

WHYNOGO

- 1–No Transportation
- 2–Didn't Need Service
- 3–Didn't Want Service/Didn't Want to Go
- 4–No Child Care
- 5–Didn't Think Service Would Help
- 6–Other Reason
- 7–Don't Know/Not Sure
- 9–Refused

WHYNOMED

- 1–Could Not Afford to Buy It
- 2–Felt Medicine Was Unnecessary
- 3–Didn't Like Side Effects
- 4–Don't Like Taking Pills
- 5–Didn't Think It Worked
- 6–Other
- 7–Don't Know/Not Sure
- 9–Refused

WHYNOTDB

- 1–Doctor Didn't Recommend It
- 2–No Reason to Have One
- 3–Cost
- 4–No Insurance
- 5–Too Painful
- 6–Inconvenient/No Time
- 7–Its Not Safe
- 8–Not Interested
- 9–Don't Like Mammograms
- 10–Other
- 11–Embarrassed
- 12–No Doctor
- 13–Have Appt. to Go
- 77–Don't Know/Not Sure
- 99–Refused

WHYNOTDC

- 1–No Insurance to Cover Mammogram
- 2–Doctor/Nurse Did Not Recommend It
- 3–Can't Afford to Pay for Mammogram
- 4–Didn't Know You Needed One
- 5–Didn't Have Time to Go/Lazy
- 6–Too Painful/Afraid
- 88–Other
- 77–Don't Know/Not Sure
- 99–Refused

WHYNOTDN

- 1–Dr. Not Recommend/Dr Said Didn't Need
- 2–Not Needed/Not Necessary
- 3–Never Heard of a Mammogram
- 4–Cost
- 5–No Insurance to Pay for It
- 6–Too Painful
- 7–Inconvenient/No Time
- 8–Think It Is Not Safe
- 9–Not Interested
- 10–Don't Like Mammogram
- 11–Other
- 77–Don't Know/Not Sure
- 99–Refused

WHYNOTFVB

- 1–Take Too Much Time
- 2–Not Available
- 3–Not In Habit
- 4–Too Expensive
- 5–Don't Like Taste
- 6–Not Sure How to Select
- 7–Im Not Sure How to Fix
- 8–Diet Restriction
- 9–They Are Messy
- 10–Hard to Get In Restaurants
- 11–Hard to Get at Work
- 12–I Eat Enough Now
- 13–Spoil Easily
- 14–Other
- 77–Don't Know/Not Sure
- 99–Refused

WHYNOTIN

- 1–Don't Want Government Assistance
- 2–Doesn't Think Meets Income Guidelines
- 3–Work—Can't Leave Work During Day
- 4–No Nutrition Problems In Family
- 5–No Transportation
- 6–No Childcare While Going to WIC
- 7–Too Old to Receive
- 8–No Children/Kids Too Old/Not at Home
- 9–Self/Spouse Employed
- 10–Try to Take Care of Self
- 11–No Need for It
- 12–Receive Help Elsewhere
- 13–No Knowledge of Program
- 14–Has Medical Insurance
- 15–Always Been Healthy
- 16–Too Busy
- 17–Too Young/Student
- 18–Not Planning Preg./Past Childbearing
- 19–Get Info/Medical Info Elsewhere
- 20–Financially Secure
- 21–Program Costs Too Much to Use
- 22–Not Eligible
- 23–Just Not Interested
- 24–Doesn't Believe In Gov. Programs
- 25–Not Interested In Diet Programs
- 26–Other
- 77–Don't Know/Not Sure
- 99–Refused

WHYNOTXT

- 1–Afraid of Doctors
- 2–Condition Not Treatable
- 3–Tried Alternative Cure
- 4–Received Treatment
- 5–Discussed Over Phone
- 6–Couldn't Get Appointment
- 7–Too Busy

- 8–Problem Seasonal—Went Away
- 9–Just Didn't See Physician
- 10–No Insurance
- 11–No Regular Doc
- 12–Other
- 13–Have Upcoming Appointment
- 14–Didn't Want to Care for Self

WHYNOVAC

- 1–Didn't Know I Needed It
- 2–Didn't Think of It
- 3–Cost
- 4–Didn't Know Where to Get Shot
- 5–Inconvenient Time or Location
- 6–Flu Vaccine Unavailable
- 7–Asked Doctor, But Said I Didn't Need It
- 8–Dr Didn't Recommend It
- 9–Didn't Think It Would Work
- 10–I Am Not at Risk/Not Serious
- 11–Flu Shot Gives You Flu
- 12–Serious Side Effects
- 13–Medical Reasons
- 14–Don't Like Shots or Needles
- 15–Other
- 16–Save for Others More at Risk
- 17–Got Pneumonia Shot
- 18–Does Not Believe In Them
- 19–Allergic
- 20–Just Didn't Want One
- 77–Don't Know/Not Sure
- 99–Refused

WHYPAP

- 1–Routine Exam
- 2–Check Problem
- 3–Other
- 7–Don't Know/Not Sure
- 9–Refused

WICDISLK

- 1–Waiting Time for Appointments
- 2–Nutrition/Dietary Counseling
- 3–Health Classes
- 4–Nutrition Classes
- 5–Treatment by WIC Staff
- 6–Treatment by Store Staff W Using WIC
- 7–No Childcare While Going to WIC
- 8–Too Much Paperwork
- 9–Need to Return to WIC Regularly
- 10–Do Not Dislike Anything About WIC
- 11–Wait at Grocery Store
- 12–The Coupons
- 13–Clinic Facilities
- 14–Kids Don't Like WIC Food
- 15–WIC Food/Choices
- 16–Not Enough Food/Milk Provided

Part IV: Categorical Variable Formats

- 17–Embarrassing to Be on WIC
- 18–Medical Checkups for Children
- 19–Wait for Vouchers
- 20–Clinic Location/Need Transportation
- 21–Clients Not Screen Enough
- 22–Limited Choice of Stores
- 23–Limited Appt. Times (Not Early Enough)
- 24–Program Ends Too Soon
- 25–Health Limitations Needed to Recd WIC
- 26–Other
- 77–Don't Know/Not Sure
- 99–Refused

WICDSLKB

- 1–Nothing, I Really Liked WIC
- 2–Waiting at the Clinic
- 3–Waiting Time to Get an Appointment
- 4–Health Classes
- 5–Nutrition or Dietary Counseling
- 6–Treatment by WIC Staff
- 7–Treatment by Store Staff When Using WIC
- 8–No One to Watch Child While Going to WIC
- 9–Too Much Paperwork
- 10–No Transportation
- 77–Don't Know/Not Sure
- 99–Refused

WICLIKE

- 1–Free Food/Formula
- 2–Nutrition Education & Counseling
- 3–Support with Breastfeeding
- 4–Provides Healthy Food to Children
- 5–Concerned About Children
- 6–Helps Low Income Women/Kids/Families
- 7–Provides Vouchers for Food
- 8–One-on-One Nutritional Counseling
- 9–Lets You Pick Store You Want
- 10–Nice Staff
- 11–Nothing—Don't Like WIC
- 12–Classes Provided
- 13–Liked Everything
- 14–Health Exams/Concern About Health
- 15–Other
- 77–Don't Know
- 99–Refused

WICLIKEB

- 1–Free Food or Formula
- 2–Nutrition Education
- 3–Parenting Classes
- 4–Breastfeeding Support

- 5–Nothing, I Did Not Like WIC
- 6–Liked Everything
- 7–Don't Know/Not Sure
- 9–Refused

WICNOTEB

- 1–Are No Longer Eligible
- 2–Did Not Like WIC
- 3–Moved
- 4–Other
- 7–Don't Know/Not Sure
- 9–Refused

WICNOTEN

- 1–No Longer Qualified
- 2–Moved
- 3–Didn't Need It Any More
- 4–Did Not Like WIC
- 5–No Childcare Available to Go to WIC
- 6–Too Much Paperwork
- 7–Waiting Time at WIC Too Long
- 8–Too Hard to Get Required Medical Info
- 9–No Health Insurance/Can't Afford Health Care
- 10–Too Hard to Get a Medical Appointment
- 11–Can't Afford Medical Visits/Co-Pay
- 12–Transportation Problems Getting to WIC
- 13–Can't Get Time From Work to Go to WIC
- 14–Other (Specify)
- 15–Missed Appointment
- 88–Not Applicable
- 77–Don't Know/Not Sure
- 99–Refused

WTBARRI

- 1–Weight Already Healthy
- 2–Inactivity
- 3–Not Able to Exercise (Ill, Disabled)
- 4–No Time to Exercise/Exercise More
- 5–Metabolism/Genetics/Hereditary/Age
- 6–Stress
- 7–Lazy/Tired
- 8–Lack of Discipline/Willpower
- 9–Enjoy Eating/Amount (Type) of Food I Eat
- 10–Money/Money to Buy Nutritious Food/Gym
- 11–Health Issues/Health Care
- 12–No One to Exercise With
- 13–Finding Healthy Foods When Eating Out
- 14–Time Problem
- 15–Behaviors/Habits
- 16–No Barrier
- 17–Other
- 18–No Support
- 77–Don't Know/Not Sure
- 99–Refused

WTFACIL

- 1–Nothing Would Help/Hereditary/Too Old
- 2–Making Time for Exercise/More Time
- 3–Finding an Exercise I Like
- 4–Motivation
- 5–Eating Less
- 6–Eating Different Kinds of Food
- 7–Weight Loss Classes or Doctor Visits
- 8–More Discipline/ More Will Power
- 9–Don't Need to/Don't Worry About It
- 10–More Food
- 11–Reduce Stress
- 12–Medical Help
- 13–Counseling/Weight Loss Program
- 14–Money
- 15–Companionship/Family Support
- 16–Can Not Gain Weight/Underweight
- 17–Move/Change Jobs
- 18–Other
- 19–Stop Smoking/Stop Drinking
- 77–Don't Know/Not Sure
- 99–Refused

WTFACILB

- 1–Nothing Would Help/Hereditary/Too Old
- 2–Making Time for Exercise/More Time
- 3–Finding an Exercise I Like
- 4–Motivation
- 5–Eating Less
- 6–Eating Different Kinds of Food
- 7–Weight Loss Classes or Doctor Visits

- 8–More Discipline/ More Will Power
- 9–Don't Need to/Don't Worry About It
- 10–More Food
- 11–Reduce Stress
- 12–Medical Help
- 13–Counseling/Weight Loss Program
- 14–Money
- 15–Companionship/Family Support
- 16–Other
- 77–Don't Know/Not Sure
- 99–Refused

WWWHER

- 1–Home
- 2–Work
- 3–School
- 4–Library
- 5–Health Center
- 6–Other
- 7–Don't Know/Not Sure
- 9–Refused

YESNO

- 1–Yes
- 2–No
- 8–Not Applicable
- 7–Don't Know/Not Sure
- 9–Refused

YESNODF

- 1–Yes
- 2–No
- 3–Don't Know What it is
- 7–Don't Know/Not Sure
- 9–Refused

YESNODK

- 1–Yes
- 2–No
- 3–Never Drink
- 7–Don't Know/Not Sure
- 9–Refused

YESNODR

- 1–Yes
- 2–No
- 8–None Used
- 7–Don't Know/Not Sure
- 9–Refused

YESNODVA

- 1–Yes
- 2–No
- 3–Never Been Abused
- 4–No Partner
- 5–Could Not Re-contact
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

YESNODVC

- 1–Yes
- 2–No
- 7–Don't Know/Not Sure
- 8–Didn't Seek Service
- 9–Refused

YESNOEST

- 1–Yes
- 2–No
- 3–Depends on Woman
- 7–Don't Know/Not Sure
- 9–Refused

YESNOGES

- 1–Yes
- 2–No
- 3–Gestational Diabetes
- 7–Don't Know/Not Sure
- 9–Refused

YESNOKID

- 1–Yes
- 2–No
- 3–No Children
- 7–Don't Know/Not Sure
- 9–Refused

YESNOM

- 1–Yes
- 2–No
- 3–No Male Sexual Partners
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

YESNOMB

- 1–Yes
- 2–No
- 8–No Male Sexual Partners
- 7–Don't Know/Not Sure
- 9–Refused

YESNOPG

- 1–Yes
- 2–No
- 3–Too Early In Pregnancy
- 7–Don't Know/Not Sure
- 9–Refused

YESNORF

- 1–Yes
- 2–No
- 3–Refused Module
- 4–Refused Module
- 8–Refused Module
- 5–Could Not Re-contact
- 7–Don't Know/Not Sure
- 9–Refused

YESNOTER

- 1–Yes
- 2–No
- 3–No, Pregnancy Terminated/Miscarried
- 4–No, Too Early In Pregnancy
- 7–Don't Know/Not Sure
- 9–Refused

YESNOTS

- 1–Yes
- 2–No
- 3–No, Didn't Seek Medical Help
- 7–Don't Know/Not Sure
- 9–Refused

YESNOUN

- 1–Yes
- 2–No
- 3–Doesn't Know Term
- 8–Refused Module
- 7–Don't Know/Not Sure
- 9–Refused

_AGEG

- 1–18–24
- 2–25–34
- 3–35–44
- 4–45–54
- 5–55–64
- 6–65+

_AGEGB

- 1–18–29
- 2–30–39
- 3–40–49
- 4–50–59
- 5–60+

_AGEGC

- 1–18–44
- 2–45+

_BMIREV

- 1–Underweight
- 2–Normal Weight
- 3–Overweight
- 4–Obese
- 9–Don't Know/Refused

_BREASTA

- 1–Never Had
- 2–Ever Had
- 9–Don't Know/Refused

_BREASTB

- 1–Never Had
- 2–Had W/In 1 Yr
- 3–Had W/In 2 Yrs
- 4–Had W/In 5 Yrs
- 5–Had > 5 Yrs Ago
- 9–Unknown/Refused

_DV

- 1–Yes
- 2–No
- 4–No Partner
- 5–Could Not Re-contact
- 7–Don't Know/Not Sure
- 8–Refused Module
- 9–Refused Question

_DVTYPE

- 1–Insulted or Swore at You
- 2–Threatened to Throw Thing at You
- 3–Threw, Smashed, Hit or Kicked Something
- 4–Threw Something at You
- 5–Pushed, Grabbed, Shoved You
- 6–Slapped You
- 7–Kicked, Bit or Hit You With Fist
- 8–Hit or Tried to Hit You With Something
- 9–Beat Up
- 10–Choked
- 11–Threatened With Knife or Gun
- 12–Use a Knife or Gun
- 13–Used a Knife or Gun on Respondent
- 33–No Abuse Reported
- 44–No Partner
- 55–Could Not Re-contact
- 88–Refused Module
- 77–Don't Know/Not Sure
- 99–Refused Questions

_DVTYPEB

- 1–Past 12 Months: Threw Object at You
- 2–Past 12 Months: Pushed, Grabbed, Shoved, Slapped
- 3–Past 12 Months: Kicked, Bit, Hit With Fist
- 4–Past 12 Months: Beat Up or Choked
- 5–Past 12 Months: Forced Sex Against Will
- 6–Past 12 Months: Threatened With Knife or Gun
- 7–Past 12 Months: Used a Knife or Gun on Respondent
- 33–Past 12 Months: No Abuse Reported
- 44–Past 12 Months: No Partner
- 55–Could Not Re-contact
- 77–Don't Know/Not Sure
- 88–Refused Module
- 99–Refused Questions

_DVTYPEC

- 1–Ever: Threw Object at You
- 2–Ever: Pushed, Grabbed, Shoved, Slapped
- 3–Ever: Kicked, Bit, Hit With Fist
- 4–Ever: Beat Up or Choked
- 5–Ever: Forced Sex Against Will
- 6–Ever: Threatened With Knife or Gun
- 7–Ever: Used a Knife or Gun on Respondent
- 33–Ever: No Abuse Reported
- 44–Ever: No Partner
- 55–Could Not Re-contact
- 77–Don't Know/Not Sure
- 88–Refused Module
- 99–Refused Questions

_PAPC

- 1–Never Had
- 2–Ever Had
- 9–Don't Know/Refused

_PAPD

- 1–Never Had
- 2–Had W/In 1 Yr
- 3–Had W/In 2 Yrs
- 4–Had W/In 3 Yrs
- 5–Had W/In 5 Yrs
- 6–Had > 5 Yrs Ago
- 9–Don't Know/Refused

_POVST

- 1–Below Poverty
- 2–101%–200%
- 3–Over 200%
- 7–Don't Know/Not Sure

_POVSTE

- 1–Below Poverty
- 2–101%–185%
- 3–186%–200%
- 4–Over 200%
- 7–Unknown

_POVSTF

- 1–Below Poverty
- 2–101%–185%
- 3–186%–200%
- 4–201%–250%
- 5–Over 250%
- 6–Less than 185%
- 7–Less than 200%
- 8–Less than 250%
- 77–Unknown

_POVSTG

- 1–Below Poverty
- 2–100%–130%
- 3–131%–185%
- 4–186%–200%
- 5–201%–249%
- 6–250% And Over
- 7–Less than 135%
- 8–Less than 185%
- 9–Less than 200%
- 10–Less than 250%
- 77–Unknown

_RACE

- 1–White, Non-Hispanic
- 2–Black, Non-Hispanic
- 3–White Hispanic
- 4–Black Hispanic
- 5–Other Hispanic
- 6–Asian/Pacific Islander
- 7–Aleutian, Eskimo or American Indian
- 8–Other
- 77–Don't Know/Not Sure
- 99–Refused

_RACEG

- 1–White
- 2–Nonwhite

_RACEGR

- 1–White
- 2–Black
- 3–Hispanic
- 4–Other

_RF

- 1–Not at Risk
- 2–At Risk
- 9,999–Don't Know/Refused

_SMOKER

- 1–Current Smoker
- 2–Former Smoker
- 3–Never Smoked
- 4–Irregular Smoker
- 9–Refused

_STDHIV

- 1–STD Increases Risk of HIV
- 2–STD Have No Effect on HIV Risk
- 3–STD Decreases Risk of HIV
- 4–None Are Correct
- 7–Don't Know/Not Sure
- 9–Refused

Part V: Variable Locations on Questionnaires by Subject

Note: The last question on the survey is underscored and bold (e.g., **122**)

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
<u>Acculturation Scales</u>											
LANGCHLD	102	.	.
LANGFRND	105	.	.
LANGHOME	103	.	.
LANGSPK	101	.	.
LANGTHNK	104	.	.
<u>Adverse Childhood Experiences</u>											
ACEDEPMI	184	184	190	.	.
ACEDVMOM	185
ACEDVMO2	185	191	.	.
ACEDVRCE	187	193	.	.
ACEHNGR	194	70	61
ACEJAIL	186	186	192	.	.
ACESUBAB	183	183	189	.	.
ACEWLFAR	195	84	74
<u>AFP Awareness</u>											
AFPBOOK	40	61	59
AFPNOT1	42	63	61
AFPNOT2	43	64	62
AFPNOT3	44	65	63
AFPNOT4	45	66	64
AFPNOT5	46	67	65
AFPNOT6	47	68	66
AFPNOT7	48	69	67
AFPNOT8	49	70	68
AFPNOT9	50	71	69
AFPTEST	41	62	60
<u>AIDS Awareness</u>											
AIDSNOT	180
AIDSTALK	.	180
AIDSTST3	178
DCTRHIV	178	169
HIVPGTLK	170
HIVPGTST	171	172	.	.	.
PRENHIV	.	60
REASTST3	179
STDHIV	.	186
<u>Alcohol Consumption</u>											
DRINKGE4	124
DRINKGE5	174	164	160	151	150	150	142	143	162	137	.
DRKALC	172	162	158	149	148	148	140	141	160	135	122
DRKGUILT	.	.	.	154	153	153	145
DRNKANY1	171	161	157	148	147	147	139	140	159	134	121
DRNKHARM	145	164	.	.

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
DRNKHELP	146	165	.	.
DRNKPROB	175	165
DRUNK	.	.	161	152	151	151	143	144	163	.	.
DRUNKNUM	.	.	162	153	152	152	144
FAS	.	.	163
FASAWARE	37	31
FASCURED	38	32
FASDNUM	39	33
NALCOCC	173	163	159	150	149	149	141	142	161	136	123

Antibiotic Use

ABTREAT	.	.	.	106
ALTDOC	.	.	.	52
ALTHERB	.	.	.	51
ANTBEAR	.	.	.	101
ANTBLAD	.	.	.	103
ANTCOLD	.	.	.	102
ANTCOLD2	119	.	.	.	17

Asthma

ASTHEVR	108	.	.	.
ASTHSTL	109	.	.	.

Attitudes about Sex Education in Schools

SEXED	168
SEXEDBC	169
SEXEDSTD	170

Attachment Scale

CRI1	211	.	.
CRI2	212	.	.
CRI3	213	.	.
CRI4	214	.	.
CRI5	215	.	.
CRI6	216	.	.
CRI7	217	.	.
CRI8	218	.	.
CRI9	219	.	.
CRI10	220	.	.

Birth Control Use

BCBAR	200
BCBAR2	.	175
BCBARNO2	.	176
BCBARNOT	201
BCPAY	.	.	172	163	162	162	154	155	.	.	.
BCPAY2	.	.	.	163.5	162.5	162.5	154.5	155.5	.	.	.
BCTYPE	184	173	170	161	160	160	152	153	.	144	130
BCTYPTXT	.	.	.	161.5	160.5	160.5	152.5	153.5	.	144.5	130.5
BCUSE	183
BCUSE2	.	172	169
BCUSE3	.	.	.	160	159	159	151	152	.	.	.

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
BCUSE4	152	167	143	129
BCWHYNOT	185	174	171	162	161	161	153	154	.	145	131
BCWHYNOX	.	.	.	162.5	161.5	161.5	153.5	154.5	.	145.5	.
BCWNTHOW	.	.	173	164	163	163	155
CONDOFTN	132
CYCLNOW	109
ECWHERE	148	.
ECWHERE2	137
EMERGWHT	.	.	175	166	165	165	157	157	.	147	136
EMRGC	.	.	174	165	164	164	156	156	.	146	135
MENCYCPL	108
MICROBIC	134
NOCOND	133
OTHRCOND	199

Breast and Cervical Cancer Screening

BCFAM	113
BCHAD	112	124	125	112	112	114
BCMEMA-BCMAMD	114
BCRISK	.	125
BCRISK2	.	.	126	113
CBEGUID2	.	.	131	118
CBEGUIDE	122	131
CNCRTYPE	103	.	.	.
F40	98
F40A-F40C	100
F40CBEG	121
F40CBEBB	120	130	131	.	.	.
F40DFPAY	117
F40GUIDE	106	118	124	111
F40INPAY	115
F40NUM	99
F40RXMAM	110	122
F40SFPAY	116
F50GUID2	108	120
F50GUID3	109	121
F50GUIDE	107	119
F50RXMAM	111	123
GYNEXAM	122	131	132	.	.	.
HADCBE	118	128	129	116	116	117	127	129	137	117	98
HADMAM	101	114	120	107	108	109	120	121	133	113	94
HADPAP	123	132	.	119	120
HADPAP2	140	120	101
HOWLONG2	102	115	121	108	109	110	121	122	134	114	95
HYSTER2	126	135	132	122	124	125	133	134	143	122	103
LUMPOFT2	118
MAMMDFP	.	127	128	115	114
MAMMDFPB	116	126	127	.	.	.
MAMMED12	115
MAMMEDIB	105	117
MAMMPAY	.	126	127	114	113	115	125	126	.	.	.
MANYCBE	119	129	130	.	.	.

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
MANYMAM	103	111	122	123	.	.	.
PAPINFO	122
PAPINFO2	123	132	133	.	.	.
WHATPAP	.	.	.	121	123
WHATPAPB	121
WHENCBE	119	129	130	117	117	118	128	129	138	118	99
WHENPAP2	124	133	.	120
WHENPAP3	121
WHENPAP4	141	121	102
WHYCBE	120	130
WHYCBE2	139	119	100
WHYDON2	.	.	122	109	110
WHYDONE	104	116	.	.	.	112	123	124	135	115	96
WHYNOTDB	113	124	125	.	.	.
WHYNOTDC	136	116	97
WHYNOTDN	.	.	123	110	111
WHYPAP	125	134

Breast Cancer Drug Prevention

BCGENET	119
BCPREVNT	.	.	133	123
BCPRVMED	.	.	136	126
CURRALOX	.	.	135	125
CURRTAMX	.	.	134	124

Breastfeeding

BFBENEFT	60
BFDISCOU	72
BFDISWHO	73
BFENCOUR	62
BFFORM	68
BFHELP	66
BFHLPWHO	67
BFINFO	61
BFLONG	69
BFMLKGD	74
BFNURSE	63
BFPROB	64
BFPROB1	65
BFWHERE2	.	.	46
BFWHERE	75	87
BFWHYNOT	71
BFWHYQT	70
BRSTFED2	43	38	45
BRSTFEED	59	79
CHILDPRT	.	80
IDEALBF	.	86
MLKPREWK	.	82
MLKPSTWK	.	83
NUMHRWRK	.	81
WHNSTPBF	.	85
WHTHLPBF	.	84

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
WNSTPBF2	44	39	46
<u>Cardiovascular</u>											
BPCK12M	27	24
CHCK12M	28	25
CVDBELI2	26
CVDBELI2	29
CVDBELIF	.	.	139
CVDMORT	.	.	34
CVDPROB	.	.	33
HARTATCK	104	.	.	.
HARTDIS	105	.	.	.
HARTSTRK	106	.	.	.
HEARTEAT	26
HEARTEXR	.	.	.	26
HEARTHBP	.	.	.	25
HEARTHRT	24
HEARTIMP	.	.	.	22
HEARTSMK	.	.	.	24
HEARTTLK	.	.	.	23	23	23
HEARTWT	25
<u>Care Giver Responsibilities</u>											
CAREGIV2	.	142
CAREGIVE	141
CARELONG	144
CAREREA	143
CARERESP	.	144
CAREWHO	142	143
HELPKID	139	139
<u>Child Care</u>											
CHILDINT	44	37
CARERCVD	45	38
CAREPBLM	46	39
CAREWHAT	47	40
<u>Colorectal Cancer Screening</u>											
COLOEVER	.	.	.	128	126	127
COLOIMP	.	.	.	127
COLOTLK	125	126
SIGEVER	.	.	.	130	128	129
WHENCARD	.	.	.	129	127	128
WHENSIG	.	.	.	131	129	130
WHYNOSIG	.	.	.	132	130	131
WHYSIG	131	132
<u>Demographics</u>											
AGE	29	47	47	29	36
AGEB	31	37	32	23	31	22
BIRTHPLC	79	91	90	61	58	57	68	53	51	55	48
BIRTHTXT	53.5	51.5	55.5	48.5

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
CHILD18	81	94	93	64	61	60	71	56	54	41	34
CHILD1-CHILD9	82	.	94	65	62	61	72	57	55	42	35
CHILDLT1	.	.	94.5	65.5	62.5	61.5
COUNTY1	92	104	103	74	72	71	82	66	64	157	154
DEMOC1R-DEMOC9R	56	43	36
EDUCA	84	96	95	66	63	62	73	58	.	.	.
EDUCA2	57	86	76
EMPLOY3	85	97	96	67	64	63	74	59	58	87	77
HEIGHT	90	102	101	72	69	68	79	64	62	90	83
HHSIZE	86	98	97	68	65	64	75	60	59	59	50
HISP3	53	64	49	47	51	44
HISPANIC	76	88	87	58	54
INCOM01	66	65
INCOM02	76	61	60	60	51
INCOM94B	89	101	100	71	68	67	78	63	.	.	.
INCOM95	87	99	98	69
MARITAL	80	93	92	63	60	59	70	55	53	80	70
NEWCHILD	83
NUMPHON2	93	105	104	75	74	73	84	68	66	.	.
NUMPHON3	88	79
ORACE2	77	89	88	59
ORACE2A	78	90	89	60	57	56	67	52	50	54	47
ORACE3	55	54	65	50	48	52	45
ORACE4	56	55	66	51	49	53	46
THRESH00	67	66.6
THRESH01	67.1	66.8
THRESH02	67.2	66.9	77
THRESH03	62	61	61	52
THRESH95	88	100	99
THRESH98	.	.	.	70
USENTRY	.	92	91	62	59	58	.	54	.	.	.
USENTRY2	69	.	52	56	49
WEIGHT	91	103	102	73	70	69	80	65	63	.	84
WT12M	71
WT12MB	70	81
YEARINCO	57	.
ZIPCODE*	94	106	105	76	73	72	83	67	65	158	155

Diabetes

DIABDRN2	.	.	58
DIABDRNK	.	59
DIABEVR	110	.	.	.
DIABPREG	111	.	.	.
DMPREG	39

Dieting Behavior

DIET12M	102	105	116	97	94	98	90
DIETLBYO	105
DIETPILL	106	107
DIETYOYB	106
DIETYOYO	103
EPHEDRA	48	44

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
LIKEWT2	50	46	58
<i>Disability</i>											
DISANY	20	20	17	17	19
DISBEND	.	27	26
DISCARE	23	23	.	.	.
DISLONG	21	21	.	.	.
DISMDPRB	24	24	.	.	.
DISMODER	.	25	24
DISSTAIR	.	26	25
DISUSUAL	.	29	28
DISVIGOR	.	24	23
DISWALK	.	28	27
DISWORK	22	22	.	.	.
EQUIP	16	16	18
MAJRPROB	.	30	29
PAIN	.	34	30
POORHLTH	.	4	4	4	4	4	4	4	4	4	4
<i>Domestic Violence</i>											
COUPLE	.	189
DVCANTLK	.	190	187	178	178
FOSTCARE	95	96	102	87	84	85	75
<i>Violence Last 12 Months</i>											
DVAID	182
DVBEATDG	.	.	.	184.2	184.2
DVBEATU2	.	224	196.1	184.1	184.1
DVBEATUP	.	223	196
DVCHLD	187	.	.
DVCHLD2	168	.
DVCHLD3	165
DVCHOKE	.	227	197
DVCHOKE2	.	228	197.1
DVCNTROL	.	.	204	180	180	.	173	174	179	160	157
DVDRGALC	188	169	.
DVDRGAL2	166
DVFEAR	.	.	205	179	179	179	172	173	178	159	156
DVFLODG	188.2
DVFLOWU	188.1
DVHITDG	.	.	.	183.2	183.2
DVHITTH2	.	220	195.1
DVHITTHG	.	219	195
DVHITYO2	.	216	194.1	183.1	183.1
DVHITYOU	.	215	194
DVINSLT	.	191	188
DVINSLT2	.	192	188.1
DVMED1	.	193	188.2
DVMED10	.	229	197.2
DVMED11	.	233	198.2	186.3
DVMED12	.	237
DVMED13	.	.	200.2	187.3
DVMED14	.	.	.	185.3

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
DVMED2	.	197	189.2
DVMED3	.	201	190.2
DVMED4	.	205	191.2	181.3
DVMED5	.	209	192.2	182.3
DVMED6	.	213	193.2
DVMED7	.	217	194.2	183.3
DVMED8	.	221	195.2
DVMED9	.	225	196.2	184.3
DVPUSHDG	.	.	.	182.2	182.2
DVPUSHE2	.	208	192.1	182.1	182.1
DVSERVIC	170	.
DVSERVIC2	167
DVSKHLP	182	182	.	.	.
DVSLAP	.	211	193
DVSLAP2	.	212	193.1
DVTHRDG	.	.	.	181.2	181.2
DVTHRTH2	.	200	190.1
DVTHRTHG	.	199	190
DVTHRTN	.	195	189
DVTHRTN2	.	196	189.1
DVTHRWP2	.	232	198.1	186.1	186.1
DVTHRWPN	.	231	198
DVTHRYO2	.	204	191.1	181.1	181.1
DVTHRYOU	.	203	191
DVUSEDG	.	.	.	187.2	187.2
DVUSEWP2	.	236
DVUSEWPN	.	235	199
DVWHR1	.	194	188.3
DVWHR10	.	230	197.3
DVWHR11	.	234	198.3
DVWHR12	.	238
DVWHR13	.	.	200.3
DVWHR2	.	198	189.3
DVWHR3	.	202	190.3
DVWHR4	.	206	191.3
DVWHR5	.	210	192.3
DVWHR6	.	214	193.3
DVWHR7	.	218	194.3
DVWHR8	.	222	195.3
DVWHR9	.	226	196.3
DVWPNDG	.	.	.	186.2	186.2
DVWPNON2	.	.	200.1	187.1	187.1
DVWPNONU	.	.	200
DVYRBEAT	.	.	.	184	184	.	177	178	183	164	162
DVYRFLOW	188	.	181	181	186	167	158
DVYRHIT	.	.	.	183	183	.	176	177	182	163	161
DVYRPUSH	.	.	.	182	182	.	175	176	181	162	160
DVYRSEX	.	.	.	185	185	.	178	179	184	165	163
DVYRSEX2	.	.	.	185.1	185.1
DVYRTHRW	.	.	.	181	181	.	174	175	180	161	159
DVYRUSE2	185	166	164
DVYRUSE	.	.	.	187	187	.	180	180	.	.	.

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
DVYRW1_A-K	.	.	.	181.4
DVYRW2_A-K	.	.	.	182.4
DVYRW3_A-K	.	.	.	183.4
DVYRW4_A-K	.	.	.	184.4
DVYRW5_A-K	.	.	.	185.4
DVYRW6_A-K	.	.	.	186.4
DVYRW7_A-K	.	.	.	187.4
DVYRWPN	.	.	.	186	186	.	179
<i><u>Violence Ever In</u></i>											
<i><u>Lifetime</u></i>											
DVEBETDG	.	.	.	191.2
DVEHITDG	.	.	.	190.2
DVEMED11	.	.	.	193.3
DVEMED13	.	.	.	194.3
DVEMED14	.	.	.	192.3
DVERVCMB	181
DVESEXDG	.	.	.	192.2
DVETHRDG	.	.	.	188.2
DVEUSEDG	.	.	.	194.2
DVEVBET2	.	.	.	191.1
DVEVHIT2	.	.	.	190.1
DVEVMED4	.	.	.	188.3
DVEVMED9	.	.	.	190.3
DVEVPSDG	.	.	.	191.3
DVEVPSH2	.	.	.	189.2
DVEVRBET	.	.	.	189.1
DVEVRHIT	.	.	.	191
DVEVRPSH	.	.	.	190
DVEVRSEX	.	.	.	189
DVEVRTH2	.	.	.	192
DVEVRTHR	.	.	.	188.1
DVEVRUSE	.	.	.	188
DVEVRWPN	.	.	.	194
DVEVSEX2	.	.	.	193
DVEVUSE2	.	.	.	192.1
DVEVWPN2	.	.	.	194.1
DVEWPNDG	.	.	.	193.1
DVSHLTER	.	.	206	193.2
DVWHR1_A - DVWHR1_K	.	.	.	195
DVWHR2_A - DVWHR2_K	.	.	.	188.4
DVWHR3_A - DVWHR3_K	.	.	.	189.4
DVWHR4_A - DVWHR4_K	.	.	.	190.4
DVWHR5_A - DVWHR5_K	.	.	.	191.4
DVWHR6_A - DVWHR6_K	.	.	.	192.4
DVWHR7_A - DVWHR7_K	.	.	.	193.4
DVYRCMB	.	.	.	194.4	.	180

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
<u>Drug Use/Criminal Behavior</u>											
CRIMJAIL	85	.	.
ILLDRUGS	176
WHENDRUG	177
<u>Exercise/Physical Activity</u>											
BARRPA	112	93	.	.	.
BARRPA2	90	94	89
BLKACT	.	32	31
CRIME	100	98	.	.
EXBMODAB	100	110	91	88	.	87
EXBMODAY	99
EXBMODMB	101	111	92	89	.	88
EXERMOD	97	98
EXERMOD2	108	89	86	92	85
EXEROFT2	109	90	87	93	86
EXEROFTM	98	99
EXERWORK	96	97	107	88	.	.	.
EXMODMI	100
PLEASANT	102	100	.	.
STAIRAC2	.	31
TIMESIT	.	33
TIMESIT2	101
TRAFFIC	101	99	.	.
WATCHTV	99	97	101	93
WORKPHYS	102	113	94	91	95	.
<u>Fish Consumption</u>											
EATCATCH	39	.	.
EATCHKID	41	.	.
EATCHOFN	40	.	.
EATFSKID	44	.	.
EATFSMKT	42	.	.
EATFSOFN	43	.	.
FISHOFT	61
FISHPORT	45	.	.
FISHSERV	62
FISHWARN	63	.	46	.	.
<u>Family Planning</u>											
<u>Access to Family Planning Services</u>											
<u>Attitudes</u>											
FPDENAP	.	171	168	159	158	158	150	151	.	.	.
FPDENIE2	.	169	166	157	156	156
FPDENIE3	148	149	.	.	.
FPDENIED	167
FPDENLO	.	170	167	158	157	157
FPDENLO2	149	150	.	.	.
FPKID	160
FPKIDWEN	161
FPOTHR	164

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
FPPREG	163
FPREPRO	162
FPWHEN	165
FPWHEN2	.	167	165	156	155	155	147	148	.	142	128
FPWHERE	166
FPWHERE2	.	168
<u>Fertility</u>											
FERTDCTR	123	.	.
FIBROIDS	122	.	.
FERTADV	124	.	.
FERTTEST	125	.	.
FERTDRUG	126	.	.
FERTTUBE	127	.	.
FERTINSM	128	.	.
FERTIVF	129	.	.
FERTFBRD	130	.	.
FERTOTHR	131	.	.
FERTCAM	132	.	.
<u>Folic Acid</u>											
FOLICEAB	41
FOLICEAT	45
FOLICHER	35	55	56	40
FOLICIN2	.	56
FOLICINC	37
FOLICLRN	.	58	57	41	.	.	52
FOLICLTX	.	.	.	41.5
FOLICSO2	.	57
FOLICSOA	38
FOLICWHY	36
<u>Food Adequacy</u>											
AFRDMEAL	.	108	107	79	77	80	87	71	69	64	55
CUTMEAL	.	.	108	80	78	81	88	72	70	65	56
CUTOFTN	.	.	109	81	79	82	89	73	71	66	57
EATLESSB	96
EATLESSC	.	109	110	82	80	83	90	74	72	67	58
EVRHNGRY	.	110	111	83	81	84	91	75	73	68	59
FDSTMAPP	.	.	.	93	83	86	93	77	75	71	62
FDSTMDEN	.	.	.	94	84	87	94	78	76	72	63
FOODBANK	.	.	.	89	85	88	95	79	77	73	64
FOODKIT	.	.	.	90	86	89
FOODSHOP	78	69
FOODSENR	.	.	.	92	87	90
FOODSTLS	89	93	99	83	81	77	68
FOODSTOR	97
FOODSTP	88	91	96	.	.	74	.
FOODSTP2	80	78	.	65
FOODWIC	.	.	.	91	35	30	.	81	.	.	.
FOODWIC2	97	.	79	75	66
FVCANNED	78	.
INCOMADQ	95	.	.	77	75	78	85	69	67	62	53

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
NOFDHLTH	.	.	.	88	92
NOFDOUT	.	.	.	87
NOFDOUT2	91
NOFDSTOR	.	.	.	86	90
NOTEAT	.	.	.	84	82	85	92	76	74	69	60
NOTMED	.	.	.	85
OUTOFFD	.	107	106	78	76	79	86	70	68	63	54
SCHLMEAL	81	71
WHYNOFS	92	98	82	80	76	67

Food Safety

EATBURGR	.	.	112
EATEGG	.	.	113
EATRAW2	.	.	114
EATSPROT	.	.	115
FSEGGG	.	.	118
FSHAMB	.	.	117
FSOYSTER	.	.	116
FSSPROUT	.	.	119

Health Access

EMPPLAN	2	6	6	6	6	6	6	6	6	6	6
GAPPLN	9	14	15	15	15	15
GAPPLNT	10	15	16	16	16	16
GAPPLNT2	15	15	14	14	14
HAVEPLN3	1	5	5	5	5	5	5	5	5	5	5
HLTHLIST	12	17	18	18	18	18	17	17	.	.	.
HLTHPLAN	2	6	6	6	6	6
HLTHTXT	.	.	.	18a	18a	18a
HMOPPO2	11	16	17	17	17	17	16	16	.	.	.
INDIANHS	.	.	12	12	12	.	12	12	12	12	12
INDOTHER	.	12
MAINPLAN	8	.	.	.	14	14	14	14	.	.	.
MAINPLN2	.	13	14	14
MEDI_FU2	205	201	202	221	178	171
MEDI_FUP	.	.	207	201	204
MEDICAL	6	10	10	10	10	.	10	10	10	10	10
MEDICARE	5	9	9	9	9	.	9	9	9	9	9
MILINDOT	7
MILPLAN	.	11	11	11	11	.	11	11	11	11	11
OEMPLAN	3	7	7	7	7	.	7	7	7	7	7
OTHRSRCE	.	.	13	13	13	.	13	13	13	13	13
OWNPLAN	4	8	8	8	8	.	8	8	8	8	8
PASTPLAN	13	19	20	20	20	20	18	18	15	15	15
TIMEPLAN	.	18	19	19	19	19

Health Information and Health Decisions

CHECKUP2	17	23	21	21	21	21	19	19	.	.	.
CHECKUP3	19	16
CHKUP_A	20	.
CHKUP_B	21	.
CHKUP_C	22	.

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
CHKUP_D	23	.
CHKUP_E	24	.
CHKUP_F	25	.
CHKUP_G	26	.
CHKUP_H	27	.
CHKUP_I	28	.
CNCBELIF	27
GENHLTH	.	1	1	1	1	1	1	1	1	1	1
NEEDDOC2	14	20
OVARRISK	124
PHYSHLTH	.	2	2	2	2	2	2	2	2	2	2
SEEDOC	15	21
SEHEALTH	.	.	22
WHERCARE	22	22	27	27	20	.	.
WHYNODOC	16	22
WWWHELTH	76
WWWINFO	77
WWWUSE	74
WWWWHER	75
<u>Herbs</u>											
DCTRHERB	34	.	.
HERBSORC	56
HERBSUP	54	44	.	.	.
HERBTAKE	53	43	.	.	.
HERBTAKE2	33	.	.
HERBTALK	55	45	.	.	.
<u>Housing</u>											
HMLSADQ	106
HMLSMOVE	105
HMLSRENT	103
HOMELESS	104
<u>Immunization</u>											
FLUVAC	25	25	.	.	.
FLUVAC2	18	18	.
FLUVAC50	26	26	.	.	.
WHYNOVAC	19	.	.
HPVHEARD	23	.
HPVNUM	25	.
HPVVAC	24	.
HPVWHYNT	26	.
<u>Income Adequacy</u>											
PUBASST	93
PUBASST2	94
PUBASST3	100	84	82	82	.
PUBASST4	72
PUBASTCH	86	.	.	.
PUBASTN2	95	101	85	83	83	73
PUBASTNW	94

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
<u>Long Term Care</u>											
LTCBUY	30
LTCDISC	31
LTCGIVE	29
LTCRCVD	28
LTCWHO	32
<u>Menopause</u>											
ESTROHR2	131
ESTROHR3	.	.	138
ESTROHR4	138
ESTROHRT	131
EVEREST	.	.	137
EVEREST2	137
HRTBELIF	132
HRTCURR	107
MEDWHEN	130
MENOPAUS	128
MENOPAU2	105
MENOWHEN	129	106
MENSES	127
MENSES2	104
MENSPRMT	104.5
<u>Mental Health Issues</u>											
DAYSANX	.	146	143	143	.	142	135	136	145	.	.
DAYSLEEP	145
DAYSSAD	.	147	144	144	.	143	136	137	146	.	.
HAPP1	174	.
HAPP2	175	.
HAPP3	176	.
HAPP4	177	.
HELPGOOD	.	.	.	138
MENTBELF	140
MENTHELP	142
MENTHLTH	.	3	3	3	3	3	3	3	3	3	3
MENTMED	141
MHDX	156
MHDX2	.	.	151	154	.	.
MHELPEVR	.	.	.	147
MHEVER	.	151.5
MHHELP	147
MHHELP2	.	152	146	145	.	144	137	.	147	124	111
MHHELP3	143
MHHLAWN2	.	.	147	.	145	145	138	139	.	.	112
MHHLAWN3	.	.	.	146
MHHLAWN4	125	.
MHHLAWNNT	148	153	148	.	.
MHLMTDY	.	151
MHLMTWK	.	150
MHLONG	151

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
MHMED	158	157	.	.
MHMED2	.	158	154
MHNOTGE2	.	154	149	149	.	.
MHNOTGET	149
MHNOW	150	150	.	.
MHNTCTRL	.	.	140	141	146	140
MHOVRWL2	.	.	.	142
MHOVRWLM	146	145	141	.	.	141	134	135	144	123	110
MHPAYDIF	.	.	.	140
MHPAYDOC	157	157	152	155	.	.
MHPAYRX	159	158	.	.
MHPROHLP	154	152	.	.
MHTLKHLP	.	.	.	146a
MHTRYHL2	144
MHTRYHLP	.	.	148
MHUSUAL	153
MHWHELP	155
MHWHELP2	155.1	155	153	.	.
MHWHELP3	.	.	150	.	.	146
MHWHERGO	.	.	.	139
MHWORK	152	151	.	.
MHWTHelp	.	.	142
PHQ1	126	113
PHQ2	127	114
PHQ3	128	115
PHQ4	129	116
PHQ5	130	117
PHQ6	131	118
PHQ7	132	119
PHQ8	133	120
TAKEMED	.	159	155
WHYNOINS	.	157.5	153	156	.	.
WHYNOMED	.	160	156

Nutritional Decisions

DAILYEAT	51	47	59	47	36	.	80
DAILYMLK	.	.	.	57	53	49
DAILYVEG	.	.	.	56	52	48	60	48	37	.	81
HEARSERV	50
HEARSTOR	51
HINSNTRN	104	115	96	93	97	.
RECSERV	52
WORKNTRN	103	114	95	92	96	.
WHYNOTFV	38	.	.
WHYNOTF2	89	82

Osteoporosis

BONEDEN	103	.
CHKHGHT	119	.	112	.
FALLBRK	136
FALLBR2	114	.	109	.
OSTEO	.	.	32

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
FALLTEST	117	.	111	.
OSTEO2	116	.	.	.
OSTEOCAL	106	.
OSTEODEF	.	.	.	134	133	133
OETEOFOD	108	.
OSTEOHAD	104	.
OSTEOHRD	.	.	.	133	132
OSTEOIMP	.	.	.	135	134
OSTEOPA	107	.
OSTEOPHY	138
OSTEOPRV	120	.	102	.
OSTEORSK	118	.	.	.
OSTEORX	105	.
OSTEOTL2	135
OSTEOTL3	107	.	.	.
OSTEOTLC	112	.	.	.
OSTEOTLB	134
OSTEOTLD	.	.	.	137	136	.	.	113	.	.	.
OSTEOTLK	.	.	.	136	135
WHATBONE	137	.	115	.	110	.

Post Traumatic Stress Disorder

PTSD1	.	.	.	196	199	200	196	197	206	.	.
PTSD2	.	.	.	197	200	201	197	198	207	.	.
PTSD3	.	.	.	198	201	202	198	199	208	.	.
PTSD4	.	.	.	199	202	203	199	200	209	.	.
PTSD5	.	.	.	200	203	204	200	201	210	.	.
TSSBTAD	192	193	188	189	197	.	.
TSSBTCH	196	197	193	194	203	.	.
TSSDIAD	194	195	190	191	198	.	.
TSSDICH	198	199	195	196	205	.	.
TSSINSCH	191	192	201	.	.
TSSSXAD	193	194	189	190	199	171	168
TSSSXCH	197	198	194	195	204	173	170
TSSSXJR	200	172	169
TSSTKAD	191	192	187	188	196	.	.
TSSTKCH	195	196	192	193	202	.	.

Prenatal Care

BRTHWGHT	.	.	54	37	42	37	44	39	30	.	.
DATEBRTH	38	29	.	.
LIVEBRT2	36	27	35	30
LOBRTHWT	42	37	28	.	.
PREGHLTH	.	.	.	39
PREG5YR	35	26	34	29
PREGNANT	33	24	32	27
PRENATA2	.	.	53	36
PRENATAL	51
PREVBRTH	.	.	.	35
RUBELLA	.	.	73	46
SFCHEESE	.	.	.	95
SFMEAT	.	.	.	96

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
TLDSTRPB	.	.	.	104
TRYPREG	34	25	33	28
WTGAIN	53	73	71	44
WTGAINRT	54	74	72	45
WTPREPG	52	72	70	43

Religion

RELIGION	78
----------	---	---	---	---	---	---	---	---	---	---	----

Sexual Behavior

FRSTCOND	.	179	179	170	.	169	.	165	.	.	148
MAINCOND	196
MAINPART	195
OTHRPAR2	.	178	178
OTHRPAR3	.	.	.	169	.	168	.	164	.	.	147
OTHRPART	197
REAUNPLN	141	127
SEXBEH1	198
SEXBHAGE	181	166	164	155	154	154	146
SEXBHAG2	147	166	138	125
SEXBHNU2	170
SEXBHNU3	175	.	.
SEXBHNUM	182	177	163	.	139	146
SXORIENT	160	.	.	.
SXORIEN2	169	150	139
SEXWOTHR	171
SEXWOTH2	167	.	.	.
SEXWOTH3	149
UNPLANSX	140	126
WHOSEX	.	239
WHOSX12M	.	.	177	168	167	167	159	159	168	149	138
WHOSXEVR	.	.	176	167	166	166	158	158	.	.	.

Sexually Transmitted

Disease

ASKFRTST	.	182	182	175
CHLYDHIV	142
CHLYDHRD	141
CHLYDTS2	161	.	173	.	.
CHLYDTS3	162	.	.	.
CHLYDTS4	143
CHLYDTST	.	181	180	173	171	173
CHLYDXTT	.	.	.	174a
CHLYDWH2	162	.	174	.	.
CHLYDWHR	.	.	181	174	.	174
DOUCHEVR	.	.	.	176	174
DOUCHOFN	.	.	.	177	175
HPVCERV	151
HPVCRVCA	145
HPVSTD	144
INFERTIL	189	188	.	.	177	.	165
INFERTI2	153
PROBPREG	188	187	164

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
PROBP2	152
PROBRCL	172	.	.
STDADV	190	185
STDADV2	177	163	168	.	.	150
STDCERV	155	.
STDCHILD	156	.
STDCHK	193	183	.	.	.	176
STDCHLTD	167	.	142	152	.
STDCHLY2	187	.	.	172	169	172
STDCHLY3	160	.	.	151	.
STDCHLYD	186	.	.	171	168	.	.	161	.	.	140
STDDX	192
STDDX2	177	.	.
STDDTXT
STDHRPNO	.	.	184	.	173
STDHRPT2	172
STDHRPT3	175	.	.	.	154	.
STDHRPTD	.	.	185	.	.	.	166	.	.	153	.
STDHRPTR	.	.	183
STDPROB	171	.	.
STDPROPG	170
STDRCALL	170	.	.
STDTALK	168
STDTALK2	166	.	.	.
STDTEST	169	.	.	.
STDTOLD	191
STDTOLD2	176	.	.
STDTSTWT	170	.	.	.
STDWHERE	194	184

Size Acceptance

LAXWGHT	.	.	.	100
LOSEWT	.	112
SELFWGHT	.	.	.	97	49	45	57	46	35	50	43
SIZEFEE2	.	.	.	98
SIZEFEEL	.	111
TRYLOSE	.	113
VOMTWGHT	.	.	.	99

Smoking

Exposure

EXPHRS	20	37
<u>History</u>											
SMKEVDA2	19	36	36	28	31	29	34	29	22	30	21
SMOKE100	18	35	35	27	30	28	33	28	21	29	20

Social Support

HLPACT	137	138
HLPONEY	138	139
HLPRIDE	140	141
HLPSICK	139	140

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
<u>Urinary Incontinence and Bladder Problems</u>											
BLADINF	134
BLADINF2	.	.	.	105
CYSTITIS	136
DAYURIN	.	137
SYMPLAST	.	.	.	105a
TOLDINF	135
UIPROB	133	136
<u>Vitamins and Minerals</u>											
IRON	57	78
IRONLOCK	58
OFTCERL	48
STOPSUPP	.	.	85	54
SUPSLEEP	.	.	145
TAKESUPP	.	.	.	53
VITAIU	.	.	.	50
VITAMA	.	.	76
VITAMBF	55	75
VITAMCT	56
VITAMCT2	.	76
VITAMCT3	.	.	74
VITANX	.	.	78
VITAT_B	.	.	75
VITATAK2	.	.	77
VITATAKE	.	77
VITBWHY	.	.	.	42
VITBWHYB	40	47	40	.	.	.
VITCVD	.	.	79
VITDAILY	43	51	42	32	49	42
VITGHLT	.	.	80
VITIMMU	.	.	81
VITMILK	49
VITMNAL	.	.	82
VITOTR	.	.	84
VITPREN	.	.	74a
VITPREN2	.	.	.	47	46
VITSEDOC	.	.	86	55
VITTAKEA	.	.	.	49
VITTAKEB	.	.	.	48	47
VITTAKEC	42	50	41	31	48	41
VITWTLS	.	.	83
<u>Weight</u>											
WEIGHT	91	103	102	73	70	69	80	65	63	91	.
WTBARRI	117	.	95	99	91
WTFACIL	118
WTFACIL2	98	.	96	100	92

Part V: Variable Locations

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>
<i>WIC Outreach</i>											
INTEREST	27
WHATHEA2	.	.	38
WHATHEA3	36
WHATHEAR	22
WHERHEA2	34
WHERHEAR	23	.	39
WHYNOTIN	28
WIC2YR	.	38	41
WICAD	33
WICCURR	.	41	42
WICDISLK	26	40
WICDSLK2	.	.	45
WICEVER	24
WICQUAL	31	.	.	.
WICHEAR	21	.	37	.	.	.	35	30	.	.	.
WICHEAR2	32
WICLIKE	25	39
WICLIKE2	.	.	44
WICNOGO	.	46
WICNOTEN	.	42	43
WICREF	.	43
WICSVGO	.	45
WICWHEN	.	.	40

Part VI: Weights

Why Weight

Survey data require weighting for two essential reasons. The first reason is to correct for the difference between survey sample composition and population composition. For example, the in-line text table below shows the racial composition of the 2007 California Women's Health Survey (CWHS) on the top and the California population according to the 2000 Census on the bottom:

5% Black, 30% Hispanic, 57% White, and 8% Other – CWHS sample composition,
7% Black, 32% Hispanic, 47% White, and 14% Other – U.S. Census California population composition. Weighting adjusts for the differences between the selected sample and the actual population; weighting results in more reliable data to reflect more closely the characteristics of the population.

Non-coverage and non-response cause composition discrepancies between survey sample and actual population. Non-coverage means that factors beyond the control of survey designers may exclude some segments of the population. The primary exclusionary factor in phone surveys is the lack of a residential landline. There are two types of non-response: item non-response which is when the respondent does not answer a particular question and unit non-response which is when a selected household does not complete the interview. Non-coverage and non-response are prevalent in all surveys. Survey researchers must employ weighting to adjust for the composition differences between the sample and the population.

The second reason for weighting survey data is to account for survey design. Survey design involves developing a sampling method to randomly select individuals from the population to participate in the survey. Simple random sampling, where respondents are selected completely at random from the total population, is not possible when there are no records with contact information for every individual in the population. Sampling techniques other than simple random sampling require weighting to correct for different selection probabilities. Most phone surveys employ similar sampling methods; they randomly select a household then randomly select a respondent from that household. The selection probability depends on both the number of households and the number of eligible respondents in that household. Unlike simple random sampling in which every individual has the same selection probability, most surveys must be weighted to account for different selection probabilities.

If a researcher fails to employ weights, then the study prevalences, or estimated percentages, could be substantially different from the actual percent in the population. In short, failure to use weights will very likely result in an inaccurate representation of the population, and invalidate the study. A common artifact of misapplication of survey data by failure to weight is that an unweighted result will appear to be significant because it has a smaller variance than the correctly weighted data would have had. This artifact makes relationships in the study appear to be more significant than they are, skewing the conclusions and invalidating the study.

CWHS Weights

As discussed above, weighting is an adjustment to the data to correct for non-coverage, non-response, and survey design. To get meaningful analysis, researchers must apply weights when using survey data. Survey Research Group (SRG) calculates weights for each year's dataset. Every respondent in the dataset has an assigned weight; this weight must be applied whenever that respondent's information is used. The weights appear as variables in the SAS dataset. Survey data analysis requires statistical software that allows for correct application of weights. SRG uses SAS, but other software is available. The survey research methods section of the American Statistical Association offers a website elaborating on software packages with survey analysis capabilities at <http://www.hcp.med.harvard.edu/statistics/survey-soft/>.

SAS provides for several types of analysis using survey data including frequency tabulation through PROC SURVEYFREQ. The SAS code example below shows a cross tabulation of health care coverage by race. The third line correctly weights the CWHS data, applying the overall weight to correct for survey design, non-coverage, and non-response. The second line requests a cross-tabulation of health coverage by race, with a row option to include counts and percentages by race.

```
1 proc surveyfreq data=cwhs.cwhs_07p;
2   table _racegr*havepln3 / row;
3   weight _wt00r4;
4 run;
```

The age and race distribution of the CWHS sample does not completely match that of the California population. Before use in any analysis, researchers must weight CWHS data to obtain meaningful population estimates. The attached tables provide the names and relevant information on all weights included in the CWHS dataset and the population estimates that SRG used to construct these weights.

Each weight in the CWHS Final Weights Table, below, combines post-stratification weighting and probability of selection adjustments. The post-stratification weights used here (discussed in more detail below) are ratio-adjusted and correct the age and race distribution of the CWHS sample to match the demographics of the California population. The probability of selection adjustments used in creating the weights take into account the following factors: number of adults in the household (NUMWOMEN), the number of unique telephone numbers in the household (PHONE93), and for aggregated years, the number of interviews completed within a given year. All weights are constructed so that they sum to a standard population.

Post-stratification weighting is an adjustment to the data to account for the discrepancies in demographics between the sample and population. For CWHS data, the demographic variables categorize the sample and population into different groups defined by age and race. SRG assigns weights to each individual based on that individual's categorical group. The assigned weight is a ratio of the percent of the categorical group in the population to the percent of that group in the sample.

Statisticians implement post-stratification weighting after survey data collection is complete.

Single year weights

SRG calculates three weights for each annual dataset using 2000 California Department of Finance population estimates. `_WT00`, `_WT00B`, and `_WT00R4` each utilize different categorical groups of demographics. `_WT90`, `_WT90B`, `_WT90R4` correspond to the first three 2000 weights to provide compatibility with older analyses, but do not apply to new analyses since they are adjusted to the 1990 California population. The CWHS Final Weights Table describes each weight.

Each of these weights adjusts a single year's sample to the age and race distribution of the 2000 California population, regardless of the year of data collection. These weights should be selected when the purpose of the analysis is to compare annual trends for two or more years. Using one of these weights will allow the researcher to control for changes in the age and race structure of the population over time. The choice of the weight depends upon the planned analysis. For example, if an analysis were planned to examine the prevalence of mammography screening in the population, `_WT00R4` would be an appropriate choice. However, if one wished to examine a variable which occurred infrequently in the population, for example, mental health condition diagnosis (MHDX), either `_WT00` OR `_WT00B` would be a more appropriate choice.

These weights apply to analyses of the entire California female population, not smaller geographic areas, such as region or county. If data users wish to undertake regional analyses, it is necessary to develop regional weights based upon the population of the specific region. SRG recommends consulting with a statistician familiar with regional weighting procedures.

Finally, data users should be aware that the weights discussed here adjust only for differences in age and race between the CWHS sample and the California population. The weights do not adjust for any differences in education or income. Also, if the researcher wishes to compare differences among race/ethnicity groups, age should be included in the analysis, or the data should be age adjusted. If, after reviewing these weights, researchers find that none of the provided weights apply to the planned analysis, then consultation with a statistician familiar with weighting procedures is necessary. SRG adjusts the CWHS sample to the standard population of the 2000 California population. 2000 California data are on files at: [State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 2000–2050. Sacramento, CA, May 2004.](#)

CWHS FINAL WEIGHTS

<u>Weight Variable</u>	<u>Age/Race Variables</u>	<u>Weight Characteristics</u>
_WT00	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 2000; 2 race groups—White, Non-White. 6 age groups.
_WT00B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 2000, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT00R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 2000, 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.
_WT90	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 1990; 2 race groups—White, Non-White. 6 age groups.
_WT90B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 1990, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT90R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 1990 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.

Values for Age Variables

_AGEG	18-24	_AGEGC	18-44
	25-34		45+
	35-44		
	45-54		
	55-64		
	65+		

Values for Race Variables

_RACEGR	White	_RACEG	White
	Black		Non-White
	Hispanic		
	Asian\Other		

Table VIII. DOF 1990 CA Population Estimates Used to Create Weight _WT90N by Two Race Groups, 10-Year Age Categories

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	784,757	1,518,975	1,407,811	948,299	802,625	1,447,907	6,910,374
	Non-White	823,984	1,233,129	891,208	507,923	369,059	387,990	4,213,293
Total		1,608,741	2,752,104	2,299,019	1,456,222	1,171,684	1,835,897	11,123,667

Table IX. DOF 1990 CA Population Estimates Used to Create Weight _WT90BN by Four Race Groups, 2 Age Categories

		Age Category		Total
Sex	Race/Ethnicity	18-44	45+	
Female	White	3,711,543	3,198,831	6,910,374
	Black	492,743	263,387	756,130
	Hispanic	1,736,995	627,494	2,364,489
	Other	718,583	374,091	1,092,674
Total		6,659,864	4,463,803	11,123,667

Table X. DOF 1990 CA Population Estimates Used to Create Weight _WT90CN by Four Race Groups, 10-Year Age Categories

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	784,757	1,518,975	1,407,811	948,299	802,625	1,447,907	6,910,374
	Black	124,443	209,467	158,833	98,982	72,234	92,171	756,130
	Hispanic	530,761	733,653	472,581	261,099	183,863	182,532	2,364,489
	Other	168,780	290,009	259,794	147,842	112,962	113,287	1,092,674
Total		1,608,741	2,752,104	2,299,019	1,456,222	1,171,684	1,835,897	11,123,667

Table XI. DOF 2000 CA Population Estimates Used to Create Weight _WT00 by Two Race Groups, 10-Year Age Categories

		Age Category						
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	Total
Female	White	594,737	1,016,140	1,344,110	1,265,745	836,345	1,471,842	6,528,919
	Non-White	1,022,242	1,527,123	1,374,451	954,873	534,385	626,221	6,039,295
Total		1,616,979	2,543,263	2,718,561	2,220,618	1,370,730	2,098,063	12,568,214

Table XII. DOF 2000 CA Population Estimates Used to Create Weight _WT00B by Four Race Groups, 2 Age Categories

		Age Category		
Sex	Race/Ethnicity	18-44	45+	Total
Female	White	2,954,987	3,573,932	6,528,919
	Black	465,957	339,260	805,217
	Hispanic	2,407,966	1,014,927	3,422,893
	Other	1,049,893	761,292	1,811,185
Total		6,878,803	5,689,411	12,568,214

Table XIII. DOF 2000 CA Population Estimates Used to Create Weight _WT00R4 by Four Race Groups, 10-Year Age Categories

		Age Category						
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	Total
Female	White	594,737	1,016,140	1,344,110	1,265,745	836,345	1,471,842	6,528,919
	Black	107,199	166,056	192,702	142,778	87,510	108,972	805,217
	Hispanic	665,600	964,324	778,042	478,130	256,932	279,865	3,422,893
	Other	249,443	396,743	403,707	333,965	189,943	237,384	1,811,185
Total		1,616,979	2,543,263	2,718,561	2,220,618	1,370,730	2,098,063	12,568,214

Part VII: Calculated Variables

SRG combines the responses to some survey questions to improve ease of analysis and simplify categories. The names of calculated variables begin with an underscore to distinguish them from response variables. Some of the calculated variables are simple re-categorizations of a single variable, while others combine two or more categorical or continuous variables. The list below describes the details of the calculated variables. ALL means that all of the variables in the Variables Used list must fulfill the criterion, while ANY means that any one of the variables in the list may fulfill the criterion.

Variable	Variables Used	Coding/Formula
_AGEG	AGEB	1- $18 \leq \text{AGEB} \leq 24$ 2- $25 \leq \text{AGEB} \leq 34$ 3- $35 \leq \text{AGEB} \leq 44$ 4- $45 \leq \text{AGEB} \leq 54$ 5- $55 \leq \text{AGEB} \leq 64$ 6- $\text{AGEB} \geq 65$
_AGEGB	AGEB	1- $18 \leq \text{AGEB} \leq 29$ 2- $30 \leq \text{AGEB} \leq 39$ 3- $40 \leq \text{AGEB} \leq 49$ 4- $50 \leq \text{AGEB} \leq 59$ 5- $\text{AGEB} \geq 60$
_AGEGC	AGEB	1- $18 \leq \text{AGEB} \leq 44$ 2- $\text{AGEB} \geq 45$
_BFLONG	BFLONG	Convert BFLONG to days
_BMI	HTI, WEIGHT	$_BMI = 703 \cdot \text{WEIGHT} / \text{HTI}^2$
_BMIREV	_BMI	1- $_BMI < 18.5$ 2- $18.5 \leq _BMI < 25$ 3- $25 \leq _BMI < 30$ 4- $_BMI \geq 30$
_CARELNG	CAREL_A, CAREL_B, CAREL_C, CAREL_D	Sum of CAREL_A through CAREL_D (all converted to days)
_CBE1	HADCBE, WHYCBE	1-HADCBE = 2 AND WHYCBE = 1 2-HADCBE = 1 AND WHYCBE = 1 9-HADCBE = 7 OR 9 OR WHYCBE = 7 OR 9
_CBE2	WHENCBE, WHYCBE HADCBE	1-HADCBE = 2 AND WHYCBE = 1 2-WHENCBE = 1 AND WHYCBE = 1 3-WHENCBE = 2 AND WHYCBE = 1 4-WHENCBE = 3 OR 4 AND WHYCBE = 1 5-WHENCBE = 5 AND WHYCBE = 1 9-WHENCBE = 7 OR 9 OR WHYCBE = 7 OR 9
_CBE3	HADCBE	1-HADCBE = 2 2-HADCBE = 1 9-HADCBE = 7 OR 9

Part VII: Calculated Variables

_CBE4	WHENCBE, HADCBE	1-HADCBE = 2 2-WHENCBE = 1 3-WHENCBE = 2 4-WHENCBE = 3 OR 4 5-WHENCBE = 5 9-WHENCBE = 7 OR 9
_DRKALC	DRKALC	Convert DRKALC to days
_DVANY	DVINSLT, DVTHRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVHITYOU, DVHITHG, DVBEATUP, DVCHOKE, DVTHRWP, DVUSEWPN	1-ANY = 1 2-ANY = 3 OR ALL = 2 4-ANY = 4 7-ALL = 7 8-ANY = 8 AND ALL ≠ 1 9-ALL = 9
_DVERBAL	DVINSLT, DVCANTLK	1-DVINSLT = 1 2-DVINSLT = 2 OR 3 4-DVINSLT = 4 7-DVINSLT = 4 8-DVINSLT = 8 OR DVCANTLK = 8 OR 9 9-DVINSLT = 9
_DVEVHIT	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWP, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVRHIT	1-DVEVRHIT = 1 OR DVYRHIT = 1 2-DVEVRHIT = 2 AND DVYRHIT = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRHIT = 7 8-ANY = 8 OR 88 AND DVYRHIT ≠ 1 9-DVEVRHIT = 9
_DVEVRBT	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWP, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVRHIT, DVEVRBET	1-DVEVRBET = 1 OR DVYRBEAT = 1 2-DVEVRBET = 2 AND DVYRBEAT = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRBET = 7 8-ANY = 8 OR 88 AND DVYRBEAT ≠ 1 9-DVEVRBET = 9
_DVEVRPS	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWP, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH	1-DVEVRPSH = 1 OR DVYRPUSH = 1 2-DVEVRPSH = 2 AND DVYRPUSH = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRPSH = 7 8-ANY = 8 OR 88 AND DVYRPUSH ≠ 1 9-DVEVRPSH = 9

Part VII: Calculated Variables

_DVEVRTH	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVFEAR	1-DVEVRTHR = 1 OR DVYRTHRW = 1 2-DVEVRTHR = 2 AND DVYRTHRW = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRTHR = 7 8-ANY = 8 OR 88 AND DVYRTHRW ≠ 1 9-DVEVRTHR = 9
_DVEVSEX	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT, DVEVRBET, DVEVRSEX	1-DVEVRSEX = 1 OR DVYRSEX = 1 2-DVEVRSEX = 2 AND DVYRSEX = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRSEX = 7 8-ANY = 8 OR 88 AND DVYRSEX ≠ 1 9-DVEVRSEX = 9
_DVEVUSE	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT, DVEVRBET, DVEVRSEX, DVEVSEX2, DVEVRWPN, DVEVRUSE	1-DVEVRUSE = 1 OR DVYRUSE = 1 2-DVEVRUSE = 2 AND DVYRUSE = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRUSE = 7 8-ANY = 8 OR 88 AND DVYRUSE ≠ 1 9-DVEVRUSE = 9
_DVEVWPN	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT, DVEVRBET, DVEVRSEX, DVEVSEX2, DVEVRWPN	1-DVEVRWPN = 1 OR DVYRWPN = 1 2-DVEVRWPN = 2 AND DVYRWPN = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRWPN = 7 8-ANY = 8 OR 88 AND DVYRWPN ≠ 1 9-DVEVRWPN = 9
_DVMINOR	DVTHRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVINSULT, DVCANTLK	1-DVTHRTN = 1 OR DVTHRTHG = 1 OR DVTHRYOU = 1 OR DVPUSHED = 1 OR DVSLAP = 1 2-(DVTHRTN = 2 AND DVTHRTHG = 2 AND DVTHRYOU = 2 AND DVPUSHED = 2 AND DVSLAP = 2) OR DVINSULT = 3 OR DVTHRTN = 3 OR DVTHRTHG = 3 OR DVTHRYOU = 3 OR DVPUSHED = 3 OR DVSLAP = 3 4-DVTHRTN = 4 OR DVTHRTHG = 4 OR DVTHRYOU = 4 OR DVPUSHED = 4 OR DVSLAP = 4 OR DVINSULT = 4

- 7-DVTHR TN = 7 OR DVTHR THG = 7 OR DVTHRYOU = 7 OR DVPUSHED = 7 OR DVSLAP = 7
- 8-DVTHR TN = 8 OR DVTHR THG = 8 OR DVTHRYOU = 8 OR DVSLAP = 8 OR DVINSLT = 8 OR DVCANTLK = 8 OR 9 AND (DVTHR TN ≠ 1 AND DVTHR THG ≠ 1 AND DVTHRYOU ≠ 1 AND DVSLAP ≠ 1)
- 9-DVTHR TN = 9 OR DVTHR THG = 9 OR DVTHRYOU = 9 OR DVPUSHED = 9 OR DVSLAP = 9

_DVPHYS

DVINSLT, DVTHR TN,
DVTHR THG, DVTHRYOU,
DVPUSHED, DVSLAP,
DVHITYOU, DVHITHG,
DVBEATUP, DVCHOKE,
DVTHR WPN, DVUSEWPN

- 1-DVTHR TN = 1 OR DVTHR THG = 1 OR DVTHRYOU = 1 OR DVPUSHED = 1 OR DVSLAP = 1 OR DVHITYOU = 1 OR DVHITHG = 1 OR DVBEATUP = 1 OR DVCHOKE = 1 OR DVTHR WPN = 1 OR DVUSEWPN = 1
- 2-(DVTHR TN = 2 AND DVTHR THG = 2 AND DVTHRYOU = 2 AND DVPUSHED = 2 AND DVSLAP = 2 AND DVHITYOU = 2 AND DVHITHG = 2 AND DVBEATUP = 2 AND DVCHOKE = 2 AND DVTHR WPN = 2 AND DVUSEWPN = 2) OR DVINSLT = 3 OR DVTHR TN = 3 OR DVTHR THG = 3 OR DVTHRYOU = 3 OR DVPUSHED = 3 OR DVSLAP = 3 OR DVHITYOU = 3 OR DVHITHG = 3 OR DVBEATUP = 3 OR DVCHOKE = 3 OR DVTHR WPN = 3 OR DVUSEWPN = 3
- 4-DVINSLT = 4 OR DVUSEWPN = 4 OR DVTHR TN = 4 OR DVTHR THG = 4 OR DVTHRYOU = 4 OR DVPUSHED = 4 OR DVSLAP = 4 OR DVHITYOU = 4 OR DVHITHG = 4 OR DVBEATUP = 4 OR DVCHOKE = 4 OR DVTHR WPN = 4
- 7-DVTHR WPN = 7 OR DVUSEWPN = 7 OR DVTHR TN = 7 OR DVTHR THG = 7 OR DVTHRYOU = 7 OR DVPUSHED = 7 OR DVSLAP = 7 OR DVHITYOU = 7 OR DVHITHG = 7 OR DVBEATUP = 7 OR DVCHOKE = 7
- 8-(DVTHR TN ≠ 1 AND DVTHR THG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHR WPN ≠ 1 AND DVUSEWPN ≠ 1) OR DVINSLT = 8 OR DVTHR TN = 8 OR DVTHR THG = 8 OR DVTHRYOU = 8 OR DVPUSHED = 8 OR DVSLAP = 8 OR DVHITYOU = 8 OR DVHITHG = 8 OR DVBEATUP = 8 OR DVCHOKE = 8 OR DVTHR WPN = 8 OR DVUSEWPN = 8 OR DVCANTLK = 8 OR 9

		9-DVTHRWPN = 9 OR DVUSEWPN = 9 OR DVTHRTN = 9 OR DVTHRTHG = 9 OR DVTHRYOU = 9 OR DVPUSHED = 9 OR DVSLAP = 9 OR DVHITYOU = 9 OR DVHITHG = 9 OR DVBEATUP = 9 OR DVCHOKE = 9
_DVSEVRE	DVHITYOU, DVHITHG, DVBEATUP, DVCHOKE, DVTHRWPN, DVUSEWPN, DVINSULT, DVTHRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVCANTLK	1-DVHITYOU = 1 OR DVHITHG = 1 OR DVBEATUP = 1 OR DVCHOKE = 1 OR DVTHRWPN = 1 OR DVUSEWPN = 1 2-(DVHITYOU = 2 AND DVHITHG = 2 AND DVBEATUP = 2 AND DVCHOKE = 2 AND DVTHRWPN = 2 AND DVUSEWPN = 2) OR DVINSULT = 3 OR DVTHRTN = 3 OR DVTHRTHG = 3 OR DVTHRYOU = 3 OR DVPUSHED = 3 OR DVSLAP = 3 OR DVHITYOU = 3 OR DVHITHG = 3 OR DVBEATUP = 3 OR DVCHOKE = 3 OR DVTHRWPN = 3 OR DVUSEWPN = 3 4-DVINSULT = 4 OR DVTHRTN = 4 OR DVTHRTHG = 4 OR DVTHRYOU = 4 OR DVPUSHED = 4 OR DVSLAP = 4 OR DVHITYOU = 4 OR DVHITHG = 4 OR DVBEATUP = 4 OR DVCHOKE = 4 OR DVTHRWPN = 4 OR DVUSEWPN = 4 7-DVHITYOU = 7 OR DVHITHG = 7 OR DVBEATUP = 7 OR DVCHOKE = 7 OR DVTHRWPN = 7 OR DVUSEWPN = 7 8-(DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1) OR DVINSULT = 8 OR DVTHRTN = 8 OR DVTHRTHG = 8 OR DVTHRYOU = 8 OR DVPUSHED = 8 OR DVSLAP = 8 OR DVHITYOU = 8 OR DVHITHG = 8 OR DVBEATUP = 8 OR DVCHOKE = 8 OR DVTHRWPN = 8 OR DVUSEWPN = 8 DVCANTLK = 8 OR 9 9-DVHITYOU = 9 OR DVHITHG = 9 OR DVBEATUP = 9 OR DVCHOKE = 9 OR DVTHRWPN = 9 OR DVUSEWPN = 9
_DVTYPE	DVINSLT, DVTHRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVHITYOU, DVHITHG, DVBEATUP, DVCHOKE, DVTHRWPN, DVUSEWPN, DVCANTLK	1-DVINSLT = 1 AND DVTHRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1 2-DVINSLT ≠ 1 AND DVTHRTN = 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

- 3-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG = 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1
- 4-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU = 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1
- 5-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED = 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1
- 6-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP = 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1
- 7-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU = 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1
- 8-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG = 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1
- 9-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP = 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1
- 10-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE = 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1
- 11-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN = 1 AND DVUSEWPN ≠ 1

- 12–DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND DVTHR THG ≠ 1 AND DVTHR YOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHR WPN ≠ 1 AND DVUSEWPN = 1
- 33–DVINSLT = 3 OR DVTHR TN = 3 OR DVTHR THG = 3 OR DVTHR YOU = 3 OR DVPUSHED = 3 OR DVSLAP = 3 OR DVHITYOU = 3 OR DVHITHG = 3 OR DVBEATUP = 3 OR DVCHOKE = 3 OR DVTHR WPN = 3 OR DVUSEWPN = 3 OR (DVINSLT = 2 AND DVTHR TN = 2 AND DVTHR THG = 2 AND DVTHR YOU = 2 AND DVPUSHED = 2 AND DVSLAP = 2 AND DVHITYOU = 2 AND DVHITHG = 2 AND DVBEATUP = 2 AND DVCHOKE = 2 AND DVTHR WPN = 2 AND DVUSEWPN = 2)
- 44–DVINSLT = 4 OR DVTHR TN = 4 OR DVTHR THG = 4 OR DVTHR YOU = 4 OR DVPUSHED = 4 OR DVSLAP = 4 OR DVHITYOU = 4 OR DVHITHG = 4 OR DVBEATUP = 4 OR DVCHOKE = 4 OR DVTHR WPN = 4 OR DVUSEWPN = 4
- 77–(DVINSLT = 7 AND DVTHR TN = 7 AND DVTHR THG = 7 AND DVTHR YOU = 7 AND DVPUSHED = 7 AND DVSLAP = 7 AND DVHITYOU = 7 AND DVHITHG = 7 AND DVBEATUP = 7 AND DVCHOKE = 7 AND DVTHR WPN = 7 AND DVUSEWPN = 7) OR (DVINSLT = 7 AND DVTHR TN = 2 AND DVTHR THG = 2 AND DVTHR YOU = 2 AND DVPUSHED = 2 AND DVSLAP = 2 AND DVHITYOU = 2 AND DVHITHG = 2 AND DVBEATUP = 2 AND DVCHOKE = 2 AND DVTHR WPN = 2 AND DVUSEWPN = 2)
- 88–(DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND DVTHR THG ≠ 1 AND DVTHR YOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHR WPN ≠ 1 AND DVUSEWPN ≠ 1) OR DVINSLT = 9 OR DVTHR TN = 9 OR DVTHR THG = 9 OR DVTHR YOU = 9 OR DVPUSHED = 9 OR DVSLAP = 9 OR DVHITYOU = 9 OR DVHITHG = 9 OR DVBEATUP = 9 OR DVCHOKE = 9 OR DVTHR WPN = 9 OR DVUSEWPN = 9 OR DVCANTLK = 8 OR 9
- 99–DVINSLT = 9 AND DVTHR TN = 9 AND DVTHR THG = 9 AND DVTHR YOU = 9 AND DVPUSHED = 9 AND DVSLAP = 9 AND DVHITYOU = 9 AND DVHITHG = 9 AND DVBEATUP = 9 AND DVCHOKE = 9 AND DVTHR WPN = 9 AND DVUSEWPN = 9

Part VII: Calculated Variables

_DVTYPE2	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVYRHIT, DVYRHIT, DVYRSEX, DVYRWPN, DVYRUSE	<p>1–DVYRTHRW = 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>2–DVYRTHRW ≠ 1 AND DVYRPUSH = 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>3–DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT = 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>4–DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT = 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>5–DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX = 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>6–DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN = 1 AND DVYRUSE ≠ 1</p> <p>7–DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE = 1</p> <p>33–DVYRTHRW = 2 AND DVYRPUSH = 2 AND DVYRHIT = 2 AND DVYRBEAT = 2 AND DVYRSEX = 2 AND DVYRWPN = 2 AND DVYRUSE = 2</p> <p>55–DVCNTROL = 5 OR DVYRTHRW = 5</p> <p>77–(DVYRTHRW = 7 AND DVYRPUSH = 7 AND DVYRHIT = 7 AND DVYRBEAT = 7 AND DVYRSEX = 7 AND DVYRWPN = 7 AND DVYRUSE = 7) OR (DVYRUSE = 2 AND DVYRTHRW = 7 AND DVYRPUSH = 2 AND DVYRHIT = 2 AND DVYRBEAT = 2 AND DVYRSEX = 2 AND DVYRWPN = 2)</p> <p>88–((DVCANTLK = 8 OR 9 OR DVYRUSE = 8 OR DVYRTHRW = 8 OR DVYRPUSH = 8 OR DVYRHIT = 8 OR DVYRBEAT = 8 OR DVYRSEX = 8 OR DVYRWPN = 8) AND (DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1)) OR (DVCANTLK = 2 AND DVCNTROL = 8)</p>
_DVTYPEV	DVCNTROL, DVYRTHRW, _DVEVRTH, _DVEVRPS, _DVEVHIT, _DVEVRBT, _DVEVSEX, _DVEVWPN, _DVEVUSE, DVCANTLK	<p>1–_DVEVRTH = 1 AND _DVEVRPS ≠ 1 AND _DVEVHIT ≠ 1 AND _DVEVRBT ≠ 1 AND _DVEVSEX ≠ 1 AND _DVEVWPN ≠ 1 AND _DVEVUSE ≠ 1</p>

2- $_DVEVRTH \neq 1$ AND $_DVEVRPS = 1$ AND
 $_DVEVHIT \neq 1$ AND $_DVEVRBT \neq 1$ AND
 $_DVEVSEX \neq 1$ AND $_DVEVWPN \neq 1$ AND
 $_DVEVUSE \neq 1$

3- $_DVEVRTH \neq 1$ AND $_DVEVRPS \neq 1$ AND
 $_DVEVHIT = 1$ AND $_DVEVRBT \neq 1$ AND
 $_DVEVSEX \neq 1$ AND $_DVEVWPN \neq 1$ AND
 $_DVEVUSE \neq 1$

4- $_DVEVRTH \neq 1$ AND $_DVEVRPS \neq 1$ AND
 $_DVEVHIT \neq 1$ AND $_DVEVRBT = 1$ AND
 $_DVEVSEX \neq 1$ AND $_DVEVWPN \neq 1$ AND
 $_DVEVUSE \neq 1$

5- $_DVEVRTH \neq 1$ AND $_DVEVRPS \neq 1$ AND
 $_DVEVHIT \neq 1$ AND $_DVEVRBT \neq 1$ AND
 $_DVEVSEX = 1$ AND $_DVEVWPN \neq 1$ AND
 $_DVEVUSE \neq 1$

6- $_DVEVRTH \neq 1$ AND $_DVEVRPS \neq 1$ AND
 $_DVEVHIT \neq 1$ AND $_DVEVRBT \neq 1$ AND
 $_DVEVSEX \neq 1$ AND $_DVEVWPN = 1$ AND
 $_DVEVUSE \neq 1$

7- $_DVEVRTH \neq 1$ AND $_DVEVRPS \neq 1$ AND
 $_DVEVHIT \neq 1$ AND $_DVEVRBT \neq 1$ AND
 $_DVEVSEX \neq 1$ AND $_DVEVWPN \neq 1$ AND
 $_DVEVUSE = 1$

33- $_DVEVRTH = 2$ AND $_DVEVRPS = 2$ AND
 $_DVEVHIT = 2$ AND $_DVEVRBT = 2$ AND
 $_DVEVSEX = 2$ AND $_DVEVWPN = 2$ AND
 $_DVEVUSE = 2$

55- $DVCNTROL = 5$ OR $DVYRTHRW = 5$

77- $(_DVEVRTH = 7$ AND $_DVEVRPS = 7$ AND
 $_DVEVHIT = 7$ AND $_DVEVRBT = 7$ AND
 $_DVEVSEX = 7$ AND $_DVEVWPN = 7$ AND
 $_DVEVUSE = 7)$ OR $(_DVEVRTH = 7$ AND
 $_DVEVHIT = 2$ AND $_DVEVRBT = 2$ AND
 $_DVEVSEX = 2$ AND $_DVEVWPN = 2$ AND
 $_DVEVUSE = 2$ AND $_DVEVRPS = 2)$

88- $(_DVEVRTH = 8$ OR $_DVEVRPS = 8$ OR
 $_DVEVHIT = 8$ OR $_DVEVRBT = 8$ OR
 $_DVEVSEX = 8$ OR $_DVEVWPN = 8$ OR
 $DVCANTLK = 8$ OR $DVCVANTLK = 9$ OR
 $_DVEVUSE = 8)$ AND $(_DVEVRTH \neq 1$ AND
 $_DVEVHIT \neq 1$ AND $_DVEVRBT \neq 1$ AND
 $_DVEVSEX \neq 1$ AND $_DVEVWPN \neq 1$ AND
 $_DVEVUSE \neq 1$ AND $_DVEVRPS \neq 1)$

99- $_DVEVRTH = 9$ AND $_DVEVRPS = 9$ AND
 $_DVEVHIT = 9$ AND $_DVEVRBT = 9$ AND
 $_DVEVSEX = 9$ AND $_DVEVWPN = 9$ AND
 $_DVEVUSE = 9$

$_EXPHRS$	EXPHRS	Convert EXPHRS to minutes
HTI	HEIGHT	Convert HEIGHT to inches
$_IDEALBF$	IDEALBF	Convert IDEALBF to days

_MAINPL2

- 1-(EMPPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 1
- 2-(OEMPLAN = 1 AND (EMPPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 2
- 3-(OWNPLAN = 1 AND (OEMPLAN ≠ 1 OR EMPPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 3
- 4-(MEDICARE = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR EMPPLAN ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 4
- 5-(MEDICAL = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR EMPPLAN ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 5
- 6-(MILPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 6
- 7-(INDIANHS = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR EMPPLAN ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 7
- 8-(OTHRSRCE = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR EMPPLAN ≠ 1) OR MAINPLAN = 8
- 77-MAINPLAN = 77
- 88-MAINPLAN = 88
- 99-MAINPLAN = 99

_MAINPLN

- 1-(EMPPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR MAINPLAN = 1
- 2-(OEMPLAN = 1 AND (EMPPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR MAINPLAN = 2

3-(OWNPLAN = 1 AND (OEMPLAN ≠ 1 OR
 EMPPLAN ≠ 1 OR MEDICARE ≠ 1 OR
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR
 MAINPLAN = 3
 4-(MEDICARE = 1 AND (OEMPLAN ≠ 1 OR
 OWNPLAN ≠ 1 OR EMPPLAN ≠ 1 OR
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR
 MAINPLAN = 4
 5-(MEDICAL = 1 AND (OEMPLAN ≠ 1 OR
 OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR
 EMPPLAN ≠ 1 OR MILINDOT ≠ 1) OR
 MAINPLAN = 5
 6-(MILPLAN = 1 AND (OEMPLAN ≠ 1 OR
 OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR
 MAINPLAN = 6
 77-MAINPLAN = 77
 88-MAINPLAN = 88
 99-MAINPLAN = 99

_MAMM1	HADMAM, WHYDONE	1-HADMAM = 2 AND WHYDONE = 1 2-HADMAM = 1 AND WHYDONE = 1 9-HADMAM = 7 OR 9 OR WHYDONE = 7 OR 9
_MAMM2	HOWLONG2, WHYDONE HADMAM	1-HADMAM = 2 AND WHYDONE = 1 2-HOWLONG2 = 1 AND WHYDONE = 1 3-HOWLONG2 = 2 AND WHYDONE = 1 4-HOWLONG2 = 3 OR 4 AND WHYDONE = 1 5-HOWLONG2 = 5 AND WHYDONE = 1 9-HOWLONG2 = 7 OR 9 OR WHYDONE = 7 OR 9
_MAMM3	HADMAM	1-HADMAM = 2 2-HADMAM = 1 9-HADMAM = 7 OR 9
_MAMM4	HOWLONG2, HADMAM	1-HADMAM = 2 2-HOWLONG2 = 1 3-HOWLONG2 = 2 4-HOWLONG2 = 3 OR 4 5-HOWLONG2 = 5 9-HOWLONG2 = 7 OR 9
_MHLONG	MHLONG	Convert MHLONG to days
_NALCMO	NALCOCC, _DRKALC	_NALCMO = NALCOCC*_DRKALC 888-_DRKALC = 888 OR NALCOCC = 888 999-_DRKALC = 999 OR NALCOCC = 999
_PAP5	HADPAP, HYSTER2	1-HADPAP = 2 AND HYSTER2 = 2 2-HADPAP = 1 AND HYSTER2 = 2 9-HADPAP = 7 OR 9 OR HYSTER2 = 7 OR 9
_PAP6	WHENPAP, HYSTER2 HADPAP	1-HADPAP = 2 AND HYSTER2 = 2 2-WHENPAP = 1 AND HYSTER2 = 2 3-WHENPAP = 2 AND HYSTER2 = 2 4-WHENPAP = 3 OR 4 AND HYSTER2 = 2

Part VII: Calculated Variables

		5-WHENPAP = 5 AND HYSTER2 = 2 9-WHENPAP = 7 OR 9 OR HYSTER2 = 7 OR 9
_PAP7	HADPAP	1-HADPAP = 2 2-HADPAP = 1 9-HADPAP = 7 OR 9
_PAP8	WHENPAP, HADPAP HADPAP	1-HADPAP = 2 2-WHENPAP = 1 3-WHENPAP = 2 4-WHENPAP = 3 OR 4 5-WHENPAP = 5 9-WHENPAP = 7 OR 9
_POVST	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVST2	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVST3	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVST4	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_PRENATL	PRENATAL	Convert PRENATAL to days
_RACE	ORACE3, HISP3	1-ORACE3 = 1 AND HISP3 = 2 OR 7 OR 9 2-ORACE3 = 2 AND HISP3 = 2 OR 7 OR 9 3-ORACE3 = 1 AND HISP3 = 1 4-ORACE3 = 2 AND HISP3 = 1 5-ORACE3 = 3 OR 4 OR 5 OR 6 AND HISP3 = 1 6-ORACE3 = 3 OR 4 AND HISP3 = 2 OR 7 OR 9 7-ORACE3 = 5 AND HISP3 = 2 OR 7 OR 9 8-ORACE3 = 6 AND HISP3 = 2 OR 7 OR 9 77-ORACE3 = 7 99-ORACE3 = 9
_RACEG	_RACE	1-_RACE = 1 2-_RACE = 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 9-_RACE = 77 OR 99
_RACEGR	_RACE	1-_RACE = 1 2-_RACE = 2 3-_RACE = 3 OR 4 OR 5 4-_RACE = 6 OR 7 OR 8 9-_RACE = 77 OR 99
_RFDRACU	DRNKANY1, DRINKGE5	1-DRNKANY1 = 2 OR DRINKGE5 = 0 OR 88 2-1 ≤ DRINKGE5 < 77 9-DRNKANY1 = 7 OR 9

Part VII: Calculated Variables

_RFDRCH2	_NALCMO	1- $1 \leq \text{_NALCMO} < 60$ 2- $\text{_NALCMO} \geq 60$ 9- $\text{_NALCMO} = 888 \text{ OR } 999$
_RFSMOKE	_SMOKER	1- $\text{_SMOKER} = 2 \text{ OR } 3$ 2- $\text{_SMOKER} = 1$ 9- $\text{_SMOKER} = 9$
_RFBMI2	_BMI	1- $\text{_BMI} < 25$ 2- $\text{_BMI} \geq 25$
_RFWHBMI	_BMI	1- $\text{_BMI} < 27.3$ 2- $\text{_BMI} \geq 27.3$
_SMOKER	SMOKE100, SMKEVDA2	1- $\text{SMOKE100} = 1 \text{ AND } \text{SMKEVDA2} = 1 \text{ OR } 2$ 2- $\text{SMOKE100} = 1 \text{ AND } \text{SMKEVDA2} = 3$ 3- $\text{SMOKE100} = 2$ 9- $\text{SMOKE100} = 7 \text{ OR } 9 \text{ OR } \text{SMKEVDA2} = 7 \text{ OR } 9$
_STDHIV	STDHI_A, STDHI_B, STDHI_C	1- $\text{STDHI_A} = 1$ 2- $\text{STDHI_B} = 1$ 3- $\text{STDHI_C} = 1$ 4- $\text{STDHI_A} = 2 \text{ AND } \text{STDHI_B} = 2 \text{ AND } \text{STDHI_C} = 2$ 7- $\text{ANY} = 7 \text{ AND } \text{ALL} \neq 1 \text{ OR } 9$ 9- $\text{ALL} = 9 \text{ OR } (\text{STDHI_A} = 9 \text{ AND } \text{STDHI_B} = 2 \text{ AND } \text{STDHI_C} = 2)$
_WHENDRG	WHENDRUG	Convert WHENDRUG to times per month

California Women's Health Survey Data User Agreement

The undersigned agrees to all of the following regarding use of California Women's Health Survey (CWHS) data sets:

1. CWHS data will be used for academic, research, or professional purposes only.
2. CWHS data is for the exclusive use of the individual requesting the data. User will not alter, share, release or redistribute original CWHS data.
3. Original CWHS data is released "as is." Neither Survey Research Group, the Public Health Institute, nor the California Department of Public Health, or any of their respective divisions or subdivisions, make any representations, express or implied, about data completeness or accuracy, or fitness of the data for a particular purpose.
4. Pursuant to the guidelines set forth in the most current version of the *California Women's Health Survey SAS Documentation and Technical Report*, user will acknowledge the "California Women's Health Survey Workgroup" in all abstracts, publications or presentations. The following wording is strongly recommended for use in such acknowledgements:

Data for these analyses were provided by The California Women's Health Survey (CWHS) Group. The CWHS is coordinated by the California Department of Public Health in collaboration with the California Department of Mental Health, the California Department of Alcohol and Drug Programs, CMRI, the California Department of Social Services, the California Office of Women's Health and the Survey Research Group of the Public Health Institute. Questionnaire development and funding for the survey were provided by collaborating programs. Analyses, findings and conclusions described in this report are not necessarily endorsed by the CWHS Group.

5. User will notify Survey Research Group and the Office of Women's Health of all writings and/ or presentations, including but not limited to published articles, accepted abstracts, academic papers, and conference presentations or papers, that includes or is based on CWHS data.
6. User agrees to send one (1) reprint of all publications using CWHS data to each of the following entities:

Survey Research Group
1700 Tribute Road, Suite 100
Sacramento, CA 95815
Fax: (916) 779-0265

Office of Women's Health
California Department of Health Services
P.O. Box 942732 MS 0027
Sacramento, CA 94234-7320
Fax: (916) 440-7636

7. This agreement supercedes all previous CWHS data user agreements.

Year(s) of data requested: _____

Name: _____ **Title:** _____

Research Question/Area of Interest: _____

Organization: _____

Address: _____

Telephone number(s): _____

Fax: _____ **Email:** _____

Signature: _____ **Date:** _____

Fax or e-mail signed agreement to:

Fax: (916) 779-0265
E-mail: minduni@surveyresearchgroup.org

Please keep original for your records