

**CALIFORNIA WOMEN'S HEALTH SURVEY**  
**SAS DATASET DOCUMENTATION AND TECHNICAL REPORT**  
**1993-2010**

**Survey Research Group**  
**Cancer Surveillance and Research Branch**  
**California Department of Public Health**  
**1825 Bell Street, Suite 102**  
**Sacramento, CA 95825**

**April 2011**



# California Women's Health Survey

## SAS Dataset Documentation and Technical Report

<b>Introduction .....</b>	<b>1</b>
The California Women's Health Survey .....	1
Survey Research Group .....	2
Survey Research Group Capabilities.....	2
Present, Past and Future Research.....	3
California Behavioral Risk Factor Survey.....	3
California Adult Tobacco Survey .....	3
California Youth Tobacco Survey .....	3
Sacramento and Santa Clara Lung Cancer Risk Factor Survey .....	4
California Teen Eating, Exercising and Nutrition Survey.....	4
California Department of Transportation Pedestrian Safety Study .....	4
The Youth Risk Factor Behavior Survey.....	4
Questions concerning the CWHS, this documentation or SRG .....	5
<b>Part I: Technical Report.....</b>	<b>6</b>
Sample and Methods.....	6
Questionnaire Design .....	6
Interview Procedures .....	6
Sample Selection.....	7
Response Rates.....	7
The Dataset .....	8
Representativeness of the Sample .....	9
Weighting Procedures .....	12
<b>Part II: Data Dictionary .....</b>	<b>13</b>
<b>Part III: Continuous Variable Formats .....</b>	<b>57</b>
<b>Part IV: Categorical Variable Formats .....</b>	<b>60</b>
<b>Part V: Variable Locations on Questionnaires by Subject.....</b>	<b>97</b>
<b>Part VI: Weights .....</b>	<b>119</b>
Why Weight .....	119
Single Year Weights.....	121
CWHS Final Weights .....	122
Values for Age Variables.....	122
Values for Race Variables .....	122
Department of Finance 1990 California Population Estimates.....	123
Department of Finance 2000 California Population Estimates.....	124
<b>Part VII: Calculated Variables .....</b>	<b>125</b>
<b>Data User Agreement .....</b>	<b>138</b>

## Tables

Table I	Response Rates .....	8
Table II	Sample Sizes .....	8
Table III	Sample Sizes for Age/Race Groups in Cumulative 1997-2006 Dataset.....	9
Table IV	Race Distribution of the 2006 CWHS.....	10
Table V	Educational Level of Adults Aged ≥ 25 Years in the 2006 CWHS Sample ...	10
Table VI	Distribution of Household Income in the 2006 CWHS Sample.....	11
Table VII	Distribution of Age by Race in the 2006 CWHS Sample .....	11
Table VIII	DOF 1990 CA Population Estimates Used to Create Weight _WT90N .....	123
Table IX	DOF 1990 CA Population Estimates Used to Create Weight _WT90BN .....	123
Table X	DOF 1990 CA Population Estimates Used to Create Weight _WT90CN .....	123
Table XI	DOF 2000 CA Population Estimates Used to Create Weight _WT00 .....	124
Table XII	DOF 2000 CA Population Estimates Used to Create Weight _WT00B .....	124
Table XIII	DOF 2000 CA Population Estimates Used to Create Weight _WT00R4.....	124

## Acknowledgements

When a publication or abstract results from analysis of California Women’s Health Survey data, the CWHS Group’s contributions will be acknowledged. The following wording is strongly recommended for use in such acknowledgements.

“Data for these analyses were provided by The California Women’s Health Survey (CWHS) Group. The CWHS is coordinated by the California Department of Public Health in collaboration with the California Department of Mental Health, the California Department of Alcohol and Drug Programs, CMRI, the California Department of Social Services, the California Office of Women’s Health and the Survey Research Group of the Public Health Institute. Questionnaire development and funding for the survey were provided by collaborating programs. Analyses, findings and conclusions described in this report are not necessarily endorsed by the CWHS Group.”

### Suggested Citation:

Joan Epstein, Bonnie Davis, Marta Induni and Maricsa Gutierrez. California Women’s Health Survey SAS Dataset Documentation and Technical Report: 1997–2010, Survey Research Group, California Department of Public Health, 2011.

### References:

Please note, more methodological information for the CWHS can be found in Chapter 1 of the report titled “Women’s Health: Findings from the California Women’s Health Survey, 1997-2003”. This report may be downloaded at

[http://www.cdph.ca.gov/pubsforms/Pubs/OWH-CWHS\\_97-03\\_Rpt.pdf](http://www.cdph.ca.gov/pubsforms/Pubs/OWH-CWHS_97-03_Rpt.pdf).

The suggested citation for this chapter is:

Induni M, Hoegh H., “California Women’s Health Survey Methods” in Weinbaum, Z, and Thorfinnson, T (eds.) Women's Health: Findings from the California Women's Health Survey, 1997-2003. California Department of Health Services, Office of Women’s Health. Sacramento, California, May 2006. Chapter 1.

## Introduction

### The California Women's Health Survey

The California Women's Health Survey (CWHS) is an on-going monthly telephone survey that collects information on a wide variety of health-related behaviors and attitudes from a randomly selected sample of adult women. This survey began in March of 1997 as a collaborative effort between the California Department of Public Health, the California Department of Mental Health, the Department of Alcohol and Drug Program, CMRI (formerly the California Medical Review, Inc.), the Department of Social Services, and the Public Health Institute (formerly California Public Health Foundation). These data or subsets of the data are available upon request as a SAS dataset, which is updated annually. This documentation is designed to facilitate use of this database by public health researchers.

Part I is a technical report which summarizes CWHS interview procedures, sample selection and questionnaire design. Parts II–V include a data dictionary, coding for categorical and numeric variables, and a cross-reference of variable name and question number. Part VI provides information about weights.

In planning your analyses and reviewing this document, a few critical features of CWHS and the dataset should be kept in mind:

- The SAS labels shown in the data dictionary provide very abbreviated information on the content of the variable. It is highly recommended that the actual question and response categories be carefully reviewed before analyzing data.
- Not every question is asked of all participants. Some questions are skipped during the interview because of answers to previous questions or age criteria. Skip patterns and selection criteria are indicated on the survey instruments. In general, questions that have been skipped are set to missing, thus restricting the denominator for the rate based on that question. For example, only people who state that they have been pregnant in the past five years (PREG5YR) or who are currently pregnant (PREGNANT) are asked if they have had the AFP blood test (AFPTEST). Therefore, the frequency of AFPTEST=1 (yes) is the proportion of those who are currently pregnant or were pregnant in the last five years who reply that they have had an AFP blood test. To calculate the proportion of the population who had blood drawn for an AFP test, assuming that those women who are not currently pregnant and have not been pregnant in the last five years have not had an AFP test, set the missing values in the AFPTEST variable to 2 (no).
- Some continuous variables have special values (i.e., 999 = refused). These values may need to be re-coded (e.g., set to missing) prior to analysis to obtain

meaningful results. These coded variables are indicated in the data dictionary in Part II and a list of codes given in Part III.

- The age and race distribution of the sample does not exactly match that of the California population. To adjust for this difference and to equalize the probability of being drawn into the sample, weights have been created. Part VI describes the creation and use of these weights. It is important to use these weights to obtain meaningful prevalence estimates for the California population and to assess changes in behavior while controlling for changes in the demographics of the California population.
- Statisticians calculate the annual weights to sum to the total 2000 California population, thus adjusting for the annual changes in sample size. To calculate meaningful estimates based on data aggregated over two or more years, weights must be calculated to account for the pooling of data, as discussed in Part VI.
- SRG recommends that statistical packages (such as SAS, SPSS, R etc.) with capabilities for analyzing survey data collected with complex sampling methods be used to analyze the data.
- The dataset does not contain any personal identifiers such as name, address or social security number. Unique records can be identified with the variable RESPNO or \_PSU.
- Although every effort has been made to accurately document the database, it is possible that the database contains some coding errors or inconsistencies. A prudent approach would be to first run a simple frequency on any question you intend to use in your analyses to check for out of range values, special codes, or unexpected skip patterns. SRG staff would be grateful to have any such problems brought to our immediate attention.

## **Survey Research Group (SRG)**

The CWHS is administered by the Survey Research Group, which is located with the Cancer Surveillance and Research Branch of the California Department of Public Health. Established in 1985, SRG specializes in conducting scientific health-related telephone surveys. To ensure the highest standards for survey data, SRG maintains rigorous quality control procedures.

### SRG Capabilities:

SRG has a capacity of 80 interview workstations and 12 silent-monitoring stations for survey management. This capacity allows the SRG call center to conduct interviews for several different survey research projects simultaneously. SRG's interview facilitation

software makes it possible to tailor questionnaire design and sampling strategy for each research project. For example, SRG can design a survey to randomly sample from the statewide California population or from populations limited to smaller geographic areas. It is also possible to refine the survey sample to populations with special characteristics, such as women over the age of 40 or youth between the ages of 12 and 17.

SRG has the in-house capability to generate Waksberg-Mitofsky method samples or to use standard RDD (random digit dial) samples. SRG implements screened RDD samples, typically purchased from commercial sampling firms, using Computer Assisted Telephone Interviewing (CATI) technology. SRG currently has the capability to conduct several thousand general population interviews per month and is available to conduct interviews seven days a week in all time zones. Approximately 70 percent of the interviewing staff and 35 percent of the supervisory staff are fluent Spanish speakers; prevalence of bilingual staff allows interviews to be conducted in Spanish at time of need. SRG also has interview staff who are fluent in Cantonese and Mandarin. As of 2007, all new interviewer hires meet a minimum bilingual requirement. All interviewers receive training in general telephone survey techniques as well as focused training of additional technical requirements for specific surveys.

## **Present, Past and Future Research**

The following are examples of survey research projects undertaken by SRG in addition to the CWHS.

### California Behavioral Risk Factor Survey (BRFS)

Funded by the Centers for Disease Control and Prevention and the California Department of Public Health. Ongoing since January 1984. SRG conducts interviews of California adults aged 18 and over. The BRFS survey covers a wide variety of health behaviors. The survey is part of a surveillance effort planned by the Centers for Disease Control and the California Department of Public Health. The annual sample size for this survey increased from 1,200 interviews in 1984 to a current sample size of 5,500.

### California Adult Tobacco Survey (CATS)

Funded by the Tobacco Control Program of the California Department of Public Health. Ongoing since February 1993. The emphasis of this survey is on adult tobacco use, past and present. This survey, conducted annually, is part of a surveillance effort planned by the Tobacco Control Program. The sample size for this survey is 4,200 interviews.

### California Youth Tobacco Survey (CYTS)

Funded by the Tobacco Control Program of the California Department of Public Health. In 1994, SRG conducted interviews of California youth aged 12 through 17. The emphasis of the survey is on youth tobacco use and attitudes toward tobacco. This survey, conducted annually, is part of a surveillance effort planned by the Tobacco Control

Program. The sample size for this survey is approximately 2,200 interviews. The sample is drawn from a sampling frame provided by a commercial sampling firm.

Sacramento and Santa Clara Lung Cancer Risk Factor Survey, 1991

Supported by the Cancer Surveillance Section of the California Department of Public Health. SRG conducted interviews of males aged 45 and older in Sacramento and Santa Clara Counties. The emphasis of the survey was on obtaining information about behavioral, occupational and environmental risk factors for lung cancer. The survey consisted of approximately 250 completed interviews in each county.

California Teen Eating, Exercising and Nutrition Survey (CalTEENS), 1998, 2000, 2002, 2004, 2006, 2008.

Supported by the California Department of Public Health, Cancer Prevention and Nutrition Section. The survey consisted of statewide interviews with youth aged 12 through 17. The emphasis of the survey is on youth attitudes and behaviors toward eating and exercising. SRG collected approximately 1,200 completed interviews.

California Department of Transportation Pedestrian Safety Study, 2001 – 2002.

Funded by the California Department of Transportation (Caltrans) and the California Department of Public Health Epidemiology and Prevention for Injury Control Branch. The emphasis of this survey was learning about pedestrian related activities, practices and safety issues. The specific focus of this survey was to determine what type of pedestrian activities (such as walking/jogging) California adults take part in, how often they do these activities, and where they engage in them. The survey also investigated barriers to common pedestrian activities. SRG employed regional quota sampling methods to ensure that each of the 12 Caltrans regions had a minimum of 785 completed interviews. SRG completed over 12,000 interviews between July 2001 and June 2002.

California Adult Dietary Practices Survey (CADPS) (2003, 2005, 2007, 2009) - supported by the CDPH, Cancer Prevention and Nutrition Section. Interviews are conducted statewide with an over sample of low income respondents. The emphasis of this survey is on dietary behaviors and attitudes. The survey is collected every other year and is being collected this year.

The Youth Risk Behavior Survey (YRBS) - a biennial survey conducted by the CDPH, in collaboration with the California Department of Education and funded by CDC. The survey was developed to monitor priority health risk behaviors that contribute to the leading causes of mortality, morbidity, and social problems among youth and adults in the United States. The survey is completed by approximately 1,500 adolescents in grades nine through twelve from 30 public schools in California. This survey is being collected this year.

Questions concerning the CWHS, this documentation or SRG should be addressed to:

Marta Induni, PhD  
Chief, Survey Research Group  
Public Health Institute  
1825 Bell Street, Suite 102  
Sacramento, CA 95825  
Phone:(916) 779-2677  
Fax:(916) 779-0265  
Email: minduni@ccr.ca.gov  
Website: <http://surveyresearchgroup.org>

## **Part I: Technical Report**

### **Sample and Methods**

The CWHS involves an ongoing effort by the California Department of Public Health, the California Department of Alcohol and Drug Program, the California Department of Mental Health, CMRI, the Department of Social Services, and the Survey Research Group (SRG) of the Public Health Institute. SRG collects data monthly from a random sample of California adult women living in households with telephones. The CWHS database contains information on California residents from March through December 1997, May through December 1998, February through December 1999, and January through December thereafter.

### **Questionnaire Design**

The CWHS questionnaire reflects development by the California Women's Health Survey Group and SRG staff working in collaboration with experts in women's health research. Wherever possible, survey designers selected questions from previously conducted national or statewide surveys to improve comparability. Researchers can implement changes to the CWHS questionnaire at any time to address topical issues. Because the questionnaire has evolved since the survey began, SRG recommends that researchers review questions carefully before analyzing multiple year data.

The CWHS asks participants about a wide variety of behaviors related to past and present involvement in health care systems, participation in the government nutrition program, WIC, prenatal care, vitamin consumption, alcohol consumption, breastfeeding, sexually transmitted diseases, utilization of cancer screening procedures and other preventative measures. Participants typically provide basic demographic information such as age, race/ethnicity, employment status, and education. Participation in the CWHS is completely voluntary and anonymous.

### **Interview Procedures**

To conduct interviews, interviewers must meet rigorous training standards and follow procedures developed by SRG staff and the Centers for Disease Control and Prevention (CDC). In general, SRG conducts interviews during weekday evenings and on weekends, although some interviews occur during weekday business hours. The average interview in English takes approximately 30 minutes to complete. Interview staff make appointments to accommodate busy or non-English speaking potential participants.

Using the CATI system, interviewers read questions as displayed on a computer screen. Interviewers key responses directly into the computer in real-time. Automatic data editing and coding programs prevent invalid responses and greatly increase the accuracy and speed of data entry. In addition, computer programming facilitates the interview process by automatically skipping questions based on prior responses; for example, women aged 60 or over are not asked if they are currently pregnant.

## **Sample Selection**

SRG uses a screened random digit dial (RDD) sample purchased from a commercial sampling firm to select households.

All women aged 18 years or older who live in a selected household are eligible to participate in the survey. If more than one member of the household is eligible, then one person is selected at random (using computer-generated random selection) to become the respondent. If the respondent is not available, then interview staff make an appointment to conduct the interview at a different time. Once a respondent is selected no other household member can be interviewed, even if it is not possible to obtain an interview from the selected respondent.

In order to ensure that the sample is representative of the entire population, SRG follows standardized procedures for calling back numbers that ring with no answer, give a busy signal, or to encourage selected respondents who are reluctant to participate. Each phone call generates a record history for that phone number. Elimination of numbers occurs when: 1) a telephone number is non-working or assigned to a business; 2) there is no eligible respondent in the household, or; 3) the selected respondent is unavailable during the time period of the survey, is unable to complete the interview in a language supported by SRG, or if the respondent has an impairment that prevents communication via telephone.

SRG does not immediately eliminate respondents who refuse to participate. To maintain survey integrity, SRG attempts to persuade selected respondents to cooperate. Respondents receive a second call after a 2 to 5 day "cooling off" period. If a second refusal comes from a household member, then a third call is made to that household within a day or two of the second refusal. SRG eliminates a number if the third call results in a refusal. Telephone numbers with no answer, a busy signal, or an answering machine result in elimination after 15 attempts on these phone numbers. At least one call must occur during every type of shift: day, evening, and weekend.

## **Response Rates**

Response rates measure how successful a survey has been in reaching selected respondents. SRG calculates two response rates for the CWHS, an "upper bound" rate and a CASRO (Council of American Survey Research Organizations) rate. The upper bound response rate indicates the proportion of eligible households contacted that resulted in a completed interview. The CASRO rate includes a correction for households in the sample that were not contacted but may have been eligible. During 2000, and again in 2001, the disposition codes for the CWHS changed to correspond exactly with CDC disposition codes. Because of this change, the upper-bound and CASRO response rates declined from prior years. As of 2002, SRG uses response rate formulas as defined by the American Association of Public Opinion Research (AAPOR) guidelines, in accordance with the CDC policy.

**Table I. Response Rates**

	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>
<b>Upper Bound</b>	67%	70%	81%	74%	74%	72%	72%	74%	73%	72%	78%	88%
<b>CASRO</b>	49%	49%	46%	38%	25%	37%	40%	41%	42%	41%	43%	49%
	<b>2009</b>	<b>2010</b>										
<b>Upper Bound</b>	85%	65%										
<b>CASRO</b>	52%	41%										

## The Dataset

The information from all the CWHS interviews collected during a calendar year makes up the annual CWHS dataset for that year. Each month, before the data become part of the annual dataset, they are checked extensively for possible errors. The respondent's original answers, as recorded at the time of the interview, provide a comparison to the coded data and an accurate record for any suspicious or out-of-range values. The original data allow SRG analysts to make the necessary corrections when errors occur.

Beginning in 2002, each annual dataset includes interviews with complete demographic information. The "PARTIAL" variable includes all incomplete interviews, so dataset users can look at this variable to determine whether a particular respondent completed the entire survey. In 2005 and 2006, SRG coded the unanswered questions in the partial interviews as "Refused," but for 2007 SRG set the unanswered variable fields to missing. In 2007, SRG added a second variable containing the name of the last question completed in the partial interview, "LASTQUEST". The dataset user has the option of not including the "PARTIAL" observations, but should note (as always when analyzing any other subgroup of the data) that the weighting procedures do not change. Table II shows completed and partial data from 2002 to the present.

**Table II. Sample Sizes**

	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>
<b>Completed</b>	4,010	4,006	4,163	4,012	4,018	4,009	4,004	4,037	4,025	4,190	4,779	4,119
<b>Partial</b>	-	-	-	-	-	416	393	520	600	461	597	860
	<b>2009</b>	<b>2010</b>										
<b>Completed</b>	3847	4030										
<b>Partial</b>	1077	272	-	-	-							

Table III shows the distribution of the cumulative sample (1997-2009) by age and race before weighting and without partials. In this table, and throughout the remainder of this report, "White" refers to non-Hispanic Whites, "Hispanic" refers to those persons who indicated that they were of Hispanic origin regardless of race, "Black" refers to those persons who indicated that their race was African American, and the categories "Asian/Other" or "Other" refer to all other racial/ethnic groups combined.

**Table III. Sample Sizes for Age/Race Groups in Cumulative 1997-2010 Dataset**

	<b>18-24</b>	<b>25-34</b>	<b>35-44</b>	<b>45-54</b>	<b>55-64</b>	<b>65+</b>	<b>Total</b>
<b>White</b>	1,630	4,510	6,747	7,753	6,563	8,875	36,078
<b>Black</b>	268	573	660	602	422	450	2,975
<b>Hispanic</b>	1,898	4,770	4,284	2,456	1,437	1,107	15,952
<b>Asian/Other</b>	373	962	1,098	849	458	432	4,172
<b>Total</b>	4,169	10,815	12,789	11,660	8,880	10,864	59,177

Note: Table III data does not include partial completes

### **Representativeness of the Sample**

During the sampling process described above, CWHS administrators attempt to collect interviews from a random sample that is representative of the state population. In an effort to assess the degree to which the composition of the sample matches the demographic composition of the state, SRG compares the CWHS sample for 2010 to estimates for California from the 2010 Current Population Survey, Annual Social and Economic Supplement<sup>1</sup> The comparisons are by race, educational level, household income, and age. In the following discussion, "sample" refers to the 2010 CWHS sample unless otherwise indicated.

Table IV compares the racial/ethnic distribution of the CWHS sample to the distribution of racial/ethnic groups in the California population estimates. As the table shows, Whites are somewhat over-represented in the sample, while Asians/Others are underrepresented. As a percentage of the total number of interviews, approximately 16% more interviews with whites were obtained in the sample than would be expected given the proportion of whites in the California population. Blacks had approximately 2% fewer interviews than expected, while Hispanics had 6% fewer and the Other group had 8% fewer interviews than expected.

---

<sup>1</sup> [Current Population Survey, Annual Social and Economic Supplement, 2010](#)

**Table IV. Race Distribution of the 2010 CWHS Sample Compared to the 2010 Current Population Survey Estimates**

	<b>CWHS</b>	<b>CA 2010</b>
<b>White</b>	62%	46%
<b>Black</b>	4%	6%
<b>Hispanic</b>	27%	33%
<b>Asian/Other</b>	7%	15%

Source:

2010 CWHS Sample (n=4,924 Completed Interviews)

[Current Population Survey, Annual Social and Economic Supplement, 2010](#)

Table V shows the distribution of educational level by age among adults aged 25 and older, comparing the 2010 CWHS sample to data from the 2010 Current Population Survey (CPS).

**Table V. Educational Level of Adults Aged 25 Years and Older 2010 CWHS Sample vs. 2010 Current Population Survey**

	<b>25-34</b>		<b>35-44</b>		<b>45-64</b>		<b>65+</b>	
	<b>CWHS</b>	<b>CA 2010</b>	<b>CWHS</b>	<b>CA 2010</b>	<b>CWHS</b>	<b>CA 2010</b>	<b>CWHS</b>	<b>CA 2010</b>
<b>Eighth Grade or Less</b>	13.9%	6.1%	12.7%	10.7%	9.1%	9.5%	6.0%	13.4%
<b>Some High School</b>	12.7%	8.4%	8.8%	8.5%	5.5%	5.6%	4.7%	7.0%
<b>Grade 12 (HS Graduate)</b>	19.2%	20.0%	16.8%	19.5%	19.5%	22.1%	25.4%	27.9%
<b>Some College</b>	18.2%	29.2%	15.9%	28.3%	26.1%	28.7%	27.0%	26.1%
<b>Bachelor's Degree</b>	24.0%	27.0%	29.3%	23.1%	22.2%	23.0%	21.6%	17.1%
<b>Post Graduate Degree</b>	11.9%	9.2%	16.5%	9.8%	17.5%	11.1%	15.4%	8.1%

Source:

2010 CWHS Sample Age 25+ (n=4,159 Completed Interviews)

[Current Population Survey, Annual Social and Economic Supplement, 2010](#)

As shown in Table V, the 2010 CWHS sample is somewhat better educated than the general population. The CWHS sample has a higher proportion of persons with post graduate degrees for all age groups and a higher proportion of persons with bachelor's degrees among those aged 35-44 and 65+.

Persons aged 25-64 with some college education are under-represented in the CWHS sample.

Table VI compares the household income distribution of the 2010 CWHS sample to the distribution from the 2010 Current Population Survey. The CWHS sample includes those who said they did not know their household income or who refused to answer the question in the CWHS. The CWHS sample shows a distribution that appears to have a higher proportion of persons with low income and a lower proportion with very high income, but an analysis comparing the CWHS income distribution to the Current Population Survey is difficult, since 9% of the CWHS respondents declined to provide their household income.

**Table VI. Distribution of Household Income 2010 CWHS Sample vs. 2010 Current Population Survey**

	<b>CWHS</b>	<b>CA 2010</b>
<b>Less Than \$10,000</b>	8.3%	4.7%
<b>\$10,000 to \$14,999</b>	7.1%	4.4%
<b>\$15,000 to \$19,999</b>	7.1%	4.6%
<b>\$20,000 to \$24,999</b>	6.6%	5.0%
<b>\$25,000 to \$34,999</b>	9.3%	9.6%
<b>\$35,000 to \$49,999</b>	10.7%	13.1%
<b>\$50,000 to \$74,999</b>	12.7%	17.9%
<b>\$75,000 to \$99,999</b>	11.6%	12.2%
<b>\$100,000 or more</b>	18.8%	28.3%
<b>Unknown or Refused</b>	8.9%	-

Source:  
 2010 CWHS Sample (n=4,302 Completed Interviews)  
[Current Population Survey Annual Social and Economic Supplement, 2010](#)

Table VII compares the age distribution by race for the unweighted 2010 CWHS sample and the 2010 Current Population Survey estimates for California. Females aged 18 to 24 and 25 to 34 are under-represented in all race/ethnicity groups. Women aged 35 to 44 are under-represented among Whites and Blacks. Women aged 45 to 54 are over-represented in all race/ethnicity groups. Women aged 55 to 64 and women 65+ are over-represented among all race/ethnicity except Asian/Other.

**Table VII. Distribution of Age by Race 2010 CWHS Sample vs. 2010 Current Population Survey Estimates**

	<b>White</b>		<b>Hispanic</b>		<b>Black</b>		<b>Asian/Other</b>	
	<b>CWHS</b>	<b>CA 2010</b>	<b>CWHS</b>	<b>CA 2010</b>	<b>CWHS</b>	<b>CA 2010</b>	<b>CWHS</b>	<b>CA 2010</b>
<b>18-24</b>	1.9%	11.3%	5.7%	18.2%	4.2%	13.9%	6.2%	11.1%
<b>25-34</b>	6.6%	15.8%	22.4%	24.3%	8.4%	16.1%	15.5%	18.3%
<b>35-44</b>	11.7%	16.3%	26.5%	21.4%	16.8%	20.3%	24.7%	20.7%
<b>45-54</b>	20.2%	19.6%	20.6%	16.8%	26.4%	19.9%	25.1%	19.5%
<b>55-64</b>	24.2%	16.3%	13.6%	10.3%	19.8%	16.7%	13.8%	15.4%
<b>65+</b>	35.4%	20.7%	11.3%	9.0%	24.6%	23.4%	14.8%	15.0%

Source:  
 2010 CWHS Sample (n=4,302 Completed Interviews)  
[Current Population Survey Annual Social and Economic Supplement, 2010](#)

## **Weighting Procedures**

As discussed above, the age and race characteristics of the CWHS sample differ from the age and race characteristics of the female California population. Weighting adjustments compensate for these discrepancies. When performing analyses on the CWHS data, analysts should always weight the sample so that the age and race distributions correspond to the California population. Part VI of this document describes calculated weights adjusting for age and race in the CWHS sample. The weights are specific to the year of the data collection, SRG statisticians design weighting measurements to allow comparisons between years or point estimates for a particular year. Researchers interested in combining data from several years for more accurate estimates must develop different weights.

The weights provided with the dataset adjust only for age and race discrepancies between the CWHS sample and the California female population. There are no adjustments to the observed differences in education or income. Dataset users should control for education and income in their analyses when necessary.

## Part II: Data Dictionary

Dataset Name: CWHS9710

Creation Date: Apr-11

N Records: 59,177

Description: This dataset contains data from interviews with 47,853 randomly selected California women conducted during 1997 through 2010.

Part III explains the variables containing special values (e.g., 999=refused) and the Roman numeral naming convention of the continuous variables. Variables with no specified format are either character strings or numeric with no special values; i.e., all missing values are coded as '.' on the SAS dataset. Part IV and the program FORM9708.SAS reference the formats below (e.g., YESNO.); SAS files can be obtained by request.

Parts V, VI and VII provide information about the specific questions, the location of the question within the questionnaire, definitions of calculated variables, and use of weights. Dataset users should consult this documentation information prior to using the dataset.

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
ABTREAT	YESNO	2000	TREAT URINARY TRACT INFECT W/ANTIBIOTIC
ACEDEPMI	YESNO	2003-2005	BEFORE 18 LIVE WITH SOMEONE MENTALLY ILL
ACEDVMO2	YESNO	2004-2005	BEFORE 18 MOM TREATED VIOLENTLY
ACEDVMOM	YESNO	2003	BEFORE 18 MOM TREATED VIOLENTLY
ACEDVRCE	YESNO	2004-2005	BEFORE 18 PARENTS SEPARATED/DIVORCED
ACEHNGR	YESNO	2005-2009	BEFORE 18 EVER HUNGRY
ACEJAIL	YESNO	2003-2005	BEFORE 18 LIVED WITH SOMEONE WHO WENT TO JAIL
ACESUBAB	YESNO	2003-2005	BEFORE 18 LIVED WITH SUBSTANCE ABUSER
ACEWLFAR	YESNO	2005-2009	BEFORE 18 HOUSEHOLD RECEIVED WELFARE
ACEWLFAR	Num	2010	BEFORE 18 DID HOUSEHOLD RECEIVE WELFARE
AFPBOOK	YESNO	1997-1999	GET A BOOKLET ABOUT AFP TEST
AFPNOT1	YESNO	1997-1999	NOT TOLD OF AFP TEST/ASKED IF WANTED IT
AFPNOT2	YESNO	1997-1999	DIDNT UNDERSTAND REASON FOR AFP TEST
AFPNOT3	YESNO	1997-1999	NO TEST: DONT LIKE HAVING BLOOD DRAWN
AFPNOT4	YESNO	1997-1999	HEARD AFP RESULTS WERE UNRELIABLE
AFPNOT5	YESNO	1997-1999	HAD AMNIOCENTESIS INSTEAD OF AFP TEST
AFPNOT6	YESNO	1997-1999	DIDNT WANT TO KNOW OF BIRTH DEFECT
AFPNOT7	YESNO	1997-1999	DIDNT WANT TO DECIDE ABOUT ABORTION
AFPNOT8	YESNO	1997-1999	AFP BLOOD TEST TOO EXPENSIVE
AFPNOT9	YESNO	1997-1999	REASON DIDNT HAVE AFP TEST (SPECIFY)
AFPNOTXT	AFPNOTXT	1997-1999	REASON DIDNT HAVE AFP TEST (TEXT)
AFPTEST	YESNOTER	1997-1999	HAVE YOUR BLOOD DRAWN FOR AFP TEST
AFRDMEAL	TRUEFALB	1998-2010	WHEN COULD NOT AFFORD BALANCED MEALS
AGE	I	1997-2001	REPORTED AGE IN YEARS
AGEB	I	2002-2010	REPORTED AGE IN YEARS
AGEBCWHS	I	2009-2010	REPORTED AGE IN YEARS (NOTE: AGEBCWHS = AGEB)
AGEBRTH	I	1998-2000	AGE AT BIRTH OF FIRST CHILD
AIDSNOT	AIDSNOT	1997	MAIN REASON FOR NOT BEING TESTED FOR HIV
AIDSTALK	AIDSTALK	1998	TALK ABOUT AIDS WITH SEX PARTNER
AIDSTST3	YESNO	1997	EVER TESTED FOR HIV
ALCASK	ALCASK	2009-2010	HEALTH PROFESSIONAL TALKED ABOUT ALCOHOL, WHEN

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
ALTD0C	YESNO	2000	TELL DOCTOR ABOUT USE OF HERBAL PRODUCT
ALTHERB	YESNO	2000	USED HERBAL PRODUCT LAST 12 MONTHS
ANTBEAR	YESNO	2000	SHOULD TAKE ANTIBIOTIC: EAR INFECTION
ANTBLAD	YESNO	2000	SHOULD TAKE ANTIBIOTIC: BLADDER INFECTION
ANTCOLD	YESNO	2000	SHOULD TAKE ANTIBIOTIC: COLDS OR FLU
ANTCOLD2	YESNO	2003, 2007	COLD/FLU SHOULD BE TREATED WITH ANTIBIOTICS
AODTREAT	YESNO	2010	EVER RECEIVED TREATMENT FROM A CHEMICAL DEPENDENCY OR SUBSTANCE ABUSE PROGRAM
AREACODE		1997-2005	AREA CODE
ASKFRTST	SCALED	1998-2000	HOW LIKELY ASK CHLAMYDIA TEST NEXT YEAR
ASTHEVER	YESNO	2004	DOCTOR SAID YOU HAD ASTHMA
ASTHSTL	YESNO	2004-2005	STILL HAVE ASTHMA
BABY	BABY	1997	EVER GIVEN BIRTH TO A LIVE BABY
BABYWHEN	I	1997	YEAR LAST GAVE BIRTH TO LIVE BABY
BARRPA	BARRPA	2003-2004	MAIN REASON NOT MORE PHYSICALLY ACTIVE
BARRPA2	BARRPAB	2005-2007	MAIN REASON NOT MORE PHYSICALLY ACTIVE
BCBAR	BCBAR	1997	FREQUENCY OF CONDOM USE
BCBAR2	BCBAR	1998	FREQUENCY OF CONDOM USE
BCBARNO2	BCBARNOB	1998	WHY NOT ALWAYS USING CONDOM
BCBARNOT	BCBARNOT	1997	MAIN REASON NOT USING CONDOM ALWAYS
BCCHOOSE	Num	2009-2010	WHO CHOOSES TYPE OF BIRTH CONTROL
BCFAM	YESNO	1997	FAMILY MEMBERS EVER HAD BREAST CANCER
BCGENET	YESNO	2001	TAKE GENETIC BREAST CANCER RISK TEST
BCHAD	YESNO	1997-2002	EVER HAD BREAST CANCER
BCMEMA	YESNO	1997	MOTHER HAD BREAST CANCER
BCMEMB	YESNO	1997	SISTER HAD BREAST CANCER
BCMEMC	YESNO	1997	DAUGHTER HAD BREAST CANCER
BCMEMD	YESNO	1997	OTHER RELATIVE HAD BREAST CANCER
BCPAY_A	YESNO	1999-2004	HOW PAY FOR BC: PRIVATE INSURANCE
BCPAY_B	YESNO	1999-2004	HOW PAY FOR BC: MEDI-CAL
BCPAY_C	YESNO	1999-2004	HOW PAY FOR BC: FAMILY PACT
BCPAY_D	YESNO	1999-2004	HOW PAY FOR BC: COLLEGE INSURANCE
BCPAY_E	YESNO	1999-2004	HOW PAY FOR BC: FREE NOT SCHOOL CLINIC
BCPAY_F	YESNO	1999-2004	HOW PAY FOR BC: FREE SCHOOL CLINIC
BCPAY_G	YESNO	1999-2004	HOW PAY FOR BC: RESPONDENT PAID CO-PAY
BCPAY_H	YESNO	1999-2004	HOW PAY FOR BC: PARTNER PAID CO-PAY
BCPAY_I	YESNO	1999-2004	HOW PAY FOR BC: RESPONDENT PAID ALL COST
BCPAY_J	YESNO	1999-2004	HOW PAY FOR BC: PARTNER PAID ALL COST
BCPAY_K	YESNO	1999-2004	HOW PAY FOR BC: SHARED COST WITH PARTNER
BCPAY_L	YESNO	1999-2004	HOW PAY FOR BC: FAMILY MEMBER PAID COST
BCPAY_M	YESNO	1999-2004	HOW PAY FOR BC: OTHER (SPECIFY)
BCPAY_N	YESNO	1999-2004	HOW PAY FOR BC: DO NOT USE BIRTH CONTROL
BCPAY2_A	YESNO	2000-2004	STERILIZATION PAID: PRIVATE HEALTH INS
BCPAY2_B	YESNO	2000-2004	STERILIZATION PAID: MEDI-CAL
BCPAY2_C	YESNO	2000-2004	STERILIZATION PAID: FAMILY PACT ETC
BCPAY2_D	YESNO	2000-2004	STERILIZATION PAID: COLLEGE HEALTH INS

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
BCPAY2_E	YESNO	2000-2004	STERILIZATION PAID: FREE COMM CLINIC
BCPAY2_F	YESNO	2000-2004	STERILIZATION PAID: FREE @SCHOOL CLINIC
BCPAY2_G	YESNO	2000-2004	STERILIZATION PAID: YOU PAID COPAY
BCPAY2_H	YESNO	2000-2004	STERILIZATION PAID: PARTNER PAID COPAY
BCPAY2_I	YESNO	2000-2004	STERILIZATION PAID: YOU PAID FULL COST
BCPAY2_J	YESNO	2000-2004	STERILIZATION PAID: PARTNER PAY FULL COST
BCPAY2_K	YESNO	2000-2004	STERILIZATION PAID: SHARE COST W/PARTNER
BCPAY2_L	YESNO	2000-2004	STERILIZATION PAID: FAMILY MEMBER PAID
BCPAY2_M	YESNO	2000-2004	STERILIZATION PAID: OTHER (SPECIFY)
BCPAY2_N	YESNO	2000-2004	STERILIZATION PAID: NOT STERILIZED
BCPAY2TX	BCPAYTXT	2000-2004	STERILIZATION PAID (TEXT)
BCPAY3	BCPAY3	2009-2010	WHO PAYS FOR BIRTH CONTROL
BCPAYTXT	BCPAYTXT	1999,2001-2004	HOW PAY FOR BC (TEXT)
BCPREVNT	YESNO	1999-2000	EVER HEARD OF TAMOXIFEN OR RALOXIFENE
BCPRVMED	YESNO	1999-2000	DISCUSSED MEDS TO PREVENT BREAST CANCER
BCRISK	SCALEB	1998	PERCEIVED RISK OF GETTING BREAST CANCER
BCRISK2	RISKB	1999-2000	PERCEIVED RISK OF GETTING BREAST CANCER
BCTALK	BCTALK	2008	YOU OR PARTNER INITIATE BIRTH CONTROL DISCUSSIONS
BCTALK2	Num	2010	YOU OR PARTNER INITIATE BIRTH CONTROL DISCUSSIONS
BCTYP_A	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: MALE STERILIZATION
BCTYP_B	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: FEMALE STERILIZATION
BCTYP_C	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: NORPLANT/IMPLANTS
BCTYP_D	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: DEPO-PROVERA
BCTYP_E	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: ORAL CONTRACEPTIVE
BCTYP_F	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: IUD/COIL/LOOP
BCTYP_G	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: CONDOMS
BCTYP_H	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: DIAPHRAGM
BCTYP_I	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: FEMALE CONDOM/POUCH
BCTYP_J	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: CERVICAL CAP
BCTYP_K	YESNO	1997-2004, 06-10	BC USED: FOAM/JELLY/CREAM/ETC
BCTYP_L	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: WITHDRAWAL
BCTYP_M	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: NATURAL FAM PLANNING
BCTYP_N	YESNO	1997-2004, 06-10	BIRTH CONTROL USED: OTHER (SPECIFY)
BCTYP_O	YESNO	1997-2004, 06-10	REFUSED BIRTH CONTROL MODULE
BCTYP_P	YESNO	2004, 2006-2010	BIRTH CONTROL USED: PATCH (ORTHO EVRA)
BCTYP_Q	YESNO	2004, 2006-2010	BIRTH CONTROL USED: VAGINA RING (NUVARING)
BCTYP_R	YESNO	2004, 2006-2010	BIRTH CONTROL USED: EMERGENCY CONTRACEPTION
BCTYP_S	YESNO	2008-2010	BIRTH CONTROL USED: LACTATIONAL AMENORRHEA METHOD
BCTYPTX2	BCTYPETB	2003	BIRTH CONTROL USED (TEXT)
BCTYPTXT	BCTYPETX	1997-2002, 04, 08	BIRTH CONTROL USED (TEXT)
BCUSE2	YESNOM	1998-1999	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUSE3	YESNOM	2000-2003	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUSE4	YESNOM	2004-2010	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUTIL	Num	2008-2010	YOU OR PARTNER MAKES SURE BIRTH CONTROL IS USED
BCWHYNOT	BCWHYNOT	1997-2004, 06-10	MAIN REASON NOT USING BIRTH CONTROL
BCWHYNOX	BCWHYNOT	1998-2004, 08-10	REASON NOT USING BIRTH CONTROL (TEXT)

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
BCWNTHOW	PORTION	1999-2003	IF WANTED BIRTH CONTROL HOW MUCH INS PAY
BFBENEFT	YESNO	1997	MD DISCUSS BENEFITS OF BREASTFEEDING
BFDIS_A	YESNO	1997	OBSTETRICIAN DISCOURAGED BREASTFEEDING
BFDIS_B	YESNO	1997	PEDIATRICIAN DISCOURAGED BREASTFEEDING
BFDIS_C	YESNO	1997	FAM PRACTICE DOC DISCOURAGED BRSTFEED
BFDIS_D	YESNO	1997	OTHER DOCTOR DISCOURAGED BREASTFEEDING
BFDIS_E	YESNO	1997	NURSE DISCOURAGED BREASTFEEDING
BFDIS_F	YESNO	1997	DIETITIAN DISCOURAGED BREASTFEEDING
BFDIS_G	YESNO	1997	FRIEND DISCOURAGED BREASTFEEDING
BFDIS_H	YESNO	1997	MOTHER DISCOURAGED BREASTFEEDING
BFDIS_I	YESNO	1997	GRANDMOTHER DISCOURAGED BREASTFEEDING
BFDIS_J	YESNO	1997	SISTER DISCOURAGED BREASTFEEDING
BFDIS_K	YESNO	1997	HUSBAND DISCOURAGED BREASTFEEDING
BFDIS_L	YESNO	1997	LACTATION CONSULT DISCOURAGED BREASTFEED
BFDIS_M	YESNO	1997	WIC STAFF DISCOURAGED BREASTFEEDING
BFDIS_N	YESNO	1997	COWORKER DISCOURAGED BREASTFEEDING
BFDIS_O	YESNO	1997	EMPLOYER DISCOURAGED BREASTFEEDING
BFDIS_P	YESNO	1997	NO ONE/SELF DISCOURAGED BREASTFEEDING
BFDIS_Q	YESNO	1997	OTHER DISCOURAGED BREASTFEED (SPECIFY)
BFDISCOU	YESNO	1997	POST BIRTH ANYONE DISCOURAGE BRSTFEEDING
BFDISTXT	BFDISCOR	1997	OTHER WHO DISCOURAGED BRSTFEEDING (TEXT)
BFENC_A	YESNO	1997	DOCTOR ENCOURAGED BREASTFEEDING
BFENC_B	YESNO	1997	NURSE ENCOURAGED BREASTFEEDING
BFENC_C	YESNO	1997	LACTATION SPECIALIST ENCOURAGE BRSTFEED
BFENC_D	YESNO	1997	WIC STAFF ENCOURAGED BREASTFEEDING
BFENC_E	YESNO	1997	FRIEND ENCOURAGED BREASTFEEDING
BFENC_F	YESNO	1997	HUSBAND ENCOURAGED BREASTFEEDING
BFENC_G	YESNO	1997	MOTHER ENCOURAGED BREASTFEEDING
BFENC_H	YESNO	1997	FATHER ENCOURAGED BREASTFEEDING
BFENC_J	YESNO	1997	MIDWIFE ENCOURAGED BREASTFEEDING
BFENC_K	YESNO	1997	NO ONE/SELF ENCOURAGED BREASTFEEDING
BFENC_L	YESNO	1997	OTHER WHO ENCOURAGED BRSTFEED (SPECIFY)
BFENCXTXT	BFENCWHO	1997	OTHER WHO ENCOURAGED BRSTFEEDING (TXT)
BFFORM	BFFORM	1997	GET FORMULA/COUPONS ON LEAVING HOSPITAL
BFHELP	YESNO	1997	GET HELP WITH BREASTFEEDING PROBLEM
BFHLP_A	YESNO	1997	OBSTETRICIAN HELPED BREASTFEEDING PROB
BFHLP_B	YESNO	1997	PEDIATRICIAN HELPED BREASTFEEDING PROB
BFHLP_C	YESNO	1997	FAMILY PRACTICE DOC HELPED BRSTFEED PROB
BFHLP_D	YESNO	1997	HOSPITAL NURSE HELPED BREASTFEED PROB
BFHLP_E	YESNO	1997	OFFICE NURSE HELPED BREASTFEEDING PROB
BFHLP_F	YESNO	1997	FRIEND HELPED BREASTFEED PROBLEM
BFHLP_G	YESNO	1997	MOTHER HELPED BREASTFEED PROBLEM
BFHLP_H	YESNO	1997	GRANDMOTHER HELPED BREASTFEED PROBLEM
BFHLP_I	YESNO	1997	SISTER HELPED BREASTFEED PROBLEM
BFHLP_J	YESNO	1997	HUSBAND HELPED BREASTFEED PROBLEM
BFHLP_K	YESNO	1997	LA LECHE LEAGUE HELPED BRSTFEED PROB

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
BFHLP_L	YESNO	1997	LACTATION CONSULT HELPED BRSTFEED PROB
BFHLP_M	YESNO	1997	WIC STAFF HELPED BREASTFEED PROBLEM
BFHLP_N	YESNO	1997	COWORKER HELPED BREASTFEED PROBLEM
BFHLP_O	YESNO	1997	SELF: BOOK HELPED BREASTFEED PROBLEM
BFHLP_P	YESNO	1997	SELF: PAST EXPERIENCE HELP BRSTFEED PROB
BFHLP_Q	YESNO	1997	OTR HELP SOURCE BRSTFEED PROB (SPECIFY)
BFINF_A	YESNO	1997	GOT BREASTFEED INFO: NOWHERE/NO ONE
BFINF_B	YESNO	1997	GOT BREASTFEED INFO: NURSE
BFINF_C	YESNO	1997	GOT BREASTFEED INFO: LACTATION CONSULT
BFINF_D	YESNO	1997	GOT BREASTFEED INFO: WIC STAFF
BFINF_E	YESNO	1997	GOT BREASTFEED INFO: BOOK
BFINF_F	YESNO	1997	GOT BREASTFEED INFO: FRIEND
BFINF_G	YESNO	1997	GOT BREASTFEED INFO: COWORKER
BFINF_H	YESNO	1997	GOT BREASTFEED INFO: MOTHER
BFINF_I	YESNO	1997	GOT BREASTFEED INFO: CHILDS FATHER
BFINF_J	YESNO	1997	GOT BREASTFEED INFO: SISTER
BFINF_K	YESNO	1997	GOT BREASTFEED INFO: GRANDMOTHER
BFINF_L	YESNO	1997	GOT BREASTFEED INFO: OTHER FAMILY MEMBER
BFINF_M	YESNO	1997	GOT BREASTFEED INFO: MAGAZINE
BFINF_N	YESNO	1997	GOT BREASTFEED INFO: PAMPHLET
BFINF_O	YESNO	1997	GOT BREASTFEED INFO: CHILDBRTH PREP CLASS
BFINF_P	YESNO	1997	GOT BREASTFEED INFO: PARENTING CLASS
BFINF_Q	YESNO	1997	GOT BREASTFEED INFO: LA LECHE LEAGUE
BFINF_R	YESNO	1997	DIDNT GET BRSTFEED INFO TIL AFTER BIRTH
BFINF_S	YESNO	1997	GOT BREASTFEED INFO: OTHER (SPECIFY)
BFINTXT	BFENCWHO	1997	GOT BREASTFEED INFO: OTHER (TEXT)
BFLONG	BFLONG	1997	LENGTH OF TIME BREASTFED
BFMLKGD	BFMLKGD	1997	BELIEF ABOUT BREASTMILK
BFNOTXT	BFNOT	1997	WHY NOT BREASTFEED: OTHER REASON (TEXT)
BFNURSE	BFNURSE	1997	NURSES ENCOURAGEMENT OF BREASTFEEDING
BFPRBTXT	BFPROBTX	1997	OTHER BREASTFEEDING PROBLEM (TEXT)
BFPRO_A	YESNO	1997	BREASTFEED PROB: ENGORGED BREASTS
BFPRO_B	YESNO	1997	BREASTFEED PROB: SORE NIPPLES
BFPRO_C	YESNO	1997	BREASTFEED PROB: MASTITIS (FEVER, SORE)
BFPRO_D	YESNO	1997	BREASTFEED PROB: OBSTRUCTED DUCT
BFPRO_E	YESNO	1997	BREASTFEED PROB: NOT ENOUGH MILK
BFPRO_F	YESNO	1997	BREASTFEED PROB: BABY REFUSED BREAST
BFPRO_G	YESNO	1997	BREASTFEED PROB: BABY WANTED FORMULA
BFPRO_H	YESNO	1997	BREASTFEED PROB: BABY NURSED TOO OFTEN
BFPRO_I	YESNO	1997	BREASTFEED PROB: BABY COULD NOT GET MILK
BFPRO_J	YESNO	1997	OTHER BREASTFEEDING PROBLEM (SPECIFY)
BFPROB	YESNO	1997	EVER HAVE ANY PROBLEMS BREASTFEEDING
BFWHER2	YESNO	1999, 2008	OFFENDED WHEN SEE BREASTFEEDING IN PUBLIC
BFWHERE	BFWHERE	1997-1998	BELIEF ABOUT BREASTFEEDING IN PUBLIC
BFWHOTXT	BFENCWHO	1997	OTR SOURCE OF HELP BRSTFEED PROB(TEXT)
BFWHY_A	YESNO	1997	WHY QUIT BREASTFEED: RETURNED TO WORK

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
BFWHY_B	YESNO	1997	WHY QUIT BREASTFEED: RETURNED TO SCHOOL
BFWHY_C	YESNO	1997	WHY QUIT BREASTFEED: NOT ENOUGH TIME
BFWHY_D	YESNO	1997	WHY QUIT BREASTFEED: NOT ENOUGH MILK
BFWHY_E	YESNO	1997	WHY QUIT BRETFEED: UNCOMFORTABLE BODY
BFWHY_F	YESNO	1997	WHY QUIT BREASTFEED: FELT EMBARRASSED
BFWHY_G	YESNO	1997	WHY QUIT BREASTFEED: PAIN
BFWHY_H	YESNO	1997	WHY QUIT BRSTFEED: HUSBAND CANT FEED
BFWHY_I	YESNO	1997	WHY QUIT BRETFEED: NO FAMILY SUPPORT
BFWHY_J	YESNO	1997	WHY QUIT BREASTFEED: BABY GOT BENEFIT
BFWHY_K	YESNO	1997	WHY QUIT BREASTFEED: BABY DIDNT SLEEP
BFWHY_L	YESNO	1997	WHY QUIT BRSTFEED: BEGAN BIRTH CONTROL
BFWHY_M	YESNO	1997	WHY QUIT BRSTFEED: TAKING MEDS NOT BC
BFWHY_N	YESNO	1997	WHY QUIT BREASTFEED: HIV POSITIVE
BFWHY_O	YESNO	1997	WHY QUIT BREASTFEED: BABY TEETHING
BFWHY_P	YESNO	1997	WHY QUIT BRSTFEED: BABY REFUSED BREAST
BFWHY_Q	YESNO	1997	WHY QUIT BREASTFEED: MED PROB NOT HIV
BFWHY_R	YESNO	1997	WHY QUIT BREASTFEED: OTHER (SPECIFY)
BFWHYNA	YESNO	1997	WHY NOT BRSTFEED: NEVER OCCURRED TO YOU
BFWHYNB	YESNO	1997	WHY DIDNT BREASTFEED: RETURN TO SCHOOL
BFWHYNC	YESNO	1997	WHY DIDNT BREASTFEED: RETURN TO WORK
BFWHYND	YESNO	1997	WHY DIDNT BREASTFEED: EMBARRASSMENT
BFWHYNE	YESNO	1997	WHY DIDNT BREASTFEED: UNAPPEALING
BFWHYNF	YESNO	1997	WHY DIDNT BREASTFEED: HEARD IT HURT
BFWHYNG	YESNO	1997	WHY DIDNT BREASTFEED: BREASTS TOO SMALL
BFWHYNH	YESNO	1997	WHY DIDNT BREASTFEED: INVERTED NIPPLES
BFWHYNI	YESNO	1997	WHY NOT BRSTFEED: PREVIOUS BAD EXPERIENCE
BFWHYNJ	YESNO	1997	WHY NOT BRSTFEED: FORMULA EQ BREASTMILK
BFWHYNK	YESNO	1997	WHY DIDNT BRSTFEED: DIDNT KNOW ADVANTAGE
BFWHYNL	YESNO	1997	WHY DIDNT BREASTFEED: TOO BUSY
BFWHYNM	YESNO	1997	WHY DIDNT BRSTFEED: BABYS FATHER OPPOSED
BFWHYNN	YESNO	1997	WHY DIDNT BREASTFEED: MOTHER OPPOSED
BFWHYNO	YESNO	1997	WHY DIDNT BREASTFEED: WORRIED ABOUT DIET
BFWHYNP	YESNO	1997	WHY DIDNT BRSTFEED: WORRIED ABOUT ALCOHOL
BFWHYNQ	YESNO	1997	WHY DIDNT BREASTFEED: WORRIED ABOUT MOOD
BFWHYNR	YESNO	1997	WHY DIDNT BREASTFEED: TOO MUCH TROUBLE
BFWHYNS	YESNO	1997	WHY DIDNT BREASTFEED: BABY PREMATURE
BFWHYNT	YESNO	1997	WHY DIDNT BREASTFEED: BABY ADOPTED
BFWHYNU	YESNO	1997	WHY NOT BRSTFEED: OTHER REASON (SPECIFY)
BFWHYTXT	BFWHYQT	1997	WHY QUIT BREASTFEED: OTHER (TEXT)
BIRTHPLC	BIRTHPLC	1997-2002,04-10	COUNTRY OF BIRTH
BLADINF	YESNO	1997	HAD BLADDER INFECTION SYMPTOMS 3+ MONTHS
BLADINF2	YESNO	2000	URINARY TRACT INFECTION LAST 12 MONTHS
BLKACT	III	1998-1999	CITY BLOCKS WALKED PER DAY
BONEDEN	YESNO	2006	EVER HAD A BONE DENSITY TEST?
BPCK12M	YESNO	2001-2002	HAD BLOOD PRESSURE CHECKED IN LAST 12 MOS
BREAKFST	XIX	2008-2010	HOW MANY TIMES PER DAY/WEEK/MONTH EAT BREAKFAST

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
BRSTFED2	YESNO	2001-2003	TRY TO BREASTFEED BABY BORN IN YEAR
BRSTFEED	BABY	1997-1998	TRY TO BREASTFEED LAST BABY
BRTHMNT	MON_YEAR	1998-2000	MONTH LAST GAVE BIRTH TO LIVE BABY
BRTHW_A	II	1999-2005	WEIGHT IN POUNDS OF LAST BABY
BRTHW_B	II	1999-2005	WEIGHT IN OUNCES OF LAST BABY
BRTHW_C	II	1999-2005	WEIGHT IN GRAMS OF LAST BABY
BRTHYR	IV	1998-2000	YEAR LAST GAVE BIRTH TO LIVE BABY
CALAGAIN	YESNO	2008-2010	WILLING TO ANSWER FUTURE SURVEY
CALORIES	XIX	2008-2010	HOW MANY TIMES PER DAY/WEEK/MONTH KEPT FOOD DIARY OR COUNTED CALORIES
CAREACTV		2008	LONGTERM CARE: WHAT ACTIVITY CARE RECEIVER NEEDS HELP WITH
CAREAGE	I	2008	LONGTERM CARE: AGE OF PERSON CARED FOR
CAREBURD		2008	LONGTERM CARE: BIGGEST DIFFICULTY IN PROVIDING CARE
CAREFAR	III	2008	LONGTERM CARE: HOW FAR FROM PERSON CARED FOR, IN MINUTES
CAREGIV2	YESNO	1998	GIVE FREQUENT CARE DURING LAST 12 MONTHS
CAREGIV3	YESNO	2008	LONGTERM CARE: DID YOU PROVIDE IN PAST 12 MONTHS
CAREGIVE	YESNO	1997	GIVE FREQUENT CARE DURING LAST 12 MONTHS
CAREHURT	YESNO	2008	LONGTERM CARE: BEEN INJURED BY PROVIDING CARE IN PAST YEAR
CAREL_A	V	1997	NUMBER OF DAYS ACTED AS CAREGIVER
CAREL_B	V	1997	NUMBER OF WEEKS ACTED AS CAREGIVER
CAREL_C	V	1997	NUMBER OF MONTHS ACTED AS CAREGIVER
CAREL_D	V	1997	NUMBER OF YEARS ACTED AS CAREGIVER
CARELONG	MANYIV	2008	LONGTERM CARE: HOW LONG HAVE YOU PROVIDED CARE
CARENUM	I	2008	LONGTERM CARE: HOW MANY PROVIDE CARE FOR IN PAST MONTH
CAREPBLM	YESNO	2006-2009	CHILDCARE A SERIOUS PROBLEM?
CAREPROB	CAREPROB	2008	LONGTERM CARE: HEALTH PROBLEM OF PERSON CARED FOR
CARER_A	YESNO	1997	REASON FOR CARE: SURGERY/MAJOR ILLNESS
CARER_B	YESNO	1997	REASON FOR CARE: PHYS ILLNESS/DISABILITY
CARER_C	YESNO	1997	REASON FOR CARE: HANDLE A MENTAL PROBLEM
CARER_D	YESNO	1997	OTHER REASON FOR CARE (SPECIFY)
CARERCVD	YESNO	2006-2009	REGULAR CHILDCARE OUTSIDE HOME/FAMILY
CARERESP	SCALEC	1998	CAREGIVING LIMITED FULFILLING OTHR DUTIE
CARERTXT	CAREWHY	1997	OTHER REASON FOR CARE (TEXT)
CARESEX	SEX	2008	LONGTERM CARE: SEX OF PERSON CARED FOR
CARETIME	II	2008	LONGTERM CARE: HOW MANY HOURS PROVIDING CARE PER WEEK
CAREW_A	YESNO	1997-1998	GAVE CARE TO SPOUSE
CAREW_B	YESNO	1997	GAVE CARE TO SON OR DAUGHTER
CAREW_C	YESNO	1997-1998	GAVE CARE TO PARENT OR PARENT-IN-LAW
CAREW_D	YESNO	1997-1998	GAVE CARE TO GRANDPARENT
CAREW_E	YESNO	1997-1998	GAVE CARE TO OTHER RELATIVE
CAREW_F	YESNO	1997-1998	GAVE CARE TO FRIEND OR NEIGHBOR
CAREW_G	YESNO	1997-1998	GAVE CARE TO OTHER PERSON (SPECIFY)
CAREW_H	YESNO	1998	GAVE CARE TO ADULT CHILD/STEPCHILD
CAREW_I	YESNO	1998	GAVE CARE TO MINOR CHILD/STEPCHILD
CAREW_J	YESNO	1998	GAVE CARE TO GRANDCHILD
CAREWH_A	YESNO	2006-2009	CHILDCARE PROBLEM: COST TOO MUCH

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
CAREWH_B	YESNO	2006-2009	CHILDCARE PROBLEM: COULDN'T FIND FOR TIMES NEEDED
CAREWH_C	YESNO	2006-2009	CHILDCARE PROBLEM: TOO FAR FROM WORK OR HOME
CAREWH_D	YESNO	2006-2009	CHILDCARE PROBLEM: CAREGIVERS UNRELIABLE/UNAVAILABLE
CAREWH_E	YESNO	2006-2009	CHILDCARE PROBLEM: WORRY ABOUT CHILD'S SAFETY
CAREWH_F	YESNO	2006-2009	CHILDCARE PROBLEM: CHILD SICK OR DISABLED
CAREWH_G	YESNO	2006-2009	CHILDCARE PROBLEM: SUBSIDY PAYMENT LATE
CAREWH_H	YESNO	2006-2009	CHILDCARE PROBLEM: OTHER (SPECIFY)
CAREWHO2	CAREWHOC	2008	LONGTERM CARE: RELATIONSHIP OF PERSON CARED FOR
CAREWXTX	CAREWHO	1997	GAVE CARE TO OTHER PERSON (TEXT)
CAREWXTX	CAREWHOB	1998	GAVE CARE TO OTHER PERSON (TEXT)
CBEGUID2	IMPORT	1999-2000	HOW IMPORTANT IS CBE FOR WOMAN RESP AGE
CBEGUIDE	BGUIDE	1997	HOW OFTEN SHOULD WOMAN 40+ HAVE CBE(<40)
CBEGUIDE	BGUIDE	1998	HOW OFTEN SHOULD WOMAN 40+ HAVE CBE (ALL)
CHCK12M	YESNO	2001-2002	HAD CHOLESTEROL CHECKED IN LAST 12 MONTHS
CHD1317	CHILD	1997-2010	NUMBER OF CHILDREN AGED 13 TO 17 IN HH
CHECKUP2	HOWLONG	1997-2004	HOW LONG SINCE LAST ROUTINE CHECKUP
CHECKUP3	HOWLONGE	2006-2010	HOW LONG SINCE ROUTINE MEDICAL CHECKUP
CHILD1	II	1997-2010	AGE OF YOUNGEST CHILD
CHILD18	II	1997-2010	NUMBER OF CHILDREN UNDER 18 IN HOUSEHOLD
CHILD2	II	1997-2010	AGE OF 2ND YOUNGEST CHILD
CHILD3	II	1997-2010	AGE OF 3RD YOUNGEST CHILD
CHILD4	II	1997-2010	AGE OF 4TH YOUNGEST CHILD
CHILD5	II	1997-2010	AGE OF 5TH YOUNGEST CHILD
CHILD6	II	1997-2010	AGE OF 6TH YOUNGEST CHILD
CHILD612	CHILD	1997-2010	NUMBER OF CHILDREN AGED 6 TO 12 IN HH
CHILD7	II	1997-2010	AGE OF 7TH YOUNGEST CHILD
CHILD8	II	1997-2010	AGE OF 8TH YOUNGEST CHILD
CHILD9	II	1997-2010	AGE OF 9TH YOUNGEST CHILD
CHILDINT	YESNO	2006-2009	ARE YOU RESPONSIBLE FOR CHILDCARE ARRANGEMENTS?
CHILDLT1	CHILDLT	1999-2003	AGE OF CHILD LESS THAN 1 YEAR
CHILDLT6	CHILD	2003-2010	NUMBER OF CHILDREN AGED 1 TO 5 IN HH
CHILDPRT	CHILDAGE	1998	AGE BABY WHEN MOM RETURN TO WORK/SCHOOL
CHILDREM	Num	2010	EVER ASKED BY CHILD WELFARE SYSTEM ABOUT ALCOHOL OR DRUGS USE
CHKHGHT	HOWLONGK	2004, 2006	LAST TIME HEALTH PROFESSIONAL MEASURED HEIGHT
CHKUP_A	YESNO	2006	DOCTOR DISCUSS EMOTIONAL NEEDS?
CHKUP_B	YESNO	2006	DOCTOR DISCUSS SEXUAL HISTORY/PRACTICES?
CHKUP_C	YESNO	2006	DOCTOR DISCUSS SEXUALLY TRANSMITTED DISEASE?
CHKUP_D	YESNO	2006	DOCTOR DISCUSS DIET/EXERCISE?
CHKUP_E	YESNO	2006	DOCTOR DISCUSS DENTAL/EYECARE?
CHKUP_F	YESNO	2006	DOCTOR DISCUSS FAMILY HISTORY OF DISEASE?
CHKUP_G	YESNO	2006	DOCTOR DISCUSS HISTORY OF PHYSICAL TRAUMA?
CHKUP_H	YESNO	2006	DOCTOR DISCUSS DRUG/ALCOHOL/TOBACCO USE?
CHKUP_I	YESNO	2006	DOCTOR DISCUSS SEAT BELTS?
CHLD__0	YESNO	2000-2003	AGE LESS THAN 1 MONTH
CHLD__1	YESNO	2000-2003	AGE 1 MONTH TO LT 2 MONTH

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
CHLD__10	YESNO	2000-2003	AGE 10 MONTHS TO LT 11 MONTHS
CHLD__11	YESNO	2000-2003	AGE 11 MONTHS TO LT 12 MONTHS
CHLD__12	YESNO	2000-2003	CHILD EXACTLY 1 YEAR
CHLD__2	YESNO	2000-2003	AGE 2 MONTHS TO LT 3 MONTHS
CHLD__3	YESNO	2000-2003	AGE 3 MONTHS TO LT 4 MONTHS
CHLD__4	YESNO	2000-2003	AGE 4 MONTHS TO LT 5 MONTHS
CHLD__5	YESNO	2000-2003	AGE 5 MONTHS TO LT 6 MONTHS
CHLD__6	YESNO	2000-2003	AGE 6 MONTHS TO LT 7 MONTHS
CHLD__7	YESNO	2000-2003	AGE 7 MONTHS TO LT 8 MONTHS
CHLD__8	YESNO	2000-2003	AGE 8 MONTHS TO LT 9 MONTHS
CHLD__9	YESNO	2000-2003	AGE 9 MONTHS TO LT 10 MONTHS
CHLMTST4	YESNOB.	2009	PAST 12 MON BEEN TESTED FOR CHLAMYDIA
CHLYD_A	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA:IS A STD
CHLYD_B	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: YOUNG WOMEN CAN GET IT
CHLYD_C	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: CAN CAUSE HEALTH PROBLEMS SUCH AS INFERTILITY
CHLYD_D	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: OTHER
CHLYDHIV	YESNORF	2007	T/F HAVING CHLAMYDIA INC. RISK OF HIV INFECTION
CHLYDTS2	YESNOUN	2003, 2005	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTS3	YESNOUN	2004	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTS4	YESNORF	2007	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTST	YESNOUN	1998-2002	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTXT	STDWHETX	1999-2000	WHERE TESTED FOR CHLAMYDIA - TEXT
CHLYDWH2	WHERE	2003, 2005	WHERE TESTED FOR CHLAMYDIA
CHLYDWHR	WHERE	1999-2000, 2002	WHERE TESTED FOR CHLAMYDIA
CNCBELIF	CNCBELIF	2002	WHAT IS LEADING CAUSE OF CANCER DEATH FOR WOMEN
CNCRTYPE	YESNO	2004	DOCTOR SAID YOU HAD BREAST/REPRODUCTIVE CANCER
COLOEVER	YESNO	2000-2002	EVER HAD A BLOOD STOOL TEST
COLOIMP	IMPORTB	2000	HOW IMPORTANT A PROBLEM IS COLON CANCER
COLOTLK	YESNO	2001-2002	DOCTOR/NURSE EVER TALK ABOUT COLORECTAL EXAM
CONDOFTN	OFTEND	2007	HOW OFTEN USED CONDOM
CONDOM3	YESNO	2009	YOU OR PARTNER USE A CONDOM LAST TIME SEXUAL INTERCOURSE
CONSEC		1997-2000	SEQUENTIAL RESPONDENT NUMBERING
COUNTY	Num	1997-2010	COUNTY OF RESIDENCE, BRFS CODING
COUNTY1	Num	1997-2010	COUNTY OF RESIDENCE, FIPS CODING
COUPLE	YESNO	1998	MEMBER OF COUPLE LAST 12 MONTHS
CRC1	AGREEE	2005	UNCOMFORTABLE WHEN PARTNER WANT TO BE CLOSE
CRC10	AGREEE	2005	PREFER NOT TO SHOW PARTNERS MY FEELINGS
CRC10REV	AGREER	2005	REVERSE SCALE OF CRC10
CRC1REV	AGREER	2005	REVERSE SCALE OF CRC1
CRC2	AGREEE	2005	WORRY A LOT ABOUT RELATIONSHIPS
CRC2REV	AGREER	2005	REVERSE SCALE OF CRC2
CRC3	AGREEE	2005	WORRY ABOUT LOSING MY PARTNERS
CRC3REV	AGREER	2005	REVERSE SCALE OF CRC3
CRC4	AGREEE	2005	WORRY PARTNERS DON'T CARE ABOUT ME AS MUCH
CRC4REV	AGREER	2005	REVERSE SCALE OF CRC4

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
CRC5	AGREEE	2005	COMFORTABLE SHARING FEELINGS WITH PARTNER
CRC6	AGREEE	2005	WISH PARTNERS FEELINGS WERE AS STRONG AS MINE
CRC6REV	AGREER	2005	REVERSE SCALE OF CRC6
CRC7	AGREEE	2005	COMFORTABLE BEING CLOSE TO PARTNERS
CRC8	AGREEE	2005	PULL AWAY WHEN PARTNERS GET CLOSE
CRC8REV	AGREER	2005	REVERSE SCALE OF CRC8
CRC9	AGREEE	2005	I DON'T WORRY ABOUT BEING ABANDONED
CRCSCALE		2005	ATTACHMENT SCALE-AVERAGED
CRIME	SAFE	2004-2005	HOW SAFE IS NEIGHBORHOOD: CRIME
CRIMJAIL	YESNO	2005	BEEN CONVICTED OF CRIME AND SPENT TIME IN JAIL
CURRALOX	YESNO	1999-2000	CURRENTLY TAKING RALOXIFENE
CURRTAMX	YESNO	1999-2000	CURRENTLY TAKING TAMOXIFEN
CUTMEAL	YESNO	1999-2010	CUT MEAL SIZE BECAUSE NO \$\$ FOR FOOD
CUTOFTN	HOWLONGG	1999-2010	FREQUENCY CUT SIZE OF MEAL BECAUSE NO \$\$
CVDBELI2	CVDMORTB	2001-2002	WHAT IS LEADING CAUSE OF DEATH FOR WOMEN
CVDBELIF	TRUEFALS	1999	HEART DISEASE IS LEADING CAUSE OF DEATH
CVDMORT	CVDMORT	1999	LEADING CAUSE OF DEATH OF WOMEN
CVDPROB	CVDPROB	1999	GREATEST HEALTH PROBLEM FACING WOMEN
CYCLNOW	YESNO	2007	TAKING HORMONAL CONTRACEPTIVES TO SUPPRESS MENSTRUAL CYCLE
CYSTITIS	YESNOTS	1997	MD TOLD YOU HAD INTERSTITIAL CYSTITIS
DAILYEAT	III	2001-2005, 07-10	AVG SERVINGS OF FRUIT/VEGS EAT PER DAY
DAILYMLK	XIII	2002	AVG SERVINGS OF MILK PRODUCTS YOU SHOULD EAT/DAY
DAILYMLK	II	2000-2001	AVG SERVINGS OF MILK PRODUCTS U SHOULD EAT/DAY
DAILYVEG	II	2000-2001	AVG SERVINGS OF RUIT/VEGS YOU SHOULD EAT/DAY
DAILYVEG	III	2002-2005, 2007	AVG SERVINGS OF FRUIT/VEGS YOU SHOULD EAT/DAY
DATEB_A	MON_YEAB	2002-2004	MONTH LAST GAVE BIRTH TO LIVE BABY
DATEB_B	MON_YEAB	2002-2004	YEAR LAST GAVE BIRTH TO LIVE BABY
DATEB_MON	MON_YEAB	2005	MONTH LAST GAVE BIRTH TO LIVE BABY (NUMERIC)
DATEB_YR	MON_YEAB	2005	YEAR LAST GAVE BIRTH TO LIVE BABY (NUMERIC)
DATEBRTH	MON_YEAB	1998-2005	DATE LAST GAVE BIRTH TO LIVE BABY
DAYSANX	III	1998-2000,02-05	DAYS WORRIED OR ANXIOUS PAST 30 DAYS
DAYSLEEP	III	1997	DAYS DID NOT GET ENOUGH SLEEP IN PAST 30
DAYSSAD	III	1998-2005	DAYS SAD PAST 30 DAYS
DAYURIN	III	1998	URINE LOSS FREQUENCY DURING LAST MONTH
DCTRHERB	YESNO	2005	TOLD DOCTOR YOU USE HERBS
DCTRHIV	YESNO	2002-2003	MD TALK OF RISK OF HIV PAST 12 MTS
DEMOC1R	CHILDREL	2005-2009	HOW IS 1ST CHILD RELATED TO YOU
DEMOC2R	CHILDREL	2005-2009	HOW IS 2ND CHILD RELATED TO YOU
DEMOC3R	CHILDREL	2005-2009	HOW IS 3RD CHILD RELATED TO YOU
DEMOC4R	CHILDREL	2005-2009	HOW IS 4TH CHILD RELATED TO YOU
DEMOC5R	CHILDREL	2005-2009	HOW IS 5TH CHILD RELATED TO YOU
DEMOC6R	CHILDREL	2005-2009	HOW IS 6TH CHILD RELATED TO YOU
DEMOC7R	CHILDREL	2005-2009	HOW IS 7TH CHILD RELATED TO YOU
DEMOC8R	CHILDREL	2005-2009	HOW IS 8TH CHILD RELATED TO YOU
DEMOC9R	CHILDREL	2005-2009	HOW IS 9TH CHILD RELATED TO YOU

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DENBCDOC	YESNOC	2009	HEALTH CARE PROFESSIONAL EVER DENIED YOU ACCESS TO REPRODUCTIVE
DENBCHOS	YESNO	2009	EVER BEEN DENIED REPRODUCTIVE CARE AT HOSPITAL DUE TO RELIGIOUS BELIE
DENTCHEK	HOWLONG	2009	ROUTINE DENTAL CHECK-UP
DENTNOT	DENTNOT	2009	REASON DID NOT HAVE ROUTINE DENTAL EXAM
DIABDRN2	YESNOPG	1999	HAVE GLUCOLA TEST DURING LAST PREGNANCY
DIABDRNK	YESNOPG	1998	HAVE GLUCOLA TEST DURING LAST PREGNANCY
DIABEVR	YESNOGES	2004, 2009	DOCTOR SAID YOU HAVE DIABETES
DIABPREG	YESNO	2004-2005, 2009	DIABETES ONLY WHILE PREGNANT
DIABTEST	YESNO	2009	HAD TEST FOR HIGH BLOOD SUGAR OR DIABETES IN PAST 3 YEARS
DIET12M	YESNO	2001-2010	TRIED TO LOSE WEIGHT IN LAST 12 MONTHS
DIETDRK	OFTENA	2001-2002	HOW OFTEN REPLACE MEAL WITH SUPPLEMENT
DIETLB	IV	2001	HOW MANY POUNDS LOST
DIETLBYO	IV	2001	HOW MANY POUNDS LOST MOST RECENT ATTEMPT
DIETPILL	OFTENA	2001-2002	HOW OFTEN USE OTC PILLS TO LOSE WEIGHT
DIETYOYB	YESNO	2002	LOSE AND GAIN WEIGHT MORE THAN ONCE
DIETYOYO	YESNO	2001	LOSE AND GAIN WEIGHT MORE THAN ONCE
DISANY	YESNO	2003-2010	ANY PHYSICAL, MENTAL, EMOTIONAL LIMITATION
DISBEND	YESNO	1999-2000	HEALTH LIMITS BENDING OR LIFTING
DISCACT	DISCACT	2009	TREATED UNFAIRLY DO U ACCEPT IT OR DO SOMETHING
DISCARE	YESNO	2003-2004	HAS PROBLEM MADE IT HARD TO GET MEDICAL CARE
DISCCARE	OFTENF	2009	EVER FEEL DIDNT GET BEST CARE BECAUSE RACE/ETHNICITY/COLOR
DISCDENY	OFTENF	2009	BEEN DENIED HOSPITALIZATION BECAUSE RACE/ETHNICITY/COLOR
DISCEVER	YESNO	2009	EVER EXPERIENCED DISCRIMINATION BECAUSE OF YOUR RACE/ETHNICITY
DISCTALK	DISCTALK	2009	IF TREATED UNFAIRLY DO U TALK ABOUT IT OR KEEP TO SELF
DISCWACH	OFTENF	2009	WHEN SHOPPING ARE U FOLLOWED OR WATCHED BY CLERKS
DISLONG	HOWLONGJ	2003	HOW LONG HAVE YOU BEEN LIMITED
DISLONGB	HOWLONGJ	2004	HOW LONG HAVE YOU BEEN LIMITED
DISMD_A	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: TRANSPORTATION
DISMD_B	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: NO SPECIALISTS
DISMD_C	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: WRONG EQUIPMENT
DISMD_D	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: NO ASSISTANCE
DISMD_E	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: BAD ATTITUDE
DISMD_F	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: COSTS/INSURANCE
DISMD_G	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: APPT TOO SHORT
DISMD_H	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: OTHER
DISMODER	YESNO	1998-1999	HEALTH LIMITS MODERATE ACTIVITY
DISSTAIR	YESNO	1998-1999	HEALTH LIMITS CLIMBING
DISUSUAL	YESNO	1998-1999	HEALTH LIMITS CARING FOR SELF
DISVIGOR	YESNO	1998-1999	HEALTH LIMITS VIGOROUS ACTIVITY
DISWALK	YESNO	1998-1999	HEALTH LIMITS WALKING ONE BLOCK
DISWORK	OFTENC	2003-2005	HOW OFTEN LIMITATION AFFECTED WORK OR EDUCATION
DMPREG	YESNO	1997	WOMEN WITH DM NEED SPEC CARE BEFORE PG
DOCRECTL	YESNO	2009	DR. EVER RECOMMEND TUBAL LIGATION/STERILIZED
DOUCHEVR	YESNO	2000-2001	DOUCHED DURING PAST 12 MONTHS
DOUCHOFN	IV	2000-2001	TIMES DOUCHED LAST 12 MONTHS
DRINKGE4	III	2007-2010	TIMES HAD FOUR+ ALCOHOLIC DRINKS

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DRINKGE5	III	1997-2006	TIMES HAD FIVE+ ALCOHOLIC DRINKS
DRINKNUM	III	2009-2010	LARGEST NUMBER OF DRINKS ON 1 OCCASSION IN PAST MONTH
DRKALC	MANYV	1997-2010	TIMES DRANK ALCOHOL PER WEEK OR MONTH
DRKGUILT	YESNODK	2000-2003	FEEL GUILTY ABOUT DRINKING LAST 12 MTHS
DRKHARM2	Num	2010	ALCOHOL OR DRUGS HAD EFFECT ON ABILITY TO TAKE CARE OF YOUR CHILDREN
DRNKANY1	YESNO	1997-2010	DRANK ALCOHOL IN PAST MONTH
DRNKHARM	YESNO	2004-2005	DRINKING EVER HARM HEALTH
DRNKHELP	YESNO	2004-2005	EVER SEEN PROFESSIONAL ABOUT DRINKING
DRNKPROB	YESNO	1997-1998	HAVING PROB FROM OTHERS DRINKING EXCESS
DRUNK	III	1999-2001	HOW OFTEN GET DRUNK IN PAST YEAR
DRUNK	IV	2002-2005	HOW OFTEN GET DRUNK IN PAST YEAR
DRUNKNUM	III	1999-2003	HOW MANY DRINKS FOR YOU TO FEEL DRUNK
DVAID_A	YESNO	2002	DV PROGRAM YOU WOULD USE: FINANCIAL
DVAID_B	YESNO	2002	DV PROGRAM YOU WOULD USE: CHILD COUNS
DVAID_C	YESNO	2002	DV PROGRAM YOU WOULD USE: CRISIS COUNS
DVAID_D	YESNO	2002	DV PROGRAM YOU WOULD USE: JOB HELP
DVAID_E	YESNO	2002	DV PROGRAM YOU WOULD USE: LEGAL
DVAID_F	YESNO	2002	DV PROGRAM YOU WOULD USE: HOUSING HELP
DVAID_G	YESNO	2002	DV PROGRAM YOU WOULD USE: SUPPORT GROUP
DVAID_H	YESNO	2002	DV PROGRAM YOU WOULD USE: HEALTH SERVICES
DVAID_I	YESNO	2002	DV PROGRAM YOU WOULD USE: SAFEHOUSE
DVAID_J	YESNO	2002	DV PROGRAM YOU WOULD USE: OTHER(SPECIFY)
DVBEATDG	SCALEE	2000-2001	BEAT UP LAST YR: DRUGS INVOLVED
DVBEATU2	WHO	1998-2001,03-05	WHICH PARTNER BEAT YOU UP LAST YEAR
DVBEATUP	YESNODVA	1998-1999	PARTNER BEAT YOU UP DURING PAST 12 MTHS
DVCANTLK	YESNORF	1998-2001	HAVE PRIVACY TO TALK ABOUT DV
DVCHLD	YESNO	2005	WERE ANY KIDS PRESENT FOR DV INCIDENT
DVCHLD2	YESNO	2006	CHILDREN WITNESS DOMESTIC VIOLENCE
DVCHLD3	YESNO	2007	WERE ANY KIDS PRESENT FOR DV INCIDENT
DVCHLD4	YESNO	2008-2009	ANY CHILDREN SEE OR HEAR DV INCIDENT
DVCHOKE	YESNODVA	1998-1999	PARTNER CHOKED YOU DURING PAST 12 MTHS
DVCHOKE2	WHO	1998-1999	WHICH PARTNER CHOCKED YOU
DVCNTROL	YESNODVA	1999-2001,03-09	PARTNER TRIED TO CONTROL PAST 12 MONTHS
DVDRGAL2	SCALEE	2007	HOW MUCH DRUGS/ALCOHOL INVOLVED IN DV INCIDENT
DVDRGALC	SCALEE	2005-2006	HOW MUCH DRUGS/ALCOHOL INVOLVED IN DV INCIDENT
DVDRIK	YESNO	2008	WAS DV AGRESSOR UNDER INFLUENCE OF ALCOHOL
DVDRUG	YESNO	2008	WAS DV AGRESSOR UNDER INFLUENCE OF DRUGS
DVEBETDG	SCALEE	2000	BEAT UP EVER: DRUGS INVOLVED
DVEHITDG	SCALEE	2000	KICKED/HIT EVER: DRUGS INVOLVED
DVEMED11	YESNORF	2000	EVER SEEK MED CARE @THREAT W/KNIFE/GUN
DVEMED13	YESNORF	2000	EVER SEEK MED CARE CAUSE KNIFE/GUN ON U
DVEMED14	YESNORF	2000	EVER SEEK MEDICAL CARE CAUSE FORCED SEX
DVESEXDG	SCALEE	2000	FORCED SEX EVER: DRUGS INVOLVED
DVETHRDG	SCALEE	2000	THROWN OBJECT EVER: DRUGS INVOLVED
DVEUSEDG	SCALEE	2000	USED KNIFE/GUN EVER: DRUGS INVOLVED

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DVEVBET2	WHO	2000	WHICH PARTNER BEAT YOU UP EVER
DVEVHIT2	WHO	2000	WHICH PARTNER KICKED/HIT YOU EVER
DVEVMED4	YESNORF	2000	EVER SEEK MEDICAL CARE @THROWN OBJECT
DVEVMED5	YESNORF	2000	EVER SEEK MEDICAL CARE BECAUSE PUSHED
DVEVMED7	YESNORF	2000	EVER SEEK MEDICAL CARE CAUSE KICKED/HIT
DVEVMED9	YESNORF	2000	EVER SEEK MEDICAL CARE BECAUSE BEATEN UP
DVEVPSDG	SCALEE	2000	PUSHED EVER: DRUGS INVOLVED
DVEVPSH2	WHO	2000	WHICH PARTNER PUSHED YOU EVER
DVEVRBET	YESNORF	2000	PARTNER BEAT YOU UP EVER
DVEVRCMB	YESNO	2002	ANY DV COMBINED EVER
DVEVRHIT	YESNORF	2000	PARTNER KICKED/HIT YOU EVER
DVEVRPSH	YESNORF	2000	PARTNER PUSHED EVER
DVEVRSEX	YESNORF	2000	PARTNER FORCED SEX EVER
DVEVRTH2	WHO	2000	WHICH PARTNER THREW OBJECT EVER
DVEVRTHR	YESNORF	2000	PARTNER THREW OBJECT EVER
DVEVRUSE	YESNORF	2000	PARTNER USED KNIFE/GUN ON U EVER
DVEVRWPN	YESNORF	2000	PARTNER THREATEN W/KNIFE OR GUN EVER
DVEVSEX2	WHO	2000	WHICH PARTNER FORCED SEX EVER
DVEVUSE2	WHO	2000	WHICH PARTNER USED KNIFE/GUN ON U EVER
DVEVWPN2	WHO	2000	WHICH PARTNER THREATEN W/KNIFE/GUN EVER
DVEWPNDG	SCALEE	2000	THREATEN W/KNIFE OR GUN EVER: DRUGS INVOLVED
DVFEAR	YESNODVA	1999-2009	AFRAID OF PARTNER PAST 12 MONTHS
DVFLODG	SCALEE	2001	PARTNER FOLLOWED U LAST YR: DRUGS INVOLVED
DVFLOWU	WHO	2001-2005	WHICH PARTNER FOLLOWED U LAST YR
DVHITDG	SCALEE	2000-2001	KICKED/HIT LAST YR: DRUGS INVOLVED
DVHITTH2	WHO	1998-1999	WHICH PARTNER TRIED TO HIT YOU W/OBJECT
DVHITTHG	YESNODVA	1998-1999	PARTNER TRIED HIT W/OBJECT PAST 12 MTHS
DVHITYO2	WHO	1998-2001,03-05	WHICH PARTNER KICKED/HIT U LAST YR
DVHITYOU	YESNODVA	1998-1999	PARTNER KICKED/HIT YOU PAST 12 MTHS
DVINSLT	YESNODVA	1998-1999	INSULTED BY PARTNER PAST 12 MONTHS
DVINSLT2	WHO	1998-1999	WHICH PARTNER INSULTED
DVMED1	YESNODVA	1998-1999	SEEK MEDICAL CARE FOR INSULT
DVMED10	YESNODVA	1998-1999	SEEK MEDICAL CARE BECAUSE CHOCKED
DVMED11	YESNORF	1999	SEEK MED CARE FOR THREAT W/KNIFE/GUN
DVMED11	YESNODVA	1998-2000	SEEK MED CARE: THREAT W/KNIFE/GUN LAST YR
DVMED12	YESNODVA	1998	SEEK MED CARE CAUSE OF KNIFE/GUN WOUND
DVMED13	YESNODVA	1999	SEEK MED CARE CAUSE OF KNIFE/GUN ON U
DVMED13	YESNORF	2000	SEEK MED CARE FOR KNIFE/GUN ON U LAST YR
DVMED14	YESNORF	2000	SEEK MEDICAL CARE FOR FORCED SEX LAST YR
DVMED2	YESNODVA	1998-1999	SEEK MEDICAL CARE FOR THREAT TO HIT
DVMED3	YESNODVA	1998-1999	SEEK MEDICAL CARE DUE TO THROWN OBJECT
DVMED4	YESNORF	1999	SEEK MED CARE FOR OBJECT THROWN AT YOU
DVMED4	YESNODVA	1998-2000	SEEK MEDICAL CARE: THROWN OBJECT LAST YR
DVMED5	YESNORF	1999	SEEK MEDICAL CARE BECAUSE PUSHED
DVMED5	YESNODVA	1998-2000	SEEK MEDICAL CARE CAUSE PUSHED LAST YR
DVMED6	YESNODVA	1998-1999	SEEK MEDICAL CARE BECAUSE SLAPPED

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
DVMED7	YESNORF	1999	SEEK MEDICAL CARE BECAUSE KICKED/HIT
DVMED7	YESNODVA	1998-2000	SEEK MED CARE CAUSE KICKED/HIT LAST YR
DVMED8	YESNODVA	1998-1999	SEEK MED CARE CAUSE TRIED HIT U W/OBJECT
DVMED9	YESNORF	1999	SEEK MEDICAL CARE BECAUSE BEATEN UP
DVMED9	YESNODVA	1998-2000	SEEK MED CARE CAUSE BEATEN UP LAST YR
DVPRTR1	YESNO	2008	AFTER DV INCIDENT DID PARTNER GET TREATMENT
DVPRTR2	YESNO	2008	BEFORE DV INCIDENT WAS PARTNER EVER INCARCERATED
DVPRTR3	YESNO	2008	WAS DV PARTNER RELEASED FROM INCARCERATION IN PAST YEAR
DVPUSHDG	SCALEE	2000-2001	PUSHED LAST YR: DRUGS INVOLVED
DVPUSHE2	WHO	1998-2001,03-05	WHICH PARTNER PUSHED YOU LAST YR
DVPUSHED	YESNODVA	1998-1999	PARTNER PUSHED DURING PAST 12 MONTHS
DVRELATN	DVRELATN	2008-2009	WAS DV AGRESSOR UNDER INFLUENCE OF DRUGS
DVSRV_A	YESNODVC	2006	DOMESTIC VIOLENCE HELP: HOTLINE
DVSRV_B	YESNODVC	2006	DOMESTIC VIOLENCE HELP: MEDICAL
DVSRV_C	YESNODVC	2006	DOMESTIC VIOLENCE HELP: SOCIAL WORKER
DVSRV_D	YESNODVC	2006	DOMESTIC VIOLENCE HELP: PASTORAL/RELIGIOUS
DVSRV_E	YESNODVC	2006	DOMESTIC VIOLENCE HELP: FRIEND/FAMILY
DVSRV_F	YESNODVC	2006	DOMESTIC VIOLENCE HELP: OTHER
DVSRV_A	YESNO	2007	SEEK HELP FOR DV INCIDENT: LOCAL DV HOTLINE
DVSRV_B	YESNO	2007	SEEK HELP FOR DV INCIDENT: MEDICAL
DVSRV_C	YESNO	2007	SEEK HELP FOR DV INCIDENT: PSYCHOLOGIST/SOCIAL WORKER
DVSRV_D	YESNO	2007	SEEK HELP FOR DV INCIDENT: PASTORAL/RELIGIOUS
DVSRV_E	YESNO	2007	SEEK HELP FOR DV INCIDENT: TALKED TO FAMILY/FRIENDS
DVSRV_F	YESNO	2007	SEEK HELP FOR DV INCIDENT: OTHER
DVSRV_G	YESNO	2007	SEEK HELP FOR DV INCIDENT: DV SHELTER
DVSRV_H	YESNO	2007	SEEK HELP FOR DV INCIDENT: POLICE/LAW ENFORCEMENT
DVSRV_I	YESNO	2007	SEEK HELP FOR DV INCIDENT: LEGAL SERVICES/RESTRAINING ORDER
DVSRV_J	YESNO	2007	SEEK HELP FOR DV INCIDENT: HEALTH SERVICES
DVSRV11_A	YESNO	2008-2009	HELP FOR DV INCIDENT: LOCAL DV HOTLINE
DVSRV11_B	YESNO	2008-2009	HELP FOR DV INCIDENT: DV SHELTER OR SERVICES
DVSRV11_C	YESNO	2008-2009	HELP FOR DV INCIDENT: PSYCHOLOGIST/SOCIAL WORKER
DVSRV11_D	YESNO	2008-2009	HELP FOR DV INCIDENT: PASTORAL/RELIGIOUS/SPIRITUAL
DVSRV11_E	YESNO	2008-2009	HELP FOR DV INCIDENT: TALKED TO FAMILY/FRIENDS
DVSRV11_F	YESNO	2008-2009	HELP FOR DV INCIDENT: POLICE/LAW ENFORCEMENT
DVSRV11_G	YESNO	2008-2009	HELP FOR DV INCIDENT: LEGAL SERVICES/RESTRAINING ORDER
DVSRV11_H	YESNO	2008-2009	HELP FOR DV INCIDENT: HEALTH SERVICES
DVSRV11_I	YESNO	2008-2009	HELP FOR DV INCIDENT: OTHER
DVSRV12_A	YESNO	2008	TREATMENT FOR DV INCIDENT: ALCOHOL/DRUG/REHAB
DVSRV12_B	YESNO	2008	TREATMENT FOR DV INCIDENT: MENTAL HEALTH
DVSRV12_C	YESNO	2008	TREATMENT FOR DV INCIDENT: BATTERERS PROGRAM
DVSRV12_D	YESNO	2008	TREATMENT FOR DV INCIDENT: PASTORAL/RELIGIOUS/SPIRITUAL
DVSRV12_E	YESNO	2008	TREATMENT FOR DV INCIDENT: COURT ORDERED
DVSRV12_F	YESNO	2008	TREATMENT FOR DV INCIDENT: TALKED TO FAMILY/FRIENDS
DVSRV12_G	YESNO	2008	TREATMENT FOR DV INCIDENT: HEALTH SERVICES/MEDICAL
DVSRV12_H	YESNO	2008	TREATMENT FOR DV INCIDENT: COUPLES THERAPY
DVSRV12_I	YESNO	2008	TREATMENT FOR DV INCIDENT: OTHER

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
DVSEXDG	SCALEE	2000-2001	FORCED SEX LAST YR: DRUGS INVOLVED
DVSHLTER	YESNODVA	1999-2000	KNOWLEDGE OF COMMUNITY DV PROGRAMS
DVSKHLP	YESNO	2003-2004	SEEK HELP AFTER ANY DV INCIDENT
DVSLAP	YESNODVA	1998-1999	PARTNER SLAPPED YOU DURING PAST 12 MTHS
DVSLAP2	WHO	1998-1999	WHICH PARTNER SLAPPED YOU
DVTHRDG	SCALEE	2000,01,03-05	THROWN OBJECT LAST YEAR: DRUGS INVOLVED
DVTHRTH2	WHO	1998-1999	WHICH PARTNER THREW OBJECT
DVTHRTHG	YESNODVA	1998-1999	PARTNER THREW OBJECT PAST 12 MONTHS
DVTHRTN	YESNODVA	1998-1999	PARTNER THREATEN HIT DURING PAST 12 MTHS
DVTHRTN2	WHO	1998-1999	WHICH PARTNER THREATENED TO HIT
DVTHRWP2	WHO	1998-2001,03-05	WHO THREATEN W/KNIFE OR GUN LAST YR
DVTHRWPN	YESNODVA	1998-1999	PARTNER THREATENED YOU WITH KNIFE/GUN
DVTHRYO2	WHO	1998-2001,03-05	WHICH PARTNER THREW OBJECT LAST YEAR
DVTHRYOU	YESNODVA	1998-1999	PARTNER THREW OBJECT AT YOU PAST 12 MTHS
DVUSEDG	SCALEE	2000-2001	USED KNIFE/GUN LAST YR: DRUGS INVOLVED
DVUSEWP2	WHO	1998	WHICH PARTNER USED KNIFE/GUN
DVUSEWPN	YESNODVA	1998-1999	PARTNER USED KNIFE/GUN PAST 12 MTHS
DVWHR1	WHEREHLP	1998-1999	WHERE RECEIVED MEDICAL CARE FOR INSULT
DVWHR1_A	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 1ST SOURCE
DVWHR1_B	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 2ND SOURCE
DVWHR1_C	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 3RD SOURCE
DVWHR1_D	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 4TH SOURCE
DVWHR1_E	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 5TH SOURCE
DVWHR1_F	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 6TH SOURCE
DVWHR1_G	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 7TH SOURCE
DVWHR1_H	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 8TH SOURCE
DVWHR1_I	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 9TH SOURCE
DVWHR1_J	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 10TH SOURCE
DVWHR1_K	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 11TH SOURCE
DVWHR10	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE CHOCKED
DVWHR11	WHEREHLP	1998-1999	WHERE GET MED CARE: THREATEN W/KNIFE/GUN
DVWHR12	WHEREHLP	1998	WHERE GET MED CARE FOR KNIFE/GUN WOUND
DVWHR13	WHEREHLP	1999	WHERE GET MED CARE FOR KNIFE/GUN ON U
DVWHR2	WHEREHLP	1998-1999	WHERE RECD MED CARE FOR THREATENED HIT
DVWHR2_A	WHEREHLPB	2000	CARE EVER - PUSHED: 1ST SOURCE
DVWHR2_B	WHEREHLPB	2000	CARE EVER - PUSHED: 2ND SOURCE
DVWHR2_C	WHEREHLPB	2000	CARE EVER - PUSHED: 3RD SOURCE
DVWHR2_D	WHEREHLPB	2000	CARE EVER - PUSHED: 4TH SOURCE
DVWHR2_E	WHEREHLPB	2000	CARE EVER - PUSHED: 5TH SOURCE
DVWHR2_F	WHEREHLPB	2000	CARE EVER - PUSHED: 6TH SOURCE
DVWHR2_G	WHEREHLPB	2000	CARE EVER - PUSHED: 7TH SOURCE
DVWHR2_H	WHEREHLPB	2000	CARE EVER - PUSHED: 8TH SOURCE
DVWHR2_I	WHEREHLPB	2000	CARE EVER - PUSHED: 9TH SOURCE
DVWHR2_J	WHEREHLPB	2000	CARE EVER - PUSHED: 10TH SOURCE
DVWHR2_K	WHEREHLPB	2000	CARE EVER - PUSHED: 11TH SOURCE
DVWHR3	WHEREHLP	1998-1999	WHERE RECD MED CARE DUE TO THROWN OBJECT

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
DVWHR3_A	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 1ST SOURCE
DVWHR3_B	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 2ND SOURCE
DVWHR3_C	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 3RD SOURCE
DVWHR3_D	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 4TH SOURCE
DVWHR3_E	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 5TH SOURCE
DVWHR3_F	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 6TH SOURCE
DVWHR3_G	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 7TH SOURCE
DVWHR3_H	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 8TH SOURCE
DVWHR3_I	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 9TH SOURCE
DVWHR3_J	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 10TH SOURCE
DVWHR3_K	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 11TH SOURCE
DVWHR4	WHEREHLP	1998-1999	WHERE RECD MED CARE FOR OBJ THROWN AT U
DVWHR4_A	WHERHLPB	2000	CARE EVER - BEAT UP: 1ST SOURCE
DVWHR4_B	WHERHLPB	2000	CARE EVER - BEAT UP: 2ND SOURCE
DVWHR4_C	WHERHLPB	2000	CARE EVER - BEAT UP: 3RD SOURCE
DVWHR4_D	WHERHLPB	2000	CARE EVER - BEAT UP: 4TH SOURCE
DVWHR4_E	WHERHLPB	2000	CARE EVER - BEAT UP: 5TH SOURCE
DVWHR4_F	WHERHLPB	2000	CARE EVER - BEAT UP: 6TH SOURCE
DVWHR4_G	WHERHLPB	2000	CARE EVER - BEAT UP: 7TH SOURCE
DVWHR4_H	WHERHLPB	2000	CARE EVER - BEAT UP: 8TH SOURCE
DVWHR4_I	WHERHLPB	2000	CARE EVER - BEAT UP: 9TH SOURCE
DVWHR4_J	WHERHLPB	2000	CARE EVER - BEAT UP: 10TH SOURCE
DVWHR4_K	WHERHLPB	2000	CARE EVER - BEAT UP: 11TH SOURCE
DVWHR5	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE PUSHED
DVWHR5_A	WHERHLPB	2000	CARE EVER - FORCED SEX: 1ST SOURCE
DVWHR5_B	WHERHLPB	2000	CARE EVER - FORCED SEX: 2ND SOURCE
DVWHR5_C	WHERHLPB	2000	CARE EVER - FORCED SEX: 3RD SOURCE
DVWHR5_D	WHERHLPB	2000	CARE EVER - FORCED SEX: 4TH SOURCE
DVWHR5_E	WHERHLPB	2000	CARE EVER - FORCED SEX: 5TH SOURCE
DVWHR5_F	WHERHLPB	2000	CARE EVER - FORCED SEX: 6TH SOURCE
DVWHR5_G	WHERHLPB	2000	CARE EVER - FORCED SEX: 7TH SOURCE
DVWHR5_H	WHERHLPB	2000	CARE EVER - FORCED SEX: 8TH SOURCE
DVWHR5_I	WHERHLPB	2000	CARE EVER - FORCED SEX: 9TH SOURCE
DVWHR5_J	WHERHLPB	2000	CARE EVER - FORCED SEX: 10TH SOURCE
DVWHR5_K	WHERHLPB	2000	CARE EVER - FORCED SEX: 11TH SOURCE
DVWHR6	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE SLAPPED
DVWHR6_A	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 1ST SOURCE
DVWHR6_B	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 2ND SOURCE
DVWHR6_C	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 3RD SOURCE
DVWHR6_D	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 4TH SOURCE
DVWHR6_E	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 5TH SOURCE
DVWHR6_F	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 6TH SOURCE
DVWHR6_G	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 7TH SOURCE
DVWHR6_H	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 8TH SOURCE
DVWHR6_I	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 9TH SOURCE
DVWHR6_J	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 10TH SOURCE

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
DVWHR6_K	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 11TH SOURCE
DVWHR7	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE CAUSE KICKED/HIT
DVWHR7_A	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 1ST SOURCE
DVWHR7_B	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 2ND SOURCE
DVWHR7_C	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 3RD SOURCE
DVWHR7_D	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 4TH SOURCE
DVWHR7_E	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 5TH SOURCE
DVWHR7_F	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 6TH SOURCE
DVWHR7_G	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 7TH SOURCE
DVWHR7_H	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 8TH SOURCE
DVWHR7_I	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 9TH SOURCE
DVWHR7_J	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 10TH SOURC
DVWHR7_K	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 11TH SOURC
DVWHR8	WHEREHLP	1998-1999	WHERE GET MED CARE: TRIED HIT U W/OBJECT
DVWHR9	WHEREHLP	1998-1999	WHERE GET MEDICAL CARE BECAUSE BEATEN UP
DVWPNDG	SCALEE	2000-2001	THREAT W/KNIFE OR GUN LAST YR: DRUGS INVOLVED
DVWPNON2	WHO	1999-2001,03-05	WHICH PARTNER USE KNIFE/GUN ON U LAST YR
DVWPNONU	YESNODVA	1999	PARTNER USED KNIFE/GUN ON U PAST 12 MTHS
DVYRBEAT	YESNORF	1999-2001,03-09	PARTNER BEAT YOU UP DURING PAST 12 MTHS
DVYRCMB	YESNO	2002	ANY DV COMBINED PAST 12 MONTHS
DVYRFLOW	YESNORF	1999-2001,03-09	PARTNER FOLLOWED U PAST 12 MTHS
DVYRHIT	YESNORF	1999-2001,03-09	PARTNER KICKED/HIT YOU PAST 12 MTHS
DVYRPUSH	YESNORF	1999-2001,03-09	PARTNER PUSHED DURING PAST 12 MONTHS
DVYRSEX	YESNORF	1999-2001,03-09	PARTNER FORCED SEX LAST 12 MONTHS
DVYRSEX2	WHO	2000-2001,03-04	WHICH PARTNER FORCED SEX LAST YR
DVYRTHRWF	YESNORF	1999-2001,03-09	PARTNER THREW OBJECT PAST 12 MONTHS
DVYRUSE	YESNORF	2000-2001,03-04	PARTNER USED KNIFE/GUN ON U PAST 12 MTHS
DVYRUSE2	YESNO	2005-2009	PARTNER USED KNIFE/GUN ON U PAST 12 MTHS
DVYRW1_A	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 1ST SOURCE
DVYRW1_B	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 2ND SOURCE
DVYRW1_C	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 3RD SOURCE
DVYRW1_D	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 4TH SOURCE
DVYRW1_E	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 5TH SOURCE
DVYRW1_F	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 6TH SOURCE
DVYRW1_G	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 7TH SOURCE
DVYRW1_H	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 8TH SOURCE
DVYRW1_I	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 9TH SOURCE
DVYRW1_J	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 10TH SOURCE
DVYRW1_K	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 11TH SOURCE
DVYRW2_A	WHERHLPB	2000	CARE LAST YR - PUSHED: 1ST SOURCE
DVYRW2_B	WHERHLPB	2000	CARE LAST YR - PUSHED: 2ND SOURCE
DVYRW2_C	WHERHLPB	2000	CARE LAST YR - PUSHED: 3RD SOURCE
DVYRW2_D	WHERHLPB	2000	CARE LAST YR - PUSHED: 4TH SOURCE
DVYRW2_E	WHERHLPB	2000	CARE LAST YR - PUSHED: 5TH SOURCE
DVYRW2_F	WHERHLPB	2000	CARE LAST YR - PUSHED: 6TH SOURCE
DVYRW2_G	WHERHLPB	2000	CARE LAST YR - PUSHED: 7TH SOURCE

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
DVYRW2_H	WHERHLPB	2000	CARE LAST YR - PUSHED: 8TH SOURCE
DVYRW2_I	WHERHLPB	2000	CARE LAST YR - PUSHED: 9TH SOURCE
DVYRW2_J	WHERHLPB	2000	CARE LAST YR - PUSHED: 10TH SOURCE
DVYRW2_K	WHERHLPB	2000	CARE LAST YR - PUSHED: 11TH SOURCE
DVYRW3_A	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 1ST SOURCE
DVYRW3_B	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 2ND SOURCE
DVYRW3_C	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 3RD SOURCE
DVYRW3_D	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 4TH SOURCE
DVYRW3_E	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 5TH SOURCE
DVYRW3_F	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 6TH SOURCE
DVYRW3_G	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 7TH SOURCE
DVYRW3_H	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 8TH SOURCE
DVYRW3_I	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 9TH SOURCE
DVYRW3_J	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 10TH SOURCE
DVYRW3_K	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 11TH SOURCE
DVYRW4_A	WHERHLPB	2000	CARE LAST YR - BEAT UP: 1ST SOURCE
DVYRW4_B	WHERHLPB	2000	CARE LAST YR - BEAT UP: 2ND SOURCE
DVYRW4_C	WHERHLPB	2000	CARE LAST YR - BEAT UP: 3RD SOURCE
DVYRW4_D	WHERHLPB	2000	CARE LAST YR - BEAT UP: 4TH SOURCE
DVYRW4_E	WHERHLPB	2000	CARE LAST YR - BEAT UP: 5TH SOURCE
DVYRW4_F	WHERHLPB	2000	CARE LAST YR - BEAT UP: 6TH SOURCE
DVYRW4_G	WHERHLPB	2000	CARE LAST YR - BEAT UP: 7TH SOURCE
DVYRW4_H	WHERHLPB	2000	CARE LAST YR - BEAT UP: 8TH SOURCE
DVYRW4_I	WHERHLPB	2000	CARE LAST YR - BEAT UP: 9TH SOURCE
DVYRW4_J	WHERHLPB	2000	CARE LAST YR - BEAT UP: 10TH SOURCE
DVYRW4_K	WHERHLPB	2000	CARE LAST YR - BEAT UP: 11TH SOURCE
DVYRW5_A	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 1ST SOURCE
DVYRW5_B	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 2ND SOURCE
DVYRW5_C	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 3RD SOURCE
DVYRW5_D	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 4TH SOURCE
DVYRW5_E	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 5TH SOURCE
DVYRW5_F	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 6TH SOURCE
DVYRW5_G	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 7TH SOURCE
DVYRW5_H	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 8TH SOURCE
DVYRW5_I	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 9TH SOURCE
DVYRW5_J	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 10TH SOURCE
DVYRW5_K	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 11TH SOURCE
DVYRW6_A	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 1ST SOURCE
DVYRW6_B	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 2ND SOURCE
DVYRW6_C	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 3RD SOURCE
DVYRW6_D	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 4TH SOURCE
DVYRW6_E	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 5TH SOURCE
DVYRW6_F	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 6TH SOURCE
DVYRW6_G	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 7TH SOURCE
DVYRW6_H	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 8TH SOURCE
DVYRW6_I	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 9TH SOURCE

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
DVYRW6_J	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 10TH SOURC
DVYRW6_K	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 11TH SOURC
DVYRW7_A	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 1ST SOURCE
DVYRW7_B	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 2ND SOURCE
DVYRW7_C	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 3RD SOURCE
DVYRW7_D	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 4TH SOURCE
DVYRW7_E	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 5TH SOURCE
DVYRW7_F	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 6TH SOURCE
DVYRW7_G	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 7TH SOURCE
DVYRW7_H	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 8TH SOURCE
DVYRW7_I	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 9TH SOURCE
DVYRW7_J	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 10TH SOURCE
DVYRW7_K	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 11TH SOURCE
DVYRWPN	YESNORF	2000-2001, 2003	PARTNER THREATEN W/KNIFE OR GUN LAST YR
DXEVR2		2009	EVER BEEN DIAGNOSED: HEART DISEASE
DXEVR3		2009	EVER BEEN DIAGNOSED: HIGH BLOOD PRESSURE
DXEVR4		2009	EVER BEEN DIAGNOSED: HIGH CHOLESTEROL
EATBURGR	IV	1999	FREQUENCY ATE RARE HAMBURGERS LAST YEAR
EATCATCH	YESNO	2005	EAT CAUGHT FISH PAST 12 MTHS
EATCHKID	YESNOKID	2005	CHILDREN IN HOUSEHOLD EAT CAUGHT FISH
EATCHOFN	XIV	2005	HOW MANY TIMES EAT CAUGHT FISH IN PAST 30 DAYS
EATEGG	IV	1999	FREQUENCY ATE EGGS W/RUNNY YOLK LAST YR
EATFSKID	YESNOKID	2005	CHILDREN IN HOUSEHOLD EAT STORE FISH
EATFSMKT	YESNO	2005	EAT STORE FISH PAST 12 MTHS
EATFSOFN	XIV	2005	HOW MANY TIMES EAT STORE FISH PAST 30 DAYS
EATLESSB	YESNO	1997	ATE LESS BECAUSE NO FOOD/\$\$ FOR FOOD
EATLESSC	YESNO	1998-2010	ATE LESS BECAUSE NO \$\$ FOR FOOD
EATRAW2	IV	1999	FREQUENCY ATE RAW OYSTERS LAST YEAR
EATSPROT	IV	1999	FREQUENCY ATE ALFALFA SPROUTS LAST YEAR
ECWHERE	YESNO	2006	KNOW WHERE TO GET EMERGENCY CONTRACEPTION
ECWHERE2	ECWHERE	2007-2009	KNOW WHERE TO GET EMERGENCY CONTRACEPTION
EDUCA	EDUCA	1997-2004	EDUCATION LEVEL
EDUCA2	EDUCAB	2005-2010	EDUCATION LEVEL
EMERGWHT	EMERGWHT	1999-2004, 06-09	KNOWLEDGE OF EMERGENCY BIRTH CONTROL
EMPLOY3	EMPLOYB	1997-2010	EMPLOYMENT STATUS
EMPLAN	YESNO	1997-2010	OWN EMPLOYER PROVIDES HEALTH COVERAGE
EMRNBC	YESNO	1999-2004, 06-07	DOES EMERGENCY BIRTH CONTROL EXIST?
EMRNBC2	YESNO	2008-2009	CAN WOMAN PREVENT PREGNANCY 5 DAYS AFTER UNPROTECTED SEX
ENDPREG	Num	2010	NUMBER OF ABORTIONS OR TERMINATIONS OF A PREGNANCY IN PAST FIVE YEARS
EPHEDRA	YESNOUN	2001-2002	TAKE EPHEDRA IN LAST 12 MONTHS
EQUIP	YESNO	2005-2010	ANY SPECIAL EQUIPMENT FOR DISABILITY
ESTROHR2	ESTROHRT	1997	TAKING ESTROGEN OR HRT
ESTROHR3	YESNO	1999	CURRENTLY TAKING ESTROGEN FOR MENOPAUSE
ESTROHR4	YESNO	2001	NOW TAKING ESTROGEN/PROGESTERONE FOR MENOPAUSE
ESTROHRT	YESNO	1997	TAKING ESTROGEN OR HRT

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
EVEREST	YESNO	1999	EVER TAKEN ESTROGEN FOR MENOPAUSE
EVEREST2	YESNO	2001	EVER TAKEN ESTROGEN/PROGESTERONE FOR MENOPAUSE
EVRHNGRY	YESNO	1998-2010	EVER HUNGRY BECAUSE COULDN'T AFFORD FOOD
EXBMODAB	III	2002-2005, 09-10	HOW MANY DAYS SHOULD DO MOD ACTIVITY
EXBMODAY	III	2001	HOW MANY DAYS SHOULD DO MOD ACTIVITY
EXBMODMB	III	2002-2005, 07-10	HOW MANY MINUTES SHOULD DO MOD ACTIVITY
EXBMODMI	III	2001	HOW MANY MINUTES SHOULD DO MOD ACTIVITY
EXERMOD	III	2001-2002	DAYS PER WK DO MOD ACTIVITY FOR 10 MIN
EXERMOD2	III	2003-2010	DAYS PER WK DO MOD/VIG ACTIVITY FOR 10 MIN
EXEROFT2	XIV	2003-2010	HOW MUCH AVG TIME DO MOD/VIG ACTIVITY (IN MINUTES)
EXEROFTM	XIV	2001-2002	HOW MUCH AVG TIME DO MOD ACTIVITY (IN MINUTES)
EXERWORK	EXERWORK	2001-2004	PHYSICAL ACTIVITY DURING WORK
EXMODAK	III	2008-2009	HOW MANY DAYS SHOULD DO MOD/VIG ACTIVITY TO KEEP WEIGHT OFF
EXMODAL	III	2008-2009	HOW MANY DAYS SHOULD DO MOD/VIG ACTIVITY TO LOSE WEIGHT
EXPANGER	SCALEI	2009	WHAT DEGREE EACH EMOTION DESCRIBE U IF EXPERIENCES RACISM:ANGER
EXPHRS	IX	1997-1998	HRS AND MIN EXPOSED TO SECOND HAND SMOKE
EXPOVRAL	SCALEJ	2009	HAS RACISM AFFECTED YOUR LIFE ON A PERSONAL LEVEL
EXPPHYS	OFTENH	2009	PAST 12 MON HOW OFTEN HAVE U EXPERIENCES PHYSICAL SYMPTOMS AS A RESL
EXPOWER	SCALEI	2009	WHAT DEGREE EACH EMOTION DESCRIBE U IF EXPERIENCES RACISM:POWERLESS
EXPSERV	OFTENG	2009	BEING IGNORED,OVERLOOKED,NOT GIVEN SERVICE
EXPSTRES	SCALEI	2009	WHAT DEGREE EACH EMOTION DESCRIBE IF EXPERIENCES RACISM:STRESSED
F40	YESNO	1997	WOMAN AGE 40+ LIVING IN HOUSEHOLD
F40A	I	1997	AGE OLDEST WOMAN 40+ LIVING IN HOUSEHOLD
F40B	I	1997	AGE 2ND OLDEST WOMAN 40+ IN HOUSEHOLD
F40C	I	1997	AGE OF 3RD OLDEST WOMAN 40+ IN HOUSEHOLD
F40CBEG	BGUIDE	1997	HOW OFTEN SHOULD WOMEN 40+ HAVE CBE(40+)
F40CBEB	BGUIDE	2002-2004	HOW OFTEN SHOULD WOMEN YOUR AGE HAVE CBE
F40DFPAY	DIFFIC	1997	DIFFICULTY PAYING FOR MAMMOGRAM (40+)
F40GUID2	BGUIDE	2000	MAMMOGRAM FREQUENCY FOR WOMAN RESP AGE
F40GUIDE	BGUIDE	1997-1999	FREQUENCY OF MAMMOGRAMS WOMAN 40+ (40+)
F40INPAY	YESNO	1997	INSURANCE PAYS FOR MAMMOGRAM (40+)
F40NUM	II	1997	NUMBER OF WOMEN 40+ LIVING IN HOUSEHOLD
F40RXMAM	YESNO	1997	DR SUGGEST LAST MAMMOGRAM (AGE 40+)
F40RXMAM	YESNO	1998	DR SUGGEST LAST MAMMOGRAM (ALL)
F40SFPAY	YESNO	1997	PAID FOR ALL/PART OF LAST MAMMO (40+)
F50GUID2	IMPORT	1997-1998	HOW IMPORT MAMM 50+ NO BC IN FAMILY(ALL)
F50GUID3	IMPORT	1997-1998	HOW IMPORT MAMM, 50+ NO BC SYMPTOMS(ALL)
F50GUIDE	BGUIDE	1997-1998	FREQUENCY OF MAMMOGRAMS WOMAN 50+(ALL)
F50RXMAM	YESNO	1997-1998	EVER TOLD BY DR NEED MAMMOGRAM
FALLBR2	YESNO	2004, 2006	BROKEN BONE FROM FALL EVER
FALLBRK	YESNO	2002	BROKEN BONE FROM FALL LAST 12 MONTHS
FALLTEST	YESNO	2004, 2006	DID YOU HAVE BONE DENSITY TEST BECAUSE YOU FELL
FAS	FAS	1999	KNOWLEDGE ABOUT FETAL ALCOHOL SYNDROME
FASAWARE	FASAWARE	2006-2007	KNOW ABOUT FETAL ALCOHOL SYNDROME
FASCURED	YESNODF	2006-2007	CAN FETAL ALCOHOL SYNDROME BE CURED?
FASDNUM	MANYIII	2006-2007	HOW OFTEN OK FOR PREGNANT WOMAN DRINK ALCOHOL

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
FASTFOOD	XIX	2008-2010	HOW MANY TIMES PER DAY/WEEK/MONTH EAT FAST FOOD
FDSTMAPP	YESNO	2000-2009	APPLY FOR FOOD STAMPS LAST 12 MONTHS
FDSTMDEN	YESNO	2000-2009	DENIED FOOD STAMPS LAST 12 MONTHS
FERTADV	YESNO	2005	SERVICE TO HELP FERTILITY: ADVICE
FERTBRD	YESNO	2005	SERVICE TO HELP FERTILITY: TRTMT/SRGRY FIBROIDS
FERTCAM	YESNO	2005	SERVICE TO HELP FERTILITY: OTHER ALTERNATIVE HELP
FERTDCTR	YESNO	2005	TALKED WITH HEALTH PROFESSIONAL ABOUT FERTILITY
FERTDRUG	YESNO	2005	SERVICE TO HELP FERTILITY: FERT DRUGS
FERTINSM	YESNO	2005	SERVICE TO HELP FERTILITY: INSEMINATION
FERTIVF	YESNO	2005	SERVICE TO HELP FERTILITY: IVF
FERTOTHR	YESNO	2005	SERVICE TO HELP FERTILITY: OTHER MEDICAL HELP
FERTTEST	YESNO	2005	SERVICE TO HELP FERTILITY: FERT TESTING
FERTTUBE	YESNO	2005	SERVICE TO HELP FERTILITY: TUBE SURGERY
FIBROIDS	YESNO	2005	DOCTOR SAID YOU HAD FIBROIDS
FIPS		1997-2004	STATE FIPS CODE
FIPS_CODE		2009-2010	FIPS_CODE
FISHHLTH	YESNO	2008	HEARD EATING FISH GOOD FOR HEALTH
FISHOFT	IV	2003	HOW OFTEN DO YOU EAT FISH
FISHPORT	IV	2005	PORTIONS OF FISH EATEN PER OCCASION
FISHSERV	IV	2003	HOW MANY SERVINGS OF FISH DO YOU EAT
FISHWARN	YESNO	2003, 2005, 2008	AWARE OF PUBLIC HEALTH WARNINGS ABOUT FISH
FLUVAC	YESNO	2003-2004	FLU SHOT IN PAST 12 MONTHS
FLUVAC2	YESNO	2005-2006	FLU SHOT OR SPRAY IN PAST 12 MONTHS
FLUVAC50	XVI	2003-2004	AGE RECOMMENDED THAT GEN PUBLIC GET FLU SHOT
FOLIC_A	YESNO	1997	FOODS INCREASE FOLIC ACID
FOLIC_B	YESNO	1997	VITAMIN SUPPLEMENTS INCREASE FOLIC ACID
FOLIC_C	YESNO	1997	PRESCRIPTION MEDS INCREASE FOLIC ACID
FOLIC_D	YESNO	1997	WAYS TO INCREASE FOLIC ACID (SPECIFY)
FOLICEAB	FOLICEAT	2002	MORE LIKELY TO BUY CEREAL WITH FOLATE
FOLICEAT	FOLICEAT	2001	MORE LIKELY TO BUY CEREAL WITH FOLATE
FOLICHER	YESNO	1997-2000 09-10	EVER HEARD OF FOLIC ACID
FOLICIN2	SOURCE	1998	WAYS TO INCREASE FOLIC ACID INTAKE
FOLICL_A	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: MAGAZINE ARTICLE
FOLICL_B	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: RADIO
FOLICL_C	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: TELEVISION
FOLICL_D	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: PHYSICIAN
FOLICL_E	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: BOOKS
FOLICL_F	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: BROCHURES IN DOCTORS OFFICE
FOLICL_G	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: FRIEND

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
FOLICL_H	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: SCHOOL
FOLICL_I	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: LABEL ON VITAMIN BOTTLE
FOLICL_J	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: NUTRITION CLASS OUT OF SCHOOL
FOLICL_K	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: NURSE/NURSE PRACTITIONER
FOLICL_L	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: NURSING SCHOOL
FOLICL_M	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: MEDIA
FOLICL_N	YESNO	1998-2000, 03 2009-2010	FOLATE EDUC: OTHER (SPECIFY)
FOLICL_O	YESNO	2003	FOLATE EDUC: MOVIE THEATER
FOLICL_O	YESNO	2009-2010	FOLATE EDUC: INTERNET
FOLICLTX	FOLICLTX	1998-2000	FOLATE EDUC (TEXT)
FOLICS_A	YESNO	1998	FOLATE SOURCE: BROCCOLI
FOLICS_B	YESNO	1998	FOLATE SOURCE: SPINACH
FOLICS_C	YESNO	1998	FOLATE SOURCE: GREEN VEGETABLES
FOLICS_D	YESNO	1998	FOLATE SOURCE: GREEN SALAD
FOLICS_E	YESNO	1998	FOLATE SOURCE: OTHER NOT GREEN VEGS
FOLICS_F	YESNO	1998	FOLATE SOURCE: DRIED BEANS OR PEAS
FOLICS_G	YESNO	1998	FOLATE SOURCE: CEREALS AND GRAINS
FOLICS_H	YESNO	1998	FOLATE SOURCE: DAIRY PRODUCTS
FOLICS_I	YESNO	1998	FOLATE SOURCE: MEAT
FOLICS_J	YESNO	1998	FOLATE SOURCE: ORANGE JUICE
FOLICS_K	YESNO	1998	FOLATE SOURCE: FRUITS
FOLICS_L	YESNO	1998	FOLATE SOURCE: OTHER (SPECIFY)
FOLICSOA	FOLICSOA	1997	BEST SOURCE OF FOLIC ACID
FOLICSTX	FOLICTXT	1998	FOLATE SOURCE (TEXT)
FOLICTXT	FOLICTXT	1997-2003	WAYS TO INCREASE FOLIC ACID (TEXT)
FOLICWHY	RISK	1997	EFFECT OF FOLIC ACID ON BIRTH DEFECTS
FOODBANK	YESNO	2000-2010	FOOD ASSISTANCE: FOODBANK
FOODKIT	YESNO	2000-2002	FOOD ASSISTANCE: MEALS AT COMMUNITY SITE
FOODS_A	FOODSTORE	1997	FOOD PREPARED IN HOME: CONVENIENCE STORES
FOODS_B	FOODSTORE	1997	FOOD PREPARED IN HOME: HOME GARDEN
FOODS_C	FOODSTORE	1997	FOOD PREPARED IN HOME: COMMUNITY GARDEN
FOODS_D	FOODSTORE	1997	FOOD PREPARED IN HOME: FARMERS MARKET
FOODS_E	FOODSTORE	1997	FOOD PREPARED IN HOME: FRUIT & VEG STANDS
FOODS_F	FOODSTORE	1997	FOOD PREPARED IN HOME: FOOD BANKS
FOODS_G	FOODSTORE	1997	FOOD PREPARED IN HOME: FOOD OUTLETS
FOODS_H	FOODSTORE	1997	FOOD PREPARED IN HOME: FRIENDS/RELATIVES
FOODS_I	FOODSTORE	1997	FOOD PREPARED IN HOME: GROCERY STORE ONLY
FOODS_J	FOODSTORE	1997	FOOD PREPARE IN HOME: OTHR PLACE(SPECIFY)
FOODSEN	YESNO	2000-2002	FOOD ASSISTANCE: SENIOR MEAL OR DELIVERY

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
FOODSHOP	FOODSH	2006-2007	HOW FAR DO YOU TRAVEL FOR GROCERIES?
FOODSTLS	III	2001-2010	HOW MANY DAYS OUT OF MONTH DO FOOD STAMPS LAST
FOODSTP	YESNO	2001-2003	FOOD ASSISTANCE: FOOD STAMPS
FOODSTP2	YESNO	2004-2007	FOOD ASSISTANCE: FOOD STAMPS OR EBT CARD
FOODSTP3	YESNO	2008-2010	FOOD ASSISTANCE: FOOD STAMP BENEFITS
FOODSTXT	FOODSHOP	1997	FOOD PREPARED IN HOME: OTHER PLACE (TEXT)
FOODWIC	YESNO	2000-2002	FOOD ASSISTANCE: WIC
FOODWIC2	YESNO	2003-2010	FOOD ASSISTANCE: WIC
FOSTCARE	YESNO	2001-2010	EVER REMOVED FROM HOME BY GOVT OR COURT
FPDENAP	YESNORF	1998-2004	GONE W/O BC SUPPLY: NO CONVENIENT APOINTM
FPDENIE2	YESNORF	1998-2002	GONE W/O BC SUPPLY CAUSE NO \$\$ TO BUY
FPDENIE3	YESNORF	2003-2004	GONE W/O BC SUPPLY CAUSE NO \$\$ TO BUY
FPDENIED	YESNO	1997	GONE W/O BC PLANNING FROM NO MONEY
FPDENLO	YESNORF	1998-2002	GONE W/O BC SUPPLY: DIDNT KNOW WHERE TO G
FPDENLO2	YESNORF	2003-2004	GONE W/O BC SUPPLY: DONT KNOW WHERE TO GET
FPKID	AGREE	1997	FAMILY PLANNING: DECIDING # OF CHILDREN
FPKIDWEN	AGREE	1997	FAMILY PLAN: DECIDING WHEN TO HAVE KIDS
FPOTHR	YESNO	1997	WHAT ELSE FAMILY PLANNING MEANS(SPECIFY)
FPOTHTXT	FPOTHTXT	1997	WHAT ELSE FAMILY PLANNING MEANS(TEXT)
FPPREG	AGREE	1997	FAMILY PLANNING: PREVENTING UNINTENDED PG
FPREPRO	AGREE	1997	FAMILY PLANNING: IMPROVING WOMEN HEALTH
FPWHEN	HOWLONGD	1997	WHEN LAST VISIT TO DISCUSS BIRTH CONTROL
FPWHEN2	HOWLONGD	1998-2004, 06-07	LAST VISIT TO DISCUSS/GET BIRTH CONTROL
FPWHERE	FPWHERE	1997	WHERE USUALLY GO FOR BIRTH CONTROL SERV
FPWHERE2	FPWHERE	1998	WHERE USUALLY GET BIRTH CONTROL SUPPLY
FPWHETX2	FPLOCATE	1998	WHERE USUALLY GO FOR BC SUPPLIES (TEXT)
FPWHETXT	FPLOCATE	1997	WHERE USUALLY GO FOR BC SERVICES (TEXT)
FRSTCOND	YESNORF	1998-2002, 04, 06	USE CONDOM WITH NEW SEX PARTNER 1ST TIME
FSEGGG	YESNO	1999	HEAR EGGS W/RUNNY YOLK CAUSE ILLNESS
FSHAMB	YESNO	1999	HEAR RARE HAMBURGER CAUSE ILLNESS
FSOYSTER	YESNO	1999	HEAR RAW OYSTERS CAUSE ILLNESS
FSSPROUT	YESNO	1999	HEAR ALFALFA SPROUTS CAUSE ILLNESS
FTVGMOR2	FTVGMOR2	2008-2010	EAT HOW MUCH FRUIT AND VEGGIES
FVCANNED	FVCANNED	2006	PERCENT CANNED FRUITS AND VEGETABLES EATEN
GAPPLN	YESNO	1997-2003	GAP IN HEALTH COVERAGE IN PAST 12 MONTHS
GAPPLNT	II	1997-2002	NUMBER OF MONTHS W/O HEALTH COVERAGE
GAPPLNT2	II	2003-2010	NUMBER OF MONTHS W/O HEALTH COVERAGE
GENHLTH	HEALTH	1998-2010	GENERAL HEALTH STATUS
GYNEC10A	YESNO	2010	REASON DID NOT ASK DOCTOR: DID NOT HAVE ANY QUESTIONS
GYNEC10B	YESNO	2010	REASON DID NOT ASK DOCTOR: DID NOT KNOW WHICH QUESTIONS TO ASK
GYNEC10C	YESNO	2010	REASON DID NOT ASK DOCTOR: DID NOT FEEL COMFORTABLE TALKING ABOUT REPRODUCTIVE ISSUES
GYNEC10D	YESNO	2010	REASON DID NOT ASK DOCTOR: DOCTOR NOT UNDERSTAND OR CARE ABOUT MY CONCERNS
GYNEC10E	YESNO	2010	REASON DID NOT ASK DOCTOR: DOCTOR SEEMS UNCOMFORTABLE

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
GYNEC10F	YESNO	2010	TALKING ABOUT REPRODUCTIVE HEALTH ISSUES REASON DID NOT ASK DOCTOR: NOT ENOUGH TIME
GYNEC10G	YESNO	2010	DURING VISIT TO ASK QUESTIONS REASON DID NOT ASK DOCTOR: DOCTOR: DOES NOT EXPLAIN
GYNEC10H	YESNO	2010	MEDICAL TERMS HE USES REASON DID NOT ASK DOCTOR: SOMETIMES
GYNEC10I	YESNO	2010	MAKES ME FEEL FOOLISH WHEN I ASK QUESTIONS REASON DID NOT ASK DOCTOR: SOMETIMES DOES NOT EXPLAIN
GYNEC10O	YESNO	2010	THINGS IN WAYS THAT I CAN UNDERSTAND REASON DID NOT ASK DOCTOR: OTHER SPECIFY
GYNEC13A	YESNO	2010	WHY INFORMATION GIVEN NOT HELPFUL: NOT INTERESTED
GYNEC13B	YESNO	2010	IN WOMENS CANCERS WHY INFORMATION GIVEN NOT HELPFUL: HAVE A DIFFICULT
GYNEC13C	YESNO	2010	TIME READING WHY INFORMATION GIVEN WAS NOT HELPFUL: TOO DIFFICULT
GYNEC13D	YESNO	2010	TO UNDERSTAND WHY INFORMATION GIVEN WAS NOT HELPFUL: NOT EASY TO READ
GYNEC13E	YESNO	2010	WHY INFORMATION GIVEN WAS NOT HELPFUL: DID NOT ADDRESS
GYNEC13F	YESNO	2010	MY QUESTIONS OR CONCERNS WHY INFORMATION GIVEN WAS NOT HELPFUL: NOT RELEVANT TO
GYNEC13G	YESNO	2010	MY AGE GROUP WHY INFORMATION GIVEN WAS NOT HELPFUL: NOT RELEVANT
GYNEC13H	YESNO	2010	TO MY CULTURE WHY INFORMATION GIVEN WAS NOT HELPFUL: NOT IN MY
GYNEC13I	YESNO	2010	PREFERRED LANGUAGE WHY INFORMATION GIVEN WAS NOT HELPFUL: NO TIME TO READ
GYNEC13J	YESNO	2010	THE INFORMATION WHY INFORMATION GIVEN WAS NOT HELPFUL: LOST OR MISPLACED
GYNEC13O	YESNO	2010	WHY INFORMATION GIVEN WAS NOT HELPFUL: OTHER SPECIFY
GYNEC1A	YESNO	2010	TYPE OF CANCER HEARD ABOUT: CERVICAL CANCER
GYNEC1B	YESNO	2010	TYPE OF CANCER HEARD ABOUT: UTERIN CANCER
GYNEC1C	YESNO	2010	TYPE OF CANCER HEARD ABOUT: OVARIAN CANCER
GYNEC1O	YESNO	2010	TYPE OF CANCER HEARD ABOUT: OTHER
GYNEC2A	YESNO	2010	LIKE TO LEARN ABOUT: DIFFERENT TYPES OF WOMENS CANCERS
GYNEC2B	YESNO	2010	LIKE TO LEARN ABOUT: PERSONAL RISK/RISK FACTORS FOR CANCER
GYNEC2C	YESNO	2010	LIKE TO LEARN ABOUT: WAYS OF FINDING WOMENS CANCERS EARLY
GYNEC2D	YESNO	2010	LIKE TO LEARN ABOUT: SIGNS OR SYMPTOMS OF CANCER
GYNEC2E	YESNO	2010	LIKE TO LEARN ABOUT: WAYS I CAN PROTECT MYSELF FROM CANCER
GYNEC2F	YESNO	2010	LIKE TO LEARN ABOUT: DIFFERENT TREATMENTS FOR CANCER
GYNEC2O	YESNO	2010	IIKE TO LEARN ABOUT: OTHER SPECIFY
GYNEC3A	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: NO REASON
GYNEC3B	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: NOT INTERESTED
GYNEC3C	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS:

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
			NOT IMPORTANT
GYNEC3D	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: LIFESTYLE CHOICES MAKE ME SAFE
GYNEC3E	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: IT IS FATE IF GET CANCER
GYNEC3F	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: HAVE NOT HAD ANY FEMALE PROBLEMS
GYNEC3G	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: OTHER MORE IMPORTANT HEALTH CONCERNS
GYNEC3H	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: NO ONE IN MY FAMILY HAS HAD THIS TYPE OF CANCER
GYNEC3O	YESNO	2010	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: OTHER SPECIFY
GYNECO11	YESNO	2010	DID DOCTOR GIVE YOU WRITTEN INFORMATION ABOUT CERVICAL, UTERINE, OR OVARIAN CANCER
GYNECO12	YESNO	2010	WAS INFORMATION HELPFUL
GYNECOL4	GYNECO4L	2010	YEAR LAST WENT TO DOCTOR FOR ROUTINE WELL WOMAN EXAM
GYNECOL5	GYNECO4L	2010	YEAR LAST WENT TO DOCTOR FOR A WELL WOMAN EXAM WHICH INCLUDED A PELVIC EXAM OR A PAP TEST
GYNECOL6	GYNECO6L	2010	MOST IMPORTANT REASON DID NOT HAVE A WEL-WOMAN EXAM WITHIN THE PAST THREE YEARS
GYNECOL7	YESNO	2010	AT LAST WELL WOMEN EXAM TALK ABOUT CERVICAL, UTERINE, OR OVARIAN CANCER
GYNECOL8	YESNO	2010	AT LAST WELL WOMAN EXAM TALK ABOUT PAP TEST OR HPV HUMAN PAPILLOMAVIRUS
GYNECOL9	YESNO	2010	EVER ASKED DOCTOR ABOUT CERVICAL, UTERINE, OR OVARIAN CANCER
GYNEXAM	IV	2003-2004	WHEN WAS LAST GYNECOLOGIC EXAM
HADCBE	YESNO	1997-2010	EVER HAD CLINICAL BREAST EXAM
HADMAM	YESNO	1997-2003, 05-10	EVER HAD MAMMOGRAM
HADPAP	YESNO	1997, 1999-2001	EVER HAD A PAP SMEAR
HADPAP2	YESNO	2005-2010	EVER HAD A PAP SMEAR
HAPP1	HAPPA	2006	HAPPINESS: INTERESTED IN WHAT YOU ARE DOING
HAPP2	HAPPB	2006	HAPPINESS: SPEND TIME DOING IMPROTANT THINGS
HAPP3	HAPPC	2006	HAPPINESS: EXPERIENCE PLEASURE OR PAIN
HAPP4	HAPPD	2006	HAPPINESS: MY LIFE IS GOOD/BAD
HARTATCK	YESNO	2004	DOCTOR SAID YOU HAD HEART ATTACK
HARTDIS	YESNO	2004	DOCTOR SAID YOU HAD ANGINA
HARTSTRK	YESNO	2004	DOCTOR SAID YOU HAD A STROKE
HAVECWHS	YESNO	2008-2010	HAVE ANY HEALTH CARE PLAN (NOTE: HAVECWHS = HAVEPLN3)
HAVEPLN3	YESNO	1997-2008	HAVE ANY HEALTH CARE PLAN
HAVEPLN4	YESNO	2008	LONGTERM CARE: DOES PERSON YOU CARE FOR HAVE ANY HEALTH CARE PLAN
HEARSERV	YESNO	2002	NOTICED ANY MEDIA ABOUT NUM OF FRUIT/VEG TO EAT
HEARSTOR	YESNO	2002	NOTICED IN PRODUCE SECTION NUM OF FRUIT/VEG TO EAT
HEARTEAT	RISKC	2001	DOES DIET MAKE DIF IN HEART DISEASE RISK

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
HEARTEXR	RISKC	2000	EFFECT OF EXERCISE ON HEART DISEASE RISK
HEARTHBP	RISKC	2000	EFFECT OF HBP ON HEART DISEASE RISK
HEARTHRT	RISKC	2001	DOES HRT MAKE DIF IN HEART DISEASE RISK
HEARTIMP	IMPORTB	2000	HOW IMPORTANT IS HEART DISEASE FOR WOMEN
HEARTSMK	RISKC	2000	EFFECT OF SMOKING ON HEART DISEASE RISK
HEARTTLK	YESNO	2000-2002	DOCTOR TALKED W/YOU ABOUT HEART DISEASE
HEARTWT	RISKC	2001	DOES WEIGHT MAKE DIF IN HEART DISEASE RISK
HEIGHT	IV	1997-2010	REPORTED HEIGHT IN FEET AND INCHES
HELP3TXT	MHWHELPC	2002	PROVIDED HELP FOR MENTAL HEALTH CONDITION
HELPGOOD	YESNO	2000	GOOD TO GET PROF MENTAL HEALTH HELP
HELPKID	OFTENB	2001-2002	ENOUGH SUPPORT TO HELP W/STRESS OF CHILD
HERBSORC	HERBSORC	2003	MOST IMPORTANT SOURCE IN DECIDING TO USE HERBS
HERBSUP	YESNO	2003-2004	TAKEN ANY HERBS FROM LIST
HERBTAK2	YESNO	2005	TAKEN ANY HERBAL SUPPLEMENTS IN PAST 12 MOS
HERBTAKE	YESNO	2003-2004	TAKEN ANY HERBS IN PAST 12 MOS
HERBTALK	YESNO	2003-2005	HEALTHCARE PROVIDER KNOW ABOUT HERB USE
HHSIZE		1997-2010	HOUSEHOLD SIZE
HIFBR	XIX	2008-2010	HOW MANY TIMES PER DAY/WEEK/MONTH EAT HIGH FIBER CEREAL
HINSNTRN	YESNO	2002-2006	HEALTH INSURANCE COVER NUTRITION/WEIGHT LOSS
HISP3	YESNO	2002-2010	HISPANIC ORIGIN
HISPANIC	YESNO	1997-2001	HISPANIC ORIGIN
HIVPGTLK	YESNO	2003-2005	HEALTH PROVIDER DISCUSS HIV DURING LAST PREG
HIVPGTST	YESNO	2003-2005	HAVE HIV BLOOD TEST WHEN PREG IN LAST 5 YEARS
HLPACT	YESNO	1997-1998	GET HELP IF NEEDED WITH DAILY ACTIVITIES
HLPMONEY	YESNO	1997-1998	BORROW A LITTLE MONEY IF NEEDED
HLPRIDE	YESNO	1997-1998	GET RIDE TO APPOINTMENT IF NEEDED
HLPSICK	YESNO	1997-1998	GET HELP IF SICK OR INJURED
HLTHLIST	HLTHLIST	1997-1998	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHLIST	HLTHLIB	1999-2002	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHLIST	HLTHLISC	2003-2005	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHPLA2	HLTHLIST	2008	LONTERM CARE: WHAT TYPE HEALTH INS FOR PERSON IN CARE
HLTHTXT	HLTHLIB	2002	HEALTH PLAN DEFINED - TEXT
HLTHTXT	II	1999-2001	HEALTH PLAN DEFINED - TEXT
HLTHTXT	HLTHLISC	2003-2005	HEALTH PLAN DEFINED - TEXT
HMLSADQ	YESNO	2003	PAST 12 MONTHS TROUBLE FINDING ACCEPTABLE HOUSING
HMLSMOVE	IV	2003	PAST 12 MONTHS HOW MANY TIMES MOVED
HMLSRENT	YESNO	2003	PAST 12 MONTHS LATE WITH RENT/MORTGAGE
HMOPPO2	YESNO	1997-2005	HEALTH PLAN IS HMO
HOMELESS	YESNO	2003	PAST 12 MONTHS BEEN WITHOUT HOUSING
HOWLONG2	HOWLONGB	1997-2010	HOW LONG SINCE LAST MAMMOGRAM (1992)
HOWLOSE	HOWLOSE	2008-2010	WEIGHT LOSS STRATEGY
HPVCERV	YESNO	2007	HAS DOCTOR TALKED ABOUT HPV AND CERVICAL CANCER
HPVCRVCA	TRUEFAL	2007	T/F SOME HPV CAUSES CERVICAL CANCER
HPVHEAR2	YESNO.	2008-2009	HEARD OF HPV VACCINE OR HPV SHOT
HPVHEARD	YESNO	2007	HEARD OF HPV VACCINE
HPVNUM	II	2007-2008	HOW MANY TIMES RECEIVED HPV SHOT

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
HPVNUM2	Num	2009	HOW MANY HPV SHOTS DID YOU RECEIVE
HPVSTD	TRUEFAL	2007	T/F SOME HPV IS SEXUALLY TRANSMITTED
HPVVAC	YESNO	2007	RECEIVED HPV VACCINE
HPVVAC2	YESNO	2008	RECEIVED HPV VACCINE
HPVVAC3	YESNO	2009	HAVE YOU EVER HAD THE HPV VACCINATION
HPVWHYN2	HPVWHYNT	2009	MAIN REASON DIDN'T RECEIVE HPV SHOTS
HPVWHYNT	HPVWHYNT	2007-2008	MAIN REASON DIDN'T RECEIVE HPV SHOTS (AGE 18-26)
HRTBELIF	YESNOEST	1997	POST MENOPAUSE WOMEN SHOULD HAVE HRT
HRTCURR	YESNO	2007	TAKING HORMONE REPLACEMENTS FOR MENOPAUSE
HTF		1997-2000	REPORTED HEIGHT - FEET
HTI		1997-2000, 05-10	REPORTED HEIGHT - INCHES
HYSTER2	YESNO	1997-2009	HAD A HYSTERECTOMY, ALL WOMEN
HYSTER2	YESNO	2010	HAD A HYSTERECTOMY, ALL NON PREGNANT WOMEN
IDEALBF	MANYIV	1998	IDEAL LENGTH OF TIME FOR BREASTFEEDING
ILLDR_A	YESNODR	1997	USED MARIJUANA PAST MONTH
ILLDR_B	YESNODR	1997	USED COCAINE PAST MONTH
ILLDR_C	YESNODR	1997	USED AMPHETAMINES PAST MONTH
ILLDR_D	YESNODR	1997	USED HEROIN PAST MONTH
ILLDR_E	YESNODR	1997	USED PCP PAST MONTH
ILLDR_F	YESNODR	1997	USED OTHER HALLUCINOGENS PAST MONTH
ILLDR_G	YESNODR	1997	USED OTHER STREET DRUGS PAST MONTH
INCOM01	INCOMEB	2001-2002, 05, 08	HOUSEHOLD INCOME
INCOM02	INCOMEB	2003-2004, 06-07 2009 2010	HOUSEHOLD INCOME
INCOM94B	INCOMEC	1997-2004	PERSONAL INCOME
INCOM95	INCOMEC	1997-2000	HOUSEHOLD INCOME
INCOMADQ	YESNO	1997,2000-2010	FEEL HAD ENOUGH MONEY FOR BASIC NEEDS
INDIANHS	YESNO	1997,2000-2010	INDIAN HEALTH SERVICE
INDOTHR	YESNO	1998	INDIAN HEALTH SERVICE OR SOME OTHER PLAN
INFERTI2	YESNO	2007	EVER TOLD BY DOCTOR HAVE NON-AGE FERTILITY PROBLEMS
INFERTI3	YESNO	2008	EVER TOLD BY DOCTOR HAVE NON-AGE FERTILITY PROBLEMS
INFERTIL	YESNORF	1997-1998,01,03	EVER TOLD YOU WERE INFERTILE
INFRTAGE	III	2008	HOW OLD WHEN TOLD YOU HAD NON-AGE FERTILITY PROBLEMS
INTEREST	INTEREST	1997	INTERESTED IN WIC IF ELIGIBLE
INTID		1998-2001,03,04	INTERVIEWER ID
IRON	YESNO	1997-1998	CURRENTLY TAKING IRON SUPPLEMENT
IRONLOCK	YESNO	1997	KEEP IRON SUPPLEMENTS IN LOCKED CABINET
LANGCHLD	LANGMORE	2005, 2009-2010	WHAT LANG USED AS CHILD
LANGFRND	LANGMORE	2005, 2010	WHAT LANG SPEAK WITH FRIENDS
LANGHOME	LANGMORE	2005, 2010	WHAT LANG SPEAK AT HOME
LANGSPK	LANGMORE	2005, 2010	WHAT LANG READ AND SPEAK
LANGTHNK	LANGMORE	2005, 2010	WHAT LANG THINK IN
LASTQUEST		2010	LAST QUESTION COMPLETED IN PARTIAL INTERVIEWS
LAXWGHT	YESNO	2000	CONTROL WEIGHT LAST 12 MONTHS: LAXATIVE
LIKEWT2	IV	2001-2003	WHAT IS HEALTHY WEIGHT FOR YOU
LIVEBRT2	II	2001-2010	NUMBER OF LIVE BIRTHS EVER HAD

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
LIVEBRTH	III	1998-2000	NUMBER OF LIVE BIRTHS EVER HAD
LOBRTHWT	II	2003-2005	HOW MANY HAD BIRTH WEIGHT OF LESS THAN 55 POUNDS
LOSEWT	YESNO	1998	EVER TRY TO LOSE WEIGHT
LTCBUY	YESNO	2003	PURCHASED/WILL PURCHASE LONG TERM CARE FOR SELF/FAMILY
LTCDISC	YESNO	2003	DISCUSSED OWN LONG TERM CARE NEEDS
LTCGIVE	YESNO	2003	PROVIDED LONG TERM CARE FOR MORE THAN 1 MONTH
LTCHAVE	YESNO	2008	LONGTERM CARE: DOES PERSON CARED FOR HAVE LONGTERM HEALTH INS
LTCRCVD	YESNO	2003	KNOW ANYONE WHO RECEIVED LONG TERM CARE
LTCWHO	LTCWHO	2003	WHO WILL CARE FOR YOU IF YOU ARE UNABLE
LUMPOFT2	YESNO	2001	EXAMINED OWN BREASTS LAST 12 MONTHS
MAINCOND	YESNORF	1997	LAST MAIN PARTNER INTERCOURSE USE CONDOM
MAINPART	YESNORF	1997	HAVE A MAIN MALE PARTNER PAST 12 MONTHS
MAINPLAN	MAINPLN	1997	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
MAINPLN2	MAINPLNB	1998-2005	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
MAJRPROB	MAJRPROB	1998-1999	MAJOR PROBLEM THAT LIMITS ACTIVITIES
MAMMAGE	IV	2008-2010	AGE WOMEN SHOULD START GETTING MAMMOGRAMS
MAMMDFP	DIFFIC	1998-2001	DIFFICULTY PAYING FOR MAMMOGRAM
MAMMDFPB	DIFFIC	2002-2004	DIFFICULTY PAYING FOR MAMMOGRAM
MAMMED12	YESNO	2001	SINCE JAN 2000 SEEN ADS FOR MAMMOGRAM
MAMMEDIB	YESNO	1997-1998	SAW MAMMOGRAM IN MEDIA RECENT PAST
MAMMOFTN	OFTENE	2008-2010	HOW OFTEN SHOULD WOMEN GET MAMMOGRAMS AFTER 1ST TIME
MAMMPAY	PORTION	1998-2004	PORTION OF MAMMOGRAM WOMAN MUST PAY
MANYCBE	II	2002-2004	HOW MANY CLINICAL BREAST EXAMS LAST 5 YEARS
MANYMAM	II	1997,2002-2004	NUMBER OF MAMMOGRAMS IN LAST 5 YEARS
MARITAL	MARITAL	1997-2010	MARITAL STATUS
MEDI_FU2	YESNO	2001-2010	HAVE RED WHITE & BLUE SOCIAL SECURITY CARD
MEDI_FUP	YESNO	1999-2000	EVER HAD MEDICARE CARD (NO MEDICARE REP)
MEDICAL	YESNO	1997-2010	COVERED BY MEDI-CAL
MEDICARE	YESNO	1997-2010	COVERED BY MEDICARE
MENCYCPL	YESNO	2007	HEARD OF CONTRACEPTIVES TO SUPPRESS MENSTRUAL CYCLE
MENODEPR	YESNO	1997	BECOME DEPRESSED FROM MENOPAUSE SYMPTOMS
MENOLMT	YESNO	1997	MENO SYMPTOMS: DIDNT DO USUAL ACTIVITIES
MENOMED	YESNO	1997	SEEK MEDICAL CARE FOR MENOPAUSE SYMPTOMS
MENOPAU2	MENOPAU2	2007, 2009	STAGE OF LIFE - MENOPAUSE
MENOPAU5	MENOPAU5	1997	STAGE OF LIFE - MENOPAUSE
MENOWHEN	I	1997, 2007, 2009	AGE PERIODS STOPPED/BECAME IRREGULAR
MENOWORK	YESNO	1997	LOST WORK DAYS DUE TO MENOPAUSE SYMPTOMS
MENSES	II	1997	AGE AT FIRST MENSES
MENSES2	II	2007-2008	AGE AT FIRST MENSES
MENSPRMT	MENSPRMT	2007	AGE AT FIRST MENSES <12 OR >13
MENTBELF	IV	2001	PERCENT OF ADULTS YOU THINK HAVE MH PROB
MENTHELP	YESNO	2001	EMBARRASSED TO GET HELP FROM MH PROFESIONAL
MENTHLTH	III	1998-2010	DAYS OF POOR MENTAL HEALTH IN LAST MO
MENTMED	AGREED	2001	MEDICATION AVAILABLE TO HELP MH PROB
MHDX	MHDX	1997	MENTAL HEALTH CONDITION DIAGNOSIS

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
MHDX2	MHDXB	1998-1999, 2005	MENTAL HEALTH CONDITION DIAGNOSIS
MHELPEVR	YESNO	2000	EVER GET PROFESSIONAL MENTAL HEALTH HELP
MHEVER	YESNO	1998	EVER DIAGNOSED WITH MENTL HLTH CONDITION
MHHELP	YESNO	1997	WANT MENTAL HEALTH HELP IN PAST 12 MTHS
MHHELP2	YESNO	1998-2000, 02-09	WANT MENTAL HEALTH HELP IN PAST 12 MTHS
MHHELP3	YESNO	2001	WANT MH PROFESSIONAL HELP IN PAST 12 MTHS
MHHELPTX	MHHELPTX	1999	HELP MENTAL HEALTH (TEXT)
MHHLCWHS	YESNO	2008-2009	DID YOU GET WANTED HELP WITH PERSONAL PROBS.
MHHLPW2	YESNO	1999,2001-2004	GET MENTAL HEALTH HELP
MHHLPW3	YESNO	2000	GET MENTAL HEALTH HELP IN LAST 12 MONTHS
MHHLPW4	YESNO	2006-2008	DID YOU GET WANTED HELP WITH PERSONAL PROBS.
MHHLPWNT	YESNO	1997-1998, 2005	GET MENTAL HEALTH HELP WANTED
MHLMTDY	SCALEC	1998	MOOD LIMITED DAILY ACTIVITY PAST 30 DAYS
MHLMTWK	SCALEC	1998	MOOD LIMITED ABILITY TO WORK PAST 30 DYS
MHLONG	V	1997	LENGTH OF TIME HAD MH CONDITON
MHMED	YESNO	1997, 2005	TAKEN MEDS FOR MENTAL COND LAST 12 MTHS
MHMED2	YESNO	1998-1999	PRESCRIBE MEDS FOR MENTAL HEALTH PROBLEM
MHNO2_A	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 1ST REASON
MHNO2_B	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 2ND REASON
MHNO2_C	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 3RD REASON
MHNO2_D	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 4TH REASON
MHNO2_E	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 5TH REASON
MHNO2_F	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNO2_G	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNO2_H	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNOINTX	MHNOINTX	1998-1999	WHY NO INSURANCE FOR MH CARE (TEXT)
MHNOT_A	YESNO	1997	WHY NO MH HELP: NO MONEY TO PAY FOR HELP
MHNOT_B	YESNO	1997	WHY NO MH HELP: NO INSURANCE
MHNOT_C	YESNO	1997	WHY NO MH HELP: INSURANCE WOULDNT PAY
MHNOT_D	YESNO	1997	WHY NO MH HELP: DIDNT KNOW WHERE TO GO
MHNOT_E	YESNO	1997	WHY NO MH HELP: NO ONE TAKE AS PATIENT
MHNOT_F	YESNO	1997	WHY NO MH HELP: COULDNT GET APPOINTMENT
MHNOT_G	YESNO	1997	WHY NO MH HELP: OFFICE HRS NOT CONVENIENT
MHNOT_H	YESNO	1997	WHY NO MH HELP: NO TRANSPORT TO OFFICE
MHNOT_I	YESNO	1997	WHY DIDNT GET MH HELP: NO CHILD CARE
MHNOT_J	YESNO	1997	WHY NO MH HELP: NO TIME OFF WORK
MHNOT_K	YESNO	1997	WHY NO MH HELP: COUNSELING HELP LINE BUSY
MHNOT_L	YESNO	1997	WHY NO MH HELP: DR DIDNT UNDERSTAND PROB
MHNOT_M	YESNO	1997	WHY NO HELP: DIDNT WANT MENTAL ILL LABEL
MHNOT_N	YESNO	1997	WHY NO MH HELP: OTHER REASON (SPECIFY)
MHNOTTX2	MHWHYNOT	1998-1999	WHY NO MH HELP (TEXT)
MHNOTTXT	MHWHYNOT	1997	WHY NO MH HELP: OTHER REASON (TEXT)
MHNOW	YESNO	1997, 2005	CURRENTLY HAVE MH CONDITION 6+ MONTHS
MHNTCTRL	OFTEN	1999-2002	HOW OFTEN FELT OUT-OF-CONTROL IN PAST 30
MHOVRWL2	OFTEN	2000	HOW OFTEN FELT OVERWHELMED IN PAST 30
MHOVRWLM	OFTEN	1997-1999, 02-10	DAYS FELT OVERWHELMED IN PAST 30

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
MHPAYDIF	DIFFICB	2000	DIFFICULTY PAYING FOR MENTAL HEALTH HELP
MHPAYDOC	MHPAYDOB	1997	WHO PAID FOR MENTAL HEALTH PROVIDER
MHPAYDOC	MHPAYDOC	1998-1999, 2005	WHO PAID FOR MENTAL HEALTH PROVIDER
MHPAYRX	MHPAY	1997	WHO PAID FOR MENTAL HLTH COND MEDS
MHPROHLP	YESNO	1997, 2005	EVER GET HELP FOR MENTAL HLTH CONDITION
MHTLKHLP	YESNO	2000	DID TALKING W/MENTAL HEALTH PROF HELP
MHTRYHL2	YESNO	2001	TRY TO GET MENTAL HEALTH HELP FROM PROFESSIONAL
MHTRYHLP	YESNO	1999	SEEK MENTAL HEALTH AID FROM PROFESSIONAL
MHUSUAL	YESNO	1997	DOES MH CONDITION LIMIT USUAL ACTIVITIES
MHWHE_A	YESNO	1998-1999,2002	MENTAL HEALTH HELP: PSYCHIATRIST
MHWHE_B	YESNO	1998-1999,2002	MENTAL HEALTH HELP: PSYCHOLOGIST
MHWHE_C	YESNO	1998-1999,2002	MENTAL HEALTH HELP: MEDICAL DOCTOR
MHWHE_D	YESNO	1998-1999,2002	MENTAL HEALTH HELP: COUNSELOR (SPECIFY)
MHWHE_E	YESNO	1998-1999,2002	MENTAL HEALTH HELP: SOCIAL WORKER
MHWHE_F	YESNO	1998-1999,2002	MENTAL HEALTH HELP: MINISTER/PRIEST/RABBI
MHWHE_G	YESNO	1998-1999,2002	MENTAL HEALTH HELP: SELFHLP GROUP
MHWHE_H	YESNO	1998-1999,2002	MENTAL HEALTH HELP: HEALER
MHWHE_I	YESNO	1998-1999,2002	MENTAL HEALTH HELP: CASE MANAGER
MHWHE_J	YESNO	1998-1999,2002	MENTAL HEALTH HELP: OTHER (SPECIFY)
MHWHE_K	YESNO	1999	MENTAL HEALTH HELP: DIDNT KNOW ANSWER
MHWHE_L	YESNO	1999	MENTAL HEALTH HELP: REFUSED QUESTION
MHWHE2_A	YESNO	2005	MENTAL HEALTH HELP: PSYCHOTHERAPIST
MHWHE2_B	YESNO	2005	MENTAL HEALTH HELP: PSYCHIATRIST
MHWHE2_C	YESNO	2005	MENTAL HEALTH HELP: PSYCHOLOGIST
MHWHE2_D	YESNO	2005	MENTAL HEALTH HELP: MEDICAL DOCTOR
MHWHE2_E	YESNO	2005	MENTAL HEALTH HELP: COUNSELOR (SPECIFY)
MHWHE2_F	YESNO	2005	MENTAL HEALTH HELP: MINISTER/PRIEST/RABBI
MHWHE2_G	YESNO	2005	MENTAL HEALTH HELP: SELFHLP GRP EMOTIONAL STRESS
MHWHE2_H	YESNO	2005	MENTAL HEALTH HELP: OTHER (SPECIFY)
MHWHE2_I	YESNO	2005	MENTAL HEALTH HELP: SELFHLP GRP MENTAL ILLNESS STRESS
MHWHELP	MHWHELP	1997	PROVIDED HELP FOR MENTAL HLTH CONDITION
MHWHELP2	MHWHELPB	1997	PROVIDED HELP FOR MENTAL HLTH CONDITION
MHWHERGO	YESNO	2000	KNOW WHERE TO GET PROF MENTAL HLTH HELP
MHWHETXT	MHWHO	1998-1999	MENTAL HEALTH HELP (TEXT)
MHWORK	YESNO	1997, 2005	DOES MH CONDITION LIMIT WORK KIND/AMOUNT
MHWTH_A	YESNO	1999	HELP MENTAL HEALTH: CHILDCARE
MHWTH_B	YESNO	1999	HELP MENTAL HEALTH: BETTER JOB
MHWTH_C	YESNO	1999	HELP MENTAL HEALTH: HEALTH CARE
MHWTH_D	YESNO	1999	HELP MENTAL HEALTH: ENOUGH FOOD
MHWTH_E	YESNO	1999	HELP MENTAL HEALTH: COUNSELING
MHWTH_F	YESNO	1999	HELP MENTAL HEALTH: TRANSPORTATION
MHWTH_G	YESNO	1999	HELP MENTAL HEALTH: HOUSING
MHWTH_H	YESNO	1999	HELP MENTAL HEALTH: MORE MONEY
MHWTH_I	YESNO	1999	HELP MENTAL HEALTH: CONVENIENT COUNSELIN
MHWTH_J	YESNO	1999	HELP MENTAL HEALTH: OTHER (SPECIFY)
MHWTH_K	YESNO	1999	HELP MENTAL HEALTH: NOTHING WOULD HELP

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
MICROBIC	YESNOMB	2007	WOULD USE VAGINAL MICROBICIDE IF AVAILABLE
MILINDOT	YESNO	1997	MIL/CHAMPUS/VA/IHS/OTHER COVERS HEALTH
MILPLAN	YESNO	1998-2010	MIL/CHAMPUS/VA HEALTH
MISSWORK	YESNO	2008	LONGTERM CARE: MISSED WORK IN PAST YEAR TO PROVIDE CARE
MLKPREWK	MILK	1998	MILK FOR BABY MONTH BEFORE RETURNING WORK
MLKPSTWK	MILKB	1998	MILK FOR BABY 2 MTHS AFTER RETURN WORK
MONTH	MONTHS	1997	MONTH OF DATA COLLECTION
MONTHS	MONTHS	1998-2010	MONTH OF DATA COLLECTION
NALCOCC	III	1997-2010	NUMBER OF DRINKS PER OCCASION
NEEDDOC2	YESNO	1997-1998	NEEDED TO SEE MD IN PAST 12 MONTHS
NEWCHILD	YESNO	1997	ADOPTING OR FOSTERING CHILD <5
NOCOND	YESNO	2007	DIDN'T USE CONDOM, WORRIED ABOUT PARTNER'S REACTION
NOFDHLTH	YESNO	2000-2001	DONT HAVE FOOD WANT: HLTH POOR CANT COOK
NOFDOUT	YESNO	2000	DONT HAVE FOOD WANT: NOT AT WORK OR OUT
NOFDOUT2	YESNO	2001	DONT HAVE FOOD WANT: NOT AT WORK OR OUT
NOFDSTOR	YESNO	2000-2001	DONT HAVE FOOD WANT: HARD TO GET TO STORE
NOHOME	Num	2010	IN LIFETIME TOTAL NIGHTS SPENT HOMELESS
NOTEAT	YESNO	2000-2009	EAT LESS SO OTHERS COULD EAT
NOTMED	YESNO	2000	DELAYED GETTING MEDICAL CARE TO BUY FOOD
NOWWGHT	NOWWGHT	2008-2010	WEIGHT MAINTENANCE STATUS
NUMADULT		1997-2010	NUMBER OF ADULTS IN HOUSEHOLD
NUMHRWRK	III	1998	NUMBER HRS AWAY FROM BABY FIRST 2 MONTHS
NUMMEN		1997-2010	NUMBER OF ADULT MALES IN HOUSEHOLD
NUMPHON2	II	1997-2006	HOW MANY UNIQUE PHONE NUMBERS
NUMPHON3	II	2007-2010	HOW MANY UNIQUE PHONE NUMBERS
NUMWOMEN		1997-2010	NUMBER OF ADULT FEMALES IN HOUSEHOLD
OCAVRISK	SCALEB	2009	CHANCES A WOMEN YOUR AGE WILL DEVELOP OVARIAN CANCER
OCERLTRT	AGREEF	2009	HOW STRONGLY AGREE: OVARIAN CANCER CAN BE CURED IF FOUND EARLY
OCFAMD	YESNO	2009	CASES OF CANCER IN YOUR FAMILY
OCPERISK	SCALEB	2009	SOMETHING THAT PUTS A WOMEN AT RISK FOR OVARIAN CANCER
OCRELDX	II	2009	HOW MANY RELATIVES DIAGNOSED WITH OVARIAN CANCER
OCRSKFAC	OVARRISK	2009	SYMPTOMS OF OVARIAN CANCER:HEADACHE
OEMPLAN	YESNO	1997-2010	ANOTHERS EMPL PROVIDES HEALTH COVERAGE
OFTCERL	IV	2003	HOW OFTEN EAT COLD CEREAL
ORACE	ORACE	1997-2000	REPORTED RACE
ORACE2	ORACEB	1997-2000	REPORTED RACE (EXPANDED)
ORACE2A	ORACE2A	1997-2010	REPORTED RACE - ASIAN
ORACE2X	ORACE2X	2006	REPORTED RACE: HISPANIC SUBCATEGORIES
ORACE3	ORACEC	2001-2010	REPORTED RACE (EXPANDED)
ORACE3_A	YESNO	2001-2010	REPORTED RACE: WHITE
ORACE3_B	YESNO	2001-2010	REPORTED RACE: BLACK
ORACE3_C	YESNO	2001-2010	REPORTED RACE: ASIAN
ORACE3_D	YESNO	2001-2010	REPORTED RACE: HAWAII/PI
ORACE3_E	YESNO	2001-2010	REPORTED RACE: AM IND/ALASKA NATIVE
ORACE3_F	YESNO	2001-2010	REPORTED RACE: OTHER
ORACE4	ORACEC	2001-2010	WHICH BEST REPRESENTS YOUR RACE

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
OSTEO	YESNO	1999	HAD BONE DENSITY TEST LAST 2 YEARS
OSTEO2	YESNO	2004	EVER HAD BONE DENSITY TEST FOR OSTEOPOROSIS
OSTEOCAL	YESNO	2006	CURRENTLY TAKING CALCIUM SUPPLEMENTS
OSTEODEF	OSTEO	2000-2002	WHAT IS OSTEOPOROSIS
OSTEOFOD	MANYII	2006	HOW OFTEN EAT HIGH CALCIUM FOODS
OSTEOHAD	YESNO	2006	BEEN TOLD YOU HAVE OSTEOPOROSIS
OSTEOHRD	YESNO	2000-2001	EVER HEARD OF OSTEOPOROSIS
OSTEOIMP	IMPORTB	2000-2001	HOW IMPORTANT IS OSTEOPOROSIS FOR WOMEN
OSTEOPA	MANYII	2006	HOW OFTEN DO STRENGTHENING EXERCISES
OSTEOPHY	SCALEF	2002	INCREASE PHYSICAL ACTIVITY TO PREVENT OSTEOPOROSIS
OSTEOPRV	YESNO	2004, 2006	DOING ANY OSTEOPOROSIS PREVENTION/MANAGEMENT
OSTEORSK	YESNO	2004-2005	THINK YOU HAVE RISK FACTOR FOR OSTEOPOROSIS
OSTEORX	YESNO	2006	CURRENTLY TAKING PERSCRIPTION FOR OSTEOPOROSIS
OSTEOTL2	YESNO	2002	EVER TOLD YOU HAVE OSTEOPOROSIS
OSTEOTL3	YESNO	2004-2005	DOCTOR SAID YOU HAVE OSTEOPOROSIS
OSTEOTLB	YESNO	2002	DOC EVER TALKED @PREVENTING OSTEOPOROSIS
OSTEOTLC	YESNO	2004-2005	DOCTOR DISCUSSED OSTEOPOROSIS PREVENTION
OSTEOTLD	YESNO	2000-2001,04-05	EVER TOLD YOU HAVE OSTEOPOROSIS
OSTEOTLK	YESNO	2000-01	DOC EVER TALKED @PREVENTING OSTEOPOROSIS
OTHRCOND	YESNORF	1997	LAST NON-STEADY INTERCOURSE USED CONDOM
OTHRPAR2	YESNORF	1998-1999	HAVE NEW MALE SEX PARTNER LAST YR
OTHRPAR3	YESNORF	2000, 02, 04, 07, 09	HAVE NEW MALE SEX PARTNER LAST YR
OTHRPART	YESNORF	1997	HAVE NON-STEADY/NEW MALE PARTNER LAST YR
OTHRSRCE	YESNO	1999-2010	SOME OTHER SOURCE OF HEALTH INSURANCE
OUTOFFD	TRUEFALB	1998-2010	WHEN DID NOT HAVE ENOUGH FOOD
OVARRISK	OVARRISK	2002	NAME RISK FOR OVARIAN CANCER
OWNPLAN	YESNO	1997-2010	BUYS OWN HEALTH COVERAGE
PAIN	YESNO	1998-1999	PAIN PREVENTS DOING WHAT WANTED
PAPINFO	YESNO	2001	RECEIVE PAMPHLET AT LAST PAP EXAM
PAPINFO2	YESNO	2002-2004, 2009	RECEIVE PAMPHLET AT LAST PAP EXAM
PARTIAL	YESNO	2002-2006 09-10	INCOMPLETE SURVEY--COMPLETED THROUGH DEMOGRAPHICS
PASTPLAN	HOWLONGC	1997-20+C14119	HOW LONG SINCE LAST HEALTH CARE PLAN
PHONE93		1997-2000, 03-10	HOW MANY UNIQUE PHONE NUMBERS IN HOUSEHOLD
PHQ1	II	2006-2008	MOOD: IN LAST 14, DAYS LITTLE INTEREST DOING THINGS
PHQ2	II	2006-2008	MOOD: IN LAST 14, DAYS FELT DEPRESSED
PHQ3	II	2006-2008	MOOD: IN LAST 14, DAYS WITH SLEEP TROUBLE
PHQ4	II	2006-2008	MOOD: IN LAST 14, DAYS WITH LOW ENERGY
PHQ5	II	2006-2008	MOOD: IN LAST 14, DAYS WITH POOR/EXCESS APPETITE
PHQ6	II	2006-2008	MOOD: IN LAST 14, DAYS FEEL BAD ABOUT SELF
PHQ7	II	2006-2008	MOOD: IN LAST 14, DAYS TROUBLE CONCENTRATING
PHQ8	II	2006-2008	MOOD: IN LAST 14, DAYS MOVED SLOW/FAST
PHYSHLTH	III	1998-2010	DAYS OF POOR PHYSICAL HEALTH IN LAST MO
PLEASANT	PLEASANT	2004-2005	HOW PLEASANT IS YOUR NEIGHBORHOOD
POORHLTH	III	1998-2010	DAYS OF RESTRICTED ACTIVITY IN LAST MO
PRECARE1	YESNO	2009-2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:SMOKING
PRECARE2	YESNO	2009-2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:DIET OR EXERCISE

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
PRECARE3	YESNO	2009-2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:DENTAL CARE
PRECARE4	YESNO	2009-2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:TAKING FOLIC ACID
PRECARE5	YESNO	2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:ALCOHOL USE
PREG5YR	YESNO	1997-2010	PREGNANT IN THE PAST FIVE YEARS
PREGHLTH	HEALTH	2000	GENERAL HEALTH DURING LAST PREGNANCY
PREGNAN2	Num	2010	PREGNANCY PLAN
PREGNANT	YESNO	1997-2010	PREGNANCY STATUS
PREGNUM	X	1998	TOTAL NUMBER OF PREGNANCIES EVER HAD
PREGPLAN	YESNO	2009-2010	DOCTOR TALK YOU WHETHET OR NOT BECOME PREGNANT IN FUTURE
PRENATA2	X	1999-2000	WKS OR MNTS PREGNANT 1ST PRENATAL VISIT
PRENATAL	X	1997	TIME IN PREGNANCY WHEN 1ST SAW PHYSICIAN
PRENHIV	YESNO	1998	DOC DISCUSS HIV RISK LAST PREGNANCY
PREVB_A	MON_YEAR	2000	MONTH 2ND MOST RECENT BIRTH OF LIVE BABY
PREVB_B	MON_YEAR	2000	YEAR 2ND MOST RECENT BIRTH OF LIVE BABY
PRIORBIR	MON_YEAR	2000	MONTH & YEAR PRIOR RECENT LIVE BIRTH
PRIORMNT	II	2000	MONTH OF PRIOR RECENT LIVE BIRTH
PRIORYR	IV	2000	YEAR OF PRIOR RECENT LIVE BIRTH
PROBPRE2	YESNO	2007-2008	PROBLEMS GETTING PREGNANT IN 12 MONTH PERIOD
PROBPREG	YESNORF	1997-98,01,03,06	TRIED 12+ MONTHS TO GET PREGNANT
PROBR_A	YESNO	2005	NAME AN STD PROB: INFERTILITY
PROBR_B	YESNO	2005	NAME AN STD PROB: MORE CERVICAL CANCER RISK
PROBR_C	YESNO	2005	NAME AN STD PROB: PREG COMPLICATION
PROBR_D	YESNO	2005	NAME AN STD PROB: PELVIC INFLAM DISEASE
PROBR_E	YESNO	2005	NAME AN STD PROB: BLINDNESS
PROBR_F	YESNO	2005	NAME AN STD PROB: MENTAL ILLNESS
PROBR_G	YESNO	2005	NAME AN STD PROB: DEATH
PROBR_H	YESNO	2005	NAME AN STD PROB: SCARRING
PROBR_I	YESNO	2005	NAME AN STD PROB: LIFE-LONG SYMPTOMS
PROBR_J	YESNO	2005	NAME AN STD PROB: MORE AIDS/HIV RISK
PROBR_K	YESNO	2005	NAME AN STD PROB: OTHER
PROBR_L	YESNO	2005	NAME AN STD PROB: CAN'T NAME ANY, KNOW EXIST
PROBR_M	YESNO	2005	NAME AN STD PROB: ALWAYS TAKE MEDICATIONS
PTSD1	YESNO	2000-2001,04-05	EVER HAD A HORRIBLE EXPERIENCE
PTSD1	_DV	2002-2003	EVER HAD A HORRIBLE EXPERIENCE
PTSD2	YESNO	2000-2005	LAST 30 DAYS: HAVE NIGHTMARES @EXPERIENCE
PTSD3	YESNO	2000-2005	LAST 30 DAYS: TRY TO NOT THINK @EXPERIENCE
PTSD4	YESNO	2000-2005	LAST 30 DAYS: CONSTANTLY ON GUARD
PTSD5	YESNO	2000-2005	LAST 30 DAYS: FELT DETACHED FROM OTHERS
PUBASST	YESNO	2001	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST2	YESNO	2002	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST3	YESNO	2003-2006	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST4	YESNO	2007-2009	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASTCH	YESNO	2004	AS CHILD DID YOUR FAMILY RECEIVE WELFARE
PUBASTN2	YESNO	2002-2009	LAST 30 DAYS RECEIVE PUBLIC ASSISTANCE
PUBASTNW	YESNO	2001	CURRENTLY RECEIVING PUBLIC ASSISTANCE
QUARTER		2005-2007, 09-10	QUARTER SURVEY DATA COLLECTED

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
REASTST3	REASTSTC	1997	WHY WAS LAST AIDS TEST DONE
REAUNPLN	REAUNPLN	2006-2007	REASON FOR SEX W/O ANY BIRTH CONTROL
RECSERV	III	2002	WHAT WAS THE NUM OF FRUIT/VEG RECOMMENDED
RELIGION	MANYV	2007	HOW OFTEN ATTEND RELIGIOUS SERVICES
RESPNO		1997-2010	RESPONDENT NUMBER
RUBELLA	YESNO	1999-2000	EVER VACCINATED FOR RUBELLA
RXDRUG	III	2008-2010	HOW MANY PRESCRIPTION DRUGS reported per week=1/ month=2
RXMISUSE	YESNO	2008-2009	EVER MISUSED PRESCRIPTION DRUG
SCALE	XIX	2008-2009	HOW MANY TIMES PER DAY/WEEK/MONTH WEIGH YOURSELF
scale	Num	2010	HOW MANY TIMES PER DAY=1/WEEK=2/MONTH=3 WEIGH YOURSELF
SCHLBRTH	II	1998	EDUCATION AT FIRST BIRTH
SCHLMEAL	YESNO	2006-2010	CHILDREN RECEIVE FREE/REDUCED LUNCH IN LAST YEAR
SEEDOC	YESNO	1997-1998	SAW MD FOR HEALTH CONDITION
SEHEALTH	AGREEC	1999	SELF EFFICACY: HEALTH DEPENDS ON SELF
SELFWGHT	WEIGHT	2000-2010	ASSESSMENT OF CURRENT WEIGHT
SEQNO	Char		10 SEQNO
SEX	SEX	1997-2010	SEX
SEXBADVC	YESNOD	2009	LAST 12 MON DR. ASK U ABOUT SEXUAL BEHAVIOR
SEXBEH1	VIII	1997	HOW MANY NEW MALE PARTNERS LAST YEAR
SEXBHAG2	VIII	2004-2007, 09-10	AGE AT FIRST INTERCOURSE WITH MAN
SEXBHAGE	VIII	1997-2003	AGE AT FIRST INTERCOURSE
SEXBHNU2	YESNORF	2002	MORE THAN ONE MALE SEX PARTNER LAST 12 MONTHS
SEXBHNU3	NUMCOUNT	2005	HOW MANY MALE SEX PARTNERS PAST 12 MTHS
SEXBHNUM	VIII	1997-1998, 04-10	NUMBER MALE PARTNERS PAST 12 MONTHS
SEXBHVER	YESNO	1998-2004	VERIFICATION OF AGES 12 AND YOUNGER
SEXED	AGREEB	1997	SCHOOLS SHOULD TEACH HUMAN SEXUALITY
SEXEDBC	AGREEB	1997	SCHOOLS SHOULD TEACH CONTRACEPTION
SEXEDSTD	AGREEB	1997	SCHOOLS SHOULD TEACH STD PREVENTION
SEXHAG2	VIII	2009	AGE AT FIRST INTERCOURSE WITH MAN
SEXWOTH2	SCALEG	2004	HOW LIKELY RECENT MALE SEX PARTNER HAD SEX WITH OTHER
SEXWOTH3	SCALEH	2007	HOW LIKELY RECENT MALE SEX PARTNER HAD SEX WITH OTHER
SEXWOTHR	SCALEG	2002	HOW LIKELY SEX PARTNERS HAVE HAD SEX WITH OTHER
SEXWOTRE	CERTAIN	2009	PAST 12 MON DID MALE PARTNER HAVE SEX WITH ANYONE ELSE
SFCHEESE	YESNO	2000	LAST PREGNANCY: EAT SOFT CHEESE
SFMEAT	YESNO	2000	LAST PREGNANCY: EAT PROCESSED MEATS
SIGEVER	YESNO	2000-2002	EVER HAD A SIGMOIDOSCOPY TEST
SIZEFEE2	RELATED	2000	WEIGHT INFLUENCE FEELINGS OF SELF WORTH
SIZEFEEL	SCALE	1998	WEIGHT INFLUENCE FEELINGS OF SELF WORTH
SMKEVDA2	EVDAY	1997-2010	SMOKE EVERY DAY/SOME DAYS/NOT AT ALL
SMOKE100	YESNO	1997-2010	SMOKED AT LEAST 100 CIGS
SODA	XIX	2008-2010	HOW MANY TIMES PER DAY/WEEK/MONTH DRINK SODA
SPANIN2	SPANINB	2008-2009	LANGUAGE OF SURVEY
SPANINT	SPANINT	1997-2007	LANGUAGE OF SURVEY
SSTDC_A	YESNO	2006	CAUSES CERVICAL CANCER: HERPES
SSTDC_B	YESNO	2006	CAUSES CERVICAL CANCER: CHLAMYDIA
SSTDC_C	YESNO	2006	CAUSES CERVICAL CANCER: HUMAN PAPILLOMA VIRUS

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
SSTDC_D	YESNO	2006	CAUSES CERVICAL CANCER: GONORRHEA
STAIRAC2	MANYI	1998	FLIGHT OF STAIRS CLIMBED DAILY OR WEEKLY
STDADV	YESNORF	1997	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDADV	HOWLONGE	1998	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDADV2	YESNO	2002-2004, 2007	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDCHILD	YESNO	2006	TALKED WITH CHILD ABOUT STD
STDCHK	YESNO	2002	HAD STD CHECK/TREATMENT PAST 12 MONTHS
STDCHK	YESNORF	1997-1998	HAD STD CHECK/TREATMENT PAST 12 MONTHS
STDCHLTD	YESNOUN	2003-2006	EVER TOLD YOU HAVE CHLAMYDIA
STDCHLY2	TRUEFALS	1997,2000-2001	WOMEN WITH CHLAMYDIA HAVE SYMPTOMS?
STDCHLY3	YESNOUN	2002-2003, 2006	WOMEN WITH CHLAMYDIA HAVE SYMPTOMS?
STDCHLYD	YESNORF	97, 00-01, 04, 07	EVER HEARD OF CHLAMYDIA
STDDX_A	YESNO	1997, 2004	STD DX: CHLAMYDIA
STDDX_B	YESNO	1997, 2004	STD DX: GENITAL HERPES
STDDX_C	YESNO	1997, 2004	STD DX: GENITAL WARTS (HPV)
STDDX_D	YESNO	1997, 2004	STD DX: GONORRHEA
STDDX_E	YESNO	1997, 2004	STD DX: HIV OR AIDS
STDDX_F	YESNO	1997, 2004	STD DX: PELVIC INFLAMMATORY DISEASE (PID)
STDDX_G	YESNO	1997, 2004	STD DX: SYPHILIS
STDDX_H	YESNO	1997, 2004	STD DX: TRICHOMONAS
STDDX_I	YESNO	1997, 2004	STD DX: YEAST INFECTION
STDDX_J	YESNO	1997, 2004	STD DX: OTHER (SPECIFY)
STDDX_K	YESNO	1997, 2004	REFUSED STD MODULE
STDDX2_A	YESNO	2005	WHAT WAS STD: CHLAMYDIA
STDDX2_B	YESNO	2005	WHAT WAS STD: GENITAL HERPES
STDDX2_C	YESNO	2005	WHAT WAS STD: GENITAL WARTS (HPV)
STDDX2_D	YESNO	2005	WHAT WAS STD: GONORRHEA
STDDX2_E	YESNO	2005	WHAT WAS STD: HIV OR AIDS
STDDX2_F	YESNO	2005	WHAT WAS STD: PELVIC INFLAMMATORY DISEASE (PID)
STDDX2_G	YESNO	2005	WHAT WAS STD: SYPHILIS
STDDX2_H	YESNO	2005	WHAT WAS STD: TRICHOMONAS
STDDX2_I	YESNO	2005	WHAT WAS STD: YEAST INFECTION
STDDX2_J	YESNO	2005	WHAT WAS STD: OTHER (SPECIFY)
STDDX2_K	YESNO	2005	WHAT WAS STD: BACTERIAL VAGINOSIS
STDDX2_L	YESNO	2005	WHAT WAS STD: CHRANCROID
STDDX2_M	YESNO	2005	WHAT WAS STD: CYTOMEGALOVIRUS
STDDX2_N	YESNO	2005	WHAT WAS STD: CRABS
STDDX2_O	YESNO	2005	WHAT WAS STD: HEPATITIS
STDDX2_P	YESNO	2005	WHAT WAS STD: PUBIC LICE
STDDX2_Q	YESNO	2005	WHAT WAS STD: SCABIES
STDDX2_R	YESNO	2005	WHAT WAS STD: CAN'T NAME ANY
STDDXTXT	STDDXTXT	1997-2004	STD DX: OTHER (TEXT)
STDHI_A	YESNO	1998	STD INCREASES RISK OF HIV INFECTION
STDHI_B	YESNO	1998	STD HAVE NO EFFECT ON HIV INFECTION RISK
STDHI_C	YESNO	1998	STD DECREASES RISK OF HIV INFECTION
STDHRPNO	TRUEFALS	1999-2001	GENITAL HERPES KNOWLEDGE: PEOPLE KNOW IT

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
STDHRPT2	TRUEFALS	2001	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDHRPT3	TRUEFALS	2002, 2006	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDHRPTD	YESNO	1999-2003, 2006	EVER TOLD HAVE GENITAL HERPES
STDHRPTR	TRUEFALS	1999	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDKID2	GRADE	2009	GRADE LEVEL CHILDREN SHOULD BE TAUGHT ABOUT STDS
STDPROB	YESNO	2005	ANY LONG TERM HEALTH PROB FOR WOMEN W/STD
STDPROPG	YESNORF	2001	WOMEN WITH CHLAMYDIA HAVE PROBS GETTING PREGNANT
STDRC_A	YESNO	2005	NAME AN STD: GONORRHEA
STDRC_B	YESNO	2005	NAME AN STD: SYPHILIS
STDRC_C	YESNO	2005	NAME AN STD: GENITAL HERPES
STDRC_D	YESNO	2005	NAME AN STD: AIDS/HIV
STDRC_E	YESNO	2005	NAME AN STD: CHLAMYDIA
STDRC_F	YESNO	2005	NAME AN STD: GENITAL WARTS
STDRC_G	YESNO	2005	NAME AN STD: HEPATITIS
STDRC_H	YESNO	2005	NAME AN STD: CRABS
STDRC_I	YESNO	2005	NAME AN STD: TRICHOMONIASIS
STDRC_J	YESNO	2005	NAME AN STD: PELVIC INFLAM DISEASE
STDRC_K	YESNO	2005	NAME AN STD: PUBIC LICE
STDRC_L	YESNO	2005	NAME AN STD: BACTERIAL VAGINOSIS
STDRC_M	YESNO	2005	NAME AN STD: CHRANCROID
STDRC_N	YESNO	2005	NAME AN STD: YEAST INFECTION
STDRC_O	YESNO	2005	NAME AN STD: SCABIES
STDRC_P	YESNO	2005	NAME AN STD: CYTOMEGALVIRUS
STDRC_Q	YESNO	2005	NAME AN STD: OTHER
STDRC_R	YESNO	2005	NAME AN STD: CAN'T NAME ANY
STDTALK	DISCUSS	2003	ANY DISCUSSION WITH PARENTS ABOUT SEX
STDTALK2	SEXTALK	2004	ANY DISCUSSION WITH MALE PARTNER ABOUT STDS
STDTEST	YESNO	2004	PAST 12 MOS DOCTOR SAID YOU HAD STD
STDTOLD	YESNORF	1997	PAST 12 MONTHS MD TOLD YOU HAVE STD
STDTOLD2	YESNO	2005	DOCTOR EVER SAID YOU HAD STD
STDWH_A	YESNO	1997-1998	HAD STD CHECK AT PUBLIC STD CLINIC
STDWH_B	YESNO	1997-1998	HAD STD CHECK AT OTHER PUBLIC CLINIC
STDWH_C	YESNO	1997-1998	HAD STD CHECK AT FAMILY PLANNING CLINIC
STDWH_D	YESNO	1997-1998	HAD STD CHECK AT COMMUNITY CLINIC
STDWH_E	YESNO	1997	HAD STD CHECK AT PRIVATE DOCTOR/HMO
STDWH_E	YESNO	1998	HAD STD CHECK AT PRIVATE DOCTOR
STDWH_F	YESNO	1997-1998	HAD STD CHECK AT EMERGENCY ROOM
STDWH_G	YESNO	1997-1998	HAD STD CHECK AT STUDENT HEALTH CENTER
STDWH_H	YESNO	1997-1998	HAD STD CHECK AT MILITARY FACILITY
STDWH_I	YESNO	1997-1998	HAD STD CHECK AT JAIL/DETENTION FACILITY
STDWH_J	YESNO	1997-1998	HAD STD CHECK AT OTHER LOCATION(SPECIFY)
STDWH_K	YESNO	1997-1998	REFUSED STD CHECK MODULE
STDWH_L	YESNO	1998	HAD STD CHECK AT HMO
STDWHTXT	STDWHETX	1997-1998	HAD STD CHECK AT OTHER LOCATION (TEXT)
STOPSUPP	YESNO	1999-2000	STOPPED SUPPLEMENT DUE TO BAD REACTION
STRATUM		1997-2004	WEIGHTING ADJUSTMENT

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
SUPPORT	YESNO	2009	SOMEONE YOU CAN TURN TO FOR COMFORT OR LISTEN TO YOU
SUPSLEEP	YESNO	1999	TAKE ANYTHING TO CALM NERVES PAST YEAR
SXORIEN2	ORIENT	2005-2010	SEXUAL ORIENTATION: NEW SPANISH INTRO
SXORIENT	ORIENT	2004	WHICH DESCRIBES YOUR SEXUAL ORIENTATION†
SYMPL_A	V	2000	DAYS URINARY TRACT INFECTION LASTED
SYMPL_B	V	2000	WEEKS URINARY TRACT INFECTION LASTED
SYMPL_C	V	2000	MONTHS URINARY TRACT INFECTION LASTED
TAKEMED	YESNO	1998-1999	TAKE MEDS FOR MH PROBLEM AS DIRECTED
TAKESUPP	YESNO	2000	TAKE ANY SUPPLEMENTS LAST 12 MONTHS
TALKDOC1	Num	2010	CONFIDENCE IN KNOWING WHAT QUESTIONS TO ASK DOCTOR
TALKDOC2	Num	2010	CONFIDENCE IN KNOWING WHAT QUESTIONS TO ASK DOCTOR
TALKDOC3	Num	2010	CONFIDENCE IN KNOWING WHAT QUESTIONS TO ASK DOCTOR
TALKDOC4	Num	2010	CONFIDENCE IN KNOWING WHAT QUESTIONS TO ASK DOCTOR
TALKDOC5	Num	2010	CONFIDENCE IN KNOWING WHAT QUESTIONS TO ASK DOCTOR
THRESH00	YESNO	2007-2010	HH INCOME ABOVE HIGHER THRESHOLD
THRESH01	YESNO	2007-2010	HH INCOME BETWEEN LOWER THRESHOLD AND HIGH THRESHOLD
THRESH02	YESNO	2009-2010	HH INCOME BETWEEN LOWEST THRESHOLD AND LOWER THRESHOLD
THRESH03	YESNO	2004-2005, 2008	HH INCOME ABOVE THRESHOLD
THRESH95	THRESH	1997-1999	POVERTY THRESHOLDS FOR PRIOR YEAR
THRESH98	THRESH	2000	POVERTY THRESHOLDS FOR PRIOR YEAR
THRSH185	THRESH	1999-2000	185% OF POVERTY FOR PRIOR YEAR
THRSH250	THRESH	2000	200% OF POVERTY FOR PRIOR YEAR
TIMEPLAN	HOWLNGD	1998-2002	HOW LONG HAD CURRENT HEALTH CARE PLAN
TIMES_A	VIII	1998	HOURS SPENT SITTING DAILY
TIMES_B	VIII	1998	MINUTES SPENT SITTING DAILY
TIMESIT	IV	1998	HOURS & MINUTES SPENT SITTING DAILY
TIMESIT2	IX	2001	HOURS & MINUTES SPENT SITTING DAILY
TLDSTRPB	YESNO	2000	LAST PREG: PREVENT GROUP B STREP PLAN
TOLDINF	YESNOTS	1997	MD TOLD HAD BLADDER INFECTION 3+ MONTHS
TRAFFIC	SAFE	2004-2005	HOW SAFE IS NEIGHBORHOOD: TRAFFIC
TRYLO_A	YESNO	1998	WEIGHT LOSS ACTION TAKEN: NOTHING
TRYLO_B	YESNO	1998	WEIGHT LOSS ACTION TAKEN: DIET
TRYLO_C	YESNO	1998	WEIGHT LOSS ACTION TAKEN: FAST
TRYLO_D	YESNO	1998	WEIGHT LOSS ACTION TAKEN: LAXATIVES, ETC
TRYLO_E	YESNO	1998	WEIGHT LOSS ACTION TAKEN: PURGE
TRYLO_F	YESNO	1998	WEIGHT LOSS ACTION TAKEN: DRANK ALCOHOL
TRYLO_G	YESNO	1998	WEIGHT LOSS ACTION TAKEN: SMOKE TOBACCO
TRYLO_H	YESNO	1998	WEIGHT LOSS ACTION TAKEN: EXERCISE
TRYLO_I	YESNO	1998	WEIGHT LOSS ACTION TAKEN: OTHER (SPECIFY)
TRYLOTXT	TRYLOTXT	1998	WEIGHT LOSS ACTION TAKEN (TEXT)
TRYPREG	YESNO	1997, 1999, 00-08	CURRENTLY TRYING TO GET PREGNANT
TRYPREG2	YESNO	2009	CURRENTLY TRYING TO GET PREGNANT
TSSBTAD	YESNORF	2001-2005	AS ADULT ANYONE EVER BEAT YOU
TSSBTCH	YESNORF	2001-2005	AS CHILD ANYONE EVER BEAT YOU (Begun 6/01)
TSSDIAD	YESNORF	2001-2005	AS ADULT ANYONE CLOSE DIE IN ACCIDENT
TSSDICH	YESNORF	2001-2005	AS CHILD ANYONE CLOSE DIE IN ACCIDENT (Begun 6/01)
TSSINSCH	YESNORF	2001-2005	AS CHILD ANYONE IN HOUSEHOLD INSULT OR THREATEN YOU

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
TSSSRELA	YESNORF	2009	PAST 12 MOS WHAT WAS THE PERSONS RELATIONSHIP TO YOU
TSSSXAD	YESNORF	2001-2008	AS ADULT ANYONE FORCE SEX ON YOU
TSSSXCH	YESNORF	2001-2008	AS CHILD ANYONE FORCE SEX ON YOU (Begun 6/01)
TSSSXYR	YESNORF	2005-2008	DID FORCE SEX HAPPEN IN PAST 12 MTHS
TSSSXYR2	YESNORF	2009	DID FORCE SEX HAPPEN IN PAST 12 MTHS
TSSTKAD	YESNORF	2001-2005	AS ADULT ANYONE FORCE SOMETHING FROM YOU
TSSTKCH	YESNORF	2001-2005	AS CHILD ANYONE FORCE SOMETHING FROM YOU (Begun 6/01)
UIPROB	YESNO	1997-1998	CURRENTLY HAVE PROB WITH LEAKING URINE
UNPLANSX	OFTEN	2006-2007	HOW OFTEN HAD UNPROTECTED SEX IN LAST YEAR
USENTRY	IV	1998-2001	YEAR FIRST ENTERED US
USENTRY2	IV	2003-2010	YEAR FIRST LIVED IN US
VITAIU	IU	2000	DOSAGE OF IU OF VITAMIN A
VITAMA	YESNO	1999	NOW TAKING: VITAMIN A
VITAMBF	BABY	1997-1998	TAKE PRENATAL VITAMINS PRE-PREGNANCY
VITAMCT	YESNO	1997	CURRENTLY TAKING MULTI-VITAMINS
VITAMCT2	YESNO	1998	CURRENTLY TAKING MULTI-VITAMINS
VITANX	YESNO	1999	TAKING SUPPLEMENT: ANXIETY OR DEPRESSION
VITAT_A	YESNO	1998	CURRENTLY TAKING: MULTI/PRENATAL VITAMIN
VITAT_B	YESNO	1998-1999	CURRENTLY TAKING: FOLATE
VITAT_C	YESNO	1998	CURRENTLY TAKING: VITAMIN C SUPPLEMENT
VITAT_D	YESNO	1998	CURRENTLY TAKING: IRON SUPPLEMENT
VITAT_E	YESNO	1998	CURRENTLY TAKING: BODY BUILDING SUPPLEME
VITAT_F	YESNO	1998	CURRENTLY TAKING: WEIGHT LOSS DRINK
VITAT_G	YESNO	1998	CURRENTLY TAKING: VITAMIN FORIFIED DRINK
VITAT_H	YESNO	1998	CURRENTLY TAKING: OTHER (SPECIFY)
VITATAK2	YESNO	1999	NOW TAKING: OTHER VITAMIN OR MINERALS
VITATXT	VITAMIN	1998	OTHER SUPPLEMENTS (TEXT)
VITBWHY	VITBWHY	2000	REASON WOMEN SHOULD TAKE B VITAMIN
VITBWHYB	VITBWHYB	2002-2004	REASON WOMEN SHOULD TAKE B VITAMIN
VITCVD	YESNO	1999	TAKING SUPPLEMENT: CARDIOVASCULAR HEALTH
VITDAILY	YESNO	2002-2009	DO YOU TAKE VITAMIN B DAILY
VITGHLT	YESNO	1999	TAKING SUPPLEMENT: GENERAL HEALTH
VITIMMU	YESNO	1999	TAKING SUPPLEMENT: IMMUNE FUNCTION
VITMILK	YESNO	2003	DRINK REMAINING MILK IN BOWL
VITMNAL	YESNO	1999	TAKING SUPPLEMENT: MENTAL ALERTNESS
VITOTR	YESNO	1999	TAKING SUPPLEMENT: OTHER REASON
VITPREN	YESNO	1999	NOW TAKING: MULTI OR PRENATAL VITAMIN
VITPREN2	YESNO	2000-2001	CURRENTLY TAKE: MULTI OR PRENATAL VITAMIN
VITSEDOC	YESNO	1999-2000	GET CARE FOR REACTION TO SUPPLEMENT
VITTAKEA	YESNO	2000	CURRENTLY TAKE: VITAMIN A PILL
VITTAKEB	YESNO	2000-2001	CURRENTLY TAKE: B VITAMIN FOLATE PILL
VITTAKEC	YESNO	2002-2009	CURRENTLY TAKE: B VITAMIN FOLATE PILL
VITTIMES	YESNO	2010	TIMES PER WEEK TAKE MULTIPLE, PRENATAL OR FOLIC ACID VITAMIN
VITWTLS	YESNO	1999	TAKING SUPPLEMENT: WEIGHT LOSS
VOMTWGHT	YESNO	2000	CONTROL WEIGHT LAST 12 MONTHS: VOMIT
WATCHTV	XIV	2004-2007	TIME SPENT WATCHING TV YESTERDAY IN MINUTES
WATCHTV3	WATCHTV	2008-2010	TIME SPENT WATCHING TV ON TYPICAL DAY IN HOURS

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
WATCHTV4	WATCHTV	2008-2010	TIME SPENT WATCHING TV ON WEEKEND IN HOURS PER DAY
WEIGHT	IV	1997-2010	REPORTED WEIGHT IN POUNDS
WGHTHLTH	YESNO	2003	CONSIDER YOURSELF AT A HEALTHY WEIGHT
WHAT2_A	YESNO	2003	WIC FOR PEOPLE ON WELFARE
WHAT2_B	YESNO	2003	WIC FOR PEOPLE ON MEDI-CAL
WHAT2_C	YESNO	2003	WIC FOR PREGNANT WOMEN
WHAT2_D	YESNO	2003	WIC FOR TEENS
WHAT2_E	YESNO	2003	WIC FOR WOMEN AND THEIR CHILDREN
WHAT2_F	YESNO	2003	WIC FOR FREE FOOD AND FORMULA
WHAT2_G	YESNO	2003	WIC FOR NUTRITION COUNSELING
WHAT2_H	YESNO	2003	WIC FOR LOWER INCOME PEOPLE
WHAT2_I	YESNO	2003	WIC FOR CHILDREN UNDER 5
WHAT2_J	YESNO	2003	WHAT ELSE HEARD ABOUT WIC (SPECIFY)
WHAT2TXT	WHATHEAX	2003	WHAT ELSE HEARD ABOUT WIC (TEXT)
WHATB_A	WHATBONE	2004, 2006	BONE BROKEN: 1
WHATB_B	WHATBONE	2004, 2006	BONE BROKEN: 2
WHATB_C	WHATBONE	2004, 2006	BONE BROKEN: 3
WHATB_D	WHATBONE	2004, 2006	BONE BROKEN: 4
WHATB_E	WHATBONE	2004, 2006	BONE BROKEN: 5
WHATB_F	WHATBONE	2004, 2006	BONE BROKEN: 6
WHATB_G	WHATBONE	2004, 2006	BONE BROKEN: 7
WHATB_H	WHATBONE	2004, 2006	BONE BROKEN: 8
WHATB_I	WHATBONE	2004, 2006	BONE BROKEN: 9
WHATB_J	WHATBONE	2004, 2006	BONE BROKEN: 10
WHATB_K	WHATBONE	2004, 2006	BONE BROKEN: 11
WHATB_L	WHATBONE	2004, 2006	BONE BROKEN: 12
WHATB_M	WHATBONE	2004, 2006	BONE BROKEN: 13
WHATB_N	WHATBONE	2004, 2006	BONE BROKEN: 14
WHATBONE	WHATBONE	2002, 2004	WHICH BONE WAS BROKEN
WHATH_A	YESNO	1997, 1999	WIC FOR PEOPLE ON WELFARE
WHATH_B	YESNO	1997, 1999	WIC FOR PEOPLE ON MEDI-CAL
WHATH_C	YESNO	1997, 1999	WIC FOR PREGNANT WOMEN
WHATH_D	YESNO	1997, 1999	WIC FOR WOMEN AND THEIR CHILDREN
WHATH_E	YESNO	1997, 1999	GET FREE FOOD OR FORMULA FROM WIC
WHATH_F	YESNO	1997, 1999	GET NUTRITION COUNSELING FROM WIC
WHATH_G	YESNO	1997	GET COUPONS FOR DAIRY PRODUCTS
WHATH_H	YESNO	1997	WIC FOR THE NEEDY/LOW INCOME PEOPLE
WHATH_I	YESNO	1997, 1999	WHAT ELSE HEARD ABOUT WIC (SPECIFY)
WHATH_J	YESNO	1999	WIC FOR TEEN PARENTS
WHATH_K	YESNO	1999	WIC FOR LOWER INCOME PEOPLE
WHATP_A	YESNO	2002, 2009	WHAT DETECTED BY PAP: OVARIAN CANCER
WHATP_B	YESNO	2002, 2009	WHAT DETECTED BY PAP: CERVICAL CANCER
WHATP_C	YESNO	2002, 2009	WHAT DETECTED BY PAP: STD
WHATP_D	YESNO	2002, 2009	WHAT DETECTED BY PAP: NONE
WHATP_E	YESNO	2002, 2009	WHAT DETECTED BY PAP: OTHER
WHATPAP	WHATCA	2000-2001	WHICH CANCER DETECTED BY PAP
WHATTXT	WHATHEAX	1997, 1999, 2003	WHAT ELSE HEARD ABOUT WIC (TEXT)

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
WHENCARD	HOWLONGH	2000-2002	WHEN WAS LAST BLOOD STOOL TEST
WHENCBE	HOWLONGB	1997-2010	WHEN WAS LAST CLINICAL BREAST EXAM
WHENDRUG	MANYV	1997	TIMES PER WK OR MONTH USED ILLEGAL DRUGS
WHENPAP2	HOWLONGB	1997, 1998, 2000	WHEN WAS LAST PAP SMEAR (1992)
WHENPAP3		2001, 2003	WHEN WAS LAST PAP SMEAR (MONTH AND YEAR)
WHENPAP4	HOWLONGB	2005-2008	HOW LONG AGO WAS LAST PAP SMEAR
WHENPAP5	HOWLONGB	2009-2010	HOW LONG SINCE LAST PAP TEST
WHENSIG	HOWLONGH	2000-2001	WHEN WAS LAST SIGMOIDOSCOPY TEST
WHENSIG2	HOWLONGI	2002	WHEN WAS LAST SIGMOIDOSCOPY TEST
WHERCARE	WHERCARE	2001-2005	LAST 12 MONTHS WHERE USUALLY GO FOR CARE
WHERH_A	YESNO	1997, 1999	HEARD OF WIC AT FOOD STORE
WHERH_B	YESNO	1997, 1999	HEARD OF WIC AT PRIVATE DOCTORS OFFICE
WHERH_C	YESNO	1997, 1999	HEARD OF WIC AT PUBLIC HEALTH CLINIC
WHERH_D	YESNO	1997, 1999	READ OF WIC IN NEWSPAPER OR MAGAZINE
WHERH_E	YESNO	1997, 1999	HEARD OF WIC AT SOCIAL SERVICES AGENCY
WHERH_F	YESNO	1997, 1999, 2001	HEARD OF WIC ON TELEVISION
WHERH_G	YESNO	1997, 1999, 2001	HEARD OF WIC FROM RADIO
WHERH_H	YESNO	1997, 1999, 2001	HEARD OF WIC FROM FRIEND
WHERH_I	YESNO	1997	SAW AD FOR WIC ON PUBLIC TRANSPORTATION
WHERH_J	YESNO	1997, 1999, 2001	HEARD OF WIC FROM OTHER SOURCE (SPECIFY)
WHERH_K	YESNO	1999	SAW AD FOR WIC ON BILLBOARD
WHERH_L	YESNO	1999	SAW AD FOR WIC ON BUS BENCHES
WHERH_M	YESNO	1999	HEAR OF WIC AT HOSPITAL
WHERH_N	YESNO	2001	HEARD OF WIC FROM DOCTORS OFFICE
WHERH_O	YESNO	2001-2004	HEARD OF WIC FROM BILLBOARD
WHERTXT	WHEREHR	1997, 1999	HEARD OF WIC FROM OTHER SOURCE (TEXT)
WHNSTPBF	CHILDAGE	1998	BABYS AGE WHEN STOPPED BREASTFEEDING
WHOSEX	WHOSEX	1998	SEXUAL PARTNERS DURING PAST 5 YEARS
WHOSX12M	WHOSEXB	1999-2010	SEXUAL PARTNERS OVER LAST 12 MONTHS
WHOSXEVR	WHOSEXB	1999-2004	SEXUAL PARTNERS OVER ADULT LIFE
WHTHLPBF	PUMPHLP	1998	HELP BREASTFEED AFTER RETURNING WORK
WHTHLTXT	PUMPHLP	1998	HELP BREASTFEED AFTER RETURN WORK (TEXT)
WHYCBE	WHYCBE	1997-1998	WHY HAD LAST CLINICAL BREAST EXAM
WHYCBE2	WHYDONE	2005-2010	WHY HAD LAST CLINICAL BREAST EXAM
WHYDON2	WHYDONEB	1999-2001	MAIN REASON HAD MAMMOGRAM
WHYDONE	WHYDONE	1997-1998, 02-10	WHY HAD MAMMOGRAM
WHYNO_A	YESNO	1997-1998	DIDNT HAVE ENOUGH MONEY OR INSURANCE
WHYNO_B	YESNO	1997-1998	DIDNT KNOW WHERE TO GET HEALTH CARE
WHYNO_C	YESNO	1997-1998	COULDNT FIND A HEALTH CARE PROVIDER
WHYNO_D	YESNO	1997-1998	COULDNT GET AN APPOINTMENT
WHYNO_E	YESNO	1997-1998	OFFICE HOURS NOT CONVENIENT
WHYNO_F	YESNO	1997-1998	NO TRANSPORTATION TO GET TO OFFICE
WHYNO_G	YESNO	1997-1998	NO CHILD CARE
WHYNO_H	YESNO	1997-1998	COULDNT TAKE OFF FROM WORK
WHYNO_I	YESNO	1997-1998	FELT BETTER PROBLEM WENT AWAY
WHYNO_J	YESNO	1997-1998	TOO EMBARRASSED TO GO TO DOCTOR
WHYNO_K	YESNO	1997-1998	DIDNT WANT LECTURE ABOUT WEIGHT

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
WHYNO_L	YESNO	1997-1998	LANGUAGE PROBLEM
WHYNO_M	YESNO	1997-1998	AGAINST RELIGION
WHYNO_N	YESNO	1997-1998	DONT BELIEVE IN WESTERN MEDICINE
WHYNO_O	YESNO	1997-1998	OTHER REASON (SPECIFY)
WHYNOFS	WHYNOFS	2002-2008	MAIN REASON NOT CURRENTLY RECEIVING FOOD STAMPS
WHYNOFS2	WHYNOFS	2009-2010	MAIN REASON NOT CURRENTLY RECEIVING FOOD STAMPS
WHYNOMED	WHYNOMED	1998-1999	WHY NOT TAKE MH PROBLEM MEDS AS DIRECTED
WHYNOSIG	WHYNODNB	2000-2002	WHY HAVENT YOU HAD A SIGMOIDOSCOPY TEST
WHYNOTDB	WHYNOTDB	2002-2004, 09-10	MAIN REASON NO MAMMOGRAM IN PAST YEAR
WHYNOTDC	WHYNOTDC	2005-2007	MAIN REASON NO MAMMOGRAM IN PAST YEAR
WHYNOTDN	WHYNOTDN	1999-2001	MAIN REASON NO MAMMOGRAM PAST 2 YEARS
WHYNOTF2	WHYNOTFVB	2006-2008	REASON DONT EAT MORE VEGETABLES
WHYNOTFV	WHYNOTFVB	2005	MAIN REASON DON'T EAT MORE FRUIT/VEG
WHYNOTIN	WHYNOTIN	1997	MAIN REASON NOT INTERESTED IN WIC
WHYNOTXT	WHYNOTXT	1997-1998	REASON DIDNT GET MEDICAL CARE (TEXT)
WHYNOVAC	WHYNOVAC	2005	WHY NO FLU SHOT/SPRAY IN PAST 12 MTHS
WHYNU_A	YESNO	1998-1999, 2005	INSURANCE DIDNT COVER MENTAL HLTH CARE
WHYNU_B	YESNO	1998-1999, 2005	INSURANCE FOR MENTAL HEALTH CARE USED UP
WHYNU_C	YESNO	1998-1999, 2005	INSURANCE REFUSED PAY MENTAL HLTH CARE
WHYNU_D	YESNO	1998-1999, 2005	DIDNT WANT RECORD OF MENTAL HLTH CARE
WHYNU_E	YESNO	1998-1999, 2005	DIDNT LIKE HEALTH PLAN APPROVED PROVIDER
WHYNU_F	YESNO	1998-1999, 2005	DIDNT WANT INSURANCE OVERSEEING CARE
WHYNU_G	YESNO	1998-1999, 2005	DID USE INSURANCE
WHYNU_H	YESNO	1998-1999, 2005	WHY NO INSURANCE FOR MH CARE: OTR SPECIFY
WHYPAP	WHYPAP	1997-1998	WHY HAD LAST PAP SMEAR
WHYSIG	WHYDNEC	2001-2002	MAIN REASON FOR LAST SIGMOIDOSCOPY
WIC2YR	YESNO	1998-1999	ENROLLED IN WIC DURING LAST 2 YEARS
WICAD	YESNO	2001	IN LAST 12 MONTHS SEEN MESSAGES ABOUT WIC
WICCURR	YESNO	1998-1999	CURRENTLY ENROLLED IN WIC
WICDISLK	WICDISLK	1997-1998	WHAT LEAST LIKED ABOUT WIC
WICDITXT	WICDISLK	1998	WHAT LEAST LIKED ABOUT WIC (TEXT)
WICDSLK2	WICDISLKB	1999	WHAT LEAST LIKED ABOUT WIC
WICEVER	YESNO	1997	EVER BEEN ENROLLED IN THE WIC
WICHEAR	YESNO	1997, 1999, 03-04	EVER HEARD OF WIC
WICHEAR2	YESNO	2001	EVER HEARD OF WIC
WICLIKE	WICLIKE	1997-1998	WHAT MOST LIKED ABOUT WIC
WICLIKE2	WICLIKEB	1999	WHAT MOST LIKED ABOUT WIC
WICLITXT	WICLIKE	1998	WHAT MOST LIKED ABOUT WIC (TEXT)
WICNOGO	WHYNOGO	1998	MAIN REASON DIDNT FOLLOW WIC REFERRAL
WICNOTE2	WICNOTEB	1999	REASON NO LONGER ENROLLED IN WIC
WICNOTEN	WICNOTEN	1998	REASON NO LONGER ENROLLED IN WIC
WICNOTXT	WICNOTEN	1998	REASON NO LONGER ENROLLED IN WIC (TEXT)
WICQU_A	YESNO	2004	WIC IS FOR PEOPLE ON WELFARE
WICQU_B	YESNO	2004	WIC IS FOR PEOPLE ON MEDI-CAL
WICQU_C	YESNO	2004	WIC IS FOR PREGNANT WOMEN
WICQU_D	YESNO	2004	WIC IS FOR WOMEN AND KIDS UNDER 5
WICQU_E	YESNO	2004	WIC IS FOR KIDS UNDER 5

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
WICQU_F	YESNO	2004	WIC IS FOR OTHER
WICQU_G	YESNO	2004	WIC IS FOR ANYBODY
WICQU_H	YESNO	2004	WIC IS FOR SICK/DISABLED PEOPLE
WICQU_I	YESNO	2004	WIC IS FOR SICK/DISABLED KIDS
WICQU_J	YESNO	2004	WIC IS FOR ELDERLY/OLDER PEOPLE
WICQU_K	YESNO	2004	WIC IS FOR SINGLE PARENTS
WICQU_L	YESNO	2004	WIC IS FOR THE UNINSURED
WICQU_M	YESNO	2004	WIC IS FOR NUTRITION FOR KIDS
WICQU_N	YESNO	2004	WIC IS FOR TEEN MOMS
WICRE_A	REFERRAL	1998	WIC REFERRAL: 1ST
WICRE_B	REFERRAL	1998	WIC REFERRAL: 2ND
WICRE_C	REFERRAL	1998	WIC REFERRAL: 3RD
WICRE_D	REFERRAL	1998	WIC REFERRAL: 4TH
WICRE_E	REFERRAL	1998	WIC REFERRAL: 5TH
WICRE_F	REFERRAL	1998	WIC REFERRAL: 6TH
WICRE_G	REFERRAL	1998	WIC REFERRAL: 7TH
WICRE_H	REFERRAL	1998	WIC REFERRAL: 8TH
WICRE_I	REFERRAL	1998	WIC REFERRAL: 9TH
WICRE_J	REFERRAL	1998	WIC REFERRAL: 10TH
WICRE_K	REFERRAL	1998	WIC REFERRAL: 11TH
WICRE_L	REFERRAL	1998	WIC REFERRAL: 12TH
WICRE_M	REFERRAL	1998	WIC REFERRAL: 13TH
WICRE_N	REFERRAL	1998	WIC REFERRAL: 14TH
WICREF	YESNO	1998	WIC REFERRED TO COMMUNITY PROGRAM
WICRETX	REFERRAL	1998	WIC REFERRAL (TEXT)
WICSVGO	YESNO	1998	FOLLOWED WIC REFERRAL
WICWHEN	HOWLONGF	1999	WHEN FIRST HEAR ABOUT WIC
WNSTPBF2	IV	2001-2003	HOW OLD CHILD WHEN STOPPED BREASTFEEDING (IN WEEKS)
WORKNTR2	YESNO	2008-2010	EMPLOYER PROVIDE NUTRITION BENEFITS
WORKNTRN	YESNO	2002-2006	EMPLOYER PROVIDE NUTRITION BENEFITS
WORKNUSE	YESNO	2008	USE ANY EMPLOYER NUTRITION BENEFITS IN PAST YEAR
WORKPHY2	YESNO	2008-2010	EMPLOYER PROVIDE PHYSICAL FITNESS BENEFITS
WORKPHYS	YESNO	2002-2008	EMPLOYER PROVIDE PHYSICAL FITNESS BENEFITS
WORKPUSE	YESNO	2008-2010	USE ANY EMPLOYER PHYSICAL FITNESS BENEFITS IN PAST YEAR
WRKNUSE	YESNO	2009-2010	USE ANY EMPLOYER NUTRITION BENEFITS IN PAST YEAR
WT12M	IV	2001	WEIGHT ONE YEAR AGO
WT12MB	IV	2002-2003	WEIGHT ONE YEAR AGO
WTBARRI	WTBARRI	2003, 2005-2007	SINGLE BIGGEST BARRIER TO HEALTHY WIEGHT
WTFACIL	WTFACIL	2003	ONE CHANGE TO HELP REACH HEALTHY WEIGHT
WTFACIL2	WTFACILB	2004-2007	ONE CHANGE TO HELP REACH HEALTHY WEIGHT
WTGAIN	IV	1997-2000	PREGNANCY WEIGHT GAIN
WTGAINRT	GAIN	1997-2000	BELIEF ABOUT PREGNANCY WEIGHT GAIN
WTGAIVER	YESNO	1999-2000	VERIFIED RESPONSE IF GAIN GE 55 LBS
WTPREPG	IV	1997-2000	PRE-PREGNANCY WEIGHT
WWWHELTH	WHENVI	2002	LAST TIME YOU USED THE INTERNET FOR HEALTH INFO
WWWIN_A	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: SPECIFIC ILLNESS
WWWIN_B	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: SPECIFIC DOCTOR/HMO

<b><u>Variable</u></b>	<b><u>Format</u></b>	<b><u>Year</u></b>	<b><u>Label</u></b>
WWWIN_C	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: BASIC HEALTH INFO
WWWIN_D	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: FITNESS AND NUTRITION
WWWIN_E	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: OTHER
WWWHER	WWWHER	2002	WHERE DO YOU USUALLY ACCESS THE INTERNET
YEAR		1997-2010	YEAR OF DATA COLLECTION
YEARINCO	XVIII	2006	HH TOTAL ANNUAL INCOME
ZIPCODE	IX	1997-2010	ZIP CODE OF RESIDENCE
_AGEG	_AGEG	1997-2010	TEN YEAR AGE CATEGORY
_AGEGB	_AGEGB	1997-2010	TEN YEAR AGE CATEGORY, AT DECADE
_AGEGC	_AGEGC	1997-2010	TWO AGE CATEGORIES: 18-44 & 45+
_APA		1997-2010	ADULTS PER PHONE ADJUSTMENT
_BFLONG	BFLONG	1997	DAYS BREASTFED
_BMI		1997-2010	BODY MASS INDEX
_BMIREV	_BMIREV	1999-2004	REVISED (1998) WEIGHT CATEGORIES
_CARELNG	IX	1997	DAYS ACTED AS CAREGIVER
_CBE1	_BREASTA	1997-1998	NEVER/EVER HAD CBE, ASYMPTOMATIC WOMEN
_CBE2	_BREASTB	1997-1998	CBE STATUS, ASYMPTOMATIC WOMEN
_CBE3	_BREASTA	1997-2010	NEVER/EVER HAD CBE, ALL WOMEN
_CBE4	_BREASTB	1997-2010	CLINICAL BREAST EXAM STATUS, ALL WOMEN
_CSA		1997-2004, 2006	CLUSTER SIZE ADJUSTMENT
_DRKALC	III	1997-2010	TIMES DRANK ALCOHOL PER MONTH
_DVANY	_DV	1998	ANY TYPE OF DOMESTIC VIOLENCE REPORTED
_DVERBAL	_DV	1998	VERBAL ABUSE REPORTED
_DVEVHIT	YESNORF	2000	EVER EXPERIENCED: PARTNER KICKED, BIT, H
_DVEVRBT	YESNORF	2000	EVER EXPERIENCED: PARTNER BEAT OR CHOCKE
_DVEVRPS	YESNORF	2000	EVER EXPERIENCED: PUSHED, GRABBED, SHOVED
_DVEVRTH	YESNORF	2000	EVER EXPERIENCED: PARTNER THREW OBJECT
_DVEVSEX	YESNORF	2000	EVER EXPERIENCED: PARTNER FORCED SEX
_DVEVUSE	YESNORF	2000	EVER EXPERIENCED: PARTNER USE KNIFE OR G
_DVEVWPN	YESNORF	2000	EVER EXPERIENCED: PARTNER THREATENED W/G
_DVMINOR	_DV	1998	DV: LESS SEVERE PHYSICAL ABUSE (<=DVSLAP)
_DVPHYS	_DV	1998	ANY PHYSICAL ABUSE REPORTED
_DVSEVRE	_DV	1998	DV: SEVERE ABUSE REPORTED (>=DVHITYOU)
_DVTYPE	_DVTYPE	1998-1999	DOMESTIC ABUSE: MOST SEVERE TYPE REPORTED
_DVTYPE2	_DVTYPEB	2000	DOMESTIC ABUSE: MOST SEVERE LAST 12 MONTHS
_DVTYPEV	_DVTYPEC	2000	DOMESTIC ABUSE: MOST SEVERE TYPE EVER
_EXPHRS	IX	1997-1998	MINUTES EXPOSED TO SECOND HAND SMOKE
_IDEALBF		1998	IDEAL LENGTH OF TIME FOR BRSTFEED (MONTHS)
_MAINPL2	MAINPLNB	1998-2000	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
_MAINPLN	MAINPLN	1997	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
_MAMM1	_BREASTA	1997-1998	NEVER/EVER HAD MAMMOGRAM, ASYMPTOMATIC
_MAMM2	_BREASTB	1997-1998	MAMMOGRAPHY STATUS, ASYMPTOMATIC WOMEN
_MAMM3	_BREASTA	1997-2010	NEVER/EVER HAD MAMMOGRAM, ALL WOMEN
_MAMM4	_BREASTB	1997-2010	MAMMOGRAPHY STATUS, ALL WOMEN
_MHLONG	IX	1997	DAYS HAD MENTAL HEALTH CONDITION
_NALCMO	III	1997-2010	TOTAL ALCOHOL CONSUMED MONTHLY

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
_PAP5	_PAPC	1997-98, 2000-10	NEVER/EVER PAP SMEAR, NO HYSTERECTOMY
_PAP6	_PAPD	199,719,992,000	PAP SMEAR STATUS, WOMEN W/O HYSTERECTOMY
_PAP7	_PAPC	1997-98, 2000-10	NEVER/EVER PAP SMEAR, ALL WOMEN
_PAP8	_PAPD	1997, 1999, 2000	PAP SMEAR STATUS, ALL WOMEN
_POVST	_POVST	1997-1998	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST2	_POVSTE	1999	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST3	_POVSTF	2000	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST4	_POVSTG	2001-2010	POVERTY STATUS--RELATIVE TO POVERTY LINE
_PRENATL	X	1997	DAYS PREGNANT WHEN FIRST SAW PHYSICIAN
_PST00		1997-2010	POSTSTRATIF TO 2000 CA POP-- _WT00
_PST00B		1997-2010	POSTSTRATIF TO 2000 CA POP-- _WT00B
_PST00C		1997-2010	POSTSTRATIF TO 2000 CA POP-- _WT00R4
_PST90		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90
_PST90B		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90B
_PST90C		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90R4
_PSU		1997-2009	PRIMARY SAMPLING UNIT
_RACE	_RACE	1997-2010	RACE, 8 CATEGORIES
_RACEG	_RACEG	1997-2010	RACE, WHITE-NONWHITE
_RACEGR	_RACEGR	1997-2010	RACE, 4 CATEGORIES
_RAWWT		1997-2010	RAW WEIGHT (_CSA * _APA)
_RFBMI2	_RF	2009-2010	AT RISK FOR OVERWEIGHT/OBESE (BMI >= 25)
_RFDRACU	_RF	1997-2010	AT RISK FOR ACUTE DRINKING
_RFDRCH2	_RF	1997-2010	AT RISK FOR CHRONIC DRINKING
_RFHUNGR	_RF	1997-2000	AT RISK FOR HUNGER
_RFSMOKE	_RF	1997-2010	AT RISK FOR SMOKING, INC IRREGULAR
_RFWHBMI	_RF	1997-2004	AT RISK FOR OVERWEIGHT (BASED ON BMI)
_SMOKER	_SMOKER	1997-2010	SMOKING STATUS
_STATE		1997-2004	STATE FIPS CODE
_STDHIV	_STDHIV	1998	BELIEF ABOUT STD AND HIV RELATIONSHIP
_STRATA		1997-2004	STRATUM CODE
_STSTR		1997-2004	_STATE AND _STRATA COMBINED
_WHENDRG		1997	TIMES USED DRUGS IN PAST MONTH
_WT00		1997-2010	FINAL WEIGHT: 2 RACE, 6 AGE GPS TO 2000
_WT00B		1997-2010	FINAL WEIGHT: 4 RACE, 2 AGE GPS TO 2000
_WT00R4		1997-2010	FINAL WEIGHT: 4 RACE, 6 AGE GPS TO 2000
_WT90		1997-2006	FINAL WEIGHT: 2 RACE, 6 AGE GPS TO 1990
_WT90B		1997-2006	FINAL WEIGHT: 4 RACE, 2 AGE GPS TO 1990
_WT90R4		1997-2006	FINAL WEIGHT: 4 RACE, 6 AGE GPS TO 1990
_WWWUSE	XV	2002	HOW OFTEN USED INTERNET IN LAST 12 MONTHS

## Part III: Continuous Variable Formats

<b>Format Type</b>	<b>Special Codes</b>	<b>Variables</b>
CHILD	9-Refused	CHD1317, CHILD612, CHILDLT6
I	7-Don't Know/Not Sure 9-Refused	AGE, AGEB, AGEBRTH, BABYWHEN, F40A, F40B, F40C, MENOWHEN
II	88-Not Applicable 77-Don't Know/Not Sure 98-Other 99-Refused	BRTHW_A, BRTHW_B, BRTHW_C, CHILD1-CHILD9, CHILD18, DAILYMLK, DAILYVEG, F40NUM, GAPPLNT, GAPPLNT2, HLTHTXT, HPVNUM, LIVEBRT2, LOBRTHWT, MANYCBE, MANYMAM, MENSES, MENSES2, NUMPHON2, NUMPHON3, PHQ1-PHQ8, PRIORMNT, SCHLBRTH
III	88, 888-None 77, 777-Don't Know/Not Sure 99, 999-Refused	BLKACT, DAILYEAT, DAILYVEG, DAYSANX, DAYSLEEP, DAYSSAD, DAYURIN, DRINKGE4, DRINKGE5, DRUNK, DRUNKNUM, EXBMODAB, EXBMODAY, EXBMODMB, EXBMODMI, EXERMOD, EXERMOD2, EXBMOD2, FOODSTLS, LIVEBRTH, MENTHLTH, NALCOCC, NUMHRWRK, PHYSHLTH, POORHLTH, RECSERV, _DRKALC, _NALCMO
IV	777, 7777-Don't Know/Not Sure 888, 8888-Not Applicable/None 999, 9999-Refused	BRTHYR, DIETLB, DIETLBYO, DOUCHOFN, DRUNK, EATBURGR, EATEGG, EATRAW2, EATSPROT, FISHOFT, FISHSERV, GYNEXAM, HEIGHT, HMLSMOVE, LIKEWT2, MENTBELF, OFTCERL, PRIORYR, TIMESIT, USENTRY, USENTRY2, WEIGHT, WNSTPBF2, WT12M, WT12MB, WTGAIN, WTPREPG
V	88, 888-Time Frame Doesn't Apply 77, 777-Don't Know/Not Sure 99, 999-Refused	CAREL_A, CAREL_B, CAREL_C, CAREL_D, MHLONG, SYMPL_A, SYMPL_B, SYMPL_C,
VIII	555, 5555-Never 777, 7777-Don't Know/Not Sure 888, 8888-Refused Module 999, 9999-Refused Question	SEXBEH1, SEXBHAG2, SEXBHAGE, SEXBHNUM, TIMES_A TIMES_B
IX	77777-Don't Know/Not Sure 88888-Time Frame Doesn't Apply 99999-Refused	EXPHRS, TIMESIT2, ZIPCODE, _CARELNG, _EXPHRS, _MHLONG
X	444, 4444-At Delivery 888, 8888-At Delivery 777, 7777-Don't Know/Not Sure 999, 9999-Refused	PREGNUM, PRENATA2, PRENATAL, _PRENATL
XIII	88-Lactose Intolerant 77-Don't Know/Not Sure 99-Refused	DAILYMLK

<b>Format Type</b>	<b>Special Codes</b>	<b>Variables</b>
XIX	777-Don't Know/Not Sure 888-None 999-Refused	BREAKFST, CALORIES, FASTFOOD, HIFBR, SCALE, SODA
XIV	8888-Not Applicable 7777-Don't Know/Not Sure 9999-Refused	EATCHOFN, EATFSOFN, EXEROFTM, EXEROFT2, WATCHTV
XV	88888-Never 77777-Don't Know/Not Sure 99999-Refused	_WWWUSE
XVI	8888-Have Not Heard 7777-Don't Know/Not Sure 9999-Refused	FLUVAC50
XVIII	77777777-Don't Know/Not Sure 99999999-Refused	YEARINCO
FOODSH	77-Doesn't Shop/Internet Shops 88-Don't Know/Not Sure 99-Refused	FOODSHOP
MANYI	1xx-Number per Day 2xx-Number per Week 777-Don't Know/Not Sure 888-None 999-Refused	STAIRAC2
MANYII	1xx-Times per Day 2xx-Times per Week 3xx-Times per Month 777-Don't Know/Not Sure 888-Never 999-Refused	OSTEOFOD, OSTEOPA
MANYIII	1xx-Number per Day 2xx-Number per Week 3xx-Number per Month 4xx-Number During Entire Pregnancy 555-Never 777-Don't Know/Not Sure 999-Refused	FASDNUM
MANYIV	1xx-Number of Days 2xx-Number of Weeks 3xx-Number of Months 4xx-Number of Years 555-Not at All 777-Don't Know/Not Sure 999-Refused	IDEALBF
MANYV	1xx-Number per Week 2xx-Number per Month	DRKALC, RELIGION

777-Don't Know/Not Sure  
888-None  
999-Refused

## Part IV: Categorical Variable Formats

### AFPNOTXT

- 1-Pregnancy Terminated
- 2-Wouldn't Terminate Pregnancy
- 3-Didn't Want to Know
- 4-Had Other Test
- 5-Too Early In Pregnancy
- 6-Not at Risk for Birth Defects
- 7-Didn't Know About AFP
- 8-Doesn't Want to Be Guinea Pig
- 9-Test Unnecessary
- 10-Too Late In Pregnancy
- 11-Unreliable Results
- 12-Concerns About Miscarriage
- 13-Against Religion
- 14-No Regular Physician
- 15-Family Recommended Against Test
- 16-Other

### AGREE

- 1-Agree
- 2-Disagree
- 7-Don't Know/Not Sure
- 9-Refused

### AGREEB

- 1-Strongly Agree
- 2-Agree
- 3-Neither Agree Nor Disagree
- 4-Disagree
- 5-Strongly Disagree
- 7-Don't Know/Not Sure
- 9-Refused

### AGREEC

- 1-Strongly Agree
- 2-Agree
- 3-Disagree
- 4-Strongly Disagree
- 7-Don't Know/Not Sure
- 9-Refused

### AGREED

- 1-Agree
- 2-Disagree
- 3-Neither Agree Nor Disagree
- 7-Don't Know/Not Sure
- 9-Refused

### AGREEE

- 1-Strongly Agree
- 2-Agree
- 3-Disagree
- 4-Strongly Disagree

- 8-Not Applicable
- 7-Don't Know/Not Sure
- 9-Refused

### AGREER

- 1-Strongly Disagree
- 2-Disagree
- 3-Agree
- 4-Strongly Agree
- 8-Not Applicable
- 7-Don't Know/Not Sure
- 9-Refused

### AIDSNOT

- 1-Not High Risk Group
- 2-Feel Nervous About Results
- 3-Don't Know How to Get Tested
- 4-Confidentiality Concerns
- 5-Celibate
- 6-Monogamous
- 7-Fear of Needles
- 8-Had Other Blood Test
- 9-Physician Discouraged
- 10-Physician Didn't Recommend
- 11-No Symptoms
- 12-Partner Tested Negative
- 13-Didn't Want to Have Test
- 14-Didn't Want to Know
- 15-Not Using Drugs
- 16-No Aids in Family
- 17-Too Old
- 18-No Insurance
- 19-Not Promiscuous
- 20-Inconvenient
- 21-No Reason/Didn't Think About It
- 22-Doesn't Receive Regular Medical Care
- 23-Other Reason
- 24-Never Been Asked to Have Test
- 77-Don't Know/Not Sure
- 99-Refused

### AIDSTALK

- 1-Never Talked to Your Partner About Aids
- 2-Mentioned Aids 1 or 2 Times, Not Serious Talk
- 3-Talked Seriously About Your Risks
- 8-Refused Module
- 7-Don't Know/Not Sure
- 9-Refused

ALCASK

- 1-Yes, within the past 12 months
- 2-Yes, within the past 3 years
- 3-Yes, 3 or more years ago
- 4-No
- 7- Don't Know/Not Sure
- 9-Refused

BABY

- 1-Yes
- 2-No
- 3-Never Been Pregnant
- 7-Don't Know/Not Sure
- 9-Refused

BARRPA

- 1-Already Exercise Enough
- 2-Not Enough Time/Too Busy/Too Tired
- 3-Lazy/No Reason
- 4-Do Not Find Exercise Enjoyable/Boring
- 5-Lack Self-Motivation
- 6-Medical/Health Condition/Disability
- 7-Pregnant/Recent Birth
- 8-Weather
- 9-Depressed
- 10-Child Care
- 11-On a Program
- 12-Age
- 13-Inconvenient
- 14-Safety Concerns
- 15-No One to Exercise With
- 16-Other
- 77-Don't Know/Not Sure
- 99-Refused

BARRPAB

- 1-Already Exercise Enough
- 2-Not Enough Time/Too Busy
- 3-Too Tired
- 4-Lazy
- 5-Don't Find Exercise Enjoyable/Boring
- 6-Lack Self-Motivation
- 7-Medical/Health Condition/Disability
- 8-Weather
- 9-Depressed
- 10-Child Care
- 11-On a Program
- 12-Age
- 13-Inconvenient
- 14-Safety Concerns
- 15-Other
- 30-Pregnant/Recent Birth
- 31-Money/Costs
- 32-Other Priorities
- 33-No Equipment
- 34-No Companion
- 34-Don't Want to Be

- 77-Don't Know/Not Sure
- 99-Refused

BCBAR

- 1-Always Use It
- 2-Use It Sometimes
- 3-Never Use It
- 4-No Male Sex Partner
- 7-Don't Know/Not Sure
- 9-Refused
- 8-Refused Module

BCBARNOB

- 1-Use Birth Control Pills/Other Method
- 2-Believe There Is a Safe Time of Month
- 3-Method Not Available
- 4-Respondent Dislikes Method
- 5-Partner Dislikes Method
- 6-Didn't Think About It
- 7-Doesn't See a Need to Use Condoms
- 8-Wants to Get Pregnant
- 9-Can't Get Pregnant/Sterilized
- 10-Under the Influence of Drugs/Alcohol
- 11-Didn't Feel Like It
- 12-In a Monogamous Relationship
- 13-Allergic to Method
- 14-Both Partners Tested for HIV
- 15-Pregnancy Not a Problem
- 16-Currently/Recently Pregnant
- 17-Doesn't Believe In Method/Unsafe
- 18-Costly & Inconvenient
- 19-Refused Module
- 20-Too Old
- 21-Not Sexually Active
- 22-Health Reasons
- 77-Don't Know/Not Sure
- 99-Refused

BCBARNOT

- 1-Use Birth Control Pills/Other Method
- 2-Believe There Is a Safe Time of Month
- 3-Method Not Available
- 4-Respondent Dislikes Method
- 5-Partner Dislikes Method
- 6-Didn't Think About It
- 7-Doesn't See a Need to Use Condoms
- 8-Wants to Get Pregnant
- 9-Under the Influence of Drugs/Alcohol
- 10-Didn't Feel Like It
- 11-In a Monogamous Relationship
- 12-Cant Get Pregnant/Sterilized
- 13-Allergic to Method
- 14-Both Partners Tested for HIV
- 15-Pregnancy Not a Problem
- 16-Currently/Recently Pregnant

17-Doesn't Believe In Method/Unsafe Method  
18-Costly & Inconvenient  
19-Other Reason  
77-Don't Know/Not Sure  
99-Refused

BCPAY

1-You  
2-Current/Most Recent Partner  
3-Shared  
4-Health Insurance  
5-Family Pact  
6-Medi-Cal  
7-Other, Specify  
77-Don't Know/Not Sure  
99-Refused

BCPAYTXT

1-Free Clinic  
2-Planned Parenthood Clinic  
3-Natural Family Planning Method  
4-No Cost  
5-Other  
6-Infertility Problem  
7-Doesn't Remember  
8-Menopausal  
98-Other

BCTALK

1-You  
2-Current/Most Recent Partner  
3-Shared  
4-No Sex Yet  
5-Non-Birth Control Users  
77- Don't Know/Not Sure  
99-Refused

BCTYPETB

1-Celibate/Abstinent  
2-Natural Family Planning  
3-Spermicide/Spermicide for Women  
4-Sponge  
5-Other  
6-Multiple Types Used  
7-Currently Pregnant  
8-Nothing  
9-Menopausal  
10-Patch  
77-Don't Know/Not Sure  
99-Refused

BCTYPETX

1-Celibate/Abstinent  
2-Natural Family Planning  
3-Spermicide/Spermicide for Women

4-Sponge  
5-Other  
6-Multiple Types Used  
7-Currently Pregnant  
8-Nothing  
9-Menopausal  
77-Don't Know/Not Sure  
99-Refused

BCWHYNOT

1-Does Not Like Side Effects  
2-Birth Control Is Too Difficult to Use  
3-Lovemaking Would Be Interrupted  
4-Birth Control Is Too Messy  
5-Concerned About Long Term Health Problem  
6-Partner Objects to Using Birth Control  
7-Does Not Know How or Where to Get  
8-Cannot Afford Birth Control  
9-Against Religion  
10-Pregnancy Would Be O.K.  
11-Postpartum Nursing  
12-Didn't Think About It  
13-Not Sexually Active  
14-Can't Get Pregnant/Sterilized  
15-Partner Is a Woman  
16-Refused Module  
17-Partner Sterile  
18-Natural Family Planning  
19-Monogamous  
20-Doesn't Like/Want to Use B.C.  
21-Infrequent Sexual Activity  
22-Health Reasons  
23-Not Worried About Pregnancy  
24-Too Old to Get Pregnant  
25-No Need for Birth Control  
26-Other Reason  
51-Pregnant/Recently Pregnant  
77-Don't Know/Not Sure  
99-Refused

BFDISCOR

1-Other Children

BFENCWHO

1-Sister/Sister-In-Law  
2-Other Relative  
3-Pediatrician  
4-Physician  
5-Self/No One Else  
6-Book/Literature/Video  
7-Breastfeeding Class  
8-Birthing Class  
9-La Leche Society/Other BF Group  
10-Healthcare Organization  
11-Midwife

- 12-Hospital/Clinic
- 13-Prior Experience
- 14-WIC
- 15-Other, Non-related Persons
- 16-Other Source
- 17-Other Health Professional
- 18-Grandmother
- 19-Mother/Mother-In-Law
- 77-Don't Know/Not Sure
- 99-Refused

**BFFORM**

- 1-Yes
- 2-No
- 3-Home Birth
- 7-Don't Know/Not Sure
- 9-Refused

**BFLONG**

- 55, 555, 5555-Still Breastfeeding
- 77, 777, 7777-Don't Know/Not Sure
- 99, 999, 9999-Refused

**BFMLKGD**

- 1-Formula a Lot Healthier
- 2-Formula a Little Healthier
- 3-There Is No Difference
- 4-Breast Milk a Little Healthier
- 5-Breast Milk a Lot Healthier
- 7-Don't Know/Not Sure
- 9-Refused

**BFNOT**

- 1-Dr. Advised Against
- 2-Baby Refused
- 3-Mother Had Medical Problem
- 4-Mother Taking Medications
- 5-Baby Ill
- 6-Mother Too Young
- 7-Didn't Like Prior Experience
- 8-Too Painful
- 9-Inconvenient
- 10-Didn't Want to
- 11-Didn't Want to Damage Breasts
- 12-Didn't Feel Comfortable
- 13-Not Enough Milk for Baby
- 14-Bottle Feeding Easier
- 15-Work Demands Made Difficult
- 16-Home Demands Too Great
- 17-Had Cesarean Section
- 18-Unable to Breastfeed
- 19-Multiple Births
- 20-Breastfeeding Not Common
- 21-Other

**BFNURSE**

- 1-Strongly Encouraged
- 2-Slightly Encouraged
- 3-Didn't Mention Breastfeeding
- 4-Slightly Discouraged
- 5-Strongly Discouraged
- 7-Don't Know/Not Sure
- 9-Refused

**BFPROBTX**

- 1-Baby Ill
- 2-Mother Had Medical Problem
- 3-Pre-Existing Breast Problem
- 4-Baby Couldn't Nurse
- 5-Too Painful
- 6-Not Enough Milk for Baby
- 7-Inverted Nipples
- 8-Didn't Know How to B.F.
- 9-Engorged Breast
- 10-Sore Nipples
- 11-Other

**BFWHERE**

- 1-Bottle Feed at Time
- 2-Not Take Baby Out of House
- 3-Find Private Place to Breastfeed
- 4-Breastfeed Discreetly W/O Showing Breast
- 5-Breastfeed Openly Even If Shows Breast
- 7-Don't Know/Not Sure
- 9-Refused

**BFWHYQT**

- 1-Baby Became Ill
- 2-Mother Became Ill
- 3-Age of Baby
- 4-Baby Drinking From Cup
- 5-Not Enough Milk for Baby
- 6-Baby Wouldn't Take Bottle
- 7-Traveling W/O Baby
- 8-Returned to Work
- 9-Nursing Problems
- 10-Baby Refused Breast
- 11-Became Pregnant
- 12-Mothers Diet Not Healthy Enough
- 13-Inconvenient to Breastfeed
- 14-Still Breastfeeding
- 15-Just Wanted to Quit
- 16-Breast Problem
- 17-Other

**BGUIDE**

- 1-More than 1 a Year
- 2-Once Per Year
- 3-LT 1/Yr But at Least Every 2/Yrs

- 4-Less than Once Every 2 Years
- 5-Never
- 7-Don't Know/Not Sure
- 9-Refused

BIRTHPLC

- 1-United States
- 2-Mexico
- 3-Japan
- 4-China
- 5-Taiwan
- 6-Philippines
- 7-Korea
- 8-Vietnam
- 9-India
- 10-Indonesia
- 11-Cambodia
- 12-Laos
- 13-Canada
- 14-Guatemala
- 15-England
- 16-Ireland
- 17-Europe
- 18-Sweden
- 19-Denmark
- 20-Norway
- 21-Holland
- 22-Belgium
- 23-France
- 24-Italy
- 25-Switzerland
- 26-Russia
- 27-Armenia
- 28-Croatia
- 29-Israel
- 30-Lebanon
- 31-Iran
- 32-Iraq
- 33-Pakistan
- 34-Germany
- 35-Ukraine
- 36-South America
- 37-Argentina
- 38-Peru
- 39-Brazil
- 40-Venezuela
- 41-Honduras
- 42-Nicaragua
- 43-El Salvador
- 44-Ecuador
- 45-Panama
- 46-Cuba
- 47-Bangladesh
- 48-Fiji
- 49-American Samoa
- 50-Saipan

- 51-Australia
- 52-Africa
- 53-Zimbabwe
- 54-Greece
- 55-Jordan
- 56-Nigeria
- 57-Panama
- 58-Portugal
- 59-Thailand
- 60-Virgin Islands
- 61-Burma
- 62-Columbia
- 63-Yugoslavia
- 64-Austria
- 65-Dominican Republic
- 66-Poland
- 67-West Indies
- 68-Belize
- 69-Egypt
- 70-Ivory Coast
- 71-Singapore
- 72-Uruguay
- 73-Guam
- 74-Finland
- 75-Hungary
- 76-United Kingdom
- 77-Spain
- 78-Chile
- 79-Malaysia
- 80-Other
- 81-Bosnia
- 82-Romania
- 83-Puerto Rico
- 84-Albania
- 85-Bahrain
- 86-Bolivia
- 87-Morocco
- 88-Tahiti
- 89-South Africa
- 90-Trinidad
- 91-Slovakia
- 92-Guyana
- 93-Saudi Arabia
- 94-Latvia
- 95-Iceland
- 96-Kenya
- 97-Sudan
- 98-New Zealand
- 99-Paraguay
- 100-Hong Kong
- 101-Afghanistan
- 102-Syria
- 103-Costa Rica
- 104-Czech Republic
- 105-Sri Lanka
- 106-Tunisia

107-Cyprus  
108-Scotland  
109-Barbados  
110-Libya  
111-Jamaica  
112-Bulgaria  
113-Mozambique  
114-Turkey  
115-Uganda  
116-Bermuda  
117-Estonia  
118-Tonga  
119-Lithuania  
120-Marshall Islands  
121-Kazakhstan  
122-Ethiopia  
123-Malta  
124-Netherlands  
125-Yemen  
126-Ghana  
127-Moldova  
128-Sierra Leone  
129-Palau  
130-Haiti  
777-Don't Know/Not Sure  
999-Refused

#### CAREACTV

1-All Day Activities/Everything  
2-Bathing/Bathroom  
3-Childcare  
4-Cooking/Cleaning/Housekeeping  
5-Communication/Behavior  
6-Eating/Diet  
7-Finances/Money  
8-Mobility  
9-Medication/Medical Assistance  
10-Transportation/Doctors Appointments  
11-General Care/Some Daily Activities  
12-Other  
77- Don't Know/Not Sure  
99- Refused

#### CAREBURD

1-Finacial/Money  
2-Isolation  
3-Relationship/Seeing the Person Ill  
4-None  
5-Physically Difficult  
6-Stress/Fatigue  
7-Time for Me/Not Enough Time/No Time  
for Family  
8-Traveling  
9-Other  
77- Don't Know/Not Sure  
99- Refused

#### CAREPROB

1-Add/Adhd  
2-Aids/Hiv  
3-Arthritis/Rheumatism  
4-Asthma  
5-Cancer  
6-Cerebral Palsy  
7-Chromosomal Anomoly  
8-Dementia  
9-Depression  
10-Downs Syndrome  
11-Anxiety Or Emotional Problems  
12-Developmental Delay  
13-Diabetes  
14-Eye/Vision Problem, Blindness  
15-Hearing Problem, Deafness  
16-Heart Disease  
17-Hypertension, High Blood Pressure  
18-Lung Disease/Emphysema  
19-Multiple Sclerosis  
20-Muscular Dystrophy  
21-Osteoporosis  
22-Parkinsons  
23-Spinal Cord Injury  
24-Stroke  
25-Traumatic Brain Injury  
26-Weakness/Tiredness  
27-Other  
77-Don't Know/Not Sure  
99-Refused

#### CAREWHO

1-Spouse/Ex-Spouse  
2-Son or Daughter/In-Laws  
3-Parent or Parent-In-Law  
4-Grandparent  
5-Other Relative  
6-Friend or Neighbor  
7-Other Non-Related Adult  
8-Other Non-Related Child  
9-Significant Other  
10-Foster Child/Sibling  
11-Grandchild  
12-Refused

#### CAREWHOB

1-Ex-Spouse  
2-Son or Daughter/In-Laws  
3-Brother/Sister-In-Law  
4-Grandparent  
5-Other Relative  
6-Friend or Neighbor  
7-Other Non-Related Adult

8-Other Non-Related Child  
9-Significant Other  
10-Foster Child/Sibling  
11-Grandchild  
12-Refused

CAREWHOC

1-Child  
2-Spouse/Partner  
3-Parent/Parent-In-Law  
4-Grandparent/Grandparent-In-Law  
5-Other Relative  
6-Friend Or Neighbor  
7-Other Non-Related  
77-Don't Know/Not Sure  
99-Refused

CAREWHY

1-Recovery From Surgery/Major Illness  
2-Physical Illness or Disability  
3-Mental Illness or Disability  
4-Childcare Needed  
5-Elderly  
6-Financial Problem  
7-Transportation Problems  
8-Family Crisis  
9-Pregnant/Had Baby  
10-Needed Companionship  
11-Other  
12-Refused

CERTAIN

1 - Yes, Definitely  
2 - Not Sure  
3 - No, It Is Very Unlikely  
88, 4 - 'Refused Module  
99 - 'REF';

CHILDAGE

61-LT 1 Month  
1-1 Month  
2-2 Months  
3-3 Months  
4-4 Months  
5-5 Months  
6-6 Months  
7-7 Months  
8-8 Months  
9-9 Months  
10-10 Months  
11-11 Months  
12-1 Yr  
13-1 Yr 1 Months  
14-1 Yr 2 Months  
15-1 Yr 3 Months

16-1 Yr 4 Months  
17-1 Yr 5 Months  
18-1 Yr 6 Months  
19-1 Yr 7 Months  
20-1 Yr 8 Months  
21-1 Yr 9 Months  
22-1 Yr 10 Months  
23-1 Yr 11 Months  
24-2 Yrs 0 Months  
25-2 Yrs 1 Months  
26-2 Yrs 2 Months  
27-2 Yrs 3 Months  
28-2 Yrs 4 Months  
29-2 Yrs 5 Months  
30-2 Yrs 6 Months  
31-2 Yrs 7 Months  
32-2 Yrs 8 Months  
33-2 Yrs 9 Months  
34-2 Yrs 10 Months  
35-2 Yrs 11 Months  
36-3 Yrs 0 Months  
37-3 Yrs 1 Months  
38-3 Yrs 2 Months  
39-3 Yrs 3 Months  
40-3 Yrs 4 Months  
41-3 Yrs 5 Months  
42-3 Yrs 6 Months  
43-3 Yrs 7 Months  
44-3 Yrs 8 Months  
45-3 Yrs 9 Months  
46-3 Yrs 10 Months  
47-3 Yrs 11 Months  
48-4 Yrs 0 Months  
49-4 Yrs 1 Months  
50-4 Yrs 2 Months  
51-4 Yrs 3 Months  
52-4 Yrs 4 Months  
53-4 Yrs 5 Months  
54-4 Yrs 6 Months  
55-4 Yrs 7 Months  
56-4 Yrs 8 Months  
57-4 Yrs 9 Months  
58-4 Yrs 10 Months  
59-4 Yrs 11 Months  
60-5+ Yrs  
88-Not Applicable  
77-Don't Know/Not Sure  
99-Refused

CHILDLT

1-LT 1 Month  
2-1 to LT 2 Months  
3-2 to LT 3 Months  
4-3 to LT 4 Months  
5-4 to LT 5 Months  
6-5 to LT 6 Months

7-6 to LT 7 Months  
8-7 to LT 8 Months  
9-8 to LT 9 Months  
10-9 to LT 10 Months  
11-10 to LT 11 Months  
12-11 to LT 12 Months  
13-Child Exactly 1 Year  
14-1+ Years  
15-More than 1 Child Under1  
77-Don't Know/Not Sure  
99-Refused

CHILDREL

1-Own Child  
2-Grandchild  
3-Partners Child  
4-Brother/Sister  
5-Niece/Nephew  
6-Cousin  
7-Unrelated Child  
8-Stepchild  
9-Adopted  
10-Great Grandchild  
11-Other  
77-Don't Know/Not Sure  
99-Refused

CNCBELIF

1-Lung Cancer  
2-Breast Cancer  
3-Ovarian Cancer  
4-Colon or Rectal Cancer  
5-None of These  
7-Don't Know/Not Sure  
9-Refused

VALUE CONFLEV

77-DNK/NS  
99-REF

COUNTY

001-Alameda  
003-Alpine  
005-Amador  
007-Butte  
009-Calaveras  
013-Contra Costa  
015-Del Norte  
017-El Dorado  
019-Fresno  
021-Glenn  
023-Humboldt  
025-Imperial  
027-Inyo  
029-Kern  
031-Kings

033-Lake  
035-Lassen  
037-Los Angeles  
039-Madera  
041-Marin  
043-Mariposa  
045-Mendocino  
047-Merced  
049-Modoc  
053-Monterey  
055-Napa  
057-Nevada  
059-Orange  
061-Placer  
063-Plumas  
065-Riverside  
067-Sacramento  
069-San Benito  
071-San Bernardino  
073-San Diego  
075-San Francisco  
077-San Joaquin  
079-San Luis Obispo  
081-San Mateo  
083-Santa Barbara  
085-Santa Clara  
087-Santa Cruz  
091-Sierra  
093-Siskiyou  
095-Solano  
097-Sonoma  
099-Stanislaus  
101-Sutter  
103-Tehama  
105-Trinity  
107-Tulare  
109-Tuolumne  
111-Ventura  
113-Yolo  
115-Yuba  
777-Don't Know/Not Sure  
999-Refused

CVDMORT

1-Cancer (General)  
2-Heart Disease/Heart Attack  
3-Aids  
4-Breast Cancer  
5-Lung Cancer  
6-Smoking  
7-Drug Addiction/Alcoholism  
8-Violent Crime  
9-Stroke  
10-Diabetes  
11-Accidental Death/Drunk Drivers  
12-Osteoporosis

13-Aging  
14-Ovarian/Uterine/Cervical Cancer  
15-Domestic Violence  
16-Other  
17-Blood Pressure  
18-Mental Health/Stress/Depression  
19-Weight  
20-Nutrition  
21-Healthcare  
77-Don't Know/Not Sure  
99-Refused

CVDPROB

1-Aids  
2-Cancer (General)  
3-Heart Disease/ Heart Attack  
4-Smoking  
5-Drug Addiction/Alcoholism  
6-Breast Cancer  
7-Stroke  
8-Diabetes  
9-Osteoporosis  
10-Alzheimer's  
11-Menopause  
12-Weight  
13-Stress  
14-Health Insurance  
15-Diet and Exercise  
16-Aging  
17-Arthritis  
18-Depression  
19-Ovarian/Uterine/Cervical Cancer  
20-Other  
21-Domestic Violence  
22-Blood Pressure  
23-Mental Health  
24-Gynecological (Preg., Menopause,  
Etc.)  
25-Hormonal  
26-Lack of Education  
27-Exercise  
77-Don't Know/Not Sure  
99-Refused

DENTNOT

1-Cost/Don't Have Insurance  
2-Time  
3-No Tooth Problems  
4-No Teeth  
5-Lazy/No Reason  
6-Dont Have A Regular Dentist  
7-Scared/Dislike Dentists/Don't Want To  
8-Pregnant  
9-Transportation/Too Far'  
10-Other'  
11-Do Not Have Insurance  
12-Dislike Dentists'

13-Do Not Want To'  
14-No Reason  
15-Too Far  
77-Don't Know/Not Sure  
99 - Refused

DIFFIC

1-Very Difficult  
2-Somewhat Difficult  
3-Not Very Difficult  
4-Not at All Difficult  
7-Don't Know/Not Sure  
9-Refused

DIFFICB

1-Very Difficult  
2-Somewhat Difficult  
3-Somewhat Easy  
4-Very Easy  
7-Don't Know/Not Sure  
9-Refused

DISCTALK

1-Talk To Other People About It  
2-Keep It To Yourself  
77-Dnk\Ns  
99- Refused

DISCUSS

1-No Discussion  
2-A Little Discussion  
3-Some Discussion  
4-Moderate Discussion  
5-A Lot of Discussion  
7-Don't Know/Not Sure  
9-Refused

DVRELATN

1-Husband  
2-Former Husband  
3-Partner  
4-Former Partner  
5-Boyfriend  
6-Girlfriend  
7-Former Boyfriend  
8-Former Girlfriend  
9-Female First Date  
10-Male First Date  
11-Male Live-In Partner  
12-Female Live-In Partner  
13-Former Male Live-In Partner  
14-Former Female Live-In Partner  
15-Other  
77-Don't Know/Not Sure  
99-Refused

ECWHERE

- 1-Doctor's Office/Hospital
- 2-Pharmacy
- 3-School Nurse/Clinic
- 4-Friend
- 5-Convenience Store
- 6-Other
- 7-College Graduate
- 9-Refused

EDUCA

- 1-Less than 9th Grade
- 2-Some High School
- 3-HS Grad or GED Cert
- 4-Some Technical School
- 5-Technical School Grad
- 6-Some College
- 7-College Graduate
- 8-Post Graduate
- 9-Refused

DISCACT

- 1-Accept It As A Fact Of Life
- 2 -'Try To Do Something About It
- 77-Don't Know/Not Sure
- 99-Refused

EDUCAB

- 1-Eighth Grade or Less (Grades 0-8)
- 2-Some High School (Grades 9-11)
- 3-Grade 12 or GED Certificate
- 4-Some Technical School
- 5-Technical School Grad
- 6-Some College (Include AA)
- 7-College Graduate
- 8-Post Graduate or Professional Degree
- 9-Refused

EMERGWHT

- 1-Use Emergency Contraception
- 2-Take the Morning After Pill
- 3-Have IUD Inserted
- 4-Take High Dose/Extra BC Pills
- 5-Take Birth Control Pills
- 6-Take Ru486
- 7-Have an Abortion
- 8-Douche
- 9-Pray
- 10-Knows Ru486 Is Illegal In Us
- 11-Seek Medical Help
- 12-Injection
- 13-Herbal Remedies
- 14-Other
- 15-Pill-Didn't Know Name
- 77-Don't Know/Not Sure

99-Refused

EMPLOYB

- 1-Employed Full Time
- 2-Employed Part time
- 3-Self Employed
- 4-Out of Work > 1 Yr
- 5-Out of Work < 1 Yr
- 6-Homemaker
- 7-Student
- 8-Retired
- 9-Unable to Work
- 77-Don't Know/Not Sure
- 99-Refused

ESTROHRT

- 1-Yes-Pills
- 2-Yes-Patches
- 3-Yes-Creams
- 4-No
- 7-Don't Know/Not Sure
- 9-Refused

EVDAY

- 1-Everyday
- 2-Some days
- 3-Not at All
- 9-Refused

EXERWORK

- 1-Mostly Sit/Stand
- 2-Mostly Walk
- 3-Mostly Physical Labor
- 4-Doesn't Work
- 7-Don't Know/Not Sure
- 9-Refused

FAS

- 1-Drunk
- 2-Addicted to Alcohol
- 3-With Certain Birth Defects
- 4-Doesn't Know What FAS Is
- 7-Don't Know/Not Sure
- 9-Refused

FASAWARE

- 1-Never Heard of FAS
- 2-Heard of FAS
- 3-Know a Little About FAS
- 4-Know a Lot About FAS
- 7-Don't Know/Not Sure
- 9-Refused

FOLICEAT

- 1-Not at All
- 2-Somewhat

- 3-Very Likely
- 4-Doesn't Eat Cereal
- 7-Don't Know/Not Sure
- 8-Doesn't Know What Folic Acid Is
- 9-Refused

FOLICLTX

- 1-Food Label
- 2-Health Food Store
- 3-Other Healthcare Provider
- 4-Read About It, Unknown Source
- 5-WIC
- 6-Work
- 7-Didn't Remember
- 8-Family & Friends
- 9-Other Source
- 10-Internet
- 11-Just Heard Term, No Knowledge of It
- 12-Family Planning Clinic
- 13-Advertisement, Billboard

FOLICSOA

- 1-Milk
- 2-Meat
- 3-Dried Beans
- 4-Bananas
- 5-None Are Good Source
- 7-Don't Know/Not Sure
- 9-Refused

FOLICTXT

- 1-Green Vegetables/Vegetables
- 2-OJ/Oranges
- 3-Other Foods
- 4-Diet
- 5-Pills/Supplements
- 6-Minerals/Vitamins
- 7-Ask Physician
- 8-Injections
- 9-Iron Pills
- 10-Topical Cream
- 11-Personal Responsibility
- 12-Sunshine
- 13-Other
- 77-Don't Know/Not Sure

FOODSHOP

- 1-Convenience Stores
- 2-Home Garden
- 3-Community Garden
- 4-Farmers Market
- 5-Fruit & Vegetable Stands
- 6-Food Banks
- 7-Food Outlets
- 8-Friends and Relatives
- 9-No Other Place—Grocery Store Only

- 10-Other
- 11-Commissary
- 12-Specialty Store
- 13-Restaurants
- 14-Food Service/Home Delivery
- 15-Food Co-Op
- 16-Health Food Store
- 17-Drug Store
- 18-Grocery Store
- 19-Hunting/Fishing
- 20-Meals-on-Wheels
- 21-WIC
- 22-At Work
- 77-Don't Know/Not Sure
- 88-No Food Prepared In the Home
- 99-Refused

FOODSTOR

- 1-Yes
- 2-No
- 7-Don't Know/Not Sure
- 8-No Food Prepared at Home
- 9-Refused

FPLOCATE

- 1-Private Doctors Office
- 2-HMO
- 3-Health Dept Family Planning Clinic
- 4-Planned Parenthood
- 5-Other Family Planning Clinic
- 6-Other Clinic
- 7-Hospital
- 8-Friend
- 9-Student Health Center
- 10-Drug Store
- 11-Church
- 12-Family Member
- 13-Military
- 14-Other
- 15-Women's Health Clinic
- 16-No Need for Birth Control
- 17-No Where
- 18-Mail Order Pharmacy
- 19-Grocery Store
- 77-Don't Know

FPOTHTXT

- 1-Couples Decision/Both Partners
- 2-Abortion/Choice/Preg. Termination
- 3-Access
- 4-Adoption
- 5-Awareness
- 6-Birth Control/Contraception
- 7-Communication
- 8-Counseling
- 9-Dealing W/Overpopulation

- 10-Does Not Include Abortion
- 11-Education & Counseling
- 12-Financial Planning/Family Security
- 13-Finding Right Partner/Relationship W/Partner
- 14-Gov. Program/Interference/An Organization
- 15-Healthcare
- 16-Help Raising Kids/Caring for Family
- 17-Improving Quality of Life
- 18-Infertility Services
- 19-Preparedness
- 20-Prevention of STDs
- 21-Responsibility
- 22-Sex Education
- 23-Women's Health
- 24-Control/Prevent Unwanted Preg.
- 25-Deciding When/If to Have Kids
- 26-Other
- 77-Don't Know/Not Sure

FPWHERE

- 1-Private Doctors Office
- 2-HMO
- 3-Health Dept Family Planning Clinic
- 4-Planned Parenthood
- 5-Other Family Planning Clinic
- 6-Other Clinic (Specify)
- 7-Hospital
- 8-Friend
- 9-Other (Specify)
- 10-Drug Store
- 11-Church/Natural Birth Control
- 12-Family Member
- 13-Doesn't Go Anywhere
- 14-Sterile/Partner Sterile
- 15-Student Health Center
- 16-Refused Module
- 77-Don't Know/Not Sure
- 99-Refused

FTVGMOR

- 1-Eat The Right Amount
- 2-Should Eat A Little More
- 3-Should Eat A Lot More
- 4-Should Eat A Little Less
- 5-Should Eat A Lot Less
- 7-Dont Know/Not Sure
- 9-Refused

FVCANNED

- 1-All of Them
- 2-Most of Them
- 3-About Half of Them
- 4-A Little of Them
- 5-None of Them

- 7-Don't Know/Not Sure
- 9-Refused

GAIN

- 1-Too Little
- 2-Too Much
- 3-Just Right
- 7-Don't Know/Not Sure
- 8-Not Applicable
- 9-Refused

GRADE

- 1-Elementary School
- 2-6th Grade
- 3-7th Grade
- 4-'8th Grade
- 5, 10, 11-High School
- 6-Should Not Be Taught At Any Grade
- 7, 14, 15- Don't Know/Not Sure
- 99- Refused

VALUE GYNCO4L

- 1-'WITHIN THIS PAST YEAR'
- 2-'LAST YEAR'
- 3-'TWO YEARS AGO'
- 4-'THREE YEARS AGO'
- 5-'FOUR YEARS AGO'
- 6-'FIVE OR MORE YEARS AGO'
- 7-'OTHER SPECIFY'
- 77-'DNK\NS'
- 88-'NEVER'
- 99-'REF'

VALUE GYNCO6L

- 1-MY DOCTOR DID NOT TELL ME I NEEDED IT
- 2-MY DOCTOR SAID I DID NOT NEED IT
- 3-DID NOT KNOW I NEEDED IT
- 4-DO NOT THINK IT IS IMPORTANT
- 5-DO NOT HAVE A DOCTOR
- 6-NEVER HAD ANY FEMALE HEALTH PROBLEMS
- 7-MY LIFESTYLE CHOICES MAKE ME SAFE FROM CANCER
- 8-FEMALE CHECK-UPS ARE TOO EMBARRASSING
- 9-TOO PAINFUL AND UNPLEASANT
- 10-AFRAID THEY MAY FIND SOMETHING WRONG
- 11-IT IS FATE IF I GET CANCER ANYWAY
- 12-DO NOT HAVE TIME TO GO TO THE DOCTOR
- 13-MY INSURANCE DOES NOT COVER IT
- 14-CAN NOT AFFORD TO PAY FOR IT
- 15-OTHER SPECIFY
- 77-DNK\NS
- 99-REF

HAPPA

- 1-Bored
- 2-Neither Bored nor Interested in What I am Doing
- 3-Interested in What I am Doing
- 4-Quite Interested in What I am Doing
- 5-Fascinated by What I am Doing
- 7-Dont Know/Not Sure
- 9-Refused

HAPPB

- 1-All of My Time Doing Unimportant Things
- 2-A Lot of My Time Doing Unimportant Things
- 3-Some of My Time Doing Important Things
- 4-Most of My Time Doing Important Things
- 5-Practically Every Moment Doing Important Things
- 7-Dont Know/Not Sure
- 8-Not Applicable
- 9-Refused

HAPPC

- 1-More Pain than Pleasure
- 2-Equal Measures of Pain and Pleasure
- 3-More Pleasure than Pain
- 4-Much More Pleasure than Pain
- 5-My Life is Filled With Pleasure
- 7-Dont Know/Not Sure
- 9-Refused

HAPPD

- 1-Bad
- 2-Okay
- 3-Good
- 4-Very Good
- 5-Wonderful
- 7-Dont Know/Not Sure
- 9-Refused

HEALTH

- 1-Excellent
- 2-Very Good
- 3-Good
- 4-Fair
- 5-Poor
- 7, 77-Dont Know/Not Sure
- 9, 99-Refused
- 96-Other

HERBSORC

- 1-Physician
- 2-Other Health Care Provider
- 3-Health Food Store Employee
- 4-Pharmacist
- 5-Herbalist
- 6-Other Alternative Health Provider
- 7-Product Label
- 8-Magazines/Books
- 9-Internet
- 10-Television/Radio/Newspaper
- 11-Friend/Relative/Co-Worker

- 12-Safety/Side Effect Info
- 13-Other
- 77-Dont Know/Not Sure
- 99-Refused

HLTHLISB

- 1-Aetna Health Plans
- 2-Alameda Alliance for Health
- 3-Anthem Health Companies
- 4-Blue Cross
- 5-Blue Shield
- 6-Bps (Vivahealth)
- 7-Care First Health Plan
- 8-Careamerica
- 9-Ccn
- 10-Chinese Community Health Plan
- 11-Cigna Health Care
- 12-Cna
- 13-Community Health Group
- 14-Community Health Plan
- 15-Contra Costa Health Plan
- 16-Foundation Health Systems
- 17-Great American Health Plan
- 18-Greater Pacific Healthplan
- 19-Guardian
- 20-Health Net
- 21-Health Plan of San Joaquin
- 22-Health Plan of San Mateo
- 23-Health Plan of Redwoods
- 24-HMO California (Employers Health)
- 25-Employers Health (HMO CA)
- 26-Inland Empire Health Plan
- 27-Inter Valley Health Plan
- 28-Kaiser Foundation Health Plan
- 29-Kern Health Systems
- 30-Key Health Plan
- 31-L.A. Care Health Plan
- 32-Lifeguard Health Plan
- 33-Maxicare
- 34-Molina Medical Center
- 35-National Health Plan
- 38-Pacific Mutual Life Ins Co
- 39-Pacificare of California
- 40-Principal Financial Group
- 41-Prudential Healthcare of CA, Inc
- 42-San Francisco Health Plan
- 43-Santa Barbara Health Initiative
- 44-Santa Clara County Health Authority
- 45-Santa Cruz County Health Options
- 46-Scan Health Plan
- 47-Sharp Health Plan
- 48-Solano Partnership Healthplan
- 49-Tower Health
- 50-Ullico Inc
- 51-United Health Care (Metra Health)
- 52-Metra Health (United Health Care)

53-United Health Plan  
54-United Ins Company of America  
55-Universal Care, Inc  
56-Valley Health Plan  
57-Ventura County Health Care Plan  
58-Western Health Advantage  
59-Blue Cross California Care  
60-Blue Shield Access+/HMO  
61-Prucare of California  
62-Blue Cross Senior CA Care  
63-Foundation Senior Value  
64-Health Net Seniority Plus  
65-Pacificare Secure Horizons  
66-Shield 65  
67-Affordable/Health Care Compare  
68-Anthem Health  
69-Beech Street  
70-Blue Cross Prudent Buyer  
71-Blue Cross Standard (Standard Ins)  
72-Beckwith, Hightower, & Renberg  
73-Foundation  
74-Healthcare Foundation of Superior CA  
75-Health Net Elect  
76-Health Net Select  
77-Interplan  
78-Ouch  
79-Pacificare  
80-Pacific Health Alliance  
81-PPO Alliance  
82-Pru Net (Prudential)  
83-Qual Care  
84-Universal Health Network  
85-Other (Specify)  
86-Medicare  
87-Medi-Cal  
88-Self Pay  
89-Tricare Prime (Champus)  
90-Champus/Va/Tricare  
91-Uc Care  
92-Met Life  
93-Union Self-Insured  
94-Employer Self-Insured  
95-Farm Bureau  
96-Farmers Insurance  
97-Great Western  
98-New York Life  
99-Northwest Nat Life  
100-PERS Care  
101-Gov. Hosp. Asso.  
102-Travelers  
103-Golden Outlook  
104-Joint Benefit Trust  
105-Sierra Comm. Care  
106-State Farm Ins.  
107-Gallagher Basset Service PPO  
108-Provident Insurance

109-Delta Health Care  
110-Am. Western Life  
111-Mass. Mutual  
112-Sutter Preferred  
113-John Alden Life  
114-John Hancock  
115-Operating Engineers  
116-Pacificare Secure Horizons  
117-Cal Farm  
118-Motion Picture  
119-Cal Optima  
120-AARP  
121-First Health  
122-Harder & Company  
123-Unicare  
124-General American  
125-Gov. Employee Health Association  
126-Mutual of Omaha  
127-Adventist Health  
128-Exclusive Health Care  
129-Risk Management  
130-United American  
131-Humana Employers Health  
132-Self Insured Schools of CA  
133-Corestar  
888-None  
134-Aftra  
777-Dont Know/Not Sure  
999-Refused

#### HLTHLISC

1-Aetna Health Plans  
2-Alameda Alliance for Health  
3-Anthem Health Companies  
4-Blue Cross  
5-Blue Shield  
6-Bps (Vivahealth)  
7-Care First Health Plan  
8-Careamerica  
9-Ccn  
10-Chinese Community Health Plan  
11-Cigna Health Care  
12-Cna  
13-Community Health Group  
14-Community Health Plan  
15-Contra Costa Health Plan  
16-Foundation Health Systems  
17-Great American Health Plan  
18-Greater Pacific Healthplan  
19-Guardian  
20-Health Net  
21-Health Plan of San Joaquin  
22-Health Plan of San Mateo  
23-Health Plan of Redwoods  
24-HMO California (Employers Health)  
25-Employers Health (HMO CA)

26–Inland Empire Health Plan  
27–Inter Valley Health Plan  
28–Kaiser Foundation Health Plan  
29–Kern Health Systems  
30–Key Health Plan  
31–L.A. Care Health Plan  
32–Lifeguard Health Plan  
33–Maxicare  
34–Molina Medical Center  
35–National Health Plan  
36–Omni Healthcare Inc  
37–One Health Plan of CA, Inc  
38–Pacific Mutual Life Ins Co  
39–PacifiCare of California  
40–Principal Financial Group  
41–Prudential Hlthcare of CA, Inc  
42–San Francisco Health Plan  
43–Santa Barbara Health Initiative  
44–Santa Clara Cnty Health Authority  
45–Santa Cruz County Health Options  
46–Scan Health Plan  
47–Sharp Health Plan  
48–Solano Partnership Healthplan  
49–Tower Health  
50–Ullico Inc  
51–United Health Care (Metra Health)  
52–Metra Health (United Health Care)  
53–United Health Plan  
54–United Ins Company of America  
55–Universal Care, Inc  
56–Valley Health Plan  
57–Ventura County Health Care Plan  
58–Western Health Advantage  
59–Blue Cross California Care  
60–Blue Shield Access+/HMO  
61–Prucare of California  
62–Blue Cross Senior CA Care  
63–Foundation Senior Value  
64–Health Net Seniority Plus  
65–PacifiCare Secure Horizons  
66–Shield 65  
67–Affordable/Health Care Compare  
68–Anthem Health  
69–Beech Street  
70–Blue Cross Prudent Buyer  
71–Blue Cross Standard (Standard Ins)  
72–Beckwith, Hightower, & Renberg  
73–Foundation  
74–Healthcare Foundation of Superior CA  
75–Health Net Elect  
76–Health Net Select  
77–Interplan  
78–Ouch  
79–PacifiCare  
80–Pacific Health Alliance  
81–PPO Alliance

82–Pru Net (Prudential)  
83–Qual Care  
84–Universal Health Network  
85–Other (Specify)  
86–Medicare  
87–Medi-Cal  
88–Self Pay  
89–Tricare Prime (Champus)  
90–Champus/Va/Tricare  
91–UC Care  
92–Met Life  
93–Union Self- Insured  
94–Employer Self-Insured  
95–Farm Bureau  
96–Farmers Insurance  
97–Great Western  
98–New York Life  
99–Northwest Nat Life  
100–PERS Care  
101–Gov. Hosp. Asso.  
102–Travelers  
103–Golden Outlook  
104–Joint Benefit Trust  
105–Sierra Comm. Care  
106–State Farm Ins.  
107–Gallagher Basset Service PPO  
108–Provident Insurance  
109–Delta Health Care  
110–Am. Western Life  
111–Mass. Mutual  
112–Sutter Preferred  
113–John Alden Life  
114–John Hancock  
115–Operating Engineers  
116–PacifiCare Secure Horizons  
117–Cal Farm  
118–Motion Picture  
119–Cal Optima  
120–AARP  
121–First Health  
122–Harder & Company  
123–Unicare  
124–General American  
125–Gov. Employee Health Association  
126–Mutual of Omaha  
127–Adventist Health  
128–Exclusive Health Care  
129–Risk Management  
130–United American  
131–Humana Employers Health  
132–Self Insured Schools of CA.  
133–Corestar  
888–None  
134–Aftra  
135–Healthy Families  
136–Carpenters Health And Welfare Fund

137-Central Valley Trust  
138-GSHIP Grad Stud Health Ins Plan  
139-Great West-One Health Plan  
140-Blue Cross/Blue Shield  
777-Dont Know/Not Sure  
999-Refused

#### HLTHLIST

1-Aetna/Senior Choice  
2-Bs/Bc/Ca Care  
3-Careamerica  
4-Cigna Health Care  
5-Fhp/Foundat Health/Take Care  
6-Health Net/Seniority+  
7-Health Plan Redwoods/Mediprime  
8-Inter Valley Health Plan  
9-Kaiser  
10-Lifeguard Health Plan  
11-Maxicare  
12-Nat. Health Plans/Security Care  
13-Omni Healthcare  
14-Pacificare/Secure Horizons  
15-Prud/Careplus/Senior Care  
16-Tricare Prime (Champus)  
17-UC Care  
18-United Health Plan  
19-Self-Pay  
20-Medicare  
21-Medi-Cal  
22-Met Life  
23-Union Ins. Plan  
24-Champus/Va/Tricare  
25-AARP  
26-Employer Ins. Plan  
27-Farm Bureau  
28-Farmers Ins.  
29-Great Western  
30-New York Life  
31-Northwest Nat. Life  
32-PERS Care  
33-Gov.Emp.Hos.Asso.  
34-Inland Empire Health Plan  
35-Travelers  
36-Guardian/Phn  
37-Golden Outlook  
38-Joint Benefit Trust  
39-Sharp Health Plan  
40-Scan Health Plan  
41-Sierra Comm. Care  
42-State Farm Ins.  
43-Tower Health  
44-United Health Care/Metra Health  
45-United Ins. Co. of America  
46-Valley Health Plan  
47-Anthem Health Co.  
48-Ccn

49-Gallagher Basset Service PPO  
50-Health Plan of San Joaquin  
51-Health Plan of San Mateo  
52-HMO CA/Employers Health  
53-Key Health Plan  
54-Provident Insurance  
55-Principal Financial Group  
56-Other  
57-Alameda Alliance for Health  
58-Delta Health Care  
59-Am. Western Life  
60-Mass. Mutual  
61-Sutter Preferred  
62-Beckwick, Hightower &  
63-John Alden Life  
64-John Hancock  
65-Affordable/Health Care Compare  
66-Molina Medical Center  
67-Kern Health Systems  
68-Solano Partnership Healthplan  
69-Accordia  
70-Carpenters Health & Welfare  
71-Connecticut General  
72-Contra Costa Health Plan  
73-Flexnet  
74-Friendly Hills  
75-General American  
76-Operating Engineers Union Ins.  
77-Mailhandlers Union Ins.  
78-Relia-Star  
79-Valley Clerks Union Ins.  
80-Jefferson Pilot  
81-Memorial Healthcare  
82-Other  
83-Indian Health Service  
84-Medical Indemnity  
85-Physicians Health Care  
777-Dont Know/Not Sure  
888-None  
999-Refused

#### HOWLNGD

1-Within Past 6 Months  
2-Within the Past Yr  
3-Within the Past 2 Yrs  
4-Within the Past 5 Yrs  
5-More than 5 Yrs Ago  
8-Never  
7-Dont Know/Not Sure  
9-Refused

#### HOWLONG

1-Within Past Yr  
2-Within Past Two Yrs  
3-Within Past Five Yrs  
4-More than Five Yrs

- 5-Refused Module
- 8-Never Had
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGB

- 1-Within Past Yr
- 2-Within Past 2 Yrs
- 3-Within Past 3 Yrs
- 4-Within Past 5 Yrs
- 5-More than 5 Yrs
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGC

- 1-Within Past 6 Months
- 2-Within Past Yr
- 3-Within Past 2 Yrs
- 4-Within Past 5 Yrs
- 5-More than 5 Yrs
- 8-Never Had
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGD

- 1-Within Past 6 Months
- 2-Within Past Yr
- 3-Within Past 2 Yrs
- 4-More than 2 Yrs
- 5-Never
- 8-Refused Module
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGE

- 1-Within Past Yr
- 2-Within Past Two Yrs
- 3-Within Past Five Yrs
- 4-More than Five Yrs
- 5-Never Had
- 8-Refused Module
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGF

- 1-Within Past 6 Months
- 2-Within Past Year
- 3-More than a Year Ago
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGG

- 1-Almost Every Month
- 2-Some, But Not Every Month
- 3-Only In One or Two Months
- 7-Dont Know/Not Sure

- 9-Refused

HOWLONGH

- 1-LT 1 Year
- 2-1-2 Years
- 3-More than 2 Years
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGI

- 1-LT 1 Year
- 2-1-5 Years
- 3-More than 5 Years
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGJ

- 1-LT 6 Months
- 2-6-12 Months
- 3-1-5 Years
- 4-More than 5 Years
- 7-Dont Know/Not Sure
- 9-Refused

HOWLONGK

- 1-Last Year
- 2-1-2 Years
- 3-2-5 Years
- 4-More than 5 Years
- 5-Never
- 7-Dont Know/Not Sure
- 9-Refused

HOWLOSE

- 1-Eat Less
- 2-Eat Different Food
- 3-Exercise
- 4-Calorie Count
- 5-Both Diet And Exercise
- 6-Do Nothing
- 7-Diet
- 8-Surgery
- 9-Change Eating Habits
- 10-Support System
- 11-Motivation
- 12-Other
- 13-Smaller Portions
- 14-Eat Better Food
- 15-Physical Activity
- 16-Keep Track Of Calories
- 17-Weight Loss Program
- 18-Medical Help
- 19-Family Support
- 20-Will Power
- 77- Dont Know/Not Sure
- 99- Refused

HPVWHYNT

- 1-Doctor Didnt Recommend
- 2-Havent Gone to Doctor
- 3-Plan to Get Vaccine Soon
- 4-Expensive/Cost
- 5-Safety Concerns Regarding Vaccines
- 6-Safety Concerns Regarding HPV Vacc.
- 7-Dont Need Vaccine
- 8-Other
- 77-Dont Know/Not Sure
- 99-Refused

IMPORT

- 1-Very Important
- 2-Somewhat Important
- 3-Not Very Important
- 4-Not at All Important
- 7-Dont Know/Not Sure
- 9-Refused

INCOMEB

- 1-< \$10,000
- 2-\$10,000-\$14,999
- 3-\$15,000-\$19,999
- 4-\$20,000-\$24,999
- 5-\$25,000-\$34,999
- 6-\$35,000-\$49,999
- 7-\$50,000-\$75,000
- 8-\$75,000-\$99,999
- 9-> \$100,000
- 10-\$0, No Income
- 77-Dont Know/Not Sure
- 99-Refused

INCOMEC

- 1-< \$10,000
- 2-\$10,000-\$14,999
- 3-\$15,000-\$19,999
- 4-\$20,000-\$24,999
- 5-\$25,000-\$34,999
- 6-\$35,000-\$49,999
- 7-\$50,000-\$75,000
- 8-Over \$75,000
- 9-\$0 No Personal Income
- 77-Dont Know/Not Sure
- 99-Refused

INTEREST

- 1-Yes
- 2-No
- 3-Not Low Income
- 7-Dont Know/Not Sure
- 9-Refused

IU

- 1-<10,000 IU
- 2->10,000 IU
- 7-Dont Know/Not Sure
- 9-Refused

LANGMORE

- 1-Only Spanish
- 2-More Span than Eng
- 3-Both Equally
- 4-More Eng than Span
- 5-Only English
- 7-Dont Know/Not Sure
- 9-Refused

LTCWHO

- 1-Family/Spouse/Partner
- 2-Friends
- 3-Community Services
- 4-Nursing Home
- 5-Assisted Living
- 6-Government
- 7-Never Thought About It
- 8-No One
- 9-Myself
- 10-Health Care Program
- 11-Nurse
- 12-Lawyer
- 13-Other
- 14-Long Term Care Ins
- 88-Not Applicable
- 77-Dont Know/Not Sure
- 99-Refused

MAINPLN

- 1-Your Employer
- 2-Someone Elses Employer
- 3-A Plan You Buy
- 4-Medicare
- 5-Medi-Cal (Medicaid)
- 6-Military/Champus/VA/Ihs/Other
- 7-None
- 88-Not Applicable
- 77-Dont Know/Not Sure
- 99-Refused

MAINPLNB

- 1-Your Employer
- 2-Someone Elses Employer
- 3-A Plan You Buy
- 4-Medicare
- 5-Medi-Cal (Medicaid)
- 6-Military/Champus/VA
- 7-Indian Health Service
- 8-Some Other Source
- 9-None

88-Not Applicable  
77-Dont Know/Not Sure  
99-Refused

#### MAJRPROB

1-Back or Neck Problem  
2-Broken Bone or Joint Injury  
3-Problems Walking  
4-Hearing Problem  
5-Lung or Breathing Problem  
6-Arthritis or Rheumatism  
7-Heart Trouble  
8-Stroke  
9-Cancer, Other than Skin Cancer  
10-Depression  
11-Flu  
12-Aging/Getting Old  
13-Poor Health/Doesnt Feel Good  
14-Too Tired/Exhausted/Fatigued  
15-Other  
16-Pregnancy Related Issues  
17-Accident/Injury  
18-Surgery  
19-Overweight/Weight Related Issues  
20-Infection  
21-Respiratory Ailment  
22-Multiple Problems (2 or More Indicated)  
23-Diabetes, Complications of Diabetes  
24-Other Chronic Conditions  
25-Other Acute Conditions  
26-Pain  
27-Mentioned Body Part (Not Condition or DX)  
77-Dont Know/Not Sure  
99-Refused

#### MARITAL

1-Married  
2-Divorced  
3-Widowed  
4-Separated  
5-Never Married  
6-Unmarried Couple  
7-Dont Know/Not Sure  
9-Refused

#### MENOPAUS

1-Still Having Periods  
2-Periods Stopped Medical/Surgical Reasons  
3-Periods Irregular Because of Menopause  
4-Periods Stopped Because of Menopause  
7-Dont Know/Not Sure  
9-Refused

#### MENSPRMT

1-Younger Than 12  
2-12-13  
3-Older Than 13  
7-Dont Know/Not Sure  
9-Refused

#### MHDX

1-Eating Disorder  
2-Major (Clinical) Depression  
3-Situational (Temporary) Depression  
4-Manic Depression or Bi-Polar Disorder  
5-Anxiety  
6-Panic Disorder  
7-Post Traumatic Stress Disorder (PTSD)  
8-Schizophrenia  
9-Attention Deficit Disorder (ADD)  
10-Mental Breakdown  
11-Neurosis  
12-Alzheimers Disease  
13-Senile Dementia  
14-Effects of Heart Disease or Stroke  
15-Alcohol Abuse  
16-Drug Abuse  
17-Family Problems  
18-Disassociative Identity Disorder (DID)  
19-Other  
77-Dont Know/Not Sure  
99-Refused

#### MHDXB

1-Eating Disorder  
2-Major (Clinical) Depression  
3-Situational (Temporary) Depression  
4-Manic Depression or Bi-Polar Disorder  
5-Anxiety  
6-Panic Disorder  
7-Post Traumatic Stress Disorder (PTSD)  
8-Schizophrenia  
9-Attention Deficit Disorder (ADD)  
10-Mental Breakdown  
11-Neurosis  
12-Alzheimers Disease  
13-Senile Dementia  
14-Effects of Heart Disease or Stroke  
15-Alcohol Abuse  
16-Drug Abuse  
17-Stress  
18-Obsessive Compulsive Disorder (OCD)  
19-Disassociative Identity Disorder (DID)  
20-Multiple Personality Disorder (MPD)  
21-Mourning/Bereavement  
22-Adjustment Disorder  
23-Marital Problems  
24-Dementia  
25-Emotional Reaction to Physical Illness

26-Didn't Tell Me What It Was  
27-Relationship Problem  
28-Parenting Problem  
29-Other  
77-Don't Know/Not Sure  
99-Refused

MHHELPTX

1-Child Care/Family Care  
2-Better Job/ More Steady Job/ Job Training  
3-Medical or Dental Care  
4-Adequate Food  
5-Counseling  
6-Transportation  
7-Housing  
8-More Money/Financial Help  
9-More Convenient Counseling  
10-Other  
11-Nothing Would Have Helped  
12-A Friend/Someone to Talk to  
13-Household Help  
14-Lawyer/Legal Services  
15-Time Off/Time to Relax/Vacation  
16-Spiritual Support/Religious Help  
17-More Time/Time Management  
18-Support From Family  
19-Help at Work/Working/Finding Work  
20-Don't Know/Haven't Thought About It  
21-Exercise/Fitness/Weight  
22-Don't Need Help/No Problems  
23-Social Services

MHNOINTX

1-Needed Referral  
2-Didn't Want to Wait for Referral  
3-Insurance Not Needed  
4-Inconvenient Location If Used Ins.  
5-Used Up Insurance Coverage  
6-Other  
7-No Insurance at Time of Care  
8-Insurance Didn't Cover Entire Cost

MHPAY

1-Self  
2-Private Insurance  
3-Medicare  
4-Medi-Cal  
5-Husband/Partner  
6-Boyfriend/Girlfriend  
7-Parent  
8-Other Family Member  
9-Other Friend  
10-County Mental Health Program  
11-Community Clinic  
12-Self & Insurance

13-Employer & State  
14-Medicare & Medi-Cal  
15-Military  
16-State/Workmans Comp  
17-Employer  
18-Medicare & Insurance  
19-Self & State  
77-Don't Know/Not Sure  
99-Refused

MHPAYDOB

1-Self  
2-Private Insurance  
3-Medicare  
4-Medi-Cal  
5-Husband/Partner  
6-Boyfriend/Girlfriend  
7-Parent  
8-Other Family Member  
9-Other Friend  
10-County Mental Health Program  
11-Community Clinic  
12-Self & Insurance  
13-Employer  
14-Medicare & Medi-Cal  
15-Military  
16-Workers Comp  
17-Employee Assistance Program  
18-No One/Free  
19-Other  
77-Don't Know  
99-Refused

MHPAYDOC

1-Self  
2-Private Insurance  
3-Medicare  
4-Medi-Cal  
5-Husband/Partner  
6-Boyfriend/Girlfriend  
7-Parent  
8-Other Family Member  
9-Other Friend  
10-County Mental Health Program  
11-Community Clinic  
12-Self & Insurance  
13-Employer & State  
14-Medicare & Medi-Cal  
15-Military  
16-State/Workmans Comp  
17-Employer  
18-Self & State  
19-Employee Assistance Program  
20-Other  
21-No One-Free  
77-Don't Know/Not Sure

99-Refused

MHWHELP

- 1-Mental Health Professional
- 2-Paraprofessional, Medical Doctor, Clergy
- 3-Self-Help Support Group
- 8-Not Applicable
- 7-Dont Know/Not Sure
- 9-Refused

MHWHELPB

- 1-Psychotherapist
- 2-Psychiatrist
- 3-Psychologist
- 4-Medical Doctor
- 5-Counselor
- 6-Minister/Priest/Rabbi
- 7-Self-Support Group for Emotional Stress
- 77-Dont Know/Not Sure
- 88-Not Applicable
- 99-Refused

MHWHELPC

- 1-Psychiatrist
- 2-Psychologist
- 3-Medical Doctor
- 4-Counselor
- 5-Social Worker
- 6-Minister/Priest/Rabbi
- 7-Self-Help, Support Group
- 8-Healer, Medicine Person
- 9-Case Worker
- 10-Other
- 11-MFT, MFCC
- 12-Alternative, Spiritual
- 13-Non-Professional
- 14-HMO
- 77-Dont Know/Not Sure
- 88-Not Applicable
- 99-Refused

MHWHO

- 1-County Mental Health Counselor
- 2-Family Member
- 3-Nurse/Other Health Care Provider
- 4-Spiritual Leader
- 5-Therapist
- 6-Friend
- 7-Health Clinic
- 8-Other
- 9-Support Group

MHWHYNOB

- 1-Couldnt Afford It
- 2-Didnt Know Where to Go

- 3-Concerned What Others Would Think
- 4-Appointment Times Inconvenient
- 5-Didnt Want Medical Record of Condition
- 6-Other
- 7-Didnt Like Provider/Provider Didnt Help
- 77-Dont Know/Not Sure
- 88-Refused

MHWHYNOT

- 1-Resolved Problem by Self
- 2-Problem Not Bad Enough
- 3-Family/Friend Discouraged
- 4-Family/Friend Wouldnt Go
- 5-Didnt Take Insurance
- 6-No Insurance
- 7-No Money for Treatment
- 8-Childcare Problems
- 9-Embarrassed/Pride
- 10-Language Barrier
- 11-Inconvenient
- 12-Just Didnt Do It
- 13-No Time to Seek Help
- 14-Didnt Know Where to Get Help
- 15-Didnt Know Help Available
- 16-Got Help Elsewhere
- 17-Couldnt Find Anyone Who Helped
- 18-Doesnt Trust Health Prof./Fear
- 19-Did Seek Help But Didnt Get Any
- 20-Currently Seeking Help
- 21-Other Reason
- 77-Dont Know/Not Sure
- 99-Refused

MILK

- 1-Breast Milk Only
- 2-Formula & Breast Milk Combination
- 3-Formula Only
- 4-Cows Milk & Breast Milk
- 5-Cows Milk Only
- 6-Cows Milk & Formula Combination
- 7-Goats Milk & Formula Combination
- 8-Soy Milk Only
- 9-Goats Milk/Goats Milk + Other
- 10-Breast Milk & Soy Milk Combination
- 77-Dont Know/Not Sure
- 99-Refused

MILKB

- 1-Breast Milk Only
- 2-Formula & Breast Milk Combination
- 3-Formula Only
- 4-Cows Milk & Breast Milk
- 5-Cows Milk Only
- 6-Cows Milk & Formula Combination
- 7-Goats Milk & Formula Combination
- 8-Soy Milk Only

9-NA/Baby Too Young to Respond  
10-Goats Milk/Goats Milk + Other  
77-Dont Know/Not Sure  
99-Refused

461966-1966  
451967-1967  
441968-1968  
431969-1969  
421970-1970  
411971-1971

MON\_YEAB

1-January  
2-February  
3-March  
4-April  
5-May  
6-June  
7-July  
8-August  
9-September  
10-October  
11-November  
12-December  
841928-1928  
831929-1929  
821930-1930  
811931-1931  
801932-1932  
791933-1933  
781934-1934  
771935-1935  
761936-1936  
751937-1937  
741938-1938  
731939-1939  
721940-1940  
711941-1941  
701942-1942  
691943-1943  
681944-1944  
671945-1945  
661946-1946  
651947-1947  
641948-1948  
631949-1949  
621950-1950  
611951-1951  
601952-1952  
591953-1953  
581954-1954  
571955-1955  
561956-1956  
551957-1957  
541958-1958  
531959-1959  
521960-1960  
511961-1961  
501962-1962  
491963-1963  
481964-1964  
471965-1965

401972-1972  
391973-1973  
381974-1974  
371975-1975  
361976-1976  
351977-1977  
341978-1978  
331979-1979  
321980-1980  
311981-1981  
301982-1982  
291983-1983  
281984-1984  
271985-1985  
261986-1986  
251987-1987  
241988-1988  
231989-1989  
221990-1990  
211991-1991  
201992-1992  
191993-1993  
181994-1994  
171995-1995  
161996-1996  
151997-1997  
141998-1998  
131999-1999  
852000-2000  
862001-2001  
872002-2002  
77, 13-Dont Know Month  
7777, 16-Dont Know Year  
88-Not Applicable  
99, 15-Refused Month  
9999, 17-Refused Year

MON\_YEAR

1-January  
2-February  
3-March  
4-April  
5-May  
6-June  
7-July  
8-August  
9-September  
10-October  
11-November  
12-December

841928-1928  
831929-1929  
821930-1930  
811931-1931  
801932-1932  
791933-1933  
781934-1934  
771935-1935  
761936-1936  
751937-1937  
741938-1938  
731939-1939  
721940-1940  
711941-1941  
701942-1942  
691943-1943  
681944-1944  
671945-1945  
661946-1946  
651947-1947  
641948-1948  
631949-1949  
621950-1950  
611951-1951  
601952-1952  
591953-1953  
581954-1954  
571955-1955  
561956-1956  
551957-1957  
541958-1958  
531959-1959  
521960-1960  
511961-1961  
501962-1962  
491963-1963  
481964-1964  
471965-1965  
461966-1966  
451967-1967  
441968-1968  
431969-1969  
421970-1970  
411971-1971  
401972-1972  
391973-1973  
381974-1974  
371975-1975  
361976-1976  
351977-1977  
341978-1978  
331979-1979  
321980-1980  
311981-1981  
301982-1982  
291983-1983

281984-1984  
271985-1985  
261986-1986  
251987-1987  
241988-1988  
231989-1989  
221990-1990  
211991-1991  
201992-1992  
191993-1993  
181994-1994  
171995-1995  
161996-1996  
151997-1997  
141998-1998  
131999-1999  
852000-2000  
862001-2001  
872002-2002  
77-Dont Know Month  
7777-Dont Know Year  
88-Not Applicable  
99-Refused Month

MONTHS

1-January  
2-February  
3-March  
4-April  
5-May  
6-June  
7-July  
8-August  
9-September  
10-October  
11-November  
12-December  
77-Dont Know/Not Sure  
99-Refused

NOWWGHT

1-Lose Weight  
2-Keep Weight Off  
3-Stay Same Weight  
4-Gain Weight  
5-Not Trying To Control Weight  
7- Dont Know/Not Sure  
9-Refused

NUMCOUNT

1-One  
2-Two  
3-More than Two  
4-None  
7-Dont Know/Not Sure  
9-Refused

OFTEN

- 1-Very Often
- 2-Often
- 3-Sometimes
- 4-Rarely
- 5-Never
- 7-Dont Know/Not Sure
- 9-Refused

OFTENA

- 1-Regularly
- 2-Occasionally
- 3-Never
- 7-Dont Know/Not Sure
- 9-Refused

OFTENB

- 1-All the Time
- 2-Most of the Time
- 3-Some of the Time
- 4-Almost Never
- 7-Dont Know/Not Sure
- 8-Not Applicable
- 9-Refused

OFTENC

- 1-Always
- 2-Nearly Always
- 3-Sometimes
- 4-Seldom
- 5-Never
- 6-Retired
- 7-Dont Know/Not Sure
- 9-Refused

OFTEND

- 1-Always
- 2-More Than Half the Time
- 3-Half the Time
- 4-Less Than Half the Time
- 5-Never
- 6-No Male Partner
- 77-Dont Know/Not Sure
- 88-No Sex in Last 12 Months
- 99-Refused

OFTENE

- 1-More Than Once A Year
- 2-One Time Every Year
- 3-One Time Every 2 Years
- 4-One Time Every 3+ Years
- 5-One Time In A Lifetime

ORACE

- 1-White

2-Black

3-Asian or Pacific Islander

4-Aleutian, Eskimo or American Indian

5-Other

7-Dont Know/Not Sure

9-Refused

ORACE2A

1-Chinese

2-Japanese

3-Korean

4-Filipino

5-Vietnamese

6-Cambodian

7-Laotian

8-East Indian

9-Indonesian

10-Hawaiian

11-Samoan

12-Pakistani

13-Saipanese

14-Fijian

15-Burmese

16-Tahitian

17-Iranian

18-Thai

19-Guamanian

20-Micronesian

21-Afghan

22-Malayan

23-Mongolian

24-Hmong

25-Sri Lankan

26-Tonganese

27-Taiwanese

88-Other

77-Dont Know/Not Sure

99-Refused

OFTENF

1-Never

2-Rarely

3-Sometimes

4-Fairly Often

5-Very Often

7, 77-Dont Know/Not Sure

9, 99 - Refused

ORACE2X

1-White Hispanic

2-Black Hispanic

3-Asian Hispanic

4-Pacific Islander Hispanic

5-American Indian And Hispanic

6-Other Hispanic

77-Dont Know/Not Sure

99-Refused

ORACEB

- 1-White
- 2-Black
- 3-Asian
- 4-Pacific Islander
- 5-American Indian, Alaska Native
- 6-Other
- 7-Dont Know/Not Sure
- 9-Refused

ORACEC

- 1-White
- 2-Black
- 3-Asian
- 4-Native Hawaiian, Pacific Islander
- 5-American Indian, Alaska Native
- 6-Other
- 7-Dont Know/Not Sure
- 9-Refused

ORIENT

- 1-Heterosexual
- 2-Gay or Lesbian
- 3-Bisexual
- 4-Unsure
- 7-Dont Know/Not Sure
- 9-Refused

OSTEO

- 1-Bone Loss
- 2-Joint Problems
- 3-Other
- 7-Dont Know/Not Sure
- 9-Refused

OVARRISK

- 1-HRT
- 2-Family History
- 3-Breast Cancer
- 4-Talc in Genital Area
- 5-Never Given Birth
- 6-Fertility Drugs
- 7-GI Problems
- 88-Other
- 77-Dont Know/Not Sure
- 99-Refused

PARTNER

- 1-You
- 2-Current/Most Recent Partner
- 3-Shared
- 77-Dont Know/Not Sure
- 99-Refused

PLEASANT

- 1-Very Pleasant
- 2-Somewhat Pleasant
- 3-Somewhat Unpleasant
- 4-Very Unpleasant
- 7-Dont Know/Not Sure
- 9-Refused

PORTION

- 1-All
- 2-Part
- 3-None
- 7-Dont Know/Not Sure
- 9-Refused

PUMPHLP

- 1-Access to Pump
- 2-Time to Pump
- 3-Place to Pump
- 4-Baby at Work/School With Mother
- 5-More Support From Employer
- 6-Better Breast Pump
- 7-More Time
- 8-Not Returning to Work/School
- 9-Did Continue to Breastfeed
- 10-Other Non-Work Related
- 11-More Information
- 12-Nothing Would Have Helped
- 77-Dont Know/Not Sure
- 99-Refused

REASTSTC

- 1-Hospitalization/Surgical Proc
- 2-Routine Checkup
- 3-Part of a Blood Donation
- 4-Because of Pregnancy
- 5-Find Out If Infected/Curiosity
- 6-Partner Is HIV Positive
- 7-Partner Shoots Drugs
- 8-Male Partner Has Sex With Men
- 9-Partner With Hemophilia
- 10-Told by Doctor Had a STD
- 11-I Have Shot Drugs
- 12-Unprotected Sex W/Partner Unknown Drug Use
- 13-Unprotected Sex W/Partner Unknown HIV Status
- 14-Occupational Exposure
- 15-For Employment
- 16-Marriage
- 17-For Insurance Policy
- 18-For Immigration
- 19-Unsure About Sex Partner
- 20-Had Blood Transfusion
- 21-New Sexual Relationship
- 22-Multiple Sex Partners

- 23-It Was Free
- 24-Because of Health Problem
- 25-Other
- 77-Dont Know/Not Sure
- 99-Refused

REAUNPLN

- 1-Did Not Expect to Have Sex
- 2-No Money for Birth Control
- 3-No Available Transportation to Go to Clinic
- 4-No Time to Get Birth Control Supplies
- 5-Cant Afford Birth Control Supplies
- 6-Cant Get Appointment for Birth Control
- 7-Cant Get Pregnant
- 8-Partner Did Not Like Using Birth Control
- 9-Recently Pregnant/Postpartum Nursing
- 10-Partner is Sterile
- 11-Pregnancy is OK/Not Worried About Pregnancy
- 12-Trying to Get Pregnant
- 13-Forgot to Take My Pills
- 14-Thought is Was a Safe Time of the Month
- 15-Too Tired
- 16-Dont Like Using Birth Control
- 17-Condom Broke
- 18-Forced Intercourse/Rape
- 19-Thought Partner Was Using a Method
- 20-Drinking Alcohol at the Time
- 21-Using Drugs at the Time
- 77-Dont Know/Not Sure
- 99-Refused
- 300-Other

REFERRAL

- 1-Healthcare
- 2-Alcohol Treatment or Support Programs
- 3-Drug Treatment or Support Programs
- 4-Stop Smoking Classes
- 5-Child Care Referrals
- 6-Head Start
- 7-Food Closet
- 8-Family Counseling
- 9-Homeless Services
- 10-Battered Womens Shelter
- 11-Family Violence Programs
- 12-Legal Services
- 13-Child Abuse Programs
- 14-Other (Specify)
- 15-Breastfeeding
- 16-Food Co-Op
- 88-Not Applicable
- 77-Dont Know/Not Sure
- 99-Refused

RELATED

- 1-Very Related
- 2-Somewhat Related
- 3-Not Very Related
- 4-Not at All Related
- 7-Dont Know/Not Sure
- 9-Refused

RISK

- 1-Increase Risk
- 2-Reduce Risk
- 3-No Effect
- 7-Dont Know/Not Sure
- 9-Refused

RISKB

- 1-Much Higher
- 2-Somewhat Higher
- 3-About the Same
- 4-Lower
- 7-Dont Know/Not Sure
- 9-Refused

RISKC

- 1-Increase
- 2-Decrease
- 3-Make No Difference
- 7-Dont Know/Not Sure
- 9-Refused

SAFE

- 1-Very Safe
- 2-Somewhat Safe
- 3-Somewhat Unsafe
- 4-Very Unsafe
- 7-Dont Know/Not Sure
- 9-Refused

SCALE

- 1-Very Much
- 2-Somewhat
- 3-Not Very Much
- 4-Not at All
- 7-Dont Know/Not Sure
- 9-Refused

SCALEB

- 1-High
- 2-Medium
- 3-Low
- 4-None
- 7-Dont Know/Not Sure
- 9-Refused

SCALEC

- 1-Not at All

2-Slightly  
3-Moderately  
4-Extremely  
8-Refused Module  
7-Dont Know/Not Sure  
9-Refused

SCALED

1-Very Likely  
2-Somewhat Likely  
3-Somewhat Unlikely  
4-Very Unlikely  
5-Doesnt Know Term  
8-Refused Module  
7-Dont Know/Not Sure  
9-Refused

SCALEE

1-Not at All  
2-Somewhat  
3-Very Much  
4, 88-Refused Module  
7, 77-Dont Know/Not Sure  
9, 99-Refused

SCALEF

1-Not at All Likely  
2-Somewhat Likely  
3-Very Likely  
7-Dont Know/Not Sure  
9-Refused

SCALEG

1-Definitely Yes  
2-Very Likely  
3-Somewhat Likely  
4-Not Very Likely  
5-Definitely No  
7-Dont Know/Not Sure  
9-Refused

SCALEH

1-Definitely Yes  
2-Not Sure, Possibly  
3-No, Very Unlikely  
7-Dont Know/Not Sure  
9-Refused

VALUE SCALEI

1 - NOT AT ALL  
2 - MODERATELY  
3 - EXTREMELY  
7 - DNK\NS  
9 - REF  
77 - DNK\NS  
99 - REF ;

VALUE SCALEJ

1 - NOT AT ALL  
2 - A LITTLE BIT  
3 - A MEDIUM AMOUNT  
4 - A LOT  
7 - DNK\NS  
9 - REF ;

SEX

1-Male  
2-Female

SEXTALK

1-Talked Seriously About STDs  
2-Talked About STDs—Not Seriously  
3-Never Talked About STDs  
7-Dont Know/Not Sure  
9-Refused

SOURCE

1-Foods  
2-Vitamin Supplement  
3-Both  
7-Dont Know/Not Sure  
9-Refused

SPANINT

1-Spanish  
2-English

SPANINB

2-Spanish  
3-English  
4-Cantonese  
5-Mandarin

STDDXTXT

1-Condyloma  
77-Dont Know/Not Sure  
99-Refused

STDWHETX

1-Hospital  
2-Health Clinic  
3-Community Organization  
4-Private Doctor  
5-Insurance Clinic  
6-Refused  
7-Blood Bank

THRESH

1-Over  
2-Under  
7-Dont Know  
9-Refused

TRUEFAL

- 1-True
- 2-False
- 7-Dont Know/Not Sure
- 9-Refused

TRUEFALB

- 1-Often True
- 2-Sometimes True
- 3-Never True
- 7-Dont Know/Not Sure
- 9-Refused

TRUEFALS

- 1-True
- 2-False
- 3-Doesnt Know Term
- 8-Refused Module
- 7-Dont Know/Not Sure
- 9-Refused

TRYLOTXT

- 1-Did Nothing
- 2-Went on a Diet
- 3-Went on a Fast
- 4-Took Laxatives, Ipecac, or Diuretics
- 5-Made Myself Throw Up (Vomit)
- 6-Drank Alcohol
- 7-Smoked
- 8-Exercised
- 9-Saw Doctor, Nutritionist, or Registered Dietician
- 10-Health Condition/Illness
- 11-Drink Less Alcohol
- 12-Drank Water
- 13-Tried Herbal Supplements
- 14-Tried OTC Diet Supplements
- 15-Tried Prescription Pills
- 16-Other

VITAMIN

- 1-Vitamin A
- 2-B Vitamins
- 3-Calcium
- 4-Vitamin C
- 5-Vitamin D
- 6-Vitamin E
- 7-Garlic
- 9-Minerals/Mineral Supplements
- 10-Multipurpose Vitamin
- 11-Antioxidants
- 12-Other
- 13-Bodybuilding/Protein Supplement
- 14-Weight Loss Drink
- 15-Other Herbs

- 16-Vitamin Fortified Drink
- 17-Omega 3 & Omega 6 Fatty Acids
- 18-Folic Acid/Folate
- 19-Food Supplement
- 20-Ginkgo Biloba, Ginkgo
- 21-Ginseng
- 22-Iron
- 23-Magnesium
- 24-Selenium
- 25-Zinc
- 77-Dont Know/Not Sure
- 99-Refused

VITBWHY

- 1-Make Strong Bones
- 2-Prevent Birth Defects
- 3-Prevent High Blood Pressure
- 7-Dont Know/Not Sure
- 9-Refused

VITBWHYB

- 1-Make Strong Bones
- 2-Prevent Birth Defects
- 3-Prevent Weight Gain
- 7-Dont Know/Not Sure
- 9-Refused

VALUE VITTIMES

- 1-DID NOT TAKE A VITAMIN AT ALL
- 2-1 TO 3 TIMES A WEEK
- 3-4 TO 6 TIMES A WEEK
- 4-EVERY DAY OF THE WEEK
- 7-DNK/NS
- 9-REF

WATCHTV

- 0-More Than 0 Less Than 1 Hour
- 77-Dont Know/Not Sure
- 88-Does Not Have TV
- 99-Refused

WEIGHT

- 1-Overweight
- 2-Underweight
- 3-About Right
- 7-Dont Know/Not Sure
- 9-Refused

WHATBONE

- 1-Hip or Pelvis
- 2-Wrist or Forearm
- 3-Foot or Leg
- 4-Back
- 5-Clavicle
- 6-Fingers
- 7-Ribs

- 8-Multiple Bones
- 9-Knee
- 10-Toe
- 11-Elbow
- 12-Ankle
- 13-Shoulder
- 14-Other Bone
- 77-Dont Know/Not Sure
- 99-Refused

WHATCA

- 1-Ovarian
- 2-Cervical
- 3-Both
- 4-Neither
- 7-Dont Know/Not Sure
- 9-Refused

WHATHEAX

- 1-Just Name—Dont Know About Program
- 2-I/Relative/Friend Has Been on WIC
- 3-Government Program
- 4-Health/Nutrition Program
- 5-Program for Women/Children
- 6-Provides Free Service/Free Food
- 7-Offers Classes
- 8-Welfare Program
- 9-Program for Low Income People
- 10-Its a Good Program
- 11-For Teens/Teen Mothers
- 12-Other
- 13-Dont Remember/Dont Know
- 14-Refused
- 15-Breastfeeding Program
- 16-Family Planning/Sex Ed
- 17-Job Training
- 18-Works at Social Service Agency

WHERCARE

- 1-Emergency Room
- 2-Private Doctor
- 3-Hospital Clinic
- 4-HMO Clinic
- 5-Community Clinic
- 6-Acute Care Clinic
- 7-Urgent Care Clinic
- 8-Doesnt Go One Place Most Often
- 9-Didnt See Anyone During Past 12 Months
- 10-Other (Specify)
- 11-Campus Health Center
- 12-Military Clinic
- 13-Alternative Practitioner
- 77-Dont Know/Not Sure
- 99-Refused

WHERE

- 1-Public STD Clinic
- 2-Other Public Clinic
- 3-Family Planning Clinic
- 4-Community Clinic
- 5-Private Doctor
- 6-Emergency Room
- 7-Student Health Center
- 8-Military Facility
- 9-Jail or Other Detention Facility
- 10-HMO
- 11-Other (Specify)
- 77-Dont Know/Not Sure
- 99-Refused

WHEREHLP

- 1-Overnight Hospital Stay
- 2-Emergency Room Visit
- 3-Doctors Office, Clinic, Walk-in Center
- 4-Dentist
- 5-Mental Health Care
- 7-Womens Shelter
- 88-Refused Module
- 77-Dont Know/Not Sure
- 99-Refused

WHEREHR

- 1-School/Class
- 2-Friend/Family
- 3-At Work
- 4-At Church
- 5-Grocery Store
- 6-Hospital/Dr./DDS Office/Clinic
- 7-County Health Dept.
- 8-Childcare Center
- 9-Nursing School/Nurse
- 10-Media Campaign
- 11-AFDC
- 12-Community Center/Shelter
- 13-Military
- 14-Dont Remember
- 15-Other
- 16-Personal Experience
- 77-Dont Know/Not Sure
- 99-Refused

WHENVI

- 1-Week
- 2-Month
- 3-6 Months
- 4-Over 6 Months
- 5-Never
- 7-Dont Know/Not Sure
- 9-Refused

WHEREHLPB

- 1-Overnight Hospital Stay
- 2-Emergency Room Visit
- 3-Doctors Office, Clinic, Walk-in Ctr
- 4-Dentist
- 5-Mental Health Care
- 6-Womens Shelter
- 7-Clergy
- 8-Police
- 9-Marriage Counselor
- 10-Parents/Relatives
- 11-Friends
- 13-Support Group
- 14-Lawyer
- 15-Military
- 16-Other
- 88-Refused Module
- 77-Dont Know/Not Sure
- 99-Refused

WHO

- 1-Husband
- 2-Former Husband
- 3-Partner
- 4-Former Partner
- 5-Boyfriend
- 6-Girlfriend
- 7-Former Boyfriend
- 8-Former Girlfriend
- 10-Childs Father
- 11-Friend (Gender Not Indicated)
- 12-Father/Step-Father
- 13-Brother/Step-Brother
- 14-Uncle/Cousin
- 15-Stranger
- 16-Family Friend
- 17-Roommate/Housemate
- 18-Other Family Member
- 9-Refused Module
- 88-Refused Module
- 77-Dont Know/Not Sure
- 99-Refused

WHOSEX

- 1-Man
- 2-Woman
- 3-Both
- 4-Neither
- 7-Dont Know/Not Sure
- 9-Refused

WHOSEXB

- 1-Woman
- 2-Man
- 3-Both
- 4-Neither
- 7-Dont Know/Not Sure
- 9-Refused

WHYCBE

- 1-Routine Checkup
- 2-Breast Problem
- 3-Had Breast Cancer
- 7-Dont Know/Not Sure
- 9-Refused

WHYDONE

- 1-Routine
- 2-Problem
- 3-Cancer
- 7-Dont Know/Not Sure
- 9-Refused

WHYDONEYB

- 1-Doctor/Nurse Recommended
- 2-Saw or Heard Media Messages
- 3-Friend or Relative Recommended
- 4-Friend or Relative Has Cancer
- 5-Experiencing Breast Problems
- 6-Routine Checkup
- 7-Other Reason
- 77-Dont Know/Not Sure
- 99-Refused

WHYDONEYC

- 1-Doctor/Nurse Recommended
- 2-Saw or Heard Media Messages
- 3-Friend or Relative Recommended
- 4-Friend or Relative Has Cancer
- 5-Experiencing Bowel Problems
- 6-Routine Checkup
- 7-Other Reason
- 77-Dont Know/Not Sure
- 99-Refused

WHYNODNB

- 1-Doctor Didnt Recommend It
- 2-Cost
- 3-Embarrassment
- 4-Test Preparation
- 5-Afraid of What It Would Show
- 6-Heard Bad Things About Tests
- 7-Painful
- 8-Didnt Want It
- 9-Didnt Need It
- 10-Other
- 11-No Time

77-Dont Know/Not Sure  
99-Refused

#### WHYNOFS

1-Dont Need Them  
2-Dont Think Im Eligible  
3-Dont Know How to Get Them  
4-Too Hard to Apply  
5-Dont Want Govt. Help  
6-Worried About Citizenship  
7-Too Embarrassed  
8-Didnt Think About It  
9-Dont Qualify  
10-Didnt Know About Them  
11-In Process  
12-Other  
13-Denied Food Stamps  
77-Dont Know/Not Sure  
99-Refused

#### WHYNOGO

1-No Transportation  
2-Didnt Need Service  
3-Didnt Want Service/Didnt Want to Go  
4-No Child Care  
5-Didnt Think Service Would Help  
6-Other Reason  
7-Dont Know/Not Sure  
9-Refused

#### WHYNOMED

1-Could Not Afford to Buy It  
2-Felt Medicine Was Unnecessary  
3-Didnt Like Side Effects  
4-Dont Like Taking Pills  
5-Didnt Think It Worked  
6-Other  
7-Dont Know/Not Sure  
9-Refused

#### WHYNOTDB

1-Doctor Didnt Recommend It  
2-No Reason to Have One  
3-Cost  
4-No Insurance  
5-Too Painful  
6-Inconvenient/No Time  
7-Its Not Safe  
8-Not Interested  
9-Dont Like Mammograms  
10-Other  
11-Embarrassed  
12-No Doctor  
13-Have Appt. to Go  
77-Dont Know/Not Sure  
99-Refused

#### WHYNOTDC

1-No Insurance to Cover Mammogram  
2-Doctor/Nurse Did Not Recommend It  
3-Cant Afford to Pay for Mammogram  
4-Didnt Know You Needed One  
5-Didnt Have Time to Go/Lazy  
6-Too Painful/Afraid  
88-Other  
77-Dont Know/Not Sure  
99-Refused

#### WHYNOTDN

1-Dr. Not Recommend/Dr Said Didnt Need  
2-Not Needed/Not Necessary  
3-Never Heard of a Mammogram  
4-Cost  
5-No Insurance to Pay for It  
6-Too Painful  
7-Inconvenient/No Time  
8-Think It Is Not Safe  
9-Not Interested  
10-Dont Like Mammogram  
11-Other  
77-Dont Know/Not Sure  
99-Refused

#### WHYNOTFVB

1-Take Too Much Time  
2-Not Available  
3-Not In Habit  
4-Too Expensive  
5-Dont Like Taste  
6-Not Sure How to Select  
7-Im Not Sure How to Fix  
8-Diet Restriction  
9-They Are Messy  
10-Hard to Get In Restaurants  
11-Hard to Get at Work  
12-I Eat Enough Now  
13-Spoil Easily  
14-Other  
77-Dont Know/Not Sure  
99-Refused

#### WHYNOTIN

1-Dont Want Government Assistance  
2-Doesnt Think Meets Income Guidelines  
3-Work-Cant Leave Work During Day  
4-No Nutrition Problems In Family  
5-No Transportation  
6-No Childcare While Going to WIC  
7-Too Old to Receive  
8-No Children/Kids Too Old/Not at Home  
9-Self/Spouse Employed

- 10-Try to Take Care of Self
- 11-No Need for It
- 12-Receive Help Elsewhere
- 13-No Knowledge of Program
- 14-Has Medical Insurance
- 15-Always Been Healthy
- 16-Too Busy
- 17-Too Young/Student
- 18-Not Planning Preg./Past Childbearing
- 19-Get Info/Medical Info Elsewhere
- 20-Financially Secure
- 21-Program Costs Too Much to Use
- 22-Not Eligible
- 23-Just Not Interested
- 24-Doesnt Believe In Gov. Programs
- 25-Not Interested In Diet Programs
- 26-Other
- 77-Dont Know/Not Sure
- 99-Refused

#### WHYNOTXT

- 1-Afraid of Doctors
- 2-Condition Not Treatable
- 3-Tried Alternative Cure
- 4-Received Treatment
- 5-Discussed Over Phone
- 6-Couldnt Get Appointment
- 7-Too Busy
- 8-Problem Seasonal—Went Away
- 9-Just Didnt See Physician
- 10-No Insurance
- 11-No Regular Doc
- 12-Other
- 13-Have Upcoming Appointment
- 14-Didnt Want to Care for Self

#### WHYNOVAC

- 1-Didnt Know I Needed It
- 2-Didnt Think of It
- 3-Cost
- 4-Didnt Know Where to Get Shot
- 5-Inconvenient Time or Location
- 6-Flu Vaccine Unavailable
- 7-Asked Doctor, But Said I Didnt Need It
- 8-Dr Didnt Recommend It
- 9-Didnt Think It Would Work
- 10-I Am Not at Risk/Not Serious
- 11-Flu Shot Gives You Flu
- 12-Serious Side Effects
- 13-Medical Reasons
- 14-Dont Like Shots or Needles
- 15-Other
- 16-Save for Others More at Risk
- 17-Got Pneumonia Shot
- 18-Does Not Believe In Them
- 19-Allergic

- 20-Just Didnt Want One
- 77-Dont Know/Not Sure
- 99-Refused

#### WHYPAP

- 1-Routine Exam
- 2-Check Problem
- 3-Other
- 7-Dont Know/Not Sure
- 9-Refused

#### WICDISLK

- 1-Waiting Time for Appointments
- 2-Nutrition/Dietary Counseling
- 3-Health Classes
- 4-Nutrition Classes
- 5-Treatment by WIC Staff
- 6-Treatment by Store Staff W Using WIC
- 7-No Childcare While Going to WIC
- 8-Too Much Paperwork
- 9-Need to Return to WIC Regularly
- 10-Do Not Dislike Anything About WIC
- 11-Wait at Grocery Store
- 12-The Coupons
- 13-Clinic Facilities
- 14-Kids Dont Like WIC Food
- 15-WIC Food/Choices
- 16-Not Enough Food/Milk Provided
- 17-Embarrassing to Be on WIC
- 18-Medical Checkups for Children
- 19-Wait for Vouchers
- 20-Clinic Location/Need Transportation
- 21-Clients Not Screen Enough
- 22-Limited Choice of Stores
- 23-Limited Appt. Times (Not Early Enough)
- 24-Program Ends Too Soon
- 25-Health Limitations Needed to Recd WIC
- 26-Other
- 77-Dont Know/Not Sure
- 99-Refused

#### WICDSLKB

- 1-Nothing, I Really Liked WIC
- 2-Waiting at the Clinic
- 3-Waiting Time to Get an Appointment
- 4-Health Classes
- 5-Nutrition or Dietary Counseling
- 6-Treatment by WIC Staff
- 7-Treatment by Store Staff When Using WIC
- 8-No One to Watch Child While Going to WIC
- 9-Too Much Paperwork
- 10-No Transportation

77-Dont Know/Not Sure  
99-Refused

#### WICLIKE

1-Free Food/Formula  
2-Nutrition Education & Counseling  
3-Support with Breastfeeding  
4-Provides Healthy Food to Children  
5-Concerned About Children  
6-Helps Low Income  
Women/Kids/Families  
7-Provides Vouchers for Food  
8-One-on-One Nutritional Counseling  
9-Lets You Pick Store You Want  
10-Nice Staff  
11-Nothing—Dont Like WIC  
12-Classes Provided  
13-Liked Everything  
14-Health Exams/Concern About Health  
15-Other  
77-Dont Know  
99-Refused

#### WICLIKEB

1-Free Food or Formula  
2-Nutrition Education  
3-Parenting Classes  
4-Breastfeeding Support  
5-Nothing, I Did Not Like WIC  
6-Liked Everything  
7-Dont Know/Not Sure  
9-Refused

#### WICNOTEB

1-Are No Longer Eligible  
2-Did Not Like WIC  
3-Moved  
4-Other  
7-Dont Know/Not Sure  
9-Refused

#### WICNOTEN

1-No Longer Qualified  
2-Moved  
3-Didnt Need It Any More  
4-Did Not Like WIC  
5-No Childcare Available to Go to WIC  
6-Too Much Paperwork  
7-Waiting Time at WIC Too Long  
8-Too Hard to Get Required Medical Info  
9-No Health Insurance/Cant Afford Health  
Care  
10-Too Hard to Get a Medical  
Appointment  
11-Cant Afford Medical Visits/Co-Pay

12-Transportation Problems Getting to  
WIC

13-Cant Get Time From Work to Go to  
WIC

14-Other (Specify)  
15-Missed Appointment  
88-Not Applicable  
77-Dont Know/Not Sure  
99-Refused

#### WTBARRI

1-Weight Already Healthy  
2-Inactivity  
3-Not Able to Exercise (Ill, Disabled)  
4-No Time to Exercise/Exercise More  
5-Metabolism/Genetics/Hereditiy/Age  
6-Stress  
7-Lazy/Tired  
8-Lack of Discipline/Willpower  
9-Enjoy Eating/Amount (Type) of Food I  
Eat  
10-Money/Money to Buy Nutritious  
Food/Gym  
11-Health Issues/Health Care  
12-No One to Exercise With  
13-Finding Healthy Foods When Eating  
Out  
14-Time Problem  
15-Behaviors/Habits  
16-No Barrier  
17-Other  
18-No Support  
77-Dont Know/Not Sure  
99-Refused

#### WTFACIL

1-Nothing Would Help/Hereditiy/Too Old  
2-Making Time for Exercise/More Time  
3-Finding an Exercise I Like  
4-Motivation  
5-Eating Less  
6-Eating Different Kinds of Food  
7-Weight Loss Classes or Doctor Visits  
8-More Discipline/ More Will Power  
9-Dont Need to/Dont Worry About It  
10-More Food  
11-Reduce Stress  
12-Medical Help  
13-Counseling/Weight Loss Program  
14-Money  
15-Companionship/Family Support  
16-Can Not Gain Weight/Underweight  
17-Move/Change Jobs  
18-Other  
19-Stop Smoking/Stop Drinking  
77-Dont Know/Not Sure

99-Refused

WTFACILB

- 1-Nothing Would Help/Hereditiy/Too Old
- 2-Making Time for Exercise/More Time
- 3-Finding an Exercise I Like
- 4-Motivation
- 5-Eating Less
- 6-Eating Different Kinds of Food
- 7-Weight Loss Classes or Doctor Visits
- 8-More Discipline/ More Will Power
- 9-Dont Need to/Dont Worry About It
- 10-More Food
- 11-Reduce Stress
- 12-Medical Help
- 13-Counseling/Weight Loss Program
- 14-Money
- 15-Companionship/Family Support
- 16-Other
- 77-Dont Know/Not Sure
- 99-Refused

WWWHER

- 1-Home
- 2-Work
- 3-School
- 4-Library
- 5-Health Center
- 6-Other
- 7-Dont Know/Not Sure
- 9-Refused

YESNO

- 1-Yes
- 2-No
- 8-Not Applicable
- 7-Dont Know/Not Sure
- 9-Refused

YESNOB

- 1-Yes
- 2-No
- 3 - Dont Know What Chlamydia Is
- 4 - Refused Module
- 77 - Dont Know/Not Sure
- 99- Refused

YESNOC

- 1-Yes
- 2-No
- 3-Never Asked For Care
- 77- Dont Know/Not Sure
- 99- Refused

YESNOD

- 1-Yes
- 2-No
- 3-Didnt See Dr/Health Care Profe
- 4-Refused Module
- 77-Dont Know/Not Sure
- 99- Refused

YESNODF

- 1-Yes
- 2-No
- 3-Dont Know What it is
- 7-Dont Know/Not Sure
- 9-Refused

YESNODK

- 1-Yes
- 2-No
- 3-Never Drink
- 7-Dont Know/Not Sure
- 9-Refused

YESNODR

- 1-Yes
- 2-No
- 8-None Used
- 7-Dont Know/Not Sure
- 9-Refused

YESNODVA

- 1-Yes
- 2-No
- 3-Never Been Abused
- 4-No Partner
- 5-Could Not Re-contact
- 8-Refused Module
- 7-Dont Know/Not Sure
- 9-Refused

YESNODVC

- 1-Yes
- 2-No
- 7-Dont Know/Not Sure
- 8-Didnt Seek Service
- 9-Refused

YESNOEST

- 1-Yes
- 2-No
- 3-Depends on Woman
- 7-Dont Know/Not Sure
- 9-Refused

YESNOGES

1-Yes  
2-No  
3-Gestational Diabetes  
7-Dont Know/Not Sure  
9-Refused

YESNOKID

1-Yes  
2-No  
3-No Children  
7-Dont Know/Not Sure  
9-Refused

YESNOM

1-Yes  
2-No  
3-No Male Sexual Partners  
8-Refused Module  
7-Dont Know/Not Sure  
9-Refused

VALUE YESNOGY

1-YES  
2-NO  
3-REFUSED MODULE  
4,8,88-NOT INTERESTED IN LEARNING  
MORE ABOUT WOMENS CANCERS  
7, 77-DNK\NS  
9, 99-REF

YESNOMB

1-Yes  
2-No  
8-No Male Sexual Partners  
7-Dont Know/Not Sure  
9-Refused

YESNOPG

1-Yes  
2-No  
3-Too Early In Pregnancy  
7-Dont Know/Not Sure  
9-Refused

YESNORF

1-Yes  
2-No  
3-Refused Module  
4-Refused Module  
8-Refused Module  
5-Could Not Re-contact  
7-Dont Know/Not Sure  
9-Refused

YESNOTER

1-Yes  
2-No  
3-No, Pregnancy Terminated/Miscarried  
4-No, Too Early In Pregnancy  
7-Dont Know/Not Sure  
9-Refused

YESNOTS

1-Yes  
2-No  
3-No, Didnt Seek Medical Help  
7-Dont Know/Not Sure  
9-Refused

YESNOUN

1-Yes  
2-No  
3-Doesnt Know Term  
8-Refused Module  
7-Dont Know/Not Sure  
9-Refused

\_AGEG

1-18-24  
2-25-34  
3-35-44  
4-45-54  
5-55-64  
6-65+

\_AGEGB

1-18-29  
2-30-39  
3-40-49  
4-50-59  
5-60+

\_AGEGC

1-18-44  
2-45+

\_BMIREV

1-Underweight  
2-Normal Weight  
3-Overweight  
4-Obese  
9-Dont Know/Refused

\_BREASTA

1-Never Had  
2-Ever Had  
9-Dont Know/Refused

\_BREASTB

1-Never Had

2-Had W/In 1 Yr  
3-Had W/In 2 Yrs  
4-Had W/In 5 Yrs  
5-Had > 5 Yrs Ago  
9-Unknown/Refused

\_DV

1-Yes  
2-No  
4-No Partner  
5-Could Not Re-contact  
7-Dont Know/Not Sure  
8-Refused Module  
9-Refused Question

\_DVTYPE

1-Insulted or Swore at You  
2-Threatened to Throw Thing at You  
3-Threw, Smashed, Hit or Kicked  
Something  
4-Threw Something at You  
5-Pushed, Grabbed, Shoved You  
6-Slapped You  
7-Kicked, Bit or Hit You With Fist  
8-Hit or Tried to Hit You With Something  
9-Beat Up  
10-Choked  
11-Threatened With Knife or Gun  
12-Use a Knife or Gun  
13-Used a Knife or Gun on Respondent  
33-No Abuse Reported  
44-No Partner  
55-Could Not Re-contact  
88-Refused Module  
77-Dont Know/Not Sure  
99-Refused Questions

\_DVTYPEB

1-Past 12 Months: Threw Object at You  
2-Past 12 Months: Pushed, Grabbed,  
Shoved, Slapped  
3-Past 12 Months: Kicked, Bit, Hit With  
Fist  
4-Past 12 Months: Beat Up or Chocked  
5-Past 12 Months: Forced Sex Against  
Will  
6-Past 12 Months: Threatened With Knife  
or Gun  
7-Past 12 Months: Used a Knife or Gun on  
Respondent  
33-Past 12 Months: No Abuse Reported  
44-Past 12 Months: No Partner  
55-Could Not Re-contact  
77-Dont Know/Not Sure  
88-Refused Module  
99-Refused Questions

\_DVTYPEPEC

1-Ever: Threw Object at You  
2-Ever: Pushed, Grabbed, Shoved,  
Slapped  
3-Ever: Kicked, Bit, Hit With Fist  
4-Ever: Beat Up or Chocked  
5-Ever: Forced Sex Against Will  
6-Ever: Threatened With Knife or Gun  
7-Ever: Used a Knife or Gun on  
Respondent  
33-Ever: No Abuse Reported  
44-Ever: No Partner  
55-Could Not Re-contact  
77-Dont Know/Not Sure  
88-Refused Module  
99-Refused Questions

\_PAPC

1-Never Had  
2-Ever Had  
9-Dont Know/Refused

\_PAPD

1-Never Had  
2-Had W/In 1 Yr  
3-Had W/In 2 Yrs  
4-Had W/In 3 Yrs  
5-Had W/In 5 Yrs  
6-Had > 5 Yrs Ago  
9-Dont Know/Refused

\_POVST

1-Below Poverty  
2-101%-200%  
3-Over 200%  
7-Dont Know/Not Sure

\_POVSTE

1-Below Poverty  
2-101%-185%  
3-186%-200%  
4-Over 200%  
7-Unknown

\_POVSTF

1-Below Poverty  
2-101%-185%  
3-186%-200%  
4-201%-250%  
5-Over 250%  
6-Less than 185%  
7-Less than 200%  
8-Less than 250%  
77-Unknown

\_POVSTG

- 1-Below Poverty
- 2-100%-130%
- 3-131%-185%
- 4-186%-200%
- 5-201%-249%
- 6-250% And Over
- 7-Less than 135%
- 8-Less than 185%
- 9-Less than 200%
- 10-Less than 250%
- 77-Unknown

\_RACE

- 1-White, Non-Hispanic
- 2-Black, Non-Hispanic
- 3-White Hispanic
- 4-Black Hispanic
- 5-Other Hispanic
- 6-Asian/Pacific Islander
- 7-Aleutian, Eskimo or American Indian
- 8-Other
- 77-Dont Know/Not Sure
- 99-Refused

\_RACEG

- 1-White
- 2-Nonwhite

\_RACEGR

- 1-White
- 2-Black
- 3-Hispanic
- 4-Other

\_RF

- 1-Not at Risk
- 2-At Risk
- 9,999-Dont Know/Refused

\_SMOKER

- 1-Current Smoker
- 2-Former Smoker
- 3-Never Smoked
- 4-Irregular Smoker
- 9-Refused

\_STDHIV

- 1-STD Increases Risk of HIV
- 2-STD Have No Effect on HIV Risk
- 3-STD Decreases Risk of HIV
- 4-None Are Correct
- 7-Dont Know/Not Sure
- 9-Refused

## Part V: Variable Locations on Questionnaires by Subject

Note: The last question on the survey is underscored and bold (e.g., 122)

<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
<b><u>Acculturation Scales</u></b>														
LANGCHLD	.	.	.	.	.	.	.	.	102	.	.	.	18.2	12.2
LANGFRND	.	.	.	.	.	.	.	.	105	.	.	.	18.5	12.5
LANGHOME	.	.	.	.	.	.	.	.	103	.	.	.	18.3	12.3
LANGSPK	.	.	.	.	.	.	.	.	101	.	.	.	18.1	12.1
LANGTHNK	.	.	.	.	.	.	.	.	104	.	.	.	18.4	12.4
<b><u>Adverse Childhood Experiences</u></b>														
ACEDEPMI	.	.	.	.	.	.	184	184	190	.	.	.	.	.
ACEDVMOM	.	.	.	.	.	.	185	.	.	.	.	.	.	.
ACEDVMO2	.	.	.	.	.	.	.	185	191	.	.	.	.	.
ACEDVRCE	.	.	.	.	.	.	.	187	193	.	.	.	.	.
ACEHNGR	.	.	.	.	.	.	.	.	194	70	61	15.8	.	.
ACEJAIL	.	.	.	.	.	.	186	186	192	.	.	.	.	.
ACESUBAB	.	.	.	.	.	.	183	183	189	.	.	.	.	.
ACEWLFAR	.	.	.	.	.	.	.	.	195	84	74	.	.	.
<b><u>AFP Awareness</u></b>														
AFPBOOK	40	61	59	.	.	.	.	.	.	.	.	.	.	.
AFPNOT1	42	63	61	.	.	.	.	.	.	.	.	.	.	.
AFPNOT2	43	64	62	.	.	.	.	.	.	.	.	.	.	.
AFPNOT3	44	65	63	.	.	.	.	.	.	.	.	.	.	.
AFPNOT4	45	66	64	.	.	.	.	.	.	.	.	.	.	.
AFPNOT5	46	67	65	.	.	.	.	.	.	.	.	.	.	.
AFPNOT6	47	68	66	.	.	.	.	.	.	.	.	.	.	.
AFPNOT7	48	69	67	.	.	.	.	.	.	.	.	.	.	.
AFPNOT8	49	70	68	.	.	.	.	.	.	.	.	.	.	.
AFPNOT9	50	71	69	.	.	.	.	.	.	.	.	.	.	.
AFPTEST	41	62	60	.	.	.	.	.	.	.	.	.	.	.
<b><u>AIDS Awareness</u></b>														
AIDSNOT	180	.	.	.	.	.	.	.	.	.	.	.	.	.
AIDSTALK	.	180	.	.	.	.	.	.	.	.	.	.	.	.
AIDSTST3	178	.	.	.	.	.	.	.	.	.	.	.	.	.
DCTRHIV	.	.	.	.	.	178	169	.	.	.	.	.	.	.
HIVPGTLK	.	.	.	.	.	.	170	.	.	.	.	.	.	.
HIVPGTST	.	.	.	.	.	.	171	172	.	.	.	.	.	.
PRENHIV	.	60	.	.	.	.	.	.	.	.	.	.	.	.
REASTST3	179	.	.	.	.	.	.	.	.	.	.	.	.	.
STDHIV	.	186	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Alcohol Consumption</u></b>														
DRINKGE4	.	.	.	.	.	.	.	.	.	.	124	25.4	25.4	19.4
DRINKGE5	174	164	160	151	150	150	142	143	162	137	.	.	.	.
DRINKNUM	.	.	.	.	.	.	.	.	.	.	.	25.5	25.5	19.5
DRKALC	172	162	158	149	148	148	140	141	160	135	122	25.2	25.2	19.2
DRKGUILT	.	.	.	154	153	153	145	.	.	.	.	.	.	.
DRNKANY1	171	161	157	148	147	147	139	140	159	134	121	25.1	25.1	19.1
DRNKHARM	.	.	.	.	.	.	.	145	164	.	.	.	.	.

<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
DRNKHARM2														19.6
DRNKHHELP	.	.	.	.	.	.	.	146	165	.	.	.	.	.
DRNKPROB	175	165	.	.	.	.	.	.	.	.	.	.	.	.
DRUNK	.	.	161	152	151	151	143	144	163	.	.	.	.	.
DRUNKNUM	.	.	162	153	152	152	144	.	.	.	.	.	.	.
FAS	.	.	163	.	.	.	.	.	.	.	.	.	.	.
FASAWARE	.	.	.	.	.	.	.	.	.	37	31	.	.	.
FASCURED	.	.	.	.	.	.	.	.	.	38	32	.	.	.
FASDNUM	.	.	.	.	.	.	.	.	.	39	33	.	.	.
NALCOCC	173	163	159	150	149	149	141	142	161	136	123	25.3	25.3	19.3
CHILDREM														19.7
<b><u>Antibiotic Use</u></b>														
ABTREAT	.	.	.	106	.	.	.	.	.	.	.	.	.	.
ALTD0C	.	.	.	52	.	.	.	.	.	.	.	.	.	.
ALTHERB	.	.	.	51	.	.	.	.	.	.	.	.	.	.
ANTBEAR	.	.	.	101	.	.	.	.	.	.	.	.	.	.
ANTBLAD	.	.	.	103	.	.	.	.	.	.	.	.	.	.
ANTCOLD	.	.	.	102	.	.	.	.	.	.	.	.	.	.
ANTCOLD2	.	.	.	.	.	.	119	.	.	.	17	.	.	.
<b><u>Asthma</u></b>														
ASTHEVR	.	.	.	.	.	.	.	108	.	.	.	.	.	.
ASTHSTL	.	.	.	.	.	.	.	109	.	.	.	.	.	.
<b><u>Attitudes about Sex Education in Schools</u></b>														
SEXED	168	.	.	.	.	.	.	.	.	.	.	.	.	.
SEXEDBC	169	.	.	.	.	.	.	.	.	.	.	.	.	.
SEXEDSTD	170	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Attachment Scale</u></b>														
CRI1	.	.	.	.	CRI1	.	.	.	211	.	.	.	.	.
CRI2	.	.	.	.	.	.	.	.	212	.	.	.	.	.
CRI3	.	.	.	.	.	.	.	.	213	.	.	.	.	.
CRI4	.	.	.	.	.	.	.	.	214	.	.	.	.	.
CRI5	.	.	.	.	.	.	.	.	215	.	.	.	.	.
CRI6	.	.	.	.	.	.	.	.	216	.	.	.	.	.
CRI7	.	.	.	.	.	.	.	.	217	.	.	.	.	.
CRI8	.	.	.	.	.	.	.	.	218	.	.	.	.	.
CRI9	.	.	.	.	.	.	.	.	219	.	.	.	.	.
CRI10	.	.	.	.	.	.	.	.	220	.	.	.	.	.
<b><u>Birth Control Use</u></b>														
BCBAR	200	.	.	.	.	.	.	.	.	.	.	.	.	.
BCBAR2	.	175	.	.	.	.	.	.	.	.	.	.	.	.
BCBARNO2	.	176	.	.	.	.	.	.	.	.	.	.	.	.
BCBARNOT	<b>201</b>	.	.	.	.	.	.	.	.	.	.	.	.	.
BCCHOOSE	.	.	.	.	.	.	.	.	.	.	.	27.2	27.2	20.8
BCPAY	.	.	172	163	162	162	154	155	.	.	.	.	.	.
BCPAY2	.	.	.	164	163	163	155	155.5	.	.	.	.	.	.
BCPAY3	.	.	.	.	.	.	.	.	.	.	.	27.3	27.3	20.9
BCTALK	.	.	.	.	.	.	.	.	.	.	.	27.1	.	.
BCTALK2	.	.	.	.	.	.	.	.	.	.	.	.	27.1	20.7

<b><u>Variable Name</u></b>	<b><u>1997</u></b>	<b><u>1998</u></b>	<b><u>1999</u></b>	<b><u>2000</u></b>	<b><u>2001</u></b>	<b><u>2002</u></b>	<b><u>2003</u></b>	<b><u>2004</u></b>	<b><u>2005</u></b>	<b><u>2006</u></b>	<b><u>2007</u></b>	<b><u>2008</u></b>	<b><u>2009</u></b>	<b><u>2010</u></b>
BCTYPE	184	173	170	161	160	160	152	153	.	144	130	27.6.1	27.6.	
BCTYPTXT	.	.	.	162	161	161	153	153.5	.	145	131	27.6.2	27.6.	20.3
BCUSE	183	.	.	.	.	.	.	.	.	.	.	.	.	.
BCUSE2	.	172	169	.	.	.	.	.	.	.	.	.	.	.
BCUSE3	.	.	.	160	159	159	151	152	.	.	.	.	.	.
BCUSE4	.	.	.	.	.	.	.	152	167	143	129	27.5	27.5	20.2
BCUTIL	.	.	.	.	.	.	.	.	.	.	.	27.4	27.4	20.1
BCWHYNOT	185	174	171	162	161	161	153	154	.	145	131	27.7.1	27.7.	
BCWHYNOX	.	.	.	163	162	162	154	154.5	.	146	.	27.7.2	27.7.	20.5
BCWNTHOW	.	.	173	164	163	163	155	.	.	.	.	.	.	20.6
CONDOFTN	.	.	.	.	.	.	.	.	.	.	132	.	.	.
CONDOM3	.	.	.	.	.	.	.	.	.	.	.	.	30.5	.
CYCLNOW	.	.	.	.	.	.	.	.	.	.	109	.	.	.
ECWHERE	.	.	.	.	.	.	.	.	.	148	.	.	.	.
ECWHERE2	.	.	.	.	.	.	.	.	.	.	137	27.10	27.10	.
EMERGWHT	.	.	175	166	165	165	157	157	.	147	136	27.9	27.9	.
EMRGBC	.	.	174	165	164	164	156	156	.	146	135	.	.	.
EMRGBC2	.	.	.	.	.	.	.	.	.	.	.	27.8	27.8	.
MENCYCPL	.	.	.	.	.	.	.	.	.	.	108	.	.	.
MICROBIC	.	.	.	.	.	.	.	.	.	.	134	.	.	.
NOCOND	.	.	.	.	.	.	.	.	.	.	133	.	.	.
OTHRCOND	199	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><i>Breast and Cervical Cancer Screening</i></b>														
BCFAM	113	.	.	.	.	.	.	.	.	.	.	.	.	.
BCHAD	112	124	125	112	112	114	.	.	.	.	.	.	.	.
BCMEMA-BCMEMD	114	.	.	.	.	.	.	.	.	.	.	.	.	.
BCRISK	.	125	.	.	.	.	.	.	.	.	.	.	.	.
BCRISK2	.	.	126	113	.	.	.	.	.	.	.	.	.	.
CBEGUID2	.	.	131	118	.	.	.	.	.	.	.	.	.	.
CBEGUIDE	122	131	.	.	.	.	.	.	.	.	.	.	.	.
CNCRTYPE	.	.	.	.	.	.	.	103	.	.	.	.	.	.
F40	98	.	.	.	.	.	.	.	.	.	.	.	.	.
F40A-F40C	100	.	.	.	.	.	.	.	.	.	.	.	.	.
F40CBEG	121	.	.	.	.	.	.	.	.	.	.	.	.	.
F40CBEGB	.	.	.	.	.	120	130	131	.	.	.	.	.	.
F40DFPAY	117	.	.	.	.	.	.	.	.	.	.	.	.	.
F40GUIDE	106	118	124	111	.	.	.	.	.	.	.	.	.	.
F40INPAY	115	.	.	.	.	.	.	.	.	.	.	.	.	.
F40NUM	99	.	.	.	.	.	.	.	.	.	.	.	.	.
F40RXMAM	110	122	.	.	.	.	.	.	.	.	.	.	.	.
F40SFPAY	116	.	.	.	.	.	.	.	.	.	.	.	.	.
F50GUID2	108	120	.	.	.	.	.	.	.	.	.	.	.	.
F50GUID3	109	121	.	.	.	.	.	.	.	.	.	.	.	.
F50GUIDE	107	119	.	.	.	.	.	.	.	.	.	.	.	.
F50RXMAM	111	123	.	.	.	.	.	.	.	.	.	.	.	.
GYNEXAM	.	.	.	.	.	122	131	132	.	.	.	.	.	.





<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
CARESEX	.	.	.	.	.	.	.	.	.	.	.	5.4	.	.
CARETIME	.	.	.	.	.	.	.	.	.	.	.	5.12	.	.
CAREWHO	142	143	.	.	.	.	.	.	.	.	.	.	.	.
CAREWHO2	.	.	.	.	.	.	.	.	.	.	.	5.5	.	.
HAVEPLN4	.	.	.	.	.	.	.	.	.	.	.	5.9	.	.
HELPKID	.	.	.	.	139	139	.	.	.	.	.	.	.	.
HLTHPLA2	.	.	.	.	.	.	.	.	.	.	.	5.10	.	.
LTCHAVE	.	.	.	.	.	.	.	.	.	.	.	5.11	.	.
MISSWORK	.	.	.	.	.	.	.	.	.	.	.	5.15	.	.
<b><u>Child Care</u></b>														
CHILDINT	.	.	.	.	.	.	.	.	.	44	37	11.1	12.1	.
CARERCVD	.	.	.	.	.	.	.	.	.	45	38	11.2	12.2	.
CAREPBLM	.	.	.	.	.	.	.	.	.	46	39	11.3	12.3	.
CAREWHAT	.	.	.	.	.	.	.	.	.	47	40	11.4	12.4	.
<b><u>Colorectal Cancer Screening</u></b>														
COLOEVER	.	.	.	128	126	127	.	.	.	.	.	.	.	.
COLOIMP	.	.	.	127	.	.	.	.	.	.	.	.	.	.
COLOTLK	.	.	.	.	125	126	.	.	.	.	.	.	.	.
SIGEVER	.	.	.	130	128	129	.	.	.	.	.	.	.	.
WHENCARD	.	.	.	129	127	128	.	.	.	.	.	.	.	.
WHENSIG	.	.	.	131	129	130	.	.	.	.	.	.	.	.
WHYNOSIG	.	.	.	132	130	131	.	.	.	.	.	.	.	.
WHYSIG	.	.	.	.	131	132	.	.	.	.	.	.	.	.
<b><u>Demographics</u></b>														
AGE	29	47	47	29	36	.	.	.	.	.	.	.	.	.
AGEB	.	.	.	.	.	31	37	32	23	31	22	8.1	.	.
AGEBCWHS	.	.	.	.	.	.	.	.	.	.	.	.	9.1	.
BIRTHPLC	79	91	90	61	58	57	68	53	51	55	48	14.6.1	14.6.	.
BIRTHTXT	.	.	.	.	.	.	.	53.5	51.5	55.5	48.5	14.6.2	14.6.	.
CHILD18	81	94	93	64	61	60	71	56	54	41	34	10.1	11.1	.
CHILD1-CHILD9	82	.	94	65	62	61	72	57	55	42	35	10.2	11.2	.
CHILDLT1	.	.	94.5	65.5	62.5	61.5	.	.	.	.	.	.	.	.
COUNTY1	92	104	103	74	72	71	82	66	64	157	154	17.4	17.4	.
DEMOC1R-DEMOC9R	.	.	.	.	.	.	.	.	56	43	36	10.3	11.3	.
EDUCA	84	96	95	66	63	62	73	58	.	.	.	.	.	.
EDUCA2	.	.	.	.	.	.	.	.	57	86	76	17.1	17.1	.
EMPLOY3	85	97	96	67	64	63	74	59	58	87	77	17.2	17.2	.
HEIGHT	90	102	101	72	69	68	79	64	62	90	83	20.1	20.1	.
HHSIZE	86	98	97	68	65	64	75	60	59	59	50	14.8	14.8	.
HISP3	.	.	.	.	.	53	64	49	47	51	44	14.2	14.2	.
HISPANIC	76	88	87	58	54	.	.	.	.	.	.	.	.	.
INCOM01	.	.	.	.	66	65	.	.	.	.	.	.	.	.
INCOM02	.	.	.	.	.	.	76	61	60	60	51	14.9	14.9	.
INCOM94B	89	101	100	71	68	67	78	63	.	.	.	.	.	.
INCOM95	87	99	98	69	.	.	.	.	.	.	.	.	.	.
MARITAL	80	93	92	63	60	59	70	55	53	80	70	15.16	15.16	.





<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
DVMED8	.	221	195	.	.	.	.	.	.	.	.	.	.	.
DVMED9	.	225	196	184	.	.	.	.	.	.	.	.	.	.
DVPRTNR1	.	.	.	.	.	.	.	.	.	.	.	30.15	.	.
DVPRTNR2	.	.	.	.	.	.	.	.	.	.	.	30.17	.	.
DVPRTNR3	.	.	.	.	.	.	.	.	.	.	.	30.18	.	.
DVPUSHDG	.	.	.	182	182	.	.	.	.	.	.	.	.	.
DVPUSHE2	.	208	192	182	182	.	.	.	.	.	.	.	.	.
DVRELATN	.	.	.	.	.	.	.	.	.	.	.	30.13	33.12	.
DVSERVIC	.	.	.	.	.	.	.	.	.	170	.	.	.	.
DVSERVIC2	.	.	.	.	.	.	.	.	.	.	167	.	.	.
DVSERVI1_A-I	.	.	.	.	.	.	.	.	.	.	.	30.14	33.10	.
DVSERVI2_A-I	.	.	.	.	.	.	.	.	.	.	.	30.16	.	.
DVSKHLP	.	.	.	.	.	.	182	182	.	.	.	.	.	.
DVSLAP	.	211	193	.	.	.	.	.	.	.	.	.	.	.
DVSLAP2	.	212	193	.	.	.	.	.	.	.	.	.	.	.
DVTHRDG	.	.	.	181	181	.	.	.	.	.	.	.	.	.
DVTHRTH2	.	200	190	.	.	.	.	.	.	.	.	.	.	.
DVTHRTHG	.	199	190	.	.	.	.	.	.	.	.	.	.	.
DVTHRTN	.	195	189	.	.	.	.	.	.	.	.	.	.	.
DVTHRTN2	.	196	189	.	.	.	.	.	.	.	.	.	.	.
DVTHRWP2	.	232	198	186	186	.	.	.	.	.	.	.	.	.
DVTHRWPN	.	231	198	.	.	.	.	.	.	.	.	.	.	.
DVTHRYO2	.	204	191	181	181	.	.	.	.	.	.	.	.	.
DVTHRYOU	.	203	191	.	.	.	.	.	.	.	.	.	.	.
DVUSEDG	.	.	.	187	187	.	.	.	.	.	.	.	.	.
DVUSEWP2	.	236	.	.	.	.	.	.	.	.	.	.	.	.
DVUSEWPN	.	235	199	.	.	.	.	.	.	.	.	.	.	.
DVWHR1	.	194	188	.	.	.	.	.	.	.	.	.	.	.
DVWHR10	.	230	197	.	.	.	.	.	.	.	.	.	.	.
DVWHR11	.	234	198	.	.	.	.	.	.	.	.	.	.	.
DVWHR12	.	238	.	.	.	.	.	.	.	.	.	.	.	.
DVWHR13	.	.	200	.	.	.	.	.	.	.	.	.	.	.
DVWHR2	.	198	189	.	.	.	.	.	.	.	.	.	.	.
DVWHR3	.	202	190	.	.	.	.	.	.	.	.	.	.	.
DVWHR4	.	206	191	.	.	.	.	.	.	.	.	.	.	.
DVWHR5	.	210	192	.	.	.	.	.	.	.	.	.	.	.
DVWHR6	.	214	193	.	.	.	.	.	.	.	.	.	.	.
DVWHR7	.	218	194	.	.	.	.	.	.	.	.	.	.	.
DVWHR8	.	222	195	.	.	.	.	.	.	.	.	.	.	.
DVWHR9	.	226	196	.	.	.	.	.	.	.	.	.	.	.
DVWPNDG	.	.	.	186	186	.	.	.	.	.	.	.	.	.
DVWPNON2	.	.	200	187	187	.	.	.	.	.	.	.	.	.
DVWPNONU	.	.	200	.	.	.	.	.	.	.	.	.	.	.
DVYRBEAT	.	.	.	184	184	.	177	178	183	164	162	30.7	33.7	.
DVYRFLOW	.	.	.	.	188	.	181	181	186	167	158	30.3	33.3	.
DVYRHIT	.	.	.	183	183	.	176	177	182	163	161	30.6	33.6	.
DVYRPUSH	.	.	.	182	182	.	175	176	181	162	160	30.5	33.5	.



<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
DVWHR2_A - DVWHR2_K	.	.	.	188	.	.	.	.	.	.	.	.	.	.
DVWHR3_A - DVWHR3_K	.	.	.	189	.	.	.	.	.	.	.	.	.	.
DVWHR4_A - DVWHR4_K	.	.	.	190	.	.	.	.	.	.	.	.	.	.
DVWHR5_A - DVWHR5_K	.	.	.	191	.	.	.	.	.	.	.	.	.	.
DVWHR6_A - DVWHR6_K	.	.	.	192	.	.	.	.	.	.	.	.	.	.
DVWHR7_A - DVWHR7_K	.	.	.	193	.	.	.	.	.	.	.	.	.	.
DVYRCMB	.	.	.	194	.	180	.	.	.	.	.	.	.	.
<b><u>Drug Use/Criminal Behavior</u></b>														
CRIMJAIL	.	.	.	.	.	.	.	.	85	.	.	.	.	.
ILLDRUGS	176	.	.	.	.	.	.	.	.	.	.	.	.	.
WHENDRUG	177	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Exercise/Physical Activity</u></b>														
BARRPA	.	.	.	.	.	.	112	93	.	.	.	.	.	.
BARRPA2	.	.	.	.	.	.	.	.	90	94	89	.	.	.
BLKACT	.	32	31	.	.	.	.	.	.	.	.	.	.	.
CRIME	.	.	.	.	.	.	.	100	98	.	.	.	.	.
EXBMODAB	.	.	.	.	.	100	110	91	88	.	87	21.5	22.5	.
EXBMODAK	.	.	.	.	.	.	.	.	.	.	.	21.4	22.4	.
EXBMODAL	.	.	.	.	.	.	.	.	.	.	.	21.3	22.3	.
EXBMODAY	.	.	.	.	99	.	.	.	.	.	.	.	.	.
EXBMODMB	.	.	.	.	.	101	111	92	89	.	88	21.7	22.6	.
EXERMOD	.	.	.	.	97	98	.	.	.	.	.	.	.	.
EXERMOD2	.	.	.	.	.	.	108	89	86	92	85	21.1	22.1	.
EXEROFT2	.	.	.	.	.	.	109	90	87	93	86	21.2	22.2	.
EXEROFTM	.	.	.	.	98	99	.	.	.	.	.	.	.	.
EXERWORK	.	.	.	.	96	97	107	88	.	.	.	.	.	.
EXMODMI	.	.	.	.	100	.	.	.	.	.	.	.	.	.
PLEASANT	.	.	.	.	.	.	.	102	100	.	.	.	.	.
STAIRAC2	.	31	.	.	.	.	.	.	.	.	.	.	.	.
TIMESIT	.	33	.	.	.	.	.	.	.	.	.	.	.	.
TIMESIT2	.	.	.	.	101	.	.	.	.	.	.	.	.	.
TRAFFIC	.	.	.	.	.	.	.	101	99	.	.	.	.	.
WATCHTV	.	.	.	.	.	.	.	99	97	101	93	.	.	.
WATCHTV3	.	.	.	.	.	.	.	.	.	.	.	20.8	22.8	.
WATCHTV4	.	.	.	.	.	.	.	.	.	.	.	20.9	22.9	.
WORKPHYS	.	.	.	.	.	102	113	94	91	95	.	.	.	.
WORKPHY2	.	.	.	.	.	.	.	.	.	.	.	.	22.7	.
<b><u>Fish Consumption</u></b>														
EATCATCH	.	.	.	.	.	.	.	.	39	.	.	.	.	.
EATCHKID	.	.	.	.	.	.	.	.	41	.	.	.	.	.



**Variable Name**                    **1997** **1998** **1999** **2000** **2001** **2002** **2003** **2004** **2005** **2006** **2007** **2008** **2009** **2010**

FOLIC\_A-O

***Food Adequacy***

AFRDMEAL	.	108	107	79	77	80	87	71	69	64	55	15.2	15.2	.
CUTMEAL	.	.	108	80	78	81	88	72	70	65	56	15.3	15.3	.
CUTOFTN	.	.	109	81	79	82	89	73	71	66	57	15.4	15.4	.
EATLESSB	96	.	.	.	.	.	.	.	.	.	.	.	.	.
EATLESSC	.	109	110	82	80	83	90	74	72	67	58	15.5	15.5	.
EVRHNGRY	.	110	111	83	81	84	91	75	73	68	59	15.6	15.6	.
FDSTMAPP	.	.	.	93	83	86	93	77	75	71	62	15.9	15.9	.
FDSTMDEN	.	.	.	94	84	87	94	78	76	72	63	15.10	15.10	.
FOODBANK	.	.	.	89	85	88	95	79	77	73	64	15.11	15.11	.
FOODKIT	.	.	.	90	86	89	.	.	.	.	.	.	.	.
FOODSHOP	.	.	.	.	.	.	.	.	.	78	69	.	.	.
FOODSEN	.	.	.	92	87	90	.	.	.	.	.	.	.	.
FOODSTLS	.	.	.	.	89	93	99	83	81	77	68	15.15	15.15	.
FOODSTOR	97	.	.	.	.	.	.	.	.	.	.	.	.	.
FOODSTP	.	.	.	.	88	91	96	.	.	74	.	.	.	.
FOODSTP2	.	.	.	.	.	.	.	80	78	.	65	.	.	.
FOODSTP3	.	.	.	.	.	.	.	.	.	.	.	15.12	15.12	.
FOODWIC	.	.	.	91	35	30	.	81	.	.	.	.	.	.
FOODWIC2	.	.	.	.	.	.	97	.	79	75	66	15.13	15.13	.
FVCANNED	.	.	.	.	.	.	.	.	.	78	.	.	.	.
INCOMADQ	95	.	.	77	75	78	85	69	67	62	53	14.11	14.11	.
NOFDHLTH	.	.	.	88	92	.	.	.	.	.	.	.	.	.
NOFDOUT	.	.	.	87	.	.	.	.	.	.	.	.	.	.
NOFDOUT2	.	.	.	.	91	.	.	.	.	.	.	.	.	.
NOFDSTOR	.	.	.	86	90	.	.	.	.	.	.	.	.	.
NOTEAT	.	.	.	84	82	85	92	76	74	69	60	15.7	15.7	.
NOTMED	.	.	.	85	.	.	.	.	.	.	.	.	.	.
OUTOFFD	.	107	106	78	76	79	86	70	68	63	54	15.1	15.1	.
SCHLMEAL	.	.	.	.	.	.	.	.	.	81	71	15.17	15.17	.
WHYNOFS	.	.	.	.	.	92	98	82	80	76	67	15.14	15.14	.

***Food Safety***

EATBURGR	.	.	112	.	.	.	.	.	.	.	.	.	.	.
EATEGG	.	.	113	.	.	.	.	.	.	.	.	.	.	.
EATRAW2	.	.	114	.	.	.	.	.	.	.	.	.	.	.
EATSPROT	.	.	115	.	.	.	.	.	.	.	.	.	.	.
FSEGG	.	.	118	.	.	.	.	.	.	.	.	.	.	.
FSHAMB	.	.	117	.	.	.	.	.	.	.	.	.	.	.
FSOYSTER	.	.	116	.	.	.	.	.	.	.	.	.	.	.
FSSPROUT	.	.	119	.	.	.	.	.	.	.	.	.	.	.

***Health Access***

EMPLAN	2	6	6	6	6	6	6	6	6	6	6	2.2	2.2	.
GAPPLN	9	14	15	15	15	15	.	.	.	.	.	.	.	.
GAPPLNT	10	15	16	16	16	16	.	.	.	.	.	.	.	.
GAPPLNT2	.	.	.	.	.	.	15	15	14	14	14	2.10	2.10	.
HAVEPLN3	1	5	5	5	5	5	5	5	5	5	5	2.1	2.1	.

<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
HLTHLIST	12	17	18	18	18	18	17	17	.	.	.	.	.	.
HLTHPLAN	2	6	6	6	6	6	.	.	.	.	.	.	.	.
HLTHTXT	.	.	.	18a	18a	18a	.	.	.	.	.	.	.	.
HMOPPO2	11	16	17	17	17	17	16	16	.	.	.	.	.	.
INDIANHS	.	.	12	12	12	.	12	12	12	12	12	2.8	2.8	.
INDOTHER	.	12	.	.	.	.	.	.	.	.	.	.	.	.
MAINPLAN	8	.	.	.	14	14	14	14	.	.	.	.	.	.
MAINPLN2	.	13	14	14	.	.	.	.	.	.	.	.	.	.
MEDI_FU2	.	.	.	.	.	205	201	202	221	178	171	31.4	31.4	.
MEDI_FUP	.	.	207	201	204	.	.	.	.	.	.	.	.	.
MEDICAL	6	10	10	10	10	.	10	10	10	10	10	2.5	.	.
MEDICARE	5	9	9	9	9	.	9	9	9	9	9	2.6	2.5	.
MEDICAID	.	.	.	.	.	.	.	.	.	.	.	.	2.6	.
MILINDOT	7	.	.	.	.	.	.	.	.	.	.	.	.	.
MILPLAN	.	11	11	11	11	.	11	11	11	11	11	2.7	2.7	.
OEMPLAN	3	7	7	7	7	.	7	7	7	7	7	2.3	2.3	.
OTHRSRCE	.	.	13	13	13	.	13	13	13	13	13	2.9	2.9	.
OWNPLAN	4	8	8	8	8	.	8	8	8	8	8	2.4	2.4	.
PASTPLAN	13	19	20	20	20	20	18	18	15	15	15	2.11	2.11	.
TIMEPLAN	.	18	19	19	19	19	.	.	.	.	.	.	.	.
<b><u>Decisions</u></b>														
CHECKUP2	17	23	21	21	21	21	19	19	.	.	.	.	.	.
CHECKUP3	.	.	.	.	.	.	.	.	.	19	16	2.12	2.12	.
CHKUP_A	.	.	.	.	.	.	.	.	.	20	.	.	.	.
CHKUP_B	.	.	.	.	.	.	.	.	.	21	.	.	.	.
CHKUP_C	.	.	.	.	.	.	.	.	.	22	.	.	.	.
CHKUP_D	.	.	.	.	.	.	.	.	.	23	.	.	.	.
CHKUP_E	.	.	.	.	.	.	.	.	.	24	.	.	.	.
CHKUP_F	.	.	.	.	.	.	.	.	.	25	.	.	.	.
CHKUP_G	.	.	.	.	.	.	.	.	.	26	.	.	.	.
CHKUP_H	.	.	.	.	.	.	.	.	.	27	.	.	.	.
CHKUP_I	.	.	.	.	.	.	.	.	.	28	.	.	.	.
CNCBELIF	.	.	.	.	.	27	.	.	.	.	.	.	.	.
GENHLTH	.	1	1	1	1	1	1	1	1	1	1	1.1	1.1	.
NEEDDOC2	14	20	.	.	.	.	.	.	.	.	.	.	.	.
OVARRISK	.	.	.	.	.	124	.	.	.	.	.	.	.	.
PHYSHLTH	.	2	2	2	2	2	2	2	2	2	2	1.2	1.2	.
SEEDOC	15	21	.	.	.	.	.	.	.	.	.	.	.	.
SEHEALTH	.	.	22	.	.	.	.	.	.	.	.	.	.	.
WHERCARE	.	.	.	.	22	22	27	27	20	.	.	.	.	.
WHYNODOC	16	22	.	.	.	.	.	.	.	.	.	.	.	.
WWWHELTH	.	.	.	.	.	76	.	.	.	.	.	.	.	.
WWWINFO	.	.	.	.	.	77	.	.	.	.	.	.	.	.
WWWUSE	.	.	.	.	.	74	.	.	.	.	.	.	.	.
WWWHER	.	.	.	.	.	75	.	.	.	.	.	.	.	.
<b><u>Herbs</u></b>														
DCTRHERB	.	.	.	.	.	.	.	.	34	.	.	.	.	.
HERBSORC	.	.	.	.	.	.	56	.	.	.	.	.	.	.



<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
EVEREST2	.	.	.	.	137	.	.	.	.	.	.	.	.	.
HRTBELIF	132	.	.	.	.	.	.	.	.	.	.	.	.	.
HRTCURR	.	.	.	.	.	.	.	.	.	.	107	.	.	.
MEDWHEN	130	.	.	.	.	.	.	.	.	.	.	.	.	.
MENOPAUS	128	.	.	.	.	.	.	.	.	.	.	.	.	.
MENOPAU2	.	.	.	.	.	.	.	.	.	.	105	.	23.12	.
MENOWHEN	129	.	.	.	.	.	.	.	.	.	106	.	23.13	.
MENSES	127	.	.	.	.	.	.	.	.	.	.	.	.	.
MENSES2	.	.	.	.	.	.	.	.	.	.	104	23.1	.	.
MENSPRMT	.	.	.	.	.	.	.	.	.	.	105	104.5	.	.
<b><i>Mental Health Issues</i></b>														
DAYSANX	.	146	143	143	.	142	135	136	145	.	.	.	.	.
DAYSLEEP	145	.	.	.	.	.	.	.	.	.	.	.	.	.
DAYSSAD	.	147	144	144	.	143	136	137	146	.	.	.	.	.
HAPP1	.	.	.	.	.	.	.	.	.	174	.	.	.	.
HAPP2	.	.	.	.	.	.	.	.	.	175	.	.	.	.
HAPP3	.	.	.	.	.	.	.	.	.	176	.	.	.	.
HAPP4	.	.	.	.	.	.	.	.	.	177	.	.	.	.
HELPGOOD	.	.	.	138	.	.	.	.	.	.	.	.	.	.
MENTBELF	.	.	.	.	140	.	.	.	.	.	.	.	.	.
MENTHELP	.	.	.	.	142	.	.	.	.	.	.	.	.	.
MENTHLTH	.	3	3	3	3	3	3	3	3	3	3	1.3	1.3	.
MENTMED	.	.	.	.	141	.	.	.	.	.	.	.	.	.
MHDX	156	.	.	.	.	.	.	.	.	.	.	.	.	.
MHDX2	.	.	151	.	.	.	.	.	154	.	.	.	.	.
MHELPEVR	.	.	.	147	.	.	.	.	.	.	.	.	.	.
MHEVER	.	152	.	.	.	.	.	.	.	.	.	.	.	.
MHHELP	147	.	.	.	.	.	.	.	.	.	.	.	.	.
MHHELP2	.	152	146	145	.	144	137	.	147	124	111	24.2	24.2	.
MHHELP3	.	.	.	.	143	.	.	.	.	.	.	.	.	.
MHHLAWN2	.	.	147	.	145	145	138	139	.	.	112	.	.	.
MHHLAWN3	.	.	.	146	.	.	.	.	.	.	.	.	.	.
MHHLAWN4	.	.	.	.	.	.	.	.	.	125	.	24.3	.	.
MHHLAWHS	.	.	.	.	.	.	.	.	.	.	.	.	24.3	.
MHHLAWN1	148	153	.	.	.	.	.	.	148	.	.	.	.	.
MHLMTDY	.	151	.	.	.	.	.	.	.	.	.	.	.	.
MHLMTWK	.	150	.	.	.	.	.	.	.	.	.	.	.	.
MHLONG	151	.	.	.	.	.	.	.	.	.	.	.	.	.
MHMED	158	.	.	.	.	.	.	.	157	.	.	.	.	.
MHMED2	.	158	154	.	.	.	.	.	.	.	.	.	.	.
MHNOTGE2	.	154	149	.	.	.	.	.	149	.	.	.	.	.
MHNOTGET	149	.	.	.	.	.	.	.	.	.	.	.	.	.
MHNOW	150	.	.	.	.	.	.	.	150	.	.	.	.	.
MHNTCTRL	.	.	140	141	146	140	.	.	.	.	.	.	.	.
MHOVRWL2	.	.	.	142	.	.	.	.	.	.	.	.	.	.
MHOVRWLM	146	145	141	.	.	141	134	135	144	123	110	24.1	24.1	.
MHPAYDIF	.	.	.	140	.	.	.	.	.	.	.	.	.	.
MHPAYDOC	157	157	152	.	.	.	.	.	155	.	.	.	.	.
MHPAYRX	159	.	.	.	.	.	.	.	158	.	.	.	.	.



<b><u>Variable Name</u></b>	<b><u>1997</u></b>	<b><u>1998</u></b>	<b><u>1999</u></b>	<b><u>2000</u></b>	<b><u>2001</u></b>	<b><u>2002</u></b>	<b><u>2003</u></b>	<b><u>2004</u></b>	<b><u>2005</u></b>	<b><u>2006</u></b>	<b><u>2007</u></b>	<b><u>2008</u></b>	<b><u>2009</u></b>	<b><u>2010</u></b>
OETEOFOD	.	.	.	.	.	.	.	.	.	108	.	.	.	.
OSTEOHAD	.	.	.	.	.	.	.	.	.	104	.	.	.	.
OSTEOHRD	.	.	.	133	132	.	.	.	.	.	.	.	.	.
OSTEOIMP	.	.	.	135	134	.	.	.	.	.	.	.	.	.
OSTEOPA	.	.	.	.	.	.	.	.	.	107	.	.	.	.
OSTEOPHY	.	.	.	.	.	138	.	.	.	.	.	.	.	.
OSTEOPRV	.	.	.	.	.	.	.	120	.	102	.	.	.	.
OSTEORSK	.	.	.	.	.	.	.	118	.	.	.	.	.	.
OSTEORX	.	.	.	.	.	.	.	.	.	105	.	.	.	.
OSTEOTL2	.	.	.	.	.	135	.	.	.	.	.	.	.	.
OSTEOTL3	.	.	.	.	.	.	.	107	.	.	.	.	.	.
OSTEOTLC	.	.	.	.	.	.	.	112	.	.	.	.	.	.
OSTEOTLB	.	.	.	.	.	134	.	.	.	.	.	.	.	.
OSTEOTLD	.	.	.	137	136	.	.	113	.	.	.	.	.	.
OSTEOTLK	.	.	.	136	135	.	.	.	.	.	.	.	.	.
WHATBONE	.	.	.	.	.	137	.	115	.	110	.	.	.	.
<b><u>Post Traumatic Stress Disorder</u></b>														
PTSD1	.	.	.	196	199	200	196	197	206	.	.	.	.	.
PTSD2	.	.	.	197	200	201	197	198	207	.	.	.	.	.
PTSD3	.	.	.	198	201	202	198	199	208	.	.	.	.	.
PTSD4	.	.	.	199	202	203	199	200	209	.	.	.	.	.
PTSD5	.	.	.	200	203	204	200	201	210	.	.	.	.	.
TSSBTAD	.	.	.	.	192	193	188	189	197	.	.	.	.	.
TSSBTCH	.	.	.	.	196	197	193	194	203	.	.	.	.	.
TSSDIAD	.	.	.	.	194	195	190	191	198	.	.	.	.	.
TSSDICH	.	.	.	.	198	199	195	196	205	.	.	.	.	.
TSSINSCH	.	.	.	.	.	.	191	192	201	.	.	.	.	.
TSSSXAD	.	.	.	.	193	194	189	190	199	171	168	31.1	.	.
TSSSXCH	.	.	.	.	197	198	194	195	204	173	170	31.3	.	.
TSSSXYR	.	.	.	.	.	.	.	.	200	172	169	31.2	.	.
TSSSRELA	.	.	.	.	.	.	.	.	.	.	.	.	34.2	.
TSSSXYR2	.	.	.	.	.	.	.	.	.	.	.	.	34.1	.
TSSTKAD	.	.	.	.	191	192	187	188	196	.	.	.	.	.
TSSTKCH	.	.	.	.	195	196	192	193	202	.	.	.	.	.
<b><u>Prenatal Care</u></b>														
BRTHWGHT	.	.	54	37	42	37	44	39	30	.	.	.	.	.
DATEBRTH	.	.	.	.	.	.	.	38	29	.	.	.	.	.
LIVEBRT2	.	.	.	.	.	.	.	36	27	35	30	9.5	10.4	.
LOBRTHWT	.	.	.	.	.	.	42	37	28	.	.	.	.	.
PREGHLTH	.	.	.	39	.	.	.	.	.	.	.	.	.	.
PREG5YR	.	.	.	.	.	.	.	35	26	34	29	9.3	10.3	.
PREGNANT	.	.	.	.	.	.	.	33	24	32	27	9.1	10.1	.
PRENATA2	.	.	53	36	.	.	.	.	.	.	.	.	.	.
PRENATAL	51	.	.	.	.	.	.	.	.	.	.	.	.	.
PREVBRTH	.	.	.	35	.	.	.	.	.	.	.	.	.	.
RUBELLA	.	.	73	46	.	.	.	.	.	.	.	.	.	.
SFCHEESE	.	.	.	95	.	.	.	.	.	.	.	.	.	.
SFMEAT	.	.	.	96	.	.	.	.	.	.	.	.	.	.
TLDSTRPB	.	.	.	104	.	.	.	.	.	.	.	.	.	.
TRYPREG	.	.	.	.	.	.	.	34	25	33	28	9.2	10.2	.

<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
WTGAIN	53	73	71	44	.	.	.	.	.	.	.	.	.	.
WTGAINRT	54	74	72	45	.	.	.	.	.	.	.	.	.	.
WTPREPG	52	72	70	43	.	.	.	.	.	.	.	.	.	.
<b><u>Prescription Drug Use</u></b>														
RXDRUGS	.	.	.	.	.	.	.	.	.	.	.	26.1	26.1	.
RXMISUSE	.	.	.	.	.	.	.	.	.	.	.	26.2	26.2	.
<b><u>Religion</u></b>														
RELIGION	.	.	.	.	.	.	.	.	.	.	78	.	.	.
<b><u>Sexual Behavior</u></b>														
FRSTCOND	.	179	179	170	.	169	.	165	.	.	148	.	.	.
MAINCOND	196	.	.	.	.	.	.	.	.	.	.	.	.	.
MAINPART	195	.	.	.	.	.	.	.	.	.	.	.	.	.
OTHRPAR2	.	178	178	.	.	.	.	.	.	.	.	.	.	.
OTHRPAR3	.	.	.	169	.	168	.	164	.	.	147	.	30.2	.
OTHRPART	197	.	.	.	.	.	.	.	.	.	.	.	.	.
REUNPLN	.	.	.	.	.	.	.	.	.	141	127	.	.	.
SEXBEH1	198	.	.	.	.	.	.	.	.	.	.	.	.	.
SEXBHAGE	181	166	164	155	154	154	146	.	.	.	.	.	.	.
SEXBHAG2	.	.	.	.	.	.	.	147	166	138	125	.	29.4	.
SEXBHNU2	.	.	.	.	.	170	.	.	.	.	.	.	.	.
SEXBHNU3	.	.	.	.	.	.	.	.	175	.	.	.	.	.
SEXBHNUM	182	177	.	.	.	.	.	163	.	139	146	28.3	29.3	.
SXORIENT	.	.	.	.	.	.	.	160	.	.	.	.	.	.
SXORIEN2	.	.	.	.	.	.	.	.	169	150	139	28.2	29.2	.
SEXWOTHR	.	.	.	.	.	171	.	.	.	.	.	.	.	.
SEXWOTH2	.	.	.	.	.	.	.	167	.	.	.	.	.	.
SEXWOTH3	.	.	.	.	.	.	.	.	.	.	149	.	.	.
SEXWOTRE	.	.	.	.	.	.	.	.	.	.	.	.	30.4	.
UNPLANSX	.	.	.	.	.	.	.	.	.	140	126	.	.	.
WHOSEX	.	239	.	.	.	.	.	.	.	.	.	.	.	.
WHOSX12M	.	.	177	168	167	167	159	159	168	149	138	28.1	29.1	.
WHOSXEVR	.	.	176	167	166	166	158	158	.	.	.	.	.	.
<b><u>Sexually Transmitted Disease</u></b>														
ASKFRTST	.	182	182	175	.	.	.	.	.	.	.	.	.	.
CHLMST4	.	.	.	.	.	.	.	.	.	.	.	.	30.7	.
CHLYDHIV	.	.	.	.	.	.	.	.	.	.	142	.	.	.
CHLYDHRD	.	.	.	.	.	.	.	.	.	.	141	.	.	.
CHLYDTS2	.	.	.	.	.	.	161	.	173	.	.	.	.	.
CHLYDTS3	.	.	.	.	.	.	.	162	.	.	.	.	.	.
CHLYDTS4	.	.	.	.	.	.	.	.	.	.	143	.	.	.
CHLYDTST	.	181	180	173	171	173	.	.	.	.	.	.	.	.
CHLYDXTT	.	.	.	174a	.	.	.	.	.	.	.	.	.	.
CHLYDWH2	.	.	.	.	.	.	162	.	174	.	.	.	.	.
CHLYDWHR	.	.	181	174	.	174	.	.	.	.	.	.	.	.
DOUCHEVR	.	.	.	176	174	.	.	.	.	.	.	.	.	.
DOUCHOFN	.	.	.	177	175	.	.	.	.	.	.	.	.	.
HPVCERV	.	.	.	.	.	.	.	.	.	.	151	.	.	.
HPVCRVCA	.	.	.	.	.	.	.	.	.	.	145	.	.	.
HPVSTD	.	.	.	.	.	.	.	.	.	.	144	.	.	.
INFERTIL	189	188	.	.	177	.	165	.	.	.	.	.	.	.



<b>Variable Name</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
HLPRIDE	140	141	.	.	.	.	.	.	.	.	.	.	.	.
HLPSICK	139	140	.	.	.	.	.	.	.	.	.	.	.	.
<b><i>Problems</i></b>														
BLADINF	134	.	.	.	.	.	.	.	.	.	.	.	.	.
BLADINF2	.	.	.	105	.	.	.	.	.	.	.	.	.	.
CYSTITIS	136	.	.	.	.	.	.	.	.	.	.	.	.	.
DAYURIN	.	137	.	.	.	.	.	.	.	.	.	.	.	.
SYMPLAST	.	.	.	105a	.	.	.	.	.	.	.	.	.	.
TOLDINF	135	.	.	.	.	.	.	.	.	.	.	.	.	.
UIPROB	133	136	.	.	.	.	.	.	.	.	.	.	.	.
<b><i>Vitamins and Minerals</i></b>														
IRON	57	78	.	.	.	.	.	.	.	.	.	.	.	.
IRONLOCK	58	.	.	.	.	.	.	.	.	.	.	.	.	.
OFTCERL	.	.	.	.	.	.	48	.	.	.	.	.	.	.
STOPSUPP	.	.	85	54	.	.	.	.	.	.	.	.	.	.
SUPSLEEP	.	.	145	.	.	.	.	.	.	.	.	.	.	.
TAKESUPP	.	.	.	53	.	.	.	.	.	.	.	.	.	.
VITAIU	.	.	.	50	.	.	.	.	.	.	.	.	.	.
VITAMA	.	.	76	.	.	.	.	.	.	.	.	.	.	.
VITAMBF	55	75	.	.	.	.	.	.	.	.	.	.	.	.
VITAMCT	56	.	.	.	.	.	.	.	.	.	.	.	.	.
VITAMCT2	.	76	.	.	.	.	.	.	.	.	.	.	.	.
VITAMCT3	.	.	74	.	.	.	.	.	.	.	.	.	.	.
VITANX	.	.	78	.	.	.	.	.	.	.	.	.	.	.
VITAT_B	.	.	75	.	.	.	.	.	.	.	.	.	.	.
VITATAK2	.	.	77	.	.	.	.	.	.	.	.	.	.	.
VITATAKE	.	77	.	.	.	.	.	.	.	.	.	.	.	.
VITTAKEC	.	.	.	.	.	.	.	.	.	.	.	.	4.3	.
VITBWHY	.	.	.	42	.	.	.	.	.	.	.	.	.	.
VITBWHYB	.	.	.	.	.	40	47	40	.	.	.	.	.	.
VITCVD	.	.	79	.	.	.	.	.	.	.	.	.	.	.
VITDAILY	.	.	.	.	.	43	51	42	32	49	42	13.2	4.4	.
VITGHLT	.	.	80	.	.	.	.	.	.	.	.	.	.	.
VITIMMU	.	.	81	.	.	.	.	.	.	.	.	.	.	.
VITMILK	.	.	.	.	.	.	49	.	.	.	.	.	.	.
VITMNAL	.	.	82	.	.	.	.	.	.	.	.	.	.	.
VITOTR	.	.	84	.	.	.	.	.	.	.	.	.	.	.
VITPREN	.	.	74a	.	.	.	.	.	.	.	.	.	.	.
VITPREN2	.	.	.	47	46	.	.	.	.	.	.	.	.	.
VITSEDOC	.	.	86	55	.	.	.	.	.	.	.	.	.	.
VITTAKEA	.	.	.	49	.	.	.	.	.	.	.	.	.	.
VITTAKEB	.	.	.	48	47	.	.	.	.	.	.	.	.	.
VITTAKEC	.	.	.	.	.	42	50	41	31	48	41	13.1	.	.
VITWTLS	.	.	83	.	.	.	.	.	.	.	.	.	.	.
VITTIMES	.	.	.	.	.	.	.	.	.	.	.	.	.	3.3
<b><i>Weight</i></b>														
WEIGHT	91	103	102	73	70	69	80	65	63	91	.	.	20.2	.
WTBARRI	.	.	.	.	.	.	117	.	95	99	91	.	.	.
WTFACIL	.	.	.	.	.	.	118	.	.	.	.	.	.	.
WTFACIL2	.	.	.	.	.	.	98	.	96	100	92	.	.	.

<b><u>Variable Name</u></b>	<b><u>1997</u></b>	<b><u>1998</u></b>	<b><u>1999</u></b>	<b><u>2000</u></b>	<b><u>2001</u></b>	<b><u>2002</u></b>	<b><u>2003</u></b>	<b><u>2004</u></b>	<b><u>2005</u></b>	<b><u>2006</u></b>	<b><u>2007</u></b>	<b><u>2008</u></b>	<b><u>2009</u></b>	<b><u>2010</u></b>
<b><u>WIC Outreach</u></b>														
INTEREST	27	.	.	.	.	.	.	.	.	.	.	.	.	.
WHATHEA2	.	.	38	.	.	.	.	.	.	.	.	.	.	.
WHATHEA3	.	.	.	.	.	.	36	.	.	.	.	.	.	.
WHATHEAR	22	.	.	.	.	.	.	.	.	.	.	.	.	.
WHERHEA2	.	.	.	.	34	.	.	.	.	.	.	.	.	.
WHERHEAR	23	.	39	.	.	.	.	.	.	.	.	.	.	.
WHYNOTIN	28	.	.	.	.	.	.	.	.	.	.	.	.	.
WIC2YR	.	38	41	.	.	.	.	.	.	.	.	.	.	.
WICAD	.	.	.	.	33	.	.	.	.	.	.	.	.	.
WICCURR	.	41	42	.	.	.	.	.	.	.	.	.	.	.
WICDISLK	26	40	.	.	.	.	.	.	.	.	.	.	.	.
WICDSLK2	.	.	45	.	.	.	.	.	.	.	.	.	.	.
WICEVER	24	.	.	.	.	.	.	.	.	.	.	.	.	.
WICQUAL	.	.	.	.	.	.	.	31	.	.	.	.	.	.
WICHEAR	21	.	37	.	.	.	35	30	.	.	.	.	.	.
WICHEAR2	.	.	.	.	32	.	.	.	.	.	.	.	.	.
WICLIKE	25	39	.	.	.	.	.	.	.	.	.	.	.	.
WICLIKE2	.	.	44	.	.	.	.	.	.	.	.	.	.	.
WICNOGO	.	46	.	.	.	.	.	.	.	.	.	.	.	.
WICNOTEN	.	42	43	.	.	.	.	.	.	.	.	.	.	.
WICREF	.	43	.	.	.	.	.	.	.	.	.	.	.	.
WICSVGO	.	45	.	.	.	.	.	.	.	.	.	.	.	.
WICWHEN	.	.	40	.	.	.	.	.	.	.	.	.	.	.
<b><u>Worksite</u></b>														
WORKNTR2	.	.	.	.	.	.	.	.	.	.	.	20.10	21.10	.
WORKPHY2	.	.	.	.	.	.	.	.	.	.	.	21.8	22.7	.
WRKNUSE	.	.	.	.	.	.	.	.	.	.	.	20.11	21.11	.
WRKPUSE	.	.	.	.	.	.	.	.	.	.	.	21.9	21.9	.

## **Part VI: Weights**

### **Why Weight**

Survey data require weighting for two essential reasons. The first reason is to correct for the difference between survey sample composition and population composition. For example, the in-line text table below shows the racial composition of the 2009 California Women's Health Survey (CWHHS) on the top and the California population according to the 2000 Census on the bottom:

5% Black, 30% Hispanic, 57% White, and 8% Other – CWHHS sample composition,  
7% Black, 32% Hispanic, 47% White, and 14% Other – U.S. Census California population composition. Weighting adjusts for the differences between the selected sample and the actual population; weighting results in more reliable data to reflect more closely the characteristics of the population.

Non-coverage and non-response cause composition discrepancies between survey sample and actual population. Non-coverage means that factors beyond the control of survey designers may exclude some segments of the population. The primary exclusionary factor in phone surveys is the lack of a residential landline. There are two types of non-response: item non-response which is when the respondent does not answer a particular question and unit non-response which is when a selected household does not complete the interview. Non-coverage and non-response are prevalent in all surveys. Survey researchers must employ weighting to adjust for the composition differences between the sample and the population.

The second reason for weighting survey data is to account for survey design. Survey design involves developing a sampling method to randomly select individuals from the population to participate in the survey. Simple random sampling, where respondents are selected completely at random from the total population, is not possible when there are no records with contact information for every individual in the population. Sampling techniques other than simple random sampling require weighting to correct for different selection probabilities. Most phone surveys employ similar sampling methods; they randomly select a household then randomly select a respondent from that household. The selection probability depends on both the number of households and the number of eligible respondents in that household. Unlike simple random sampling in which every individual has the same selection probability, most surveys must be weighted to account for different selection probabilities.

If a researcher fails to employ weights, then the study prevalences, or estimated percentages, could be substantially different from the actual percent in the population. In short, failure to use weights will very likely result in an inaccurate representation of the population, and invalidate the study. A common artifact of misapplication of survey data by failure to weight is that an unweighted result will appear to be significant because it has a smaller variance than the correctly weighted data would have had. This artifact makes relationships in the study appear to be more significant than they are, skewing the conclusions and invalidating the study.

## CWHS Weights

As discussed above, weighting is an adjustment to the data to correct for non-coverage, non-response, and survey design. To get meaningful analysis, researchers must apply weights when using survey data. Survey Research Group (SRG) calculates weights for each year's dataset. Every respondent in the dataset has an assigned weight; this weight must be applied whenever that respondent's information is used. The weights appear as variables in the SAS dataset. Survey data analysis requires statistical software that allows for correct application of weights. SRG uses SAS, but other software is available. The survey research methods section of the American Statistical Association offers a website elaborating on software packages with survey analysis capabilities at <http://www.hcp.med.harvard.edu/statistics/survey-soft/>.

SAS provides for several types of analysis using survey data including frequency tabulation through PROC SURVEYFREQ. The SAS code example below shows a cross tabulation of health care coverage by race. The third line correctly weights the CWHS data, applying the overall weight to correct for survey design, non-coverage, and non-response. The second line requests a cross-tabulation of health coverage by race, with a row option to include counts and percentages by race.

```
1 proc surveyfreq data=cwhs.cwhs_08p;
2   table _racegr*havepln3 / row;
3   weight _wt00r4;
4 run;
```

The age and race distribution of the CWHS sample does not completely match that of the California population. Before use in any analysis, researchers must weight CWHS data to obtain meaningful population estimates. The attached tables provide the names and relevant information on all weights included in the CWHS dataset and the population estimates that SRG used to construct these weights.

Each weight in the CWHS Final Weights Table, below, combines post-stratification weighting and probability of selection adjustments. The post-stratification weights used here (discussed in more detail below) are ratio-adjusted and correct the age and race distribution of the CWHS sample to match the demographics of the California population. The probability of selection adjustments used in creating the weights take into account the following factors: number of adults in the household (NUMWOMEN), the number of unique telephone numbers in the household (PHONE93), and for aggregated years, the number of interviews completed within a given year. All weights are constructed so that they sum to a standard population.

Post-stratification weighting is an adjustment to the data to account for the discrepancies in demographics between the sample and population. For CWHS data, the demographic variables categorize the sample and population into different groups defined by age and race. SRG assigns weights to each individual based on that individual's categorical group. The assigned weight is a ratio of the percent of the categorical group in the population to the percent of that group in the sample.

Statisticians implement post-stratification weighting after survey data collection is complete.

### **Single year weights**

SRG calculates three weights for each annual dataset using 2000 California Department of Finance population estimates. \_WT00, \_WT00B, and \_WT00R4 each utilize different categorical groups of demographics. \_WT90, \_WT90B, \_WT90R4 correspond to the first three 2000 weights to provide compatibility with older analyses, but do not apply to new analyses since they are adjusted to the 1990 California population. The CWHS Final Weights Table describes each weight.

Each of these weights adjusts a single year's sample to the age and race distribution of the 2000 California population, regardless of the year of data collection. These weights should be selected when the purpose of the analysis is to compare annual trends for two or more years. Using one of these weights will allow the researcher to control for changes in the age and race structure of the population over time. The choice of the weight depends upon the planned analysis. For example, if an analysis were planned to examine the prevalence of mammography screening in the population, \_WT00R4 would be an appropriate choice. However, if one wished to examine a variable which occurred infrequently in the population, for example, mental health condition diagnosis (MHDX), either \_WT00 OR \_WT00B would be a more appropriate choice.

These weights apply to analyses of the entire California female population, not smaller geographic areas, such as region or county. If data users wish to undertake regional analyses, it is necessary to develop regional weights based upon the population of the specific region. SRG recommends consulting with a statistician familiar with regional weighting procedures.

Finally, data users should be aware that the weights discussed here adjust only for differences in age and race between the CWHS sample and the California population. The weights do not adjust for any differences in education or income. Also, if the researcher wishes to compare differences among race/ethnicity groups, age should be included in the analysis, or the data should be age adjusted. If, after reviewing these weights, researchers find that none of the provided weights apply to the planned analysis, then consultation with a statistician familiar with weighting procedures is necessary. SRG adjusts the CWHS sample to the standard population of the 2000 California population. 2000 California data are on files at: [State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 2000-2050. Sacramento, CA, May 2004.](#)

## CWHS FINAL WEIGHTS

<u>Weight Variable</u>	<u>Age/Race Variables</u>	<u>Weight Characteristics</u>
_WT00	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 2000; 2 race groups—White, Non-White. 6 age groups.
_WT00B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 2000, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT00R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 2000, 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.
_WT90	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 1990; 2 race groups—White, Non-White. 6 age groups.
_WT90B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 1990, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT90R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 1990 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.

### Values for Age Variables

_AGEG	18-24	_AGEGC	18-44
	25-34		45+
	35-44		
	45-54		
	55-64		
	65+		

### Values for Race Variables

_RACEGR	White	_RACEG	White
	Black		Non-White
	Hispanic		
	Asian\Other		

**Table VIII. DOF 1990 CA Population Estimates Used to Create Weight \_WT90N by Two Race Groups, 10-Year Age Categories**

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	784,757	1,518,975	1,407,811	948,299	802,625	1,447,907	6,910,374
	Non-White	823,984	1,233,129	891,208	507,923	369,059	387,990	4,213,293
<b>Total</b>		<b>1,608,741</b>	<b>2,752,104</b>	<b>2,299,019</b>	<b>1,456,222</b>	<b>1,171,684</b>	<b>1,835,897</b>	<b>11,123,667</b>

**Table IX. DOF 1990 CA Population Estimates Used to Create Weight \_WT90BN by Four Race Groups, 2 Age Categories**

		Age Category		Total
Sex	Race/Ethnicity	18-44	45+	
Female	White	3,711,543	3,198,831	6,910,374
	Black	492,743	263,387	756,130
	Hispanic	1,736,995	627,494	2,364,489
	Other	718,583	374,091	1,092,674
<b>Total</b>		<b>6,659,864</b>	<b>4,463,803</b>	<b>11,123,667</b>

**Table X. DOF 1990 CA Population Estimates Used to Create Weight \_WT90CN by Four Race Groups, 10-Year Age Categories**

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	784,757	1,518,975	1,407,811	948,299	802,625	1,447,907	6,910,374
	Black	124,443	209,467	158,833	98,982	72,234	92,171	756,130
	Hispanic	530,761	733,653	472,581	261,099	183,863	182,532	2,364,489
	Other	168,780	290,009	259,794	147,842	112,962	113,287	1,092,674
<b>Total</b>		<b>1,608,741</b>	<b>2,752,104</b>	<b>2,299,019</b>	<b>1,456,222</b>	<b>1,171,684</b>	<b>1,835,897</b>	<b>11,123,667</b>

**Table XI. DOF 2000 CA Population Estimates Used to Create Weight \_WT00 by Two Race Groups, 10-Year Age Categories**

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	594,737	1,016,140	1,344,110	1,265,745	836,345	1,471,842	6,528,919
	Non-White	1,022,242	1,527,123	1,374,451	954,873	534,385	626,221	6,039,295
<b>Total</b>		1,616,979	2,543,263	2,718,561	2,220,618	1,370,730	2,098,063	12,568,214

**Table XII. DOF 2000 CA Population Estimates Used to Create Weight \_WT00B by Four Race Groups, 2 Age Categories**

		Age Category		Total
Sex	Race/Ethnicity	18-44	45+	
Female	White	2,954,987	3,573,932	6,528,919
	Black	465,957	339,260	805,217
	Hispanic	2,407,966	1,014,927	3,422,893
	Other	1,049,893	761,292	1,811,185
<b>Total</b>		6,878,803	5,689,411	12,568,214

**Table XIII. DOF 2000 CA Population Estimates Used to Create Weight \_WT00R4 by Four Race Groups, 10-Year Age Categories**

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	594,737	1,016,140	1,344,110	1,265,745	836,345	1,471,842	6,528,919
	Black	107,199	166,056	192,702	142,778	87,510	108,972	805,217
	Hispanic	665,600	964,324	778,042	478,130	256,932	279,865	3,422,893
	Other	249,443	396,743	403,707	333,965	189,943	237,384	1,811,185
<b>Total</b>		1,616,979	2,543,263	2,718,561	2,220,618	1,370,730	2,098,063	12,568,214

## Part VII: Calculated Variables

SRG combines the responses to some survey questions to improve ease of analysis and simplify categories. The names of calculated variables begin with an underscore to distinguish them from response variables. Some of the calculated variables are simple re-categorizations of a single variable, while others combine two or more categorical or continuous variables. The list below describes the details of the calculated variables. ALL means that all of the variables in the Variables Used list must fulfill the criterion, while ANY means that any one of the variables in the list may fulfill the criterion.

Variable	Variables Used	Coding/Formula
_AGEG	AGEB	1-18≤AGEB≤24 2-25≤AGEB≤34 3-35≤AGEB≤44 4-45≤AGEB≤54 5-55≤AGEB≤64 6-AGEB≥65
_AGEGB	AGEB	1-18≤AGEB≤29 2-30≤AGEB≤39 3-40≤AGEB≤49 4-50≤AGEB≤59 5-AGEB≥60
_AGEGC	AGEB	1-18≤AGEB≤44 2-AGEB≥45
_BFLONG	BFLONG	Convert BFLONG to days
_BMI	HTI, WEIGHT	$_{BMI} = 703 \cdot WEIGHT / HTI^2$
_BMIREV	_BMI	1- $_{BMI} < 18.5$ 2- $18.5 \leq _{BMI} < 25$ 3- $25 \leq _{BMI} < 30$ 4- $_{BMI} \geq 30$
_CARELNG	CAREL_A, CAREL_B, CAREL_C, CAREL_D	Sum of CAREL_A through CAREL_D (all converted to days)
_CBE1	HADCBE, WHYCBE	1-HADCBE = 2 AND WHYCBE = 1 2-HADCBE = 1 AND WHYCBE = 1 9-HADCBE = 7 OR 9 OR WHYCBE = 7 OR 9
_CBE2	WHENCBE, WHYCBE HADCBE	1-HADCBE = 2 AND WHYCBE = 1 2-WHENCBE = 1 AND WHYCBE = 1 3-WHENCBE = 2 AND WHYCBE = 1 4-WHENCBE = 3 OR 4 AND WHYCBE = 1 5-WHENCBE = 5 AND WHYCBE = 1 9-WHENCBE = 7 OR 9 OR WHYCBE = 7 OR 9
_CBE3	HADCBE	1-HADCBE = 2 2-HADCBE = 1 9-HADCBE = 7 OR 9

_CBE4	WHENCBE, HADCBE	1-HADCBE = 2 2-WHENCBE = 1 3-WHENCBE = 2 4-WHENCBE = 3 OR 4 5-WHENCBE = 5 9-WHENCBE = 7 OR 9
_DRKALC	DRKALC	Convert DRKALC to days
_DVANY	DVINSLT, DVTHRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVHITYOU, DVHITHG, DVBEATUP, DVCHOKE, DVTHRWPN, DVUSEWPN	1-ANY = 1 2-ANY = 3 OR ALL = 2 4-ANY = 4 7-ALL = 7 8-ANY = 8 AND ALL ≠ 1 9-ALL = 9
_DVERBAL	DVINSLT, DVCANTLK	1-DVINSLT = 1 2-DVINSLT = 2 OR 3 4-DVINSLT = 4 7-DVINSLT = 4 8-DVINSLT = 8 OR DVCANTLK = 8 OR 9 9-DVINSLT = 9
_DVEVRHIT	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT	1-DVEVRHIT = 1 OR DVYRHIT = 1 2-DVEVRHIT = 2 AND DVYRHIT = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRHIT = 7 8-ANY = 8 OR 88 AND DVYRHIT ≠ 1 9-DVEVRHIT = 9
_DVEVRBT	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT DVEVRBET	1-DVEVRBET = 1 OR DVYRBEAT = 1 2-DVEVRBET = 2 AND DVYRBEAT = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRBET = 7 8-ANY = 8 OR 88 AND DVYRBEAT ≠ 1 9-DVEVRBET = 9
_DVEVRPS	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH	1-DVEVRPSH = 1 OR DVYRPUSH = 1 2-DVEVRPSH = 2 AND DVYRPUSH = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRPSH = 7 8-ANY = 8 OR 88 AND DVYRPUSH ≠ 1 9-DVEVRPSH = 9

_DVEVRTH	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVFEAR	1-DVEVRTHR = 1 OR DVYRTHRW = 1 2-DVEVRTHR = 2 AND DVYRTHRW = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRTHR = 7 8-ANY = 8 OR 88 AND DVYRTHRW ≠ 1 9-DVEVRTHR = 9
_DVEVSEX	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT DVEVRBET, DVEVRSEX	1-DVEVRSEX = 1 OR DVYRSEX = 1 2-DVEVRSEX = 2 AND DVYRSEX = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRSEX = 7 8-ANY = 8 OR 88 AND DVYRSEX ≠ 1 9-DVEVRSEX = 9
_DVEVUSE	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT, DVEVRBET, DVEVRSEX, DVEVSEX2, DVEVRWPN, DVEVRUSE	1-DVEVRUSE = 1 OR DVYRUSE = 1 2-DVEVRUSE = 2 AND DVYRUSE = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRUSE = 7 8-ANY = 8 OR 88 AND DVYRUSE ≠ 1 9-DVEVRUSE = 9
_DVEVWPN	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT, DVEVRBET, DVEVRSEX, DVEVSEX2, DVEVRWPN	1-DVEVRWPN = 1 OR DVYRWPN = 1 2-DVEVRWPN = 2 AND DVYRWPN = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRWPN = 7 8-ANY = 8 OR 88 AND DVYRWPN ≠ 1 9-DVEVRWPN = 9
_DVMINOR	DVTHRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVINSULT, DVCANTLK	1-DVTHRTN = 1 OR DVTHRTHG = 1 OR DVTHRYOU = 1 OR DVPUSHED = 1 OR DVSLAP = 1 2-(DVTHRTN = 2 AND DVTHRTHG = 2 AND DVTHRYOU = 2 AND DVPUSHED = 2 AND DVSLAP = 2) OR DVINSLT = 3 OR DVTHRTN = 3 OR DVTHRTHG = 3 OR DVTHRYOU = 3 OR DVPUSHED = 3 OR DVSLAP = 3 4-DVTHRTN = 4 OR DVTHRTHG = 4 OR DVTHRYOU = 4 OR DVPUSHED = 4 OR DVSLAP = 4 OR DVINSLT = 4

- 7-DVTHRRTN = 7 OR DVTHRTHG = 7 OR  
DVTHRYOU = 7 OR DVPUSHED = 7 OR  
DVSLAP = 7
- 8-DVTHRRTN = 8 OR DVTHRTHG = 8 OR  
DVTHRYOU = 8 OR DVSLAP = 8 OR  
DVINSLT = 8 OR DVCANTLK = 8 OR 9 AND  
(DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND  
DVTHRYOU ≠ 1 AND DVSLAP ≠ 1)
- 9-DVTHRRTN = 9 OR DVTHRTHG = 9 OR  
DVTHRYOU = 9 OR DVPUSHED = 9 OR  
DVSLAP = 9

\_DVPHYS

DVINSLT, DVTHRRTN,  
DVTHRTHG, DVTHRYOU,  
DVPUSHED, DVSLAP,  
DVHITYOU, DVHITHG,  
DVBEATUP, DVCHOKE,  
DVTHRWPWPN, DVUSEWPN

- 1-DVTHRRTN = 1 OR DVTHRTHG = 1 OR  
DVTHRYOU = 1 OR DVPUSHED = 1 OR  
DVSLAP = 1 OR DVHITYOU = 1 OR  
DVHITHG = 1 OR DVBEATUP = 1 OR  
DVCHOKE = 1 OR DVTHRWPWPN = 1 OR  
DVUSEWPN = 1
- 2-(DVTHRRTN = 2 AND DVTHRTHG = 2 AND  
DVTHRYOU = 2 AND DVPUSHED = 2 AND  
DVSLAP = 2 AND DVHITYOU = 2 AND  
DVHITHG = 2 AND DVBEATUP = 2 AND  
DVCHOKE = 2 AND DVTHRWPWPN = 2 AND  
DVUSEWPN = 2) OR DVINSLT = 3 OR  
DVTHRRTN = 3 OR DVTHRTHG = 3 OR  
DVTHRYOU = 3 OR DVPUSHED = 3 OR  
DVSLAP = 3 OR DVHITYOU = 3 OR  
DVHITHG = 3 OR DVBEATUP = 3 OR  
DVCHOKE = 3 OR DVTHRWPWPN = 3 OR  
DVUSEWPN = 3
- 4-DVINSLT = 4 OR DVUSEWPN = 4 OR  
DVTHRRTN = 4 OR DVTHRTHG = 4 OR  
DVTHRYOU = 4 OR DVPUSHED = 4 OR  
DVSLAP = 4 OR DVHITYOU = 4 OR  
DVHITHG = 4 OR DVBEATUP = 4 OR  
DVCHOKE = 4 OR DVTHRWPWPN = 4
- 7-DVTHRWPWPN = 7 OR DVUSEWPN = 7 OR  
DVTHRRTN = 7 OR DVTHRTHG = 7 OR  
DVTHRYOU = 7 OR DVPUSHED = 7 OR  
DVSLAP = 7 OR DVHITYOU = 7 OR  
DVHITHG = 7 OR DVBEATUP = 7 OR  
DVCHOKE = 7
- 8-(DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND  
DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND  
DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND  
DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND  
DVCHOKE ≠ 1 AND DVTHRWPWPN ≠ 1 AND  
DVUSEWPN ≠ 1) OR DVINSLT = 8 OR  
DVTHRRTN = 8 OR DVTHRTHG = 8 OR  
DVTHRYOU = 8 OR DVPUSHED = 8 OR  
DVSLAP = 8 OR DVHITYOU = 8 OR  
DVHITHG = 8 OR DVBEATUP = 8 OR  
DVCHOKE = 8 OR DVTHRWPWPN = 8 OR  
DVUSEWPN = 8 OR DVCANTLK = 8 OR 9

9-DVTHRWPN = 9 OR DVUSEWPN = 9 OR  
DVTHRRTN = 9 OR DVTHRTHG = 9 OR  
DVTHRYOU = 9 OR DVPUSHED = 9 OR  
DVSLAP = 9 OR DVHITYOU = 9 OR  
DVHITHG = 9 OR DVBEATUP = 9 OR  
DVCHOKE = 9

\_DVSEVRE

DVHITYOU, DVHITHG,  
DVBEATUP, DVCHOKE,  
DVTHRWPN, DVUSEWPN,  
DVINSULT, DVTHRRTN,  
DVTHRTHG, DVTHRYOU,  
DVPUSHED, DVSLAP,  
DVCANTLK

1-DVHITYOU = 1 OR DVHITHG = 1 OR  
DVBEATUP = 1 OR DVCHOKE = 1 OR  
DVTHRWPN = 1 OR DVUSEWPN = 1  
2-(DVHITYOU = 2 AND DVHITHG = 2 AND  
DVBEATUP = 2 AND DVCHOKE = 2 AND  
DVTHRWPN = 2 AND DVUSEWPN = 2) OR  
DVINSULT = 3 OR DVTHRRTN = 3 OR  
DVTHRTHG = 3 OR DVTHRYOU = 3 OR  
DVPUSHED = 3 OR DVSLAP = 3 OR  
DVHITYOU = 3 OR DVHITHG = 3 OR  
DVBEATUP = 3 OR DVCHOKE = 3 OR  
DVTHRWPN = 3 OR DVUSEWPN = 3  
4-DVINSULT = 4 OR DVTHRRTN = 4 OR  
DVTHRTHG = 4 OR DVTHRYOU = 4 OR  
DVPUSHED = 4 OR DVSLAP = 4 OR  
DVHITYOU = 4 OR DVHITHG = 4 OR  
DVBEATUP = 4 OR DVCHOKE = 4 OR  
DVTHRWPN = 4 OR DVUSEWPN = 4  
7-DVHITYOU = 7 OR DVHITHG = 7 OR  
DVBEATUP = 7 OR DVCHOKE = 7 OR  
DVTHRWPN = 7 OR DVUSEWPN = 7  
8-(DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1) OR  
DVINSULT = 8 OR DVTHRRTN = 8 OR  
DVTHRTHG = 8 OR DVTHRYOU = 8 OR  
DVPUSHED = 8 OR DVSLAP = 8 OR  
DVHITYOU = 8 OR DVHITHG = 8 OR  
DVBEATUP = 8 OR DVCHOKE = 8 OR  
DVTHRWPN = 8 OR DVUSEWPN = 8  
DVCANTLK = 8 OR 9  
9-DVHITYOU = 9 OR DVHITHG = 9 OR  
DVBEATUP = 9 OR DVCHOKE = 9 OR  
DVTHRWPN = 9 OR DVUSEWPN = 9

\_DVTYPE

DVINSULT, DVTHRRTN,  
DVTHRTHG, DVTHRYOU,  
DVPUSHED, DVSLAP,  
DVHITYOU, DVHITHG,  
DVBEATUP, DVCHOKE,  
DVTHRWPN, DVUSEWPN,  
DVCANTLK

1-DVINSULT = 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1  
2-DVINSULT ≠ 1 AND DVTHRRTN = 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

- 3-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG = 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWP N ≠ 1 AND DVUSEWPN ≠ 1
- 4-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU = 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWP N ≠ 1 AND DVUSEWPN ≠ 1
- 5-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED = 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWP N ≠ 1 AND DVUSEWPN ≠ 1
- 6-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP = 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWP N ≠ 1 AND DVUSEWPN ≠ 1
- 7-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU = 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWP N ≠ 1 AND DVUSEWPN ≠ 1
- 8-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG = 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWP N ≠ 1 AND DVUSEWPN ≠ 1
- 9-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP = 1 AND DVCHOKE ≠ 1 AND  
DVTHRWP N ≠ 1 AND DVUSEWPN ≠ 1
- 10-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE = 1 AND  
DVTHRWP N ≠ 1 AND DVUSEWPN ≠ 1
- 11-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWP N = 1 AND DVUSEWPN ≠ 1

12-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN = 1

33-DVINSLT = 3 OR DVTHRRTN = 3 OR  
DVTHRTHG = 3 OR DVTHRYOU = 3 OR  
DVPUSHED = 3 OR DVSLAP = 3 OR  
DVHITYOU = 3 OR DVHITHG = 3 OR  
DVBEATUP = 3 OR DVCHOKE = 3 OR  
DVTHRWPN = 3 OR DVUSEWPN = 3 OR  
(DVINSLT = 2 AND DVTHRRTN = 2 AND  
DVTHRTHG = 2 AND DVTHRYOU = 2 AND  
DVPUSHED = 2 AND DVSLAP = 2 AND  
DVHITYOU = 2 AND DVHITHG = 2 AND  
DVBEATUP = 2 AND DVCHOKE = 2 AND  
DVTHRWPN = 2 AND DVUSEWPN = 2)

44-DVINSLT = 4 OR DVTHRRTN = 4 OR  
DVTHRTHG = 4 OR DVTHRYOU = 4 OR  
DVPUSHED = 4 OR DVSLAP = 4 OR  
DVHITYOU = 4 OR DVHITHG = 4 OR  
DVBEATUP = 4 OR DVCHOKE = 4 OR  
DVTHRWPN = 4 OR DVUSEWPN = 4

77-(DVINSLT = 7 AND DVTHRRTN = 7 AND  
DVTHRTHG = 7 AND DVTHRYOU = 7 AND  
DVPUSHED = 7 AND DVSLAP = 7 AND  
DVHITYOU = 7 AND DVHITHG = 7 AND  
DVBEATUP = 7 AND DVCHOKE = 7 AND  
DVTHRWPN = 7 AND DVUSEWPN = 7) OR  
(DVINSLT = 7 AND DVTHRRTN = 2 AND  
DVTHRTHG = 2 AND DVTHRYOU = 2 AND  
DVPUSHED = 2 AND DVSLAP = 2 AND  
DVHITYOU = 2 AND DVHITHG = 2 AND  
DVBEATUP = 2 AND DVCHOKE = 2 AND  
DVTHRWPN = 2 AND DVUSEWPN = 2)

88-(DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1) OR  
DVINSLT = 9 OR DVTHRRTN = 9 OR  
DVTHRTHG = 9 OR DVTHRYOU = 9 OR  
DVPUSHED = 9 OR DVSLAP = 9 OR  
DVHITYOU = 9 OR DVHITHG = 9 OR  
DVBEATUP = 9 OR DVCHOKE = 9 OR  
DVTHRWPN = 9 OR DVUSEWPN = 9 OR  
DVCANTLK = 8 OR 9

99-DVINSLT = 9 AND DVTHRRTN = 9 AND  
DVTHRTHG = 9 AND DVTHRYOU = 9 AND  
DVPUSHED = 9 AND DVSLAP = 9 AND  
DVHITYOU = 9 AND DVHITHG = 9 AND  
DVBEATUP = 9 AND DVCHOKE = 9 AND  
DVTHRWPN = 9 AND DVUSEWPN = 9

_DVTYPE2	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVYRHIT, DVYRHIT, DVYRSEX, DVYRWPN, DVYRUSE	<p>1-DVYRTHRW = 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>2-DVYRTHRW ≠ 1 AND DVYRPUSH = 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>3-DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT = 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>4-DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT = 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>5-DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX = 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1</p> <p>6-DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN = 1 AND DVYRUSE ≠ 1</p> <p>7-DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE = 1</p> <p>33-DVYRTHRW = 2 AND DVYRPUSH = 2 AND DVYRHIT = 2 AND DVYRBEAT = 2 AND DVYRSEX = 2 AND DVYRWPN = 2 AND DVYRUSE = 2</p> <p>55-DVCNTROL = 5 OR DVYRTHRW = 5</p> <p>77-(DVYRTHRW = 7 AND DVYRPUSH = 7 AND DVYRHIT = 7 AND DVYRBEAT = 7 AND DVYRSEX = 7 AND DVYRWPN = 7 AND DVYRUSE = 7) OR (DVYRUSE = 2 AND DVYRTHRW = 7 AND DVYRPUSH = 2 AND DVYRHIT = 2 AND DVYRBEAT = 2 AND DVYRSEX = 2 AND DVYRWPN = 2)</p> <p>88-((DVCANTLK = 8 OR 9 OR DVYRUSE = 8 OR DVYRTHRW = 8 OR DVYRPUSH = 8 OR DVYRHIT = 8 OR DVYRBEAT = 8 OR DVYRSEX = 8 OR DVYRWPN = 8) AND (DVYRTHRW ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1)) OR (DVCANTLK = 2 AND DVCNTROL = 8)</p>
_DVTYPEV	DVCNTROL, DVYRTHRW, _DVEVRTH, _DVEVRPS, _DVEVHIT, _DVEVRBT, _DVEVSEX, _DVEVWPN, _DVEVUSE, DVCANTLK	<p>1- _DVEVRTH = 1 AND _DVEVRPS ≠ 1 AND _DVEVHIT ≠ 1 AND _DVEVRBT ≠ 1 AND _DVEVSEX ≠ 1 AND _DVEVWPN ≠ 1 AND _DVEVUSE ≠ 1</p>

2- \_DVEVRTH ≠ 1 AND \_DVEVRPS = 1 AND  
    \_DVEVHIT ≠ 1 AND \_DVEVRBT ≠ 1 AND  
    \_DVEVSEX ≠ 1 AND \_DVEVWPN ≠ 1 AND  
    \_DVEVUSE ≠ 1  
 3- \_DVEVRTH ≠ 1 AND \_DVEVRPS ≠ 1 AND  
    \_DVEVHIT = 1 AND \_DVEVRBT ≠ 1 AND  
    \_DVEVSEX ≠ 1 AND \_DVEVWPN ≠ 1 AND  
    \_DVEVUSE ≠ 1  
 4- \_DVEVRTH ≠ 1 AND \_DVEVRPS ≠ 1 AND  
    \_DVEVHIT ≠ 1 AND \_DVEVRBT = 1 AND  
    \_DVEVSEX ≠ 1 AND \_DVEVWPN ≠ 1 AND  
    \_DVEVUSE ≠ 1  
 5- \_DVEVRTH ≠ 1 AND \_DVEVRPS ≠ 1 AND  
    \_DVEVHIT ≠ 1 AND \_DVEVRBT ≠ 1 AND  
    \_DVEVSEX = 1 AND \_DVEVWPN ≠ 1 AND  
    \_DVEVUSE ≠ 1  
 6- \_DVEVRTH ≠ 1 AND \_DVEVRPS ≠ 1 AND  
    \_DVEVHIT ≠ 1 AND \_DVEVRBT ≠ 1 AND  
    \_DVEVSEX ≠ 1 AND \_DVEVWPN = 1 AND  
    \_DVEVUSE ≠ 1  
 7- \_DVEVRTH ≠ 1 AND \_DVEVRPS ≠ 1 AND  
    \_DVEVHIT ≠ 1 AND \_DVEVRBT ≠ 1 AND  
    \_DVEVSEX ≠ 1 AND \_DVEVWPN ≠ 1 AND  
    \_DVEVUSE = 1  
 33- \_DVEVRTH = 2 AND \_DVEVRPS = 2 AND  
    \_DVEVHIT = 2 AND \_DVEVRBT = 2 AND  
    \_DVEVSEX = 2 AND \_DVEVWPN = 2 AND  
    \_DVEVUSE = 2  
 55- DVCNTROL = 5 OR DVYRTHRW = 5  
 77- (\_DVEVRTH = 7 AND \_DVEVRPS = 7 AND  
    \_DVEVHIT = 7 AND \_DVEVRBT = 7 AND  
    \_DVEVSEX = 7 AND \_DVEVWPN = 7 AND  
    \_DVEVUSE = 7) OR (\_DVEVRTH = 7 AND  
    \_DVEVHIT = 2 AND \_DVEVRBT = 2 AND  
    \_DVEVSEX = 2 AND \_DVEVWPN = 2 AND  
    \_DVEVUSE = 2 AND \_DVEVRPS = 2)  
 88- (\_DVEVRTH = 8 OR \_DVEVRPS = 8 OR  
    \_DVEVHIT = 8 OR \_DVEVRBT = 8 OR  
    \_DVEVSEX = 8 OR \_DVEVWPN = 8 OR  
    DVCANTLK = 8 OR DVCVANTLK = 9 OR  
    \_DVEVUSE = 8) AND (\_DVEVRTH ≠ 1 AND  
    \_DVEVHIT ≠ 1 AND \_DVEVRBT ≠ 1 AND  
    \_DVEVSEX ≠ 1 AND \_DVEVWPN ≠ 1 AND  
    \_DVEVUSE ≠ 1 AND \_DVEVRPS ≠ 1)  
 99- \_DVEVRTH = 9 AND \_DVEVRPS = 9 AND  
    \_DVEVHIT = 9 AND \_DVEVRBT = 9 AND  
    \_DVEVSEX = 9 AND \_DVEVWPN = 9 AND  
    \_DVEVUSE = 9

_EXPHRS	EXPHRS	Convert EXPHRS to minutes
HTI	HEIGHT	Convert HEIGHT to inches
_IDEALBF	IDEALBF	Convert IDEALBF to days

\_MAINPL2

- 1-(EMPPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 1
- 2-(OEMPLAN = 1 AND (EMPPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 2
- 3-(OWNPLAN = 1 AND (OEMPLAN ≠ 1 OR EMPPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 3
- 4-(MEDICARE = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR EMPPLAN ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 4
- 5-(MEDICAL = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR EMPPLAN ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 5
- 6-(MILPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 6
- 7-(INDIANHS = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR EMPPLAN ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 7
- 8-(OTHRSRCE = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR EMPPLAN ≠ 1) OR MAINPLAN = 8
- 77-MAINPLAN = 77
- 88-MAINPLAN = 88
- 99-MAINPLAN = 99

\_MAINPLN

- 1-(EMPPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR MAINPLAN = 1
- 2-(OEMPLAN = 1 AND (EMPPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR MAINPLAN = 2

3-(OWNPLAN = 1 AND (OEMPLAN ≠ 1 OR  
 EMPPLAN ≠ 1 OR MEDICARE ≠ 1 OR  
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR  
 MAINPLAN = 3  
 4-(MEDICARE = 1 AND (OEMPLAN ≠ 1 OR  
 OWNPLAN ≠ 1 OR EMPPLAN ≠ 1 OR  
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR  
 MAINPLAN = 4  
 5-(MEDICAL = 1 AND (OEMPLAN ≠ 1 OR  
 OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR  
 EMPPLAN ≠ 1 OR MILINDOT ≠ 1) OR  
 MAINPLAN = 5  
 6-(MILPLAN = 1 AND (OEMPLAN ≠ 1 OR  
 OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR  
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR  
 MAINPLAN = 6  
 77-MAINPLAN = 77  
 88-MAINPLAN = 88  
 99-MAINPLAN = 99

_MAMM1	HADMAM, WHYDONE	1-HADMAM = 2 AND WHYDONE = 1 2-HADMAM = 1 AND WHYDONE = 1 9-HADMAM = 7 OR 9 OR WHYDONE = 7 OR 9
_MAMM2	HOWLONG2, WHYDONE HADMAM	1-HADMAM = 2 AND WHYDONE = 1 2-HOWLONG2 = 1 AND WHYDONE = 1 3-HOWLONG2 = 2 AND WHYDONE = 1 4-HOWLONG2 = 3 OR 4 AND WHYDONE = 1 5-HOWLONG2 = 5 AND WHYDONE = 1 9-HOWLONG2 = 7 OR 9 OR WHYDONE = 7 OR 9
_MAMM3	HADMAM	1-HADMAM = 2 2-HADMAM = 1 9-HADMAM = 7 OR 9
_MAMM4	HOWLONG2, HADMAM	1-HADMAM = 2 2-HOWLONG2 = 1 3-HOWLONG2 = 2 4-HOWLONG2 = 3 OR 4 5-HOWLONG2 = 5 9-HOWLONG2 = 7 OR 9
_MHLONG	MHLONG	Convert MHLONG to days
_NALCMO	NALCOCC, _DRKALC	_NALCMO = NALCOCC*_DRKALC 888-_DRKALC = 888 OR NALCOCC = 888 999-_DRKALC = 999 OR NALCOCC = 999
_PAP5	HADPAP, HYSTER2	1-HADPAP = 2 AND HYSTER2 = 2 2-HADPAP = 1 AND HYSTER2 = 2 9-HADPAP = 7 OR 9 OR HYSTER2 = 7 OR 9
_PAP6	WHENPAP, HYSTER2 HADPAP	1-HADPAP = 2 AND HYSTER2 = 2 2-WHENPAP = 1 AND HYSTER2 = 2 3-WHENPAP = 2 AND HYSTER2 = 2 4-WHENPAP = 3 OR 4 AND HYSTER2 = 2

5-WHENPAP = 5 AND HYSTER2 = 2  
9-WHENPAP = 7 OR 9 OR HYSTER2 = 7 OR 9

_PAP7	HADPAP	1-HADPAP = 2 2-HADPAP = 1 9-HADPAP = 7 OR 9
_PAP8	WHENPAP, HADPAP HADPAP	1-HADPAP = 2 2-WHENPAP = 1 3-WHENPAP = 2 4-WHENPAP = 3 OR 4 5-WHENPAP = 5 9-WHENPAP = 7 OR 9
_POVST	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVST2	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVST3	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVST4	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_PRENATL	PRENATAL	Convert PRENATAL to days
_RACE	ORACE3, HISP3	1-ORACE3 = 1 AND HISP3 = 2 OR 7 OR 9 2-ORACE3 = 2 AND HISP3 = 2 OR 7 OR 9 3-ORACE3 = 1 AND HISP3 = 1 4-ORACE3 = 2 AND HISP3 = 1 5-ORACE3 = 3 OR 4 OR 5 OR 6 AND HISP3 = 1 6-ORACE3 = 3 OR 4 AND HISP3 = 2 OR 7 OR 9 7-ORACE3 = 5 AND HISP3 = 2 OR 7 OR 9 8-ORACE3 = 6 AND HISP3 = 2 OR 7 OR 9 77-ORACE3 = 7 99-ORACE3 = 9
_RACEG	_RACE	1-_RACE = 1 2-_RACE = 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 9-_RACE = 77 OR 99
_RACEGR	_RACE	1-_RACE = 1 2-_RACE = 2 3-_RACE = 3 OR 4 OR 5 4-_RACE = 6 OR 7 OR 8 9-_RACE = 77 OR 99
_RFDRACU	DRNKANY1, DRINKGE5	1-DRNKANY1 = 2 OR DRINKGE5 = 0 OR 88 2-1 ≤ DRINKGE5 < 77 9-DRNKANY1 = 7 OR 9

_RFDRCH2	_NALCMO	1- $1 \leq \_NALCMO < 60$ 2- $\_NALCMO \geq 60$ 9- $\_NALCMO = 888 \text{ OR } 999$
_RFSMOKE	_SMOKER	1- $\_SMOKER = 2 \text{ OR } 3$ 2- $\_SMOKER = 1$ 9- $\_SMOKER = 9$
_RFBMI2	_BMI	1- $\_BMI < 25$ 2- $\_BMI \geq 25$
_RFWHBMI	_BMI	1- $\_BMI < 27.3$ 2- $\_BMI \geq 27.3$
_SMOKER	SMOKE100, SMKEVDA2	1-SMOKE100 = 1 AND SMKEVDA2 = 1 OR 2 2-SMOKE100 = 1 AND SMKEVDA2 = 3 3-SMOKE100 = 2 9-SMOKE100 = 7 OR 9 OR SMKEVDA2 = 7 OR 9
_STDHIV	STDHI_A, STDHI_B, STDHI_C	1-STDHI_A = 1 2-STDHI_B = 1 3-STDHI_C = 1 4-STDHI_A = 2 AND STDHI_B = 2 AND STDHI_C = 2 7-ANY = 7 AND ALL $\neq$ 1 OR 9 9-ALL = 9 OR (STDHI_A = 9 AND STDHI_B = 2 AND STDHI_C = 2)
_WHENDRG	WHENDRUG	Convert WHENDRUG to times per month

## California Women's Health Survey Data User Agreement

The undersigned agrees to all of the following regarding use of California Women's Health Survey (CWHS) data sets:

1. CWHS data will be used for academic, research, or professional purposes only.
2. CWHS data is for the exclusive use of the individual requesting the data. User will not alter, share, release or redistribute original CWHS data.
3. Original CWHS data is released "as is." Neither Survey Research Group, the Public Health Institute, nor the California Department of Public Health, or any of their respective divisions or subdivisions, make any representations, express or implied, about data completeness or accuracy, or fitness of the data for a particular purpose.
4. Pursuant to the guidelines set forth in the most current version of the *California Women's Health Survey SAS Documentation and Technical Report*, user will acknowledge the "California Women's Health Survey Workgroup" in all abstracts, publications or presentations. The following wording is strongly recommended for use in such acknowledgements:

Data for these analyses were provided by The California Women's Health Survey (CWHS) Group. The CWHS is coordinated by the California Department of Public Health in collaboration with the California Department of Mental Health, the California Department of Alcohol and Drug Programs, CMRI, the California Department of Social Services, the California Office of Women's Health and the Survey Research Group of the Public Health Institute. Questionnaire development and funding for the survey were provided by collaborating programs. Analyses, findings and conclusions described in this report are not necessarily endorsed by the CWHS Group.

5. User will notify Survey Research Group and the Office of Women's Health of all writings and/ or presentations, including but not limited to published articles, accepted abstracts, academic papers, and conference presentations or papers, that includes or is based on CWHS data.
6. User agrees to send one (1) reprint of all publications using CWHS data to each of the following entities:

Survey Research Group  
1825 Bell Street, Suite 102  
Sacramento, CA 95825  
Fax: (916) 779-0265

Office of Women's Health  
California Department of Public Health  
P.O. Box 942732 MS 0027  
Sacramento, CA 94234-7320  
Fax: (916) 440-7636

7. This agreement supersedes all previous CWHS data user agreements.

**Year(s) of data requested:** \_\_\_\_\_

**Name:** \_\_\_\_\_ **Title:** \_\_\_\_\_

**Research Question/Area of Interest:** \_\_\_\_\_

\_\_\_\_\_

**What statistical software will be used to analyze the data?**

\_\_\_\_\_

**Organization:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Telephone number(s):** \_\_\_\_\_

**Fax:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Fax or e-mail signed agreement to:**

**Fax:** (916) 779-0265

**Marta Induni, Research Program Director**

**E-mail:** [minduni@ccr.ca.gov](mailto:minduni@ccr.ca.gov)

**\*\*Please keep original for your records\*\***

