

**CALIFORNIA WOMEN'S HEALTH SURVEY**  
**SAS DATASET DOCUMENTATION AND TECHNICAL REPORT**  
**1993-2012**

**Survey Research Group**  
**California Department of Public Health**  
**1825 Bell Street, Suite 104**  
**Sacramento, CA 95825**

**June 2013**



# California Women's Health Survey

## SAS Dataset Documentation and Technical Report

<b>Introduction</b> .....	<b>1</b>
The California Women's Health Survey .....	1
Survey Research Group.....	2
Survey Research Group Capabilities .....	2
Present, Past and Future Research.....	3
California Behavioral Risk Factor Survey .....	3
California Adult Tobacco Survey .....	3
California Youth Tobacco Survey.....	3
Sacramento and Santa Clara Lung Cancer Risk Factor Survey.....	3
California Teen Eating, Exercising and Nutrition Survey.....	3
California Department of Transportation Pedestrian Safety Study .....	3
California Adult Dietary Practices Survey .....	4
The Youth Risk Behavior Survey .....	4
Questions concerning the CWHS, this documentation or SRG .....	4
<b>Part I: Technical Report</b> .....	<b>5</b>
Sample and Methods .....	5
Questionnaire Design .....	5
Interview Procedures .....	5
Sample Selection .....	5
Response Rates .....	6
The Dataset.....	6
Representativeness of the Sample .....	7
Weighting Procedures .....	9
<b>Part II: Data Dictionary</b> .....	<b>10</b>
<b>Part III: Continuous Variable Formats</b> .....	<b>72</b>
<b>Part IV: Categorical Variable Formats</b> .....	<b>75</b>
<b>Part V: Variable Locations on Questionnaires by Subject</b> .....	<b>116</b>
<b>Part VI: Weights</b> .....	<b>138</b>
Why Weight? .....	138
Single Year Weights.....	139
CWHS Final Weights .....	141
Values for Age Variables.....	142
Values for Race Variables .....	142
Department of Finance 1990 California Population Estimates .....	143
Department of Finance 2000 California Population Estimates .....	144
Department of Finance 2010 California Population Estimates .....	145
<b>Part VII: Calculated Variables</b> .....	<b>146</b>

### Tables

Table I	Response Rates .....	6
Table II	Sample Sizes.....	7

Table III	Sample Sizes for Age/Race Groups in Cumulative 1997-2012 Dataset.....	7
Table IV	Race Distribution of the 2012 CWHS .....	8
Table V	Educational Level of Adults Aged ≥ 25 Years in the 2012 CWHS Sample.....	8
Table VI	Distribution of Household Income in the 2012 CWHS Sample.....	9
Table VII	Distribution of Age by Race in the 2012 CWHS Sample .....	9
Table VIII	DOF 1990 CA Population Estimates Used to Create Weight _WT90N .....	144
Table IX	DOF 1990 CA Population Estimates Used to Create Weight _WT90BN.....	144
Table X	DOF 1990 CA Population Estimates Used to Create Weight _WT90CN.....	144
Table XI	DOF 2000 CA Population Estimates Used to Create Weight _WT00 .....	145
Table XII	DOF 2000 CA Population Estimates Used to Create Weight _WT00B.....	145
Table XIII	DOF 2000 CA Population Estimates Used to Create Weight _WT00R4.....	145
Table XIV	DOF 2010 CA Population Estimates Used to Create Weight _WT10 .....	146
Table XV	DOF 2010 CA Population Estimates Used to Create Weight _WT10B.....	146
Table XVI	DOF 2010 CA Population Estimates Used to Create Weight _WT10R4.....	146
<b>Data User Agreement.....</b>		<b>160</b>

## Acknowledgements

When a publication or abstract results from analysis of California Women’s Health Survey data, the CWHS Group’s contributions will be acknowledged. The following wording is strongly recommended for use in such acknowledgements.

“Data for these analyses were provided by The California Women’s Health Survey (CWHS) Group. The CWHS is coordinated by the California Department of Public Health in collaboration with the California Department of Mental Health, the California Department of Alcohol and Drug Programs, CMRI, the California Department of Social Services, the California Office of Women’s Health and the Survey Research Group of the Public Health Institute. Questionnaire development and funding for the survey were provided by collaborating programs. Analyses, findings and conclusions described in this report are not necessarily endorsed by the CWHS Group.”

### Suggested Citation:

Danielle Ewing, Marta Induni and Suzanne Ryan-Ibarra. California Women’s Health Survey SAS Dataset Documentation and Technical Report: 1997–2012, Survey Research Group, California Department of Public Health, 2013.

### References:

Please note, more methodological information for the CWHS can be found in Chapter 1 of the report titled “Women’s Health: Findings from the California Women’s Health Survey, 1997-2003”. This report may be downloaded at [http://www.cdph.ca.gov/pubsforms/Pubs/OWH-CWHS\\_97-03\\_Rpt.pdf](http://www.cdph.ca.gov/pubsforms/Pubs/OWH-CWHS_97-03_Rpt.pdf).

The suggested citation for this chapter is:

Induni M, Hoegh H., “California Women’s Health Survey Methods” in Weinbaum, Z, and Thorfinnson, T (eds.) Women's Health: Findings from the California Women's Health Survey, 1997-2003. California Department of Health Services, Office of Women’s Health. Sacramento, California, May 2006. Chapter 1.

# Introduction

## The California Women's Health Survey

The California Women's Health Survey (CWHs) is an on-going monthly telephone survey that collects information on a wide variety of health-related behaviors and attitudes from a randomly selected sample of adult women. This survey began in March of 1997 as a collaborative effort between the California Department of Public Health, the California Department of Mental Health, the Department of Alcohol and Drug Program, CMRI (formerly the California Medical Review, Inc.), the Department of Social Services, and the Public Health Institute (formerly California Public Health Foundation). These data or subsets of the data are available upon request as a SAS dataset, which is updated annually. This documentation is designed to facilitate use of this database by public health researchers.

Part I is a technical report which summarizes CWHs interview procedures, sample selection and questionnaire design. Parts II-V include a data dictionary, coding for categorical and numeric variables, and a cross-reference of variable name and question number. Part VI provides information about weights.

In planning your analyses and reviewing this document, a few critical features of CWHs and the dataset should be kept in mind:

- The SAS labels shown in the data dictionary provide very abbreviated information on the content of the variable. It is highly recommended that the actual question and response categories be carefully reviewed before analyzing data.
- Not every question is asked of all participants. Some questions are skipped during the interview because of answers to previous questions or age criteria. Skip patterns and selection criteria are indicated on the survey instruments. In general, questions that have been skipped are set to missing, thus restricting the denominator for the rate based on that question. For example, only people who state that they have been pregnant in the past five years (PREG5YR) or who are currently pregnant (PREGNANT) are asked if they have had the AFP blood test (AFPTEST). Therefore, the frequency of AFPTEST=1 (yes) is the proportion of those who are currently pregnant or were pregnant in the last five years who reply that they have had an AFP blood test. To calculate the proportion of the population who had blood drawn for an AFP test, assuming that those women who are not currently pregnant and have not been pregnant in the last five years have not had an AFP test, set the missing values in the AFPTEST variable to 2 (no).
- Some continuous variables have special values (i.e., 99, 999 = refused). These values may need to be re-coded (e.g., set to missing) prior to analysis to obtain meaningful results. These coded variables are indicated in the data dictionary in Part II and a list of codes given in Part III.
- The age and race distribution of the sample does not exactly match that of the California population. To adjust for this difference and to equalize the probability of being drawn into the sample, weights have been created. Part VI describes the creation and use of these weights. It is important to use these weights to obtain meaningful prevalence estimates for the California population and to assess changes in behavior while controlling for changes in the demographics of the California population.

- Statisticians calculate the annual weights to sum to the total 2010 California population, thus adjusting for the annual changes in sample size. To calculate meaningful estimates based on data aggregated over two or more years, weights must be calculated to account for the pooling of data, as discussed in Part VI.
- SRG recommends that statistical packages (such as SAS, SPSS, R etc.) with capabilities for analyzing survey data collected with complex sampling methods be used to analyze the data.
- The dataset does not contain any personal identifiers such as name, address or social security number. Unique records can be identified with the variable RESPNO or \_PSU.
- Although every effort has been made to accurately document the database, it is possible that the database contains some coding errors or inconsistencies. A prudent approach would be to first run a simple frequency on any question you intend to use in your analyses to check for out of range values, special codes, or unexpected skip patterns. SRG staff would be grateful to have any such problems brought to our immediate attention.

## **Survey Research Group (SRG)**

The CWHS is administered by the Survey Research Group, which is located with the Cancer Surveillance and Research Branch of the California Department of Public Health. Established in 1985, SRG specializes in conducting scientific health-related telephone surveys. To ensure the highest standards for survey data, SRG maintains rigorous quality control procedures.

### **SRG Capabilities:**

SRG has a capacity of 80 interview workstations and 12 silent-monitoring stations for survey management. This capacity allows the SRG call center to conduct interviews for several different survey research projects simultaneously. SRG's interview facilitation software makes it possible to tailor questionnaire design and sampling strategy for each research project. For example, SRG can design a survey to randomly sample from the statewide California population or from populations limited to smaller geographic areas. It is also possible to refine the survey sample to populations with special characteristics, such as women over the age of 40 or youth between the ages of 12 and 17.

SRG has the in-house capability to generate Waksberg-Mitofsky method samples or to use standard RDD (random digit dial) samples. SRG implements screened RDD samples, typically purchased from commercial sampling firms, using Computer Assisted Telephone Interviewing (CATI) technology. SRG currently has the capability to conduct several thousand general population interviews per month and is available to conduct interviews seven days a week in all time zones. Approximately 90 percent of the interviewing staff and 50 percent of the supervisory staff are fluent Spanish speakers; prevalence of bilingual staff allows interviews to be conducted in Spanish at time of need. As of 2007, all new interviewer hires meet a minimum bilingual requirement. All interviewers receive training in general telephone survey techniques as well as focused training of additional technical requirements for specific surveys.

## **Present, Past and Future Research**

The following are examples of survey research projects undertaken by SRG in addition to the CWHS.

### **California Behavioral Risk Factor Survey (BRFS)**

Funded by the Centers for Disease Control and Prevention and the California Department of Public Health. Ongoing since January 1984. SRG conducts interviews of California adults aged 18 and over. The BRFS survey covers a wide variety of health behaviors. The survey is part of a surveillance effort planned by the Centers for Disease Control and the California Department of Public Health. The annual sample size for this survey increased from 1,200 interviews in 1984 to a current sample size of over 9,000.

### **California Adult Tobacco Survey (CATS)**

Funded by the Tobacco Control Program of the California Department of Public Health. Ongoing since February 1993. The emphasis of this survey is on adult tobacco use, past and present. This survey, conducted annually, is part of a surveillance effort planned by the Tobacco Control Program. The sample size for this survey is 4,200 interviews.

### **California Youth Tobacco Survey (CYTS)**

Funded by the Tobacco Control Program of the California Department of Public Health. In 1994, SRG conducted interviews of California youth aged 12 through 17. The emphasis of the survey is on youth tobacco use and attitudes toward tobacco. This survey, conducted annually, is part of a surveillance effort planned by the Tobacco Control Program. The sample size for this survey is approximately 2,200 interviews. The sample is drawn from a sampling frame provided by a commercial sampling firm.

### **Sacramento and Santa Clara Lung Cancer Risk Factor Survey, 1991.**

Supported by the Cancer Surveillance Section of the California Department of Public Health. SRG conducted interviews of males aged 45 and older in Sacramento and Santa Clara Counties. The emphasis of the survey was on obtaining information about behavioral, occupational and environmental risk factors for lung cancer. The survey consisted of approximately 250 completed interviews in each county.

### **California Teen Eating, Exercising and Nutrition Survey (CalTEENS), 1998, 2000, 2002, 2004, 2006, 2008, 2010, 2012.**

Supported by the California Department of Public Health, Cancer Prevention and Nutrition Section. The survey consisted of statewide interviews with youth aged 12 through 17. The emphasis of the survey is on youth attitudes and behaviors toward eating and exercising. SRG collected approximately 1,200 completed interviews.

### **California Department of Transportation Pedestrian Safety Study, 2001 – 2002.**

Funded by the California Department of Transportation (Caltrans) and the California Department of Public Health Epidemiology and Prevention for Injury Control Branch. The emphasis of this survey was learning about pedestrian related activities, practices and safety issues. The specific focus of this survey was to determine what type of pedestrian activities (such as

walking/jogging) California adults take part in, how often they do these activities, and where they engage in them. The survey also investigated barriers to common pedestrian activities. SRG employed regional quota sampling methods to ensure that each of the 12 Caltrans regions had a minimum of 785 completed interviews. SRG completed over 12,000 interviews between July 2001 and June 2002.

**California Adult Dietary Practices Survey (CDPS), 2003, 2005, 2007, 2009, 2011, 2013.**

Supported by the CDPH, Cancer Prevention and Nutrition Section. Interviews are conducted statewide with an over sample of low income respondents. The emphasis of this survey is on dietary behaviors and attitudes. The survey is collected every other year and is being collected this year.

**The Youth Risk Behavior Survey (YRBS)** - a biennial survey conducted by the CDPH, in collaboration with the California Department of Education and funded by CDC. The survey was developed to monitor priority health risk behaviors that contribute to the leading causes of mortality, morbidity, and social problems among youth and adults in the United States. The survey is completed by approximately 1,500 adolescents in grades nine through twelve from 30 public schools in California. This survey is being collected this year.

Questions concerning the CWHS, this documentation or SRG should be addressed to:

Marta Induni, PhD  
Director, Survey Research Group  
Public Health Institute  
1825 Bell Street, Suite 104  
Sacramento, CA 95825  
Phone:(916) 779-2677  
Fax:(916) 779-0265  
Email: [minduni@s-r-g.org](mailto:minduni@s-r-g.org)  
Website: <http://surveyresearchgroup.org>

## **Part I: Technical Report**

### **Sample and Methods**

The CWHS involves an ongoing effort by the California Department of Public Health, the California Department of Alcohol and Drug Program, the California Department of Mental Health, CMRI, the Department of Social Services, and the Survey Research Group (SRG) of the Public Health Institute. SRG collects data monthly from a random sample of California adult women living in households with telephones. The CWHS database contains information on California residents from March through December 1997, May through December 1998, February through December 1999, and January through December thereafter.

### **Questionnaire Design**

The CWHS questionnaire reflects development by the California Women's Health Survey Group and SRG staff working in collaboration with experts in women's health research. Wherever possible, survey designers selected questions from previously conducted national or statewide surveys to improve comparability. Researchers can implement changes to the CWHS questionnaire at any time to address topical issues. Because the questionnaire has evolved since the survey began, SRG recommends that researchers review questions carefully before analyzing multiple year data.

The CWHS asks participants about a wide variety of behaviors related to past and present involvement in health care systems, participation in the government nutrition program, WIC, prenatal care, vitamin consumption, alcohol consumption, breastfeeding, sexually transmitted diseases, utilization of cancer screening procedures and other preventative measures. Participants typically provide basic demographic information such as age, race/ethnicity, employment status, and education. Participation in the CWHS is completely voluntary and anonymous.

### **Interview Procedures**

To conduct interviews, interviewers must meet rigorous training standards and follow procedures developed by SRG staff and the Centers for Disease Control and Prevention (CDC). In general, SRG conducts interviews during weekday evenings and on weekends, although some interviews occur during weekday business hours. The average interview in English takes approximately 30 minutes to complete. Interview staff make appointments to accommodate busy or non-English speaking potential participants.

Using the CATI system, interviewers read questions as displayed on a computer screen. Interviewers key responses directly into the computer in real-time. Automatic data editing and coding programs prevent invalid responses and greatly increase the accuracy and speed of data entry. In addition, computer programming facilitates the interview process by automatically skipping questions based on prior responses; for example, women aged 60 or over are not asked if they are currently pregnant.

### **Sample Selection**

SRG uses a screened random digit dial (RDD) sample purchased from a commercial sampling firm to select households.

All women aged 18 years or older who live in a selected household are eligible to participate in the survey. If more than one member of the household is eligible, then one person is selected at random (using computer-generated random selection) to become the respondent. If the

respondent is not available, then interview staff make an appointment to conduct the interview at a different time. Once a respondent is selected no other household member can be interviewed, even if it is not possible to obtain an interview from the selected respondent.

In order to ensure that the sample is representative of the entire population, SRG follows standardized procedures for calling back numbers that ring with no answer, give a busy signal, or to encourage selected respondents who are reluctant to participate. Each phone call generates a record history for that phone number. Elimination of numbers occurs when: 1) a telephone number is non-working or assigned to a business; 2) there is no eligible respondent in the household, or; 3) the selected respondent is unavailable during the time period of the survey, is unable to complete the interview in a language supported by SRG, or if the respondent has an impairment that prevents communication via telephone.

SRG does not immediately eliminate respondents who refuse to participate. To maintain survey integrity, SRG attempts to persuade selected respondents to cooperate. Respondents receive a second call after a 2 to 5 day "cooling off" period. If a second refusal comes from a household member, then a third call is made to that household within a day or two of the second refusal. SRG eliminates a number if the third call results in a refusal. Telephone numbers with no answer, a busy signal, or an answering machine result in elimination after 15 attempts on these phone numbers. At least one call must occur during every type of shift: day, evening, and weekend.

## Response Rates

Response rates measure how successful a survey has been in reaching selected respondents. SRG calculates two response rates for the CWHS, an "upper bound" rate and a CASRO (Council of American Survey Research Organizations) rate. The upper bound response rate indicates the proportion of eligible households contacted that resulted in a completed interview. The CASRO rate includes a correction for households in the sample that were not contacted but may have been eligible. During 2000, and again in 2001, the disposition codes for the CWHS changed to correspond exactly with CDC disposition codes. Because of this change, the upper-bound and CASRO response rates declined from prior years. As of 2002, SRG uses response rate formulas as defined by the American Association of Public Opinion Research (AAPOR) guidelines, in accordance with the CDC policy.

**Table I. Response Rates**

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
<b>Upper Bound</b>	67%	70%	81%	74%	74%	72%	72%	74%	73%	72%	78%	88%
<b>CASRO</b>	49%	49%	46%	38%	25%	37%	40%	41%	42%	41%	43%	49%
	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012*</b>								
<b>Upper Bound</b>	85%	65%	63%	33%								
<b>CASRO</b>	52%	41%	39%	19%								

\*In 2012, the protocol for assigning final dispositions to calculate response rates changed.

## The Dataset

The information from all the CWHS interviews collected during a calendar year makes up the annual CWHS dataset for that year. Each month, before the data become part of the annual dataset, they are checked extensively for possible errors. The respondent's original answers, as recorded at the time of the interview, provide a comparison to the coded data and an accurate record for any suspicious or out-of-range values. The original data allow SRG analysts to make the necessary corrections when errors occur.

Beginning in 2002, each annual dataset includes interviews with complete demographic information. The "PARTIAL" variable includes all incomplete interviews, so dataset users can look

at this variable to determine whether a particular respondent completed the entire survey. In 2005 and 2006, SRG coded the unanswered questions in the partial interviews as "Refused," but for 2007 SRG set the unanswered variable fields to missing. In 2007, SRG added a second variable containing the name of the last question completed in the partial interview, "LASTQUEST". The dataset user has the option of not including the "PARTIAL" observations, but should note (as always when analyzing any other subgroup of the data) that the weighting procedures do not change. Table II shows completed and partial data from 2002 to the present.

**Table II. Sample Sizes**

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
<b>Completed</b>	4,010	4,006	4,163	4,012	4,018	4,009	4,004	4,037	4,025	4,190	4,779	4,119
<b>Partial</b>	-	-	-	-	-	416	393	520	600	461	597	860
	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>								
<b>Completed</b>	3847	4030	4024	3048								
<b>Partial</b>	1077	272	910	794								

Table III shows the distribution of the cumulative sample (1997-2012) by age and race before weighting and without partials. In this table, and throughout the remainder of this report, "White" refers to non-Hispanic Whites, "Hispanic" refers to those persons who indicated that they were of Hispanic origin regardless of race, "Black" refers to those persons who indicated that their race was African American, and the categories "Asian/Other" or "Other" refer to all other racial/ethnic groups combined.

**Table III. Sample Sizes for Age/Race Groups in Cumulative 1997-2012 Dataset**

	18-24	25-34	35-44	45-54	55-64	65+	Total
<b>White</b>	1,722	4,812	7,298	8,679	7,810	10,753	41,074
<b>Black</b>	278	609	696	670	487	552	3,292
<b>Hispanic</b>	2,022	5,177	4,898	2,897	1,771	1,371	18,136
<b>Asian/Other</b>	389	1,041	1,219	943	544	509	4,645
<b>Total</b>	4,411	11,639	14,111	13,189	10,612	13,185	67,147

Note: Table III data does not include partial completes

## Representativeness of the Sample

During the sampling process described above, CWHS administrators attempt to collect interviews from a random sample that is representative of the state population. In an effort to assess the degree to which the composition of the sample matches the demographic composition of the state, SRG compares the CWHS sample for 2012 to the 2010 Census for California for comparisons by race and to estimates for California from the 2011 Current Population Survey, Annual Social and Economic Supplement<sup>1</sup> for comparisons by educational level, household income, and age. In the following discussion, "sample" refers to the 2012 CWHS sample unless otherwise indicated.

Table IV compares the racial/ethnic distribution of the CWHS sample to the distribution of racial/ethnic/ groups in the California population estimates. As the table shows, Whites are over-represented in the sample, while Asians/Others are under-represented. As a percentage of the total number of interviews, approximately 17% more interviews with whites were obtained in the sample than would be expected given the proportion of whites in the California population. Blacks had approximately 2% fewer interviews than expected, while Hispanics had 4% fewer and the Asian/Other group had 11% fewer interviews than expected.

<sup>1</sup> 2010 Census Summary File 1, Table PCT12 by Race/Ethnicity, California and Counties.

**Table IV. Race Distribution of the 2012 CWHS Sample Compared to the 2010 Census**

	<b>CWHS</b>	<b>CA 2010</b>
<b>White</b>	64%	47%
<b>Black</b>	4%	6%
<b>Hispanic</b>	25%	29%
<b>Asian/Other</b>	7%	18%

Source:  
 2012 CWHS Sample (n=3842 Completed Interviews – Includes Partial)  
 2010 Census Summary File 1, Table PCT12 by Race/Ethnicity, California and Counties.

Table V shows the distribution of educational level by age among adults aged 25 and older, comparing the 2012 CWHS sample to data from the 2011 Current Population Survey (CPS).

**Table V. Educational Level of Adults Aged 25 Years and Older 2011 CWHS Sample vs. 2011 Current Population Survey**

	<b>25-34</b>		<b>35-44</b>		<b>45-64</b>		<b>65+</b>	
	<b>CWHS</b>	<b>CA 2011</b>	<b>CWHS</b>	<b>CA 2011</b>	<b>CWHS</b>	<b>CA 2011</b>	<b>CWHS</b>	<b>CA 2011</b>
<b>Eighth Grade or Less</b>	9.7%	5.8%	14.8%	8.9%	9.5%	10.0%	4.2%	15.6%
<b>Some High School Grade 12 (HS Graduate)</b>	7.9%	7.4%	10.4%	9.7%	3.9%	6.7%	4.6%	7.5%
<b>Some College</b>	19.0%	24.3%	14.1%	19.8%	16.5%	23.6%	22.7%	27.0%
<b>Bachelor's Degree</b>	28.7%	28.2%	17.3%	27.7%	26.1%	28.2%	30.7%	25.3%
<b>Post Graduate Degree</b>	19.6%	24.2%	23.6%	23.2%	25.0%	20.2%	20.6%	16.3%
	15.1%	10.1%	19.9%	10.8%	19.0%	11.2%	17.2%	8.3%

Source:  
 2011 CWHS Sample Age 25+ (n=3,842 Completed Interviews – Includes Partial)  
 Current Population Survey, Annual Social and Economic Supplement, 2011

As shown in Table V, the CWHS sample has a higher proportion of persons with bachelor's or post graduate degrees for all age groups except 25-34. Persons aged 35-64 with some college education are under-represented in the CWHS sample. In the 25-34 and 35-44 age groups, persons who have attended eighth grade or less are over-represented in the CWHS, but they are under-represented in the 65+ age group. In all age categories, persons with a high school graduate educational level are under-represented.

Table VI below compares the household income distribution of the 2012 CWHS sample to the distribution from the 2011 Current Population Survey. The CWHS sample includes those who said they did not know their household income or who refused to answer the question in the CWHS. The CWHS sample shows a distribution that appears to have a higher proportion of persons with low income and a lower proportion with very high income, but an analysis comparing the CWHS income distribution to the Current Population Survey is difficult, since 9% of the CWHS respondents declined to provide their household income.

**Table VI. Distribution of Household Income 2012 CWHS Sample vs. 2011 Current Population Survey**

	<b>CWHS</b>	<b>CA 2011</b>
<b>Less Than \$10,000</b>	8.0%	8.0%
<b>\$10,000 to \$14,999</b>	7.3%	5.2%
<b>\$15,000 to \$19,999</b>	5.5%	5.4%
<b>\$20,000 to \$24,999</b>	5.8%	5.1%
<b>\$25,000 to \$34,999</b>	8.6%	10.7%
<b>\$35,000 to \$49,999</b>	10.5%	12.3%
<b>\$50,000 to \$74,999</b>	13.3%	17.5%
<b>\$75,000 to \$99,999</b>	11.1%	11.1%
<b>\$100,000 or more</b>	20.9%	24.7%
<b>Unknown or Refused</b>	9.0%	-

Source:  
2012 CWHS Sample (n=3,842 Completed Interviews – Includes Partials)  
Current Population Survey Annual Social and Economic Supplement, 2011

Table VII compares the age distribution by race for the un-weighted 2012 CWHS sample and the 2011 Current Population Survey estimates for California. Females ages 18 to 24 and 25 to 34 are under-represented in all race/ethnicity groups except for the Asian/Other category in females 25 to 34. Women aged 35 to 44 are under-represented among Whites and Blacks and the 35 to 44 age group is over-represented among Hispanics and Asians/Other. Hispanic women are only over-represented in the 45-54 age group. Women aged 55 to 64 and 65+ are over-represented among all race/ethnicity groups.

**Table VII. Distribution of Age by Race 2012 CWHS Sample vs. 2011 Current Population Survey Estimates**

	<b>White</b>		<b>Hispanic</b>		<b>Black</b>		<b>Asian/Other</b>	
	<b>CWHS</b>	<b>CA 2011</b>	<b>CWHS</b>	<b>CA 2011</b>	<b>CWHS</b>	<b>CA 2011</b>	<b>CWHS</b>	<b>CA 2011</b>
<b>18-24</b>	1.6%	9.6%	4.8%	18.5%	4.5%	12.3%	3.1%	10.2%
<b>25-34</b>	5.1%	14.7%	16.3%	22.7%	8.4%	17.2%	21.1%	19.9%
<b>35-44</b>	9.71%	15.2%	28.2%	21.5%	12.3%	19.2%	24.7%	19.7%
<b>45-54</b>	18.11%	18.8%	21.2%	16.7%	16.1%	22.0%	14.8%	19.5%
<b>55-64</b>	24.5%	17.7%	16.9%	11.5%	27.1%	14.5%	18.8%	15.0%
<b>65+</b>	41.0%	24.0%	12.6%	9.3%	31.6%	14.5%	17.5%	15.7%

Source:  
2012 CWHS Sample (n=3,842 Completed Interviews – Includes Partials)  
Current Population Survey Annual Social and Economic Supplement, 2011

## **Weighting Procedures**

As discussed above, the age and race characteristics of the CWHS sample differ from the age and race characteristics of the female California population. Weighting adjustments compensate for these discrepancies. When performing analyses on the CWHS data, analysts should always weight the sample so that the age and race distributions correspond to the California population. Part VI of this document describes calculated weights adjusting for age and race in the CWHS sample. The weights are specific to the year of the data collection, SRG statisticians design weighting measurements to allow comparisons between years or point estimates for a particular year. Researchers interested in combining data from several years for more accurate estimates must develop different weights.

The weights provided with the dataset adjust only for age and race discrepancies between the CWHS sample and the California female population. There are no adjustments to the observed differences in education or income. Dataset users should control for education and income in their analyses when necessary.

## Part II: Data Dictionary

Variable	Format	Year	Label
ABTREAT	YESNO	2000	TREAT URINARY TRACT INFECT W/ANTIBIOTIC
ACEDEPMI	YESNO	2003-2005	BEFORE 18 LIVE WITH SOMEONE MENTALLY ILL
ACEDVMO2	YESNO	2004-2005	BEFORE 18 MOM TREATED VIOLENTLY
ACEDVMOM	YESNO	2003	BEFORE 18 MOM TREATED VIOLENTLY
ACEDVRCE	YESNO	2004-2005	BEFORE 18 PARENTS SEPARATED/DIVORCED
ACEHNGR	YESNO	2005-2009	BEFORE 18 EVER HUNGRY
ACEJAIL	YESNO	2003-2005	BEFORE 18 LIVED WITH SOMEONE WHO WENT TO JAIL
ACESUBAB	YESNO	2003-2005	BEFORE 18 LIVED WITH SUBSTANCE ABUSER
ACEWLFAR	YESNO	2005-2009	BEFORE 18 HOUSEHOLD RECEIVED WELFARE
ACEWLFAR	Num	2010	BEFORE 18 DID HOUSEHOLD RECEIVE WELFARE
AFPBOOK	YESNO	1997-1999	GET A BOOKLET ABOUT AFP TEST
AFPNOT1	YESNO	1997-1999	NOT TOLD OF AFP TEST/ASKED IF WANTED IT
AFPNOT2	YESNO	1997-1999	DIDNT UNDERSTAND REASON FOR AFP TEST
AFPNOT3	YESNO	1997-1999	NO TEST: DONT LIKE HAVING BLOOD DRAWN
AFPNOT4	YESNO	1997-1999	HEARD AFP RESULTS WERE UNRELIABLE
AFPNOT5	YESNO	1997-1999	HAD AMNIOCENTESIS INSTEAD OF AFP TEST
AFPNOT6	YESNO	1997-1999	DIDNT WANT TO KNOW OF BIRTH DEFECT
AFPNOT7	YESNO	1997-1999	DIDNT WANT TO DECIDE ABOUT ABORTION
AFPNOT8	YESNO	1997-1999	AFP BLOOD TEST TOO EXPENSIVE
AFPNOT9	YESNO	1997-1999	REASON DIDNT HAVE AFP TEST (SPECIFY)
AFPNOTXT	AFPNOTXT	1997-1999	REASON DIDNT HAVE AFP TEST (TEXT)
AFPTEST	YESNOTER	1997-1999	HAVE YOUR BLOOD DRAWN FOR AFP TEST
AFRDMEAL	TRUEFALB	1998-2012	WHEN COULD NOT AFFORD BALANCED MEALS
AGE	I	1997-2001	REPORTED AGE IN YEARS
AGEB	I	2002-2012	REPORTED AGE IN YEARS
AGEBCWHS	I	2009-2012	REPORTED AGE IN YEARS (NOTE: AGEBCWHS = AGEB)
AGEBRTH	I	1998-2000	AGE AT BIRTH OF FIRST CHILD
AIDSNOT	AIDSNOT	1997	MAIN REASON FOR NOT BEING TESTED FOR HIV
AIDSTALK	AIDSTALK	1998	TALK ABOUT AIDS WITH SEX PARTNER
AIDSTST3	YESNO	1997	EVER TESTED FOR HIV
ALCASK	ALCASK	2009-2010	HEALTH PROFESSIONAL TALKED ABOUT ALCOHOL, WHEN
ALTDOC	YESNO	2000	TELL DOCTOR ABOUT USE OF HERBAL PRODUCT

ALTHERB	YESNO	2000	USED HERBAL PRODUCT LAST 12 MONTHS
ANTBEAR	YESNO	2000	SHOULD TAKE ANTIBIOTIC: EAR INFECTION
ANTBLAD	YESNO	2000	SHOULD TAKE ANTIBIOTIC: BLADDER INFECTION
ANTCOLD	YESNO	2000	SHOULD TAKE ANTIBIOTIC: COLDS OR FLU
ANTCOLD2	YESNO	2003, 2007	COLD/FLU SHOULD BE TREATED WITH ANTIBIOTICS
AODCUT	YESNO	2012	HAS ANYONE EVER EXPRESSED CONCERN ABOUT YOUR DRINKING OR USE OF OTHER DRUGS
AODPROB	YESNO	2012	EVER HAD PROBLEMS RELATED TO USE OF ALCOHOL OR OTHER DRUGS
AODPROB2	YESNO	2012	EVER WONDERED IF YOU HAD A DRUG OR ALCOHOL PROBLEM
AODTREAT	YESNO	2010-2011	EVER RECEIVED TREATMENT FROM A CHEMICAL DEPENDENCY OR SUBSTANCE ABUSE PROGRAM
AREACODE		1997-2005	AREA CODE
ASKFRTST	SCALED	1998-2000	HOW LIKELY ASK CHLAMYDIA TEST NEXT YEAR
ASTHEVER	YESNO	2004	DOCTOR SAID YOU HAD ASTHMA
ASTHSTL	YESNO	2004-2005	STILL HAVE ASTHMA
BABY	BABY	1997	EVER GIVEN BIRTH TO A LIVE BABY
BABYWHEN	I	1997	YEAR LAST GAVE BIRTH TO LIVE BABY
BARRPA	BARRPA	2003-2004	MAIN REASON NOT MORE PHYSICALLY ACTIVE
BARRPA2	BARRPAB	2005-2007	MAIN REASON NOT MORE PHYSICALLY ACTIVE
BCBAR	BCBAR	1997	FREQUENCY OF CONDOM USE
BCBAR2	BCBAR	1998	FREQUENCY OF CONDOM USE
BCBARNO2	BCBARNOB	1998	WHY NOT ALWAYS USING CONDOM
BCBARNOT	BCBARNOT	1997	MAIN REASON NOT USING CONDOM ALWAYS
BCCHOOSE	Num	2009-2010	WHO CHOOSES TYPE OF BIRTH CONTROL
BCFAM	YESNO	1997	FAMILY MEMBERS EVER HAD BREAST CANCER
BCGENET	YESNO	2001	TAKE GENETIC BREAST CANCER RISK TEST
BCHAD	YESNO	1997-2002	EVER HAD BREAST CANCER
BCMEMA	YESNO	1997	MOTHER HAD BREAST CANCER
BCMEMB	YESNO	1997	SISTER HAD BREAST CANCER
BCMEMC	YESNO	1997	DAUGHTER HAD BREAST CANCER
BCMEMD	YESNO	1997	OTHER RELATIVE HAD BREAST CANCER
BCPAY_A	YESNO	1999-2004	HOW PAY FOR BC: PRIVATE INSURANCE
BCPAY_B	YESNO	1999-2004	HOW PAY FOR BC: MEDI-CAL
BCPAY_C	YESNO	1999-2004	HOW PAY FOR BC: FAMILY PACT
BCPAY_D	YESNO	1999-2004	HOW PAY FOR BC: COLLEGE INSURANCE
BCPAY_E	YESNO	1999-2004	HOW PAY FOR BC: FREE NOT SCHOOL CLINIC
BCPAY_F	YESNO	1999-2004	HOW PAY FOR BC: FREE SCHOOL CLINIC

BCPAY_G	YESNO	1999-2004	HOW PAY FOR BC: RESPONDENT PAID CO-PAY
BCPAY_H	YESNO	1999-2004	HOW PAY FOR BC: PARTNER PAID CO-PAY
BCPAY_I	YESNO	1999-2004	HOW PAY FOR BC: RESPONDENT PAID ALL COST
BCPAY_J	YESNO	1999-2004	HOW PAY FOR BC: PARTNER PAID ALL COST
BCPAY_K	YESNO	1999-2004	HOW PAY FOR BC: SHARED COST WITH PARTNER
BCPAY_L	YESNO	1999-2004	HOW PAY FOR BC: FAMILY MEMBER PAID COST
BCPAY_M	YESNO	1999-2004	HOW PAY FOR BC: OTHER (SPECIFY)
BCPAY_N	YESNO	1999-2004	HOW PAY FOR BC: DO NOT USE BIRTH CONTROL
BCPAY2_A	YESNO	2000-2004	STERILIZATION PAID: PRIVATE HEALTH INS
BCPAY2_B	YESNO	2000-2004	STERILIZATION PAID: MEDI-CAL
BCPAY2_C	YESNO	2000-2004	STERILIZATION PAID: FAMILY PACT ETC
BCPAY2_D	YESNO	2000-2004	STERILIZATION PAID: COLLEGE HEALTH INS
BCPAY2_E	YESNO	2000-2004	STERILIZATION PAID: FREE COMM CLINIC
BCPAY2_F	YESNO	2000-2004	STERILIZATION PAID: FREE @SCHOOL CLINIC
BCPAY2_G	YESNO	2000-2004	STERILIZATION PAID: YOU PAID COPAY
BCPAY2_H	YESNO	2000-2004	STERILIZATION PAID: PARTNER PAID COPAY
BCPAY2_I	YESNO	2000-2004	STERILIZATION PAID: YOU PAID FULL COST
BCPAY2_J	YESNO	2000-2004	STERILIZATION PAID: PARTNER PAY FULL COST
BCPAY2_K	YESNO	2000-2004	STERILIZATION PAID: SHARE COST W/PARTNER
BCPAY2_L	YESNO	2000-2004	STERILIZATION PAID: FAMILY MEMBER PAID
BCPAY2_M	YESNO	2000-2004	STERILIZATION PAID: OTHER (SPECIFY)
BCPAY2_N	YESNO	2000-2004	STERILIZATION PAID: NOT STERILIZED
BCPAY2TX	BCPAYTXT	2000-2004	STERILIZATION PAID (TEXT)
BCPAY3	BCPAY3	2009-2012	WHO PAYS FOR BIRTH CONTROL
BCPAYTXT	BCPAYTXT	1999,2001-2004	HOW PAY FOR BC (TEXT)
BCPREVNT	YESNO	1999-2000	EVER HEARD OF TAMOXIFEN OR RALOXIFENE
BCPRVMED	YESNO	1999-2000	DISCUSSED MEDS TO PREVENT BREAST CANCER
BCRISK	SCALEB	1998	PERCEIVED RISK OF GETTING BREAST CANCER
BCRISK2	RISKB	1999-2000	PERCEIVED RISK OF GETTING BREAST CANCER
BCTALK	BCTALK	2008	YOU OR PARTNER INITIATE BIRTH CONTROL DISCUSSIONS
BCTALK2	Num	2010	YOU OR PARTNER INITIATE BIRTH CONTROL DISCUSSIONS
BCTYP_A	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: MALE STERILIZATION/VASECTOMY
BCTYP_B	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: FEMALE STERILIZATION
BCTYP_C	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: NORPLANT/IMPLANTS

BCTYP_D	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: DEPO-PROVERA/INJECTABLES/SHOTS
BCTYP_E	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: BIRTH CONTROL PILLS
BCTYP_F	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: IUD/COIL/LOOP/IUC/IUS
BCTYP_G	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: CONDOMS
BCTYP_H	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: DIAPHRAGM
BCTYP_I	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: FEMALE CONDOM/VAGINAL POUCH
BCTYP_J	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: CERVICAL CAP
BCTYP_K	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: FOAM/JELLY/CREAM
BCTYP_L	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: WITHDRAWAL/PULLING OUT
BCTYP_M	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: NATURAL FAMILY PLANNING/RHYTHM METHOD
BCTYP_N	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: OTHER (SPECIFY)
BCTYP_O	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: REFUSED MODULE
BCTYP_P	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: CONTRACEPTIVE PATCH
BCTYP_Q	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: CONTRACEPTIVE VAGINA RING
BCTYP_R	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: EMERGENCY CONTRACEPTION
BCTYP_S	YESNO	1997-2004, 06-12	WHAT BIRTH CONTROL: LACTATIONAL AMENORRHEA METHOD
BCTYPTX2	BCTYPETB	2003	BIRTH CONTROL USED (TEXT)
BCTYPTXT	BCTYPETX	1997-2002, 04, 08	BIRTH CONTROL USED (TEXT)
BCUSE2	YESNOM	1998-1999	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUSE3	YESNOM	2000-2003	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUSE4	YESNOM	2004-2012	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUTIL	Num	2008-2010	YOU OR PARTNER MAKES SURE BIRTH CONTROL IS USED
BCWHYNOT	BCWHYNOT	1997-2004, 06-12	MAIN REASON NOT USING BIRTH CONTROL
BCWHYNOX	BCWHYNOT	1998-2004, 08-12	REASON NOT USING BIRTH CONTROL (TEXT)
BCWNTHOW	PORTION	1999-2003	IF WANTED BIRTH CONTROL HOW MUCH INS PAY
BFBENEFT	YESNO	1997	MD DISCUSS BENEFITS OF BREASTFEEDING
BFDIS_A	YESNO	1997	OBSTETRICIAN DISCOURAGED BREASTFEEDING
BFDIS_B	YESNO	1997	PEDIATRICIAN DISCOURAGED BREASTFEEDING
BFDIS_C	YESNO	1997	FAM PRACTICE DOC DISCOURAGED BRSTFEED
BFDIS_D	YESNO	1997	OTHER DOCTOR DISCOURAGED BREASTFEEDING
BFDIS_E	YESNO	1997	NURSE DISCOURAGED BREASTFEEDING
BFDIS_F	YESNO	1997	DIETITIAN DISCOURAGED BREASTFEEDING
BFDIS_G	YESNO	1997	FRIEND DISCOURAGED BREASTFEEDING

BFDIS_H	YESNO	1997	MOTHER DISCOURAGED BREASTFEEDING
BFDIS_I	YESNO	1997	GRANDMOTHER DISCOURAGED BREASTFEEDING
BFDIS_J	YESNO	1997	SISTER DISCOURAGED BREASTFEEDING
BFDIS_K	YESNO	1997	HUSBAND DISCOURAGED BREASTFEEDING
BFDIS_L	YESNO	1997	LACTATION CONSULT DISCOURAGED BREASTFEED
BFDIS_M	YESNO	1997	WIC STAFF DISCOURAGED BREASTFEEDING
BFDIS_N	YESNO	1997	COWORKER DISCOURAGED BREASTFEEDING
BFDIS_O	YESNO	1997	EMPLOYER DISCOURAGED BREASTFEEDING
BFDIS_P	YESNO	1997	NO ONE/SELF DISCOURAGED BREASTFEEDING
BFDIS_Q	YESNO	1997	OTHER DISCOURAGED BREASTFEED (SPECIFY)
BFDISCOU	YESNO	1997	POST BIRTH ANYONE DISCOURAGE BRSTFEEDING
BFDISTXT	BFDISCOR	1997	OTHER WHO DISCOURAGED BRSTFEEDING (TEXT)
BFENC_A	YESNO	1997	DOCTOR ENCOURAGED BREASTEEDING
BFENC_B	YESNO	1997	NURSE ENCOURAGED BREASTEEDING
BFENC_C	YESNO	1997	LACTATION SPECIALIST ENCOURAGE BRSTFEED
BFENC_D	YESNO	1997	WIC STAFF ENCOURAGED BREASTEEDING
BFENC_E	YESNO	1997	FRIEND ENCOURAGED BREASTEEDING
BFENC_F	YESNO	1997	HUSBAND ENCOURAGED BREASTEEDING
BFENC_G	YESNO	1997	MOTHER ENCOURAGED BREASTEEDING
BFENC_H	YESNO	1997	FATHER ENCOURAGED BREASTEEDING
BFENC_J	YESNO	1997	MIDWIFE ENCOURAGED BREASTEEDING
BFENC_K	YESNO	1997	NO ONE/SELF ENCOURAGED BREASTEEDING
BFENC_L	YESNO	1997	OTHER WHO ENCOURAGED BRSTFEED (SPECIFY)
BFENCTXT	BFENCWHO	1997	OTHER WHO ENCOURAGED BRSTFEEDING (TXT)
BFFORM	BFFORM	1997	GET FORMULA/COUPONS ON LEAVING HOSPITAL
BFHELP	YESNO	1997	GET HELP WITH BREASTFEEDING PROBLEM
BFHLP_A	YESNO	1997	OBSTETRICIAN HELPED BREASTFEEDING PROB
BFHLP_B	YESNO	1997	PEDIATRICIAN HELPED BREASTFEEDING PROB
BFHLP_C	YESNO	1997	FAMILY PRACTICE DOC HELPED BRSTFEED PROB
BFHLP_D	YESNO	1997	HOSPITAL NURSE HELPED BREASTFEED PROB
BFHLP_E	YESNO	1997	OFFICE NURSE HELPED BREASTFEEDING PROB
BFHLP_F	YESNO	1997	FRIEND HELPED BREASTFEED PROBLEM
BFHLP_G	YESNO	1997	MOTHER HELPED BREASTFEED PROBLEM
BFHLP_H	YESNO	1997	GRANDMOTHER HELPED BREASTFEED PROBLEM
BFHLP_I	YESNO	1997	SISTER HELPED BREASTFEED PROBLEM
BFHLP_J	YESNO	1997	HUSBAND HELPED BREASTFEED PROBLEM

BFHLP_K	YESNO	1997	LA LECHE LEAGUE HELPED BRSTFEED PROB
BFHLP_L	YESNO	1997	LACTATION CONSULT HELPED BRSTFEED PROB
BFHLP_M	YESNO	1997	WIC STAFF HELPED BREASTFEED PROBLEM
BFHLP_N	YESNO	1997	COWORKER HELPED BREASTFEED PROBLEM
BFHLP_O	YESNO	1997	SELF: BOOK HELPED BREASTFEED PROBLEM
BFHLP_P	YESNO	1997	SELF: PAST EXPERIENCE HELP BRSTFEED PROB
BFHLP_Q	YESNO	1997	OTR HELP SOURCE BRSTFEED PROB (SPECIFY)
BFINF_A	YESNO	1997	GOT BREASTFEED INFO: NOWHERE/NO ONE
BFINF_B	YESNO	1997	GOT BREASTFEED INFO: NURSE
BFINF_C	YESNO	1997	GOT BREASTFEED INFO: LACTATION CONSULT
BFINF_D	YESNO	1997	GOT BREASTFEED INFO: WIC STAFF
BFINF_E	YESNO	1997	GOT BREASTFEED INFO: BOOK
BFINF_F	YESNO	1997	GOT BREASTFEED INFO: FRIEND
BFINF_G	YESNO	1997	GOT BREASTFEED INFO: COWORKER
BFINF_H	YESNO	1997	GOT BREASTFEED INFO: MOTHER
BFINF_I	YESNO	1997	GOT BREASTFEED INFO: CHILDS FATHER
BFINF_J	YESNO	1997	GOT BREASTFEED INFO: SISTER
BFINF_K	YESNO	1997	GOT BREASTFEED INFO: GRANDMOTHER
BFINF_L	YESNO	1997	GOT BREASTFEED INFO: OTHER FAMILY MEMBER
BFINF_M	YESNO	1997	GOT BREASTFEED INFO: MAGAZINE
BFINF_N	YESNO	1997	GOT BREASTFEED INFO: PAMPHLET
BFINF_O	YESNO	1997	GOT BREASTFEED INFO: CHILDBRTH PREP CLASS
BFINF_P	YESNO	1997	GOT BREASTFEED INFO: PARENTING CLASS
BFINF_Q	YESNO	1997	GOT BREASTFEED INFO: LA LECHE LEAGUE
BFINF_R	YESNO	1997	DIDNT GET BRSTFEED INFO TIL AFTER BIRTH
BFINF_S	YESNO	1997	GOT BREASTFEED INFO: OTHER (SPECIFY)
BFINTXT	BFENCWHO	1997	GOT BREASTFEED INFO: OTHER (TEXT)
BFLONG	BFLONG	1997	LENGTH OF TIME BREASTFED
BFMLKGD	BFMLKGD	1997	BELIEF ABOUT BREASTMILK
BFNOTXT	BFNOT	1997	WHY NOT BREASTFEED: OTHER REASON (TEXT)
BFNURSE	BFNURSE	1997	NURSES ENCOURAGEMENT OF BREASTFEEDING
BFPRBTXT	BFPROBTX	1997	OTHER BREASTFEEDING PROBLEM (TEXT)
BFPRO_A	YESNO	1997	BREASTFEED PROB: ENGORGED BREASTS
BFPRO_B	YESNO	1997	BREASTFEED PROB: SORE NIPPLES
BFPRO_C	YESNO	1997	BREASTFEED PROB: MASTITIS (FEVER, SORE)
BFPRO_D	YESNO	1997	BREASTFEED PROB: OBSTRUCTED DUCT

BFPRO_E	YESNO	1997	BREASTFEED PROB: NOT ENOUGH MILK
BFPRO_F	YESNO	1997	BREASTFEED PROB: BABY REFUSED BREAST
BFPRO_G	YESNO	1997	BREASTFEED PROB: BABY WANTED FORMULA
BFPRO_H	YESNO	1997	BREASTFEED PROB: BABY NURSED TOO OFTEN
BFPRO_I	YESNO	1997	BREASTFEED PROB: BABY COULD NOT GET MILK
BFPRO_J	YESNO	1997	OTHER BREASTFEEDING PROBLEM (SPECIFY)
BFPROB	YESNO	1997	EVER HAVE ANY PROBLEMS BREASTFEEDING
BFWHERE2	YESNO	1999, 2008	OFFENDED WHEN SEE BREASTFEEDING IN PUBLIC
BFWHERE	BFWHERE	1997-1998	BELIEF ABOUT BREASTFEEDING IN PUBLIC
BFWHOTXT	BFENCWHO	1997	OTR SOURCE OF HELP BRSTFEED PROB(TEXT)
BFWHY_A	YESNO	1997	WHY QUIT BREASTFEED: RETURNED TO WORK
BFWHY_B	YESNO	1997	WHY QUIT BREASTFEED: RETURNED TO SCHOOL
BFWHY_C	YESNO	1997	WHY QUIT BREASTFEED: NOT ENOUGH TIME
BFWHY_D	YESNO	1997	WHY QUIT BREASTFEED: NOT ENOUGH MILK
BFWHY_E	YESNO	1997	WHY QUIT BRETFEED: UNCOMFORTABLE BODY
BFWHY_F	YESNO	1997	WHY QUIT BREASTFEED: FELT EMBARRASSED
BFWHY_G	YESNO	1997	WHY QUIT BREASTFEED: PAIN
BFWHY_H	YESNO	1997	WHY QUIT BRSTFEED: HUSBAND CANT FEED
BFWHY_I	YESNO	1997	WHY QUIT BRETFEED: NO FAMILY SUPPORT
BFWHY_J	YESNO	1997	WHY QUIT BREASTFEED: BABY GOT BENEFIT
BFWHY_K	YESNO	1997	WHY QUIT BREASTFEED: BABY DIDNT SLEEP
BFWHY_L	YESNO	1997	WHY QUIT BRSTFEED: BEGAN BIRTH CONTROL
BFWHY_M	YESNO	1997	WHY QUIT BRSTFEED: TAKING MEDS NOT BC
BFWHY_N	YESNO	1997	WHY QUIT BREASTFEED: HIV POSITIVE
BFWHY_O	YESNO	1997	WHY QUIT BREASTFEED: BABY TEETHING
BFWHY_P	YESNO	1997	WHY QUIT BRSTFEED: BABY REFUSED BREAST
BFWHY_Q	YESNO	1997	WHY QUIT BREASTFEED: MED PROB NOT HIV
BFWHY_R	YESNO	1997	WHY QUIT BREASTFEED: OTHER (SPECIFY)
BFWHYNA	YESNO	1997	WHY NOT BRSTFEED: NEVER OCCURRED TO YOU
BFWHYNB	YESNO	1997	WHY DIDNT BREASTFEED: RETURN TO SCHOOL
BFWHYNC	YESNO	1997	WHY DIDNT BREASTFEED: RETURN TO WORK
BFWHYND	YESNO	1997	WHY DIDNT BREASTFEED: EMBARRASSMENT
BFWHYNE	YESNO	1997	WHY DIDNT BREASTFEED: UNAPPEALING
BFWHYNF	YESNO	1997	WHY DIDNT BREASTFEED: HEARD IT HURT
BFWHYNG	YESNO	1997	WHY DIDNT BREASTFEED: BREASTS TOO SMALL
BFWHYNH	YESNO	1997	WHY DIDNT BREASTFEED: INVERTED NIPPLES

BFWHYNI	YESNO	1997	WHY NOT BRSTFEED: PREVIOUS BAD EXPERIENCE
BFWHYNJ	YESNO	1997	WHY NOT BRSTFEED: FORMULA EQ BREASTMILK
BFWHYNK	YESNO	1997	WHY DIDNT BRSTFEED: DIDNT KNOW ADVANTAGE
BFWHYNL	YESNO	1997	WHY DIDNT BREASTFEED: TOO BUSY
BFWHYNM	YESNO	1997	WHY DIDNT BRSTFEED: BABYS FATHER OPPOSED
BFWHYNN	YESNO	1997	WHY DIDNT BREASTFEED: MOTHER OPPOSED
BFWHYNO	YESNO	1997	WHY DIDNT BREASTFEED: WORRIED ABOUT DIET
BFWHYNP	YESNO	1997	WHY DIDNT BRSTFEED: WORRIED ABOUT ALCOHOL
BFWHYNQ	YESNO	1997	WHY DIDNT BREASTFEED: WORRIED ABOUT MOOD
BFWHYNR	YESNO	1997	WHY DIDNT BREASTFEED: TOO MUCH TROUBLE
BFWHYNS	YESNO	1997	WHY DIDNT BREASTFEED: BABY PREMATURE
BFWHYNT	YESNO	1997	WHY DIDNT BREASTFEED: BABY ADOPTED
BFWHYNU	YESNO	1997	WHY NOT BRSTFEED: OTHER REASON (SPECIFY)
BFWHYTXT	BFWHYQT	1997	WHY QUIT BREASTFEED: OTHER (TEXT)
BIRTHPLC	BIRTHPLC	1997-2002,04-12	COUNTRY OF BIRTH
BLADINF	YESNO	1997	HAD BLADDER INFECTION SYMPTOMS 3+ MONTHS
BLADINF2	YESNO	2000	URINARY TRACT INFECTION LAST 12 MONTHS
BLKACT	III	1998-1999	CITY BLOCKS WALKED PER DAY
BONEDEN	YESNO	2006	EVER HAD A BONE DENSITY TEST?
BPCK12M	YESNO	2001-2002	HAD BLOOD PRESSURE CHECKED IN LAST 12 MOS
BREAKFST	XIX	2008-2012	HOW MANY TIMES PER DAY=1/WEEK=2/MONTH=3 EAT BREAKFAST
BRSTFED2	YESNO	2001-2003	TRY TO BREASTFEED BABY BORN IN YEAR
BRSTFEED	BABY	1997-1998	TRY TO BREASTFEED LAST BABY
BRTHMNT	MON_YEAR	1998-2000	MONTH LAST GAVE BIRTH TO LIVE BABY
BRTHW_A	II	1999-2005	WEIGHT IN POUNDS OF LAST BABY
BRTHW_B	II	1999-2005	WEIGHT IN OUNCES OF LAST BABY
BRTHW_C	II	1999-2005	WEIGHT IN GRAMS OF LAST BABY
BRTHYR	IV	1998-2000	YEAR LAST GAVE BIRTH TO LIVE BABY
CALAGAIN	YESNO	2008-2012	WILLING TO ANSWER FUTURE SURVEY
CALORDER	OFTENCA	2012	HOW OFTEN DOES CALORIE INFORMATION INFUENCE WHAT YOU ORDER
CALORIES	XIX	2008-2011	HOW MANY TIMES PER DAY/WEEK/MONTH KEPT FOOD DIARY OR COUNTED CALORIES
CALREAD	YESNOCAL	2012	READ CALORIE INFORMATION FOR FOODS AND DRINKS AT FAST FOOD AND CHAIN RESTAURANTS
CALSIZE	OFTENCA	2012	HOW MUCH CALORIE INFORMATION HELP DECIDE WHAT TO EAT
CAREACTV		2008	LONGTERM CARE: WHAT ACTIVITY CARE RECEIVER NEEDS HELP WITH

CAREAGE	I	2008	LONGTERM CARE: AGE OF PERSON CARED FOR
CAREBURD		2008	LONGTERM CARE: BIGGEST DIFFICULTY IN PROVIDING CARE
CAREFAR	III	2008	LONGTERM CARE: HOW FAR FROM PERSON CARED FOR, IN MINUTES
CAREGIV2	YESNO	1998	GIVE FREQUENT CARE DURING LAST 12 MONTHS
CAREGIV3	YESNO	2008	LONGTERM CARE: DID YOU PROVIDE IN PAST 12 MONTHS
CAREGIVE	YESNO	1997	GIVE FREQUENT CARE DURING LAST 12 MONTHS
CAREHURT	YESNO	2008	LONGTERM CARE: BEEN INJURED BY PROVIDING CARE IN PAST YEAR
CAREL_A	V	1997	NUMBER OF DAYS ACTED AS CAREGIVER
CAREL_B	V	1997	NUMBER OF WEEKS ACTED AS CAREGIVER
CAREL_C	V	1997	NUMBER OF MONTHS ACTED AS CAREGIVER
CAREL_D	V	1997	NUMBER OF YEARS ACTED AS CAREGIVER
CARELONG	MANYIV	2008	LONGTERM CARE: HOW LONG HAVE YOU PROVIDED CARE
CARENUM	I	2008	LONGTERM CARE: HOW MANY PROVIDE CARE FOR IN PAST MONTH
CAREPBLM	YESNO	2006-2009	CHILDCARE A SERIOUS PROBLEM?
CAREPROB	CAREPROB	2008	LONGTERM CARE: HEALTH PROBLEM OF PERSON CARED FOR
CARER_A	YESNO	1997	REASON FOR CARE: SURGERY/MAJOR ILLNESS
CARER_B	YESNO	1997	REASON FOR CARE: PHYS ILLNESS/DISABILITY
CARER_C	YESNO	1997	REASON FOR CARE: HANDLE A MENTAL PROBLEM
CARER_D	YESNO	1997	OTHER REASON FOR CARE (SPECIFY)
CARERCVD	YESNO	2006-2009	REGULAR CHILDCARE OUTSIDE HOME/FAMILY
CARERESP	SCALEC	1998	CAREGIVING LIMITED FULFILLING OTHR DUTIE
CARERTXT	CAREWHY	1997	OTHER REASON FOR CARE (TEXT)
CARESEX	SEX	2008	LONGTERM CARE: SEX OF PERSON CARED FOR
CARETIME	II	2008	LONGTERM CARE: HOW MANY HOURS PROVIDING CARE PER WEEK
CAREW_A	YESNO	1997-1998	GAVE CARE TO SPOUSE
CAREW_B	YESNO	1997	GAVE CARE TO SON OR DAUGHTER
CAREW_C	YESNO	1997-1998	GAVE CARE TO PARENT OR PARENT-IN-LAW
CAREW_D	YESNO	1997-1998	GAVE CARE TO GRANDPARENT
CAREW_E	YESNO	1997-1998	GAVE CARE TO OTHER RELATIVE
CAREW_F	YESNO	1997-1998	GAVE CARE TO FRIEND OR NEIGHBOR
CAREW_G	YESNO	1997-1998	GAVE CARE TO OTHER PERSON (SPECIFY)
CAREW_H	YESNO	1998	GAVE CARE TO ADULT CHILD/STEPCHILD
CAREW_I	YESNO	1998	GAVE CARE TO MINOR CHILD/STEPCHILD

CAREW_J	YESNO	1998	GAVE CARE TO GRANDCHILD
CAREWH_A	YESNO	2006-2009	CHILDCARE PROBLEM: COST TOO MUCH
CAREWH_B	YESNO	2006-2009	CHILDCARE PROBLEM: COULDN'T FIND FOR TIMES NEEDED
CAREWH_C	YESNO	2006-2009	CHILDCARE PROBLEM: TOO FAR FROM WORK OR HOME
CAREWH_D	YESNO	2006-2009	CHILDCARE PROBLEM: CAREGIVERS UNRELIABLE/UNAVAILABLE
CAREWH_E	YESNO	2006-2009	CHILDCARE PROBLEM: WORRY ABOUT CHILD'S SAFETY
CAREWH_F	YESNO	2006-2009	CHILDCARE PROBLEM: CHILD SICK OR DISABLED
CAREWH_G	YESNO	2006-2009	CHILDCARE PROBLEM: SUBSIDY PAYMENT LATE
CAREWH_H	YESNO	2006-2009	CHILDCARE PROBLEM: OTHER (SPECIFY)
CAREWHO2	CAREWHOC	2008	LONGTERM CARE: RELATIONSHIP OF PERSON CARED FOR
CAREWTXT	CAREWHO	1997	GAVE CARE TO OTHER PERSON (TEXT)
CAREWTXT	CAREWHOB	1998	GAVE CARE TO OTHER PERSON (TEXT)
CBEGUID2	IMPORT	1999-2000	HOW IMPORTANT IS CBE FOR WOMAN RESP AGE
CBEGUIDE	BGUIDE	1997	HOW OFTEN SHOULD WOMAN 40+ HAVE CBE(<40)
CBEGUIDE	BGUIDE	1998	HOW OFTEN SHOULD WOMAN 40+ HAVE CBE (ALL)
CHCK12M	YESNO	2001-2002	HAD CHOLESTEROL CHECKED IN LAST 12 MONTHS
CHD1317	CHILD	1997-2012	NUMBER OF CHILDREN AGED 13 TO 17 IN HH
CHECKUP2	HOWLONG	1997-2004	HOW LONG SINCE LAST ROUTINE CHECKUP
CHECKUP3	HOWLONGE	2006-2011	HOW LONG SINCE LAST ROUTINE MEDICAL
CHECKUP4	HOWLONG	2012	HOW LONG SINCE LAST ROUTINE CHECKUP
CHILD1	II	1997-2012	AGE OF YOUNGEST CHILD
CHILD18	II	1997-2012	NUMBER OF CHILDREN UNDER 18 IN HOUSEHOLD
CHILD2	II	1997-2012	AGE OF 2ND YOUNGEST CHILD
CHILD3	II	1997-2012	AGE OF 3RD YOUNGEST CHILD
CHILD4	II	1997-2012	AGE OF 4TH YOUNGEST CHILD
CHILD5	II	1997-2012	AGE OF 5TH YOUNGEST CHILD
CHILD6	II	1997-2012	AGE OF 6TH YOUNGEST CHILD
CHILD612	CHILD	1997-2012	NUMBER OF CHILDREN AGED 6 TO 12 IN HH
CHILD7	II	1997-2012	AGE OF 7TH YOUNGEST CHILD
CHILD8	II	1997-2012	AGE OF 8TH YOUNGEST CHILD
CHILD9	II	1997-2012	AGE OF 9TH YOUNGEST CHILD
CHILDINT	YESNO	2006-2009	ARE YOU RESPONSIBLE FOR CHILDCARE ARRANGEMENTS?
CHILDLT1	CHILDLT	1999-2003	AGE OF CHILD LESS THAN 1 YEAR
CHILDLT6	CHILD	2003-2012	NUMBER OF CHILDREN AGED 1 TO 5 IN HH

CHILDPRT	CHILDAGE	1998	AGE BABY WHEN MOM RETURN TO WORK/SCHOOL
CHILDREM	Num	2010-2011	EVER ASKED BY CHILD WELFARE SYSTEM ABOUT ALCOHOL OR DRUGS USE
CHKHGHT	HOWLONGK	2004, 2006	LAST TIME HEALTH PROFESSIONAL MEASURED HEIGHT
CHKUP_A	YESNO	2006	DOCTOR DISCUSS EMOTIONAL NEEDS?
CHKUP_B	YESNO	2006	DOCTOR DISCUSS SEXUAL HISTORY/PRACTICES?
CHKUP_C	YESNO	2006	DOCTOR DISCUSS SEXUALLY TRANSMITTED DISEASE?
CHKUP_D	YESNO	2006	DOCTOR DISCUSS DIET/EXERCISE?
CHKUP_E	YESNO	2006	DOCTOR DISCUSS DENTAL/EYECARE?
CHKUP_F	YESNO	2006	DOCTOR DISCUSS FAMILY HISTORY OF DISEASE?
CHKUP_G	YESNO	2006	DOCTOR DISCUSS HISTORY OF PHYSICAL TRAUMA?
CHKUP_H	YESNO	2006	DOCTOR DISCUSS DRUG/ALCOHOL/TOBACCO USE?
CHKUP_I	YESNO	2006	DOCTOR DISCUSS SEAT BELTS?
CHLD__0	YESNO	2000-2003	AGE LESS THAN 1 MONTH
CHLD__1	YESNO	2000-2003	AGE 1 MONTH TO LT 2 MONTH
CHLD__10	YESNO	2000-2003	AGE 10 MONTHS TO LT 11 MONTHS
CHLD__11	YESNO	2000-2003	AGE 11 MONTHS TO LT 12 MONTHS
CHLD__12	YESNO	2000-2003	CHILD EXACTLY 1 YEAR
CHLD__2	YESNO	2000-2003	AGE 2 MONTHS TO LT 3 MONTHS
CHLD__3	YESNO	2000-2003	AGE 3 MONTHS TO LT 4 MONTHS
CHLD__4	YESNO	2000-2003	AGE 4 MONTHS TO LT 5 MONTHS
CHLD__5	YESNO	2000-2003	AGE 5 MONTHS TO LT 6 MONTHS
CHLD__6	YESNO	2000-2003	AGE 6 MONTHS TO LT 7 MONTHS
CHLD__7	YESNO	2000-2003	AGE 7 MONTHS TO LT 8 MONTHS
CHLD__8	YESNO	2000-2003	AGE 8 MONTHS TO LT 9 MONTHS
CHLD__9	YESNO	2000-2003	AGE 9 MONTHS TO LT 10 MONTHS
CHLMTST4	YESNOB	2009, 2012	PAST 12 MON BEEN TESTED FOR CHLAMYDIA
CHLYD_A	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA:IS A STD
CHLYD_B	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: YOUNG WOMEN CAN GET IT
CHLYD_C	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: CAN CAUSE HEALTH PROBLEMS SUCH AS INFERTILITY
CHLYD_D	YESNORF	2007	HAVE HEARD ABOUT CHLAMYDIA: OTHER T/F HAVING CHLAMYDIA INC. RISK OF HIV INFECTION
CHLYDHIV	YESNORF	2007	
CHLYDTS2	YESNOUN	2003, 2005	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTS3	YESNOUN	2004	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTS4	YESNORF	2007	TESTED FOR CHLAMYDIA PAST YEAR

CHLYDTST	YESNOUN	1998-2002	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDXT	STDWHETX	1999-2000	WHERE TESTED FOR CHLAMYDIA - TEXT
CHLYDWH2	WHERE	2003, 2005	WHERE TESTED FOR CHLAMYDIA
CHLYDWHR	WHERE	1999-2000, 2002	WHERE TESTED FOR CHLAMYDIA
CNCBELIF	CNCBELIF	2002	WHAT IS LEADING CAUSE OF CANCER DEATH FOR WOMEN
CNCRTYPE	YESNO	2004	DOCTOR SAID YOU HAD BREAST/REPRODUCTIVE CANCER
COLOEVER	YESNO	2000-2002	EVER HAD A BLOOD STOOL TEST
COLOIMP	IMPORTB	2000	HOW IMPORTANT A PROBLEM IS COLON CANCER
COLONAGE	V	2012	AT WHAT AGE SHOULD WOMEN START GETTING COLORECTAL CANCER SCREENING
COLOTLK	YESNO	2001-2002	DOCTOR/NURSE EVER TALK ABOUT COLORECTAL EXAM
CONDOFTN	OFTEND	2007	HOW OFTEN USED CONDOM
CONDOM3	YESNO	2009, 2012	YOU OR PARTNER USE A CONDOM LAST TIME SEXUAL INTERCOURSE
CONSEC		1997-2000	SEQUENTIAL RESPONDENT NUMBERING
COUNTY	COUNTYA	1997-2012	COUNTY OF RESIDENCE, BRFS CODING
COUNTY1	COUNTYa	1997-2012	COUNTY OF RESIDENCE, FIPS CODING
COUPLE	YESNO	1998	MEMBER OF COUPLE LAST 12 MONTHS
CRC1	AGREEE	2005	UNCOMFORTABLE WHEN PARTNER WANT TO BE CLOSE
CRC10	AGREEE	2005	PREFER NOT TO SHOW PARTNERS MY FEELINGS
CRC10REV	AGREER	2005	REVERSE SCALE OF CRC10
CRC1REV	AGREER	2005	REVERSE SCALE OF CRC1
CRC2	AGREEE	2005	WORRY A LOT ABOUT RELATIONSHIPS
CRC2REV	AGREER	2005	REVERSE SCALE OF CRC2
CRC3	AGREEE	2005	WORRY ABOUT LOSING MY PARTNERS
CRC3REV	AGREER	2005	REVERSE SCALE OF CRC3
CRC4	AGREEE	2005	WORRY PARTNERS DON'T CARE ABOUT ME AS MUCH
CRC4REV	AGREER	2005	REVERSE SCALE OF CRC4
CRC5	AGREEE	2005	COMFORTABLE SHARING FEELINGS WITH PARTNER
CRC6	AGREEE	2005	WISH PARTNERS FEELINGS WERE AS STRONG AS MINE
CRC6REV	AGREER	2005	REVERSE SCALE OF CRC6
CRC7	AGREEE	2005	COMFORTABLE BEING CLOSE TO PARTNERS
CRC8	AGREEE	2005	PULL AWAY WHEN PARTNERS GET CLOSE
CRC8REV	AGREER	2005	REVERSE SCALE OF CRC8
CRC9	AGREEE	2005	I DON'T WORRY ABOUT BEING ABANDONED
CRCSCALE		2005	ATTACHMENT SCALE-AVERAGED

CRIME	SAFE	2004-2005	HOW SAFE IS NEIGHBORHOOD: CRIME
CRIMJAIL	YESNO	2005	BEEN CONVICTED OF CRIME AND SPENT TIME IN JAIL
CURRALOX	YESNO	1999-2000	CURRENTLY TAKING RALOXIFENE
CURRTAMX	YESNO	1999-2000	CURRENTLY TAKING TAMOXIFEN
CUTMEAL	YESNO	1999-2012	CUT MEAL SIZE BECAUSE NO \$\$ FOR FOOD
CUTOFTN	HOWLONGG	1999-2012	FREQUENCY CUT SIZE OF MEAL BECAUSE NO \$\$
CVDBELI2	CVDMORTB	2001-2002	WHAT IS LEADING CAUSE OF DEATH FOR WOMEN
CVDBELIF	TRUEFALS	1999	HEART DISEASE IS LEADING CAUSE OF DEATH
CVDMORT	CVDMORT	1999	LEADING CAUSE OF DEATH OF WOMEN
CVDPROB	CVDPROB	1999	GREATEST HEALTH PROBLEM FACING WOMEN
CYCLNOW	YESNO	2007	TAKING HORMONAL CONTRACEPTIVES TO SUPPRESS MENSTRUAL CYCLE
CYSTITIS	YESNOTS	1997	MD TOLD YOU HAD INTERSTITIAL CYSTITIS
DAILYEAT	III	2001-2005, 07-11	AVG SERVINGS OF FRUIT/VEGS EAT PER DAY
DAILYMLK	XIII	2002	AVG SERVINGS OF MILK PRODUCTS YOU SHOULD EAT/DAY
DAILYMLK	II	2000-2001	AVG SERVINGS OF MILK PRODUCTS U SHOULD EAT/DAY
DAILYVEG	II	2000-2001	AVG SERVINGS OF RUIT/VEGS YOU SHOULD EAT/DAY
DAILYVEG	III	2002-2005, 2007	AVG SERVINGS OF FRUIT/VEGS YOU SHOULD EAT/DAY
DATEB_A	MON_YEAB	2002-2004, 2011	MONTH LAST GAVE BIRTH TO LIVE BABY
DATEB_B	MON_YEAB	2002-2004, 2011	YEAR LAST GAVE BIRTH TO LIVE BABY
DATEB_MON	MON_YEAB	2005	MONTH LAST GAVE BIRTH TO LIVE BABY (NUMERIC)
DATEB_YR	MON_YEAB	2005	YEAR LAST GAVE BIRTH TO LIVE BABY (NUMERIC)
DATEBRTH	MON_YEAB	1998-2005	DATE LAST GAVE BIRTH TO LIVE BABY
DAYSANX	III	1998-2000,02-05	DAYS WORRIED OR ANXIOUS PAST 30 DAYS
DAYSLEEP	III	1997	DAYS DID NOT GET ENOUGH SLEEP IN PAST 30
DAYSSAD	III	1998-2005	DAYS SAD PAST 30 DAYS
DAYURIN	III	1998	URINE LOSS FREQUENCY DURING LAST MONTH
DCTRHERB	YESNO	2005	TOLD DOCTOR YOU USE HERBS
DCTRHIV	YESNO	2002-2003	MD TALK OF RISK OF HIV PAST 12 MTS
DEMOC1R	CHILDREL	2005-2009	HOW IS 1ST CHILD RELATED TO YOU
DEMOC2R	CHILDREL	2005-2009	HOW IS 2ND CHILD RELATED TO YOU
DEMOC3R	CHILDREL	2005-2009	HOW IS 3RD CHILD RELATED TO YOU
DEMOC4R	CHILDREL	2005-2009	HOW IS 4TH CHILD RELATED TO YOU
DEMOC5R	CHILDREL	2005-2009	HOW IS 5TH CHILD RELATED TO YOU
DEMOC6R	CHILDREL	2005-2009	HOW IS 6TH CHILD RELATED TO YOU

DEMOC7R	CHILDREL	2005-2009	HOW IS 7TH CHILD RELATED TO YOU
DEMOC8R	CHILDREL	2005-2009	HOW IS 8TH CHILD RELATED TO YOU
DEMOC9R	CHILDREL	2005-2009	HOW IS 9TH CHILD RELATED TO YOU
DENBCDOC	YESNOC	2009	HEALTH CARE PROFESSIONAL EVER DENIED YOU ACCESS TO REPRODUCTIVE
DENBCHOS	YESNO	2009	EVER BEEN DENIED REPRODUCTIVE CARE AT HOSPITAL DUE TO RELIGIOUS BELIEFS
DENTCHEK	HOWLONG	2009	ROUTINE DENTAL CHECK-UP
DENTNOT	DENTNOT	2009	REASON DID NOT HAVE ROUTINE DENTAL EXAM
DIABDRN2	YESNOPG	1999	HAVE GLUCOLA TEST DURING LAST PREGNANCY
DIABDRNK	YESNOPG	1998	HAVE GLUCOLA TEST DURING LAST PREGNANCY
DIABEVR	YESNOGES	2004, 2009	DOCTOR SAID YOU HAVE DIABETES
DIABPREG	YESNO	2004-2005, 2009	DIABETES ONLY WHILE PREGNANT
DIABTEST	YESNO	2009	HAD TEST FOR HIGH BLOOD SUGAR OR DIABETES IN PAST 3 YEARS
DIET12M	YESNO	2001-2012	TRIED TO LOSE WEIGHT IN LAST 12 MONTHS
DIETDRK	OFTENA	2001-2002	HOW OFTEN REPLACE MEAL WITH SUPPLEMENT
DIETLB	IV	2001	HOW MANY POUNDS LOST
DIETLBYO	IV	2001	HOW MANY POUNDS LOST MOST RECENT ATTEMPT
DIETPILL	OFTENA	2001-2002	HOW OFTEN USE OTC PILLS TO LOSE WEIGHT
DIETYOYB	YESNO	2002	LOSE AND GAIN WEIGHT MORE THAN ONCE
DIETYOYO	YESNO	2001	LOSE AND GAIN WEIGHT MORE THAN ONCE
DISANY	YESNO	2003-2012	ANY PHYSICAL, MENTAL, EMOTIONAL LIMITATION
DISBEND	YESNO	1999-2000	HEALTH LIMITS BENDING OR LIFTING
DISCACT	DISCACT	2009	TREATED UNFAIRLY DO U ACCEPT IT OR DO SOMETHING
DISCARE	YESNO	2003-2004	HAS PROBLEM MADE IT HARD TO GET MEDICAL CARE
DISCCARE	OFTENF	2009	EVER FEEL DIDNT GET BEST CARE BECAUSE RACE/ETHNICITY/COLOR
DISCDENY	OFTENF	2009	BEEN DENIED HOSPITALIZATION BECAUSE RACE/ETHNICITY/COLOR
DISCEVER	YESNO	2009, 2012	EVER EXPERIENCED DISCRIMINATION BECAUSE OF YOUR RACE/ETHNICITY
DISCTALK	DISCTALK	2009	IF TREATED UNFAIRLY DO U TALK ABOUT IT OR KEEP TO SELF
DISCWACH	OFTENF	2009	WHEN SHOPPING ARE U FOLLOWED OR WATCHED BY CLERKS
DISLONG	HOWLONGJ	2003	HOW LONG HAVE YOU BEEN LIMITED
DISLONGB	HOWLONGJ	2004	HOW LONG HAVE YOU BEEN LIMITED
DISMD_A	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: TRANSPORTATION
DISMD_B	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: NO SPECIALISTS

DISMD_C	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: WRONG EQUIPMENT
DISMD_D	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: NO ASSISTANCE
DISMD_E	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: BAD ATTITUDE
DISMD_F	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: COSTS/INSURANCE
DISMD_G	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: APPT TOO SHORT
DISMD_H	YESNO	2003-2004	PROBLEMS GETTING MEDICAL CARE: OTHER
DISMODER	YESNO	1998-1999	HEALTH LIMITS MODERATE ACTIVITY
DISSTAIR	YESNO	1998-1999	HEALTH LIMITS CLIMBING
DISUSUAL	YESNO	1998-1999	HEALTH LIMITS CARING FOR SELF
DISVIGOR	YESNO	1998-1999	HEALTH LIMITS VIGOROUS ACTIVITY
DISWALK	YESNO	1998-1999	HEALTH LIMITS WALKING ONE BLOCK
DISWORK	OFTENC	2003-2005	HOW OFTEN LIMITATION AFFECTED WORK OR EDUCATION
DLYEATF	V	2012	SERVINGS OF FRUITS EAT PER DAY
DLYEATV	V	2012	SERVINGS OF VEGETABLES EAT PER DAY
DMPREG	YESNO	1997	WOMEN WITH DM NEED SPEC CARE BEFORE PG DR. EVER RECOMMEND TUBAL LIGATION/STERILIZED
DOCRECTL	YESNO	2009	
DOUCHEVR	YESNO	2000-2001	DOUCHED DURING PAST 12 MONTHS
DOUCHOFN	IV	2000-2001	TIMES DOUCHED LAST 12 MONTHS
DRINKGE4	III	2007-2012	TIMES HAD FOUR+ ALCOHOLIC DRINKS
DRINKGE5	III	1997-2006	TIMES HAD FIVE+ ALCOHOLIC DRINKS
DRINKNUM	III	2009-2012	LARGEST NUMBER OF DRINKS ON 1 OCCASSION IN PAST MONTH
DRKALC	MANYV	1997-2012	TIMES DRANK ALCOHOL PER WEEK OR MONTH
DRKGUILT	YESNODK	2000-2003	FEEL GUILTY ABOUT DRINKING LAST 12 MTHS
DRKHARM2	Num	2010-2011	ALCOHOL OR DRUGS HAD EFFECT ON ABILITY TO TAKE CARE OF YOUR CHILDREN
DRNKANY1	YESNO	1997-2010	DRANK ALCOHOL IN PAST MONTH
DRNKHARM	YESNO	2004-2005	DRINKING EVER HARM HEALTH
DRNKHHELP	YESNO	2004-2005	EVER SEEN PROFESSIONAL ABOUT DRINKING
DRNKPROB	YESNO	1997-1998	HAVING PROB FROM OTHERS DRINKING EXCESS
DRUNK	III	1999-2001	HOW OFTEN GET DRUNK IN PAST YEAR
DRUNK	IV	2002-2005	HOW OFTEN GET DRUNK IN PAST YEAR
DRUNKNUM	III	1999-2003	HOW MANY DRINKS FOR YOU TO FEEL DRUNK
DVAID_A	YESNO	2002	DV PROGRAM YOU WOULD USE: FINANCIAL

DVAID_B	YESNO	2002	DV PROGRAM YOU WOULD USE: CHILD COUNS
DVAID_C	YESNO	2002	DV PROGRAM YOU WOULD USE: CRISIS COUNS
DVAID_D	YESNO	2002	DV PROGRAM YOU WOULD USE: JOB HELP
DVAID_E	YESNO	2002	DV PROGRAM YOU WOULD USE: LEGAL
DVAID_F	YESNO	2002	DV PROGRAM YOU WOULD USE: HOUSING HELP
DVAID_G	YESNO	2002	DV PROGRAM YOU WOULD USE: SUPPORT GROUP
DVAID_H	YESNO	2002	DV PROGRAM YOU WOULD USE: HEALTH SERVICES
DVAID_I	YESNO	2002	DV PROGRAM YOU WOULD USE: SAFEHOUSE
DVAID_J	YESNO	2002	DV PROGRAM YOU WOULD USE: OTHER(SPECIFY)
DVBEATDG	SCALEE	2000-2001	BEAT UP LAST YR: DRUGS INVOLVED
DVBEATU2	WHO	1998-2001,03-05	WHICH PARTNER BEAT YOU UP LAST YEAR
DVBEATUP	YESNODVA	1998-1999	PARTNER BEAT YOU UP DURING PAST 12 MTHS
DVCANTLK	YESNORF	1998-2001	HAVE PRIVACY TO TALK ABOUT DV
DVCHLD	YESNO	2005	WERE ANY KIDS PRESENT FOR DV INCIDENT
DVCHLD2	YESNO	2006	CHILDREN WITNESS DOMESTIC VIOLENCE
DVCHLD3	YESNO	2007	WERE ANY KIDS PRESENT FOR DV INCIDENT
DVCHLD4	YESNO	2008-2009, 2011-2012	ANY CHILDREN SEE OR HEAR DV INCIDENT
DVCHOKE	YESNODVA	1998-1999	PARTNER CHOKED YOU DURING PAST 12 MTHS
DVCHOKE2	WHO	1998-1999	WHICH PARTNER CHOCKED YOU
DVCNTROL	YESNODVA	1999-2001,03-09, 2012	PARTNER TRIED TO CONTROL PAST 12 MONTHS PAST 12 MONTHS: PARTNER TAKEN OFF CONDOM WHILE HAVING SEX
DVCONDOM	YESNO	2012	HAD HEALTH CARE PROFESSIONAL EVER ASKED YOU ABOUT DOMESTIC VIOLENCE
DVDRASKU	YESNO	2012	HOW MUCH DRUGS/ALCOHOL INVOLVED IN DV INCIDENT
DVDRGAL2	SCALEE	2007	HOW MUCH DRUGS/ALCOHOL INVOLVED IN DV INCIDENT
DVDRGALC	SCALEE	2005-2006	HOW MUCH DRUGS/ALCOHOL INVOLVED IN DV INCIDENT
DVDRINK	YESNO	2008	WAS DV AGRESSOR UNDER INFLUENCE OF ALCOHOL
DVDRUG	YESNO	2008	WAS DV AGRESSOR UNDER INFLUENCE OF DRUGS EVER ASKED FOR HELP WITH DOMESTIC VIOLENCE ISSUES FROM HEALTH CARE PROVIDER
DVDRUASK	YESNO	2012	EVER ASKED FOR HELP WITH DOMESTIC VIOLENCE ISSUES FROM HEALTH CARE PROVIDER
DVEBETDG	SCALEE	2000	BEAT UP EVER: DRUGS INVOLVED
DVEHITDG	SCALEE	2000	KICKED/HIT EVER: DRUGS INVOLVED
DVEMED11	YESNORF	2000	EVER SEEK MED CARE @THREAT W/KNIFE/GUN
DVEMED13	YESNORF	2000	EVER SEEK MED CARE CAUSE KNIFE/GUN ON U
DVEMED14	YESNORF	2000	EVER SEEK MEDICAL CARE CAUSE FORCED SEX
DVESEXDG	SCALEE	2000	FORCED SEX EVER: DRUGS INVOLVED
DVETHRDG	SCALEE	2000	THROWN OBJECT EVER: DRUGS INVOLVED
DVEUSEDG	SCALEE	2000	USED KNIFE/GUN EVER: DRUGS INVOLVED

DVEVBET2	WHO	2000	WHICH PARTNER BEAT YOU UP EVER
DVEVHIT2	WHO	2000	WHICH PARTNER KICKED/HIT YOU EVER
DVEVMED4	YESNORF	2000	EVER SEEK MEDICAL CARE @THROWN OBJECT
DVEVMED5	YESNORF	2000	EVER SEEK MEDICAL CARE BECAUSE PUSHED
DVEVMED7	YESNORF	2000	EVER SEEK MEDICAL CARE CAUSE KICKED/HIT
DVEVMED9	YESNORF	2000	EVER SEEK MEDICAL CARE BECAUSE BEATEN UP
DVEVPSDG	SCALEE	2000	PUSHED EVER: DRUGS INVOLVED
DVEVPSH2	WHO	2000	WHICH PARTNER PUSHED YOU EVER
DVEVRBET	YESNORF	2000	PARTNER BEAT YOU UP EVER
DVEVRCMB	YESNO	2002	ANY DV COMBINED EVER
DVEVRHIT	YESNORF	2000	PARTNER KICKED/HIT YOU EVER
DVEVRPSH	YESNORF	2000	PARTNER PUSHED EVER
DVEVRSEX	YESNORF	2000	PARTNER FORCED SEX EVER
DVEVRTH2	WHO	2000	WHICH PARTNER THREW OBJECT EVER
DVEVRTHR	YESNORF	2000	PARTNER THREW OBJECT EVER
DVEVRUSE	YESNORF	2000	PARTNER USED KNIFE/GUN ON U EVER
DVEVRWPN	YESNORF	2000	PARTNER THREATEN W/KNIFE OR GUN EVER
DVEVSEX2	WHO	2000	WHICH PARTNER FORCED SEX EVER
DVEVUSE2	WHO	2000	WHICH PARTNER USED KNIFE/GUN ON U EVER
DVEVWPN2	WHO	2000	WHICH PARTNER THREATEN W/KNIFE/GUN EVER
DVEWPNDG	SCALEE	2000	THREATEN W/KNIFE OR GUN EVER: DRUGS INVOLVED
DVFEAR	YESNOPF	1999-2009, 2012	AFRAID OF PARTNER PAST 12 MONTHS
DVFLODG	SCALEE	2001	PARTNER FOLLOWED U LAST YR: DRUGS INVOLVED
DVFLOWU	WHO	2001-2005	WHICH PARTNER FOLLOWED U LAST YR
DVHITDG	SCALEE	2000-2001	KICKED/HIT LAST YR: DRUGS INVOLVED
DVHITTH2	WHO	1998-1999	WHICH PARTNER TRIED TO HIT YOU W/OBJECT
DVHITTHG	YESNODVA	1998-1999	PARTNER TRIED HIT W/OBJECT PAST 12 MTHS
DVHITYO2	WHO	1998-2001,03-05	WHICH PARTNER KICKED/HIT U LAST YR
DVHITYOU	YESNODVA	1998-1999	PARTNER KICKED/HIT YOU PAST 12 MTHS
DVINJASK	YESNO	2012	AS RESULT OF VISIT WITH DOC BECAUSE OF INJURY: DID DOC ASK ABOUT DOMESTIC VIOLENCE
DVINJURY	YESNO	2012	PAST 12 MONTHS: EXPERIENCE ANY INJURY THAT RESULTED IN VISIT TO DOC
DVINSLT	YESNODVA	1998-1999	INSULTED BY PARTNER PAST 12 MONTHS
DVINSLT2	WHO	1998-1999	WHICH PARTNER INSULTED
DVMED1	YESNODVA	1998-1999	SEEK MEDICAL CARE FOR INSULT
DVMED10	YESNODVA	1998-1999	SEEK MEDICAL CARE BECAUSE CHOCKED

DVMED11	YESNORF	1999	SEEK MED CARE FOR THREAT W/KNIFE/GUN
DVMED11	YESNODVA	1998-2000	SEEK MED CARE: THREAT W/KNIFE/GUN LAST YR
DVMED12	YESNODVA	1998	SEEK MED CARE CAUSE OF KNIFE/GUN WOUND
DVMED13	YESNODVA	1999	SEEK MED CARE CAUSE OF KNIFE/GUN ON U
DVMED13	YESNORF	2000	SEEK MED CARE FOR KNIFE/GUN ON U LAST YR
DVMED14	YESNORF	2000	SEEK MEDICAL CARE FOR FORCED SEX LAST YR
DVMED2	YESNODVA	1998-1999	SEEK MEDICAL CARE FOR THREAT TO HIT
DVMED3	YESNODVA	1998-1999	SEEK MEDICAL CARE DUE TO THROWN OBJECT
DVMED4	YESNORF	1999	SEEK MED CARE FOR OBJECT THROWN AT YOU
DVMED4	YESNODVA	1998-2000	SEEK MEDICAL CARE: THROWN OBJECT LAST YR
DVMED5	YESNORF	1999	SEEK MEDICAL CARE BECAUSE PUSHED
DVMED5	YESNODVA	1998-2000	SEEK MEDICAL CARE CAUSE PUSHED LAST YR
DVMED6	YESNODVA	1998-1999	SEEK MEDICAL CARE BECAUSE SLAPPED
DVMED7	YESNORF	1999	SEEK MEDICAL CARE BECAUSE KICKED/HIT
DVMED7	YESNODVA	1998-2000	SEEK MED CARE CAUSE KICKED/HIT LAST YR
DVMED8	YESNODVA	1998-1999	SEEK MED CARE CAUSE TRIED HIT U W/OBJECT
DVMED9	YESNORF	1999	SEEK MEDICAL CARE BECAUSE BEATEN UP
DVMED9	YESNODVA	1998-2000	SEEK MED CARE CAUSE BEATEN UP LAST YR
DVNOUSE	YESNO	2012	PAST 12 MONTHS: PARTNER TODL YOU NOT TO USE BIRTH CONTROL
DVPREG	YESNO	2012	PAST 12 MONTHS: PARTNER TRIED TO FORCE YOU TO BECOME PREGNANT
DVPRTR1	YESNO	2008	AFTER DV INCIDENT DID PARTNER GET TREATMENT
DVPRTR2	YESNO	2008	BEFORE DV INCIDENT WAS PARTNER EVER INCARCERATED
DVPRTR3	YESNO	2008	WAS DV PARTNER RELEASED FROM INCARCERATION IN PAST YEAR
DVPUSHDG	SCALEE	2000-2001	PUSHED LAST YR: DRUGS INVOLVED
DVPUSHE2	WHO	1998-2001,03-05	WHICH PARTNER PUSHED YOU LAST YR
DVPUSHED	YESNODVA	1998-1999	PARTNER PUSHED DURING PAST 12 MONTHS
DVREFERR	DVREFER	2012	WHAT TYPE OF DOMESTIC VIOLENCE REFERRAL DID DOC GIVE YOU
DVRELATN	DVRELATN	2008-2009, 2012	WAS DV AGRESSOR UNDER INFLUENCE OF DRUGS
DVSER_A	YESNODVC	2006	DOMESTIC VIOLENCE HELP: HOTLINE
DVSER_B	YESNODVC	2006	DOMESTIC VIOLENCE HELP: MEDICAL
DVSER_C	YESNODVC	2006	DOMESTIC VIOLENCE HELP: SOCIAL WORKER
DVSER_D	YESNODVC	2006	DOMESTIC VIOLENCE HELP: PASTORAL/RELIGIOUS
DVSER_E	YESNODVC	2006	DOMESTIC VIOLENCE HELP: FRIEND/FAMILY
DVSER_F	YESNODVC	2006	DOMESTIC VIOLENCE HELP: OTHER

DVSERV_A	YESNO	2007	SEEK HELP FOR DV INCIDENT: LOCAL DV HOTLINE
DVSERV_B	YESNO	2007	SEEK HELP FOR DV INCIDENT: MEDICAL
DVSERV_C	YESNO	2007	SEEK HELP FOR DV INCIDENT: PSYCHOLOGIST/SOCIAL WORKER
DVSERV_D	YESNO	2007	SEEK HELP FOR DV INCIDENT: PASTORAL/RELIGIOUS
DVSERV_E	YESNO	2007	SEEK HELP FOR DV INCIDENT: TALKED TO FAMILY/FRIENDS
DVSERV_F	YESNO	2007	SEEK HELP FOR DV INCIDENT: OTHER
DVSERV_G	YESNO	2007	SEEK HELP FOR DV INCIDENT: DV SHELTER
DVSERV_H	YESNO	2007	SEEK HELP FOR DV INCIDENT: POLICE/LAW ENFORCEMENT
DVSERV_I	YESNO	2007	SEEK HELP FOR DV INCIDENT: LEGAL SERVICES/RESTRAINING ORDER
DVSERV_J	YESNO	2007	SEEK HELP FOR DV INCIDENT: HEALTH SERVICES
DVSERV11_A	YESNO	2008-2009	HELP FOR DV INCIDENT: LOCAL DV HOTLINE
DVSERV11_B	YESNO	2008-2009	HELP FOR DV INCIDENT: DV SHELTER OR SERVICES
DVSERV11_C	YESNO	2008-2009	HELP FOR DV INCIDENT: PSYCHOLOGIST/SOCIAL WORKER
DVSERV11_D	YESNO	2008-2009	HELP FOR DV INCIDENT: PASTORAL/RELIGIOUS/SPIRITUAL
DVSERV11_E	YESNO	2008-2009	HELP FOR DV INCIDENT: TALKED TO FAMILY/FRIENDS
DVSERV11_F	YESNO	2008-2009	HELP FOR DV INCIDENT: POLICE/LAW ENFORCEMENT
DVSERV11_G	YESNO	2008-2009	HELP FOR DV INCIDENT: LEGAL SERVICES/RESTRAINING ORDER
DVSERV11_H	YESNO	2008-2009	HELP FOR DV INCIDENT: HEALTH SERVICES
DVSERV11_I	YESNO	2008-2009	HELP FOR DV INCIDENT: OTHER
DVSERV12_A	YESNO	2008	TREATMENT FOR DV INCIDENT: ALCOHOL/DRUG/REHAB
DVSERV12_B	YESNO	2008	TREATMENT FOR DV INCIDENT: MENTAL HEALTH
DVSERV12_C	YESNO	2008	TREATMENT FOR DV INCIDENT: BATTERERS PROGRAM
DVSERV12_D	YESNO	2008	TREATMENT FOR DV INCIDENT: PASTORAL/RELIGIOUS/SPIRITUAL
DVSERV12_E	YESNO	2008	TREATMENT FOR DV INCIDENT: COURT ORDERED
DVSERV12_F	YESNO	2008	TREATMENT FOR DV INCIDENT: TALKED TO FAMILY/FRIENDS
DVSERV12_G	YESNO	2008	TREATMENT FOR DV INCIDENT: HEALTH SERVICES/MEDICAL
DVSERV12_H	YESNO	2008	TREATMENT FOR DV INCIDENT: COUPLES THERAPY
DVSERV12_I	YESNO	2008	TREATMENT FOR DV INCIDENT: OTHER
DVSEXDG	SCALEE	2000-2001	FORCED SEX LAST YR: DRUGS INVOLVED
DVSHLTER	YESNODVA	1999-2000	KNOWLEDGE OF COMMUNITY DV PROGRAMS
DVSKHLP	YESNO	2003-2004	SEEK HELP AFTER ANY DV INCIDENT
DVSLAP	YESNODVA	1998-1999	PARTNER SLAPPED YOU DURING PAST 12 MTHS

DVSLAP2	WHO	1998-1999	WHICH PARTNER SLAPPED YOU
DVTHRDG	SCALEE	2000,01,03-05	THROWN OBJECT LAST YEAR: DRUGS INVOLVED
DVTHRTH2	WHO	1998-1999	WHICH PARTNER THREW OBJECT
DVTHRTHG	YESNODVA	1998-1999	PARTNER THREW OBJECT PAST 12 MONTHS
DVTHRTN	YESNODVA	1998-1999	PARTNER THREATEN HIT DURING PAST 12 MTHS
DVTHRTN2	WHO	1998-1999	WHICH PARTNER THREATENED TO HIT
DVTHRWP2	WHO	1998-2001,03-05	WHO THREATEN W/KNIFE OR GUN LAST YR
DVTHRWPN	YESNODVA	1998-1999	PARTNER THREATENED YOU WITH KNIFE/GUN
DVTHRYO2	WHO	1998-2001,03-05	WHICH PARTNER THREW OBJECT LAST YEAR
DVTHRYOU	YESNODVA	1998-1999	PARTNER THREW OBJECT AT YOU PAST 12 MTHS
DVUSEDG	SCALEE	2000-2001	USED KNIFE/GUN LAST YR: DRUGS INVOLVED
DVUSEWP2	WHO	1998	WHICH PARTNER USED KNIFE/GUN
DVUSEWPN	YESNODVA	1998-1999	PARTNER USED KNIFE/GUN PAST 12 MTHS
DVWHR1	WHEREHLP	1998-1999	WHERE RECEIVED MEDICAL CARE FOR INSULT
DVWHR1_A	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 1ST SOURCE
DVWHR1_B	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 2ND SOURCE
DVWHR1_C	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 3RD SOURCE
DVWHR1_D	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 4TH SOURCE
DVWHR1_E	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 5TH SOURCE
DVWHR1_F	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 6TH SOURCE
DVWHR1_G	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 7TH SOURCE
DVWHR1_H	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 8TH SOURCE
DVWHR1_I	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 9TH SOURCE
DVWHR1_J	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 10TH SOURCE
DVWHR1_K	WHEREHLPB	2000	CARE EVER - THROWN OBJECT: 11TH SOURCE
DVWHR10	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE CHOCKED
DVWHR11	WHEREHLP	1998-1999	WHERE GET MED CARE: THREATEN W/KNIFE/GUN
DVWHR12	WHEREHLP	1998	WHERE GET MED CARE FOR KNIFE/GUN WOUND
DVWHR13	WHEREHLP	1999	WHERE GET MED CARE FOR KNIFE/GUN ON U
DVWHR2	WHEREHLP	1998-1999	WHERE RECD MED CARE FOR THREATENED HIT
DVWHR2_A	WHEREHLPB	2000	CARE EVER - PUSHED: 1ST SOURCE
DVWHR2_B	WHEREHLPB	2000	CARE EVER - PUSHED: 2ND SOURCE
DVWHR2_C	WHEREHLPB	2000	CARE EVER - PUSHED: 3RD SOURCE
DVWHR2_D	WHEREHLPB	2000	CARE EVER - PUSHED: 4TH SOURCE
DVWHR2_E	WHEREHLPB	2000	CARE EVER - PUSHED: 5TH SOURCE
DVWHR2_F	WHEREHLPB	2000	CARE EVER - PUSHED: 6TH SOURCE

DVWHR2_G	WHERHLPB	2000	CARE EVER - PUSHED: 7TH SOURCE
DVWHR2_H	WHERHLPB	2000	CARE EVER - PUSHED: 8TH SOURCE
DVWHR2_I	WHERHLPB	2000	CARE EVER - PUSHED: 9TH SOURCE
DVWHR2_J	WHERHLPB	2000	CARE EVER - PUSHED: 10TH SOURCE
DVWHR2_K	WHERHLPB	2000	CARE EVER - PUSHED: 11TH SOURCE
DVWHR3	WHEREHLP	1998-1999	WHERE RECD MED CARE DUE TO THROWN OBJECT
DVWHR3_A	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 1ST SOURCE
DVWHR3_B	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 2ND SOURCE
DVWHR3_C	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 3RD SOURCE
DVWHR3_D	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 4TH SOURCE
DVWHR3_E	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 5TH SOURCE
DVWHR3_F	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 6TH SOURCE
DVWHR3_G	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 7TH SOURCE
DVWHR3_H	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 8TH SOURCE
DVWHR3_I	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 9TH SOURCE
DVWHR3_J	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 10TH SOURCE
DVWHR3_K	WHERHLPB	2000	CARE EVER - KICKED OR HIT: 11TH SOURCE
DVWHR4	WHEREHLP	1998-1999	WHERE RECD MED CARE FOR OBJ THROWN AT U
DVWHR4_A	WHERHLPB	2000	CARE EVER - BEAT UP: 1ST SOURCE
DVWHR4_B	WHERHLPB	2000	CARE EVER - BEAT UP: 2ND SOURCE
DVWHR4_C	WHERHLPB	2000	CARE EVER - BEAT UP: 3RD SOURCE
DVWHR4_D	WHERHLPB	2000	CARE EVER - BEAT UP: 4TH SOURCE
DVWHR4_E	WHERHLPB	2000	CARE EVER - BEAT UP: 5TH SOURCE
DVWHR4_F	WHERHLPB	2000	CARE EVER - BEAT UP: 6TH SOURCE
DVWHR4_G	WHERHLPB	2000	CARE EVER - BEAT UP: 7TH SOURCE
DVWHR4_H	WHERHLPB	2000	CARE EVER - BEAT UP: 8TH SOURCE
DVWHR4_I	WHERHLPB	2000	CARE EVER - BEAT UP: 9TH SOURCE
DVWHR4_J	WHERHLPB	2000	CARE EVER - BEAT UP: 10TH SOURCE
DVWHR4_K	WHERHLPB	2000	CARE EVER - BEAT UP: 11TH SOURCE
DVWHR5	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE PUSHED
DVWHR5_A	WHERHLPB	2000	CARE EVER - FORCED SEX: 1ST SOURCE
DVWHR5_B	WHERHLPB	2000	CARE EVER - FORCED SEX: 2ND SOURCE
DVWHR5_C	WHERHLPB	2000	CARE EVER - FORCED SEX: 3RD SOURCE
DVWHR5_D	WHERHLPB	2000	CARE EVER - FORCED SEX: 4TH SOURCE
DVWHR5_E	WHERHLPB	2000	CARE EVER - FORCED SEX: 5TH SOURCE
DVWHR5_F	WHERHLPB	2000	CARE EVER - FORCED SEX: 6TH SOURCE

DVWHR5_G	WHERHLPB	2000	CARE EVER - FORCED SEX: 7TH SOURCE
DVWHR5_H	WHERHLPB	2000	CARE EVER - FORCED SEX: 8TH SOURCE
DVWHR5_I	WHERHLPB	2000	CARE EVER - FORCED SEX: 9TH SOURCE
DVWHR5_J	WHERHLPB	2000	CARE EVER - FORCED SEX: 10TH SOURCE
DVWHR5_K	WHERHLPB	2000	CARE EVER - FORCED SEX: 11TH SOURCE
DVWHR6	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE BECAUSE SLAPPED
DVWHR6_A	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 1ST SOURCE
DVWHR6_B	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 2ND SOURCE
DVWHR6_C	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 3RD SOURCE
DVWHR6_D	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 4TH SOURCE
DVWHR6_E	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 5TH SOURCE
DVWHR6_F	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 6TH SOURCE
DVWHR6_G	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 7TH SOURCE
DVWHR6_H	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 8TH SOURCE
DVWHR6_I	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 9TH SOURCE
DVWHR6_J	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 10TH SOURCE
DVWHR6_K	WHERHLPB	2000	CARE EVER - THREAT W/KNIFE: 11TH SOURCE
DVWHR7	WHEREHLP	1998-1999	WHERE RECD MEDICAL CARE CAUSE KICKED/HIT
DVWHR7_A	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 1ST SOURCE
DVWHR7_B	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 2ND SOURCE
DVWHR7_C	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 3RD SOURCE
DVWHR7_D	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 4TH SOURCE
DVWHR7_E	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 5TH SOURCE
DVWHR7_F	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 6TH SOURCE
DVWHR7_G	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 7TH SOURCE
DVWHR7_H	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 8TH SOURCE
DVWHR7_I	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 9TH SOURCE
DVWHR7_J	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 10TH SOURC
DVWHR7_K	WHERHLPB	2000	CARE EVER - USED KNIFE OR GUN: 11TH SOURC
DVWHR8	WHEREHLP	1998-1999	WHERE GET MED CARE: TRIED HIT U W/OBJECT
DVWHR9	WHEREHLP	1998-1999	WHERE GET MEDICAL CARE BECAUSE BEATEN UP THREAT W/KNIFE OR GUN LAST YR: DRUGS INVOLVED
DVWPNDG	SCALEE	2000-2001	
DVWPNON2	WHO	1999-2001,03-05	WHICH PARTNER USE KNIFE/GUN ON U LAST YR
DVWPNONU	YESNODVA	1999	PARTNER USED KNIFE/GUN ON U PAST 12 MTHS
DVYRBEAT	YESNORF	1999-2001,03-09, 11-12	PARTNER BEAT YOU UP DURING PAST 12 MTHS
DVYRCMB	YESNO	2002	ANY DV COMBINED PAST 12 MONTHS

DVYRFLOW	YESNORF	1999-2001,03-09	PARTNER FOLLOWED U PAST 12 MTHS
DVYRHIT	YESNORF	1999-2001,03-09, 11-12	PARTNER KICKED/HIT YOU PAST 12 MTHS
DVYRPUSH	YESNORF	1999-2001,03-09, 11-12	PARTNER PUSHED DURING PAST 12 MONTHS
DVYRSEX	YESNORF	1999-2001,03-09, 11-12	PARTNER FORCED SEX LAST 12 MONTHS
DVYRSEX2	WHO	2000-2001,03-04	WHICH PARTNER FORCED SEX LAST YR
DVYRTHRW	YESNORF	1999-2001,03-09, 11-12	PARTNER THREW OBJECT PAST 12 MONTHS
DVYRUSE	YESNORF	2000-2001,03-04	PARTNER USED KNIFE/GUN ON U PAST 12 MTHS
DVYRUSE2	YESNORF	1999-2001,03-09, 11-12	PARTNER USED/THREATENED KNIFE\GUN ON U PAST 12 MTHS
DVYRW1_A	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 1ST SOURCE
DVYRW1_B	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 2ND SOURCE
DVYRW1_C	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 3RD SOURCE
DVYRW1_D	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 4TH SOURCE
DVYRW1_E	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 5TH SOURCE
DVYRW1_F	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 6TH SOURCE
DVYRW1_G	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 7TH SOURCE
DVYRW1_H	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 8TH SOURCE
DVYRW1_I	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 9TH SOURCE
DVYRW1_J	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 10TH SOURCE
DVYRW1_K	WHERHLPB	2000	CARE LAST YR - THROWN OBJECT: 11TH SOURCE
DVYRW2_A	WHERHLPB	2000	CARE LAST YR - PUSHED: 1ST SOURCE
DVYRW2_B	WHERHLPB	2000	CARE LAST YR - PUSHED: 2ND SOURCE
DVYRW2_C	WHERHLPB	2000	CARE LAST YR - PUSHED: 3RD SOURCE
DVYRW2_D	WHERHLPB	2000	CARE LAST YR - PUSHED: 4TH SOURCE
DVYRW2_E	WHERHLPB	2000	CARE LAST YR - PUSHED: 5TH SOURCE
DVYRW2_F	WHERHLPB	2000	CARE LAST YR - PUSHED: 6TH SOURCE
DVYRW2_G	WHERHLPB	2000	CARE LAST YR - PUSHED: 7TH SOURCE
DVYRW2_H	WHERHLPB	2000	CARE LAST YR - PUSHED: 8TH SOURCE
DVYRW2_I	WHERHLPB	2000	CARE LAST YR - PUSHED: 9TH SOURCE
DVYRW2_J	WHERHLPB	2000	CARE LAST YR - PUSHED: 10TH SOURCE
DVYRW2_K	WHERHLPB	2000	CARE LAST YR - PUSHED: 11TH SOURCE
DVYRW3_A	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 1ST SOURCE
DVYRW3_B	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 2ND SOURCE
DVYRW3_C	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 3RD SOURCE
DVYRW3_D	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 4TH SOURCE
DVYRW3_E	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 5TH SOURCE
DVYRW3_F	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 6TH SOURCE

DVYRW3_G	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 7TH SOURCE
DVYRW3_H	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 8TH SOURCE
DVYRW3_I	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 9TH SOURCE
DVYRW3_J	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 10TH SOURCE
DVYRW3_K	WHERHLPB	2000	CARE LAST YR - KICKED/HIT: 11TH SOURCE
DVYRW4_A	WHERHLPB	2000	CARE LAST YR - BEAT UP: 1ST SOURCE
DVYRW4_B	WHERHLPB	2000	CARE LAST YR - BEAT UP: 2ND SOURCE
DVYRW4_C	WHERHLPB	2000	CARE LAST YR - BEAT UP: 3RD SOURCE
DVYRW4_D	WHERHLPB	2000	CARE LAST YR - BEAT UP: 4TH SOURCE
DVYRW4_E	WHERHLPB	2000	CARE LAST YR - BEAT UP: 5TH SOURCE
DVYRW4_F	WHERHLPB	2000	CARE LAST YR - BEAT UP: 6TH SOURCE
DVYRW4_G	WHERHLPB	2000	CARE LAST YR - BEAT UP: 7TH SOURCE
DVYRW4_H	WHERHLPB	2000	CARE LAST YR - BEAT UP: 8TH SOURCE
DVYRW4_I	WHERHLPB	2000	CARE LAST YR - BEAT UP: 9TH SOURCE
DVYRW4_J	WHERHLPB	2000	CARE LAST YR - BEAT UP: 10TH SOURCE
DVYRW4_K	WHERHLPB	2000	CARE LAST YR - BEAT UP: 11TH SOURCE
DVYRW5_A	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 1ST SOURCE
DVYRW5_B	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 2ND SOURCE
DVYRW5_C	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 3RD SOURCE
DVYRW5_D	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 4TH SOURCE
DVYRW5_E	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 5TH SOURCE
DVYRW5_F	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 6TH SOURCE
DVYRW5_G	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 7TH SOURCE
DVYRW5_H	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 8TH SOURCE
DVYRW5_I	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 9TH SOURCE
DVYRW5_J	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 10TH SOURCE
DVYRW5_K	WHERHLPB	2000	CARE LAST YR - FORCED SEX: 11TH SOURCE
DVYRW6_A	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 1ST SOURCE
DVYRW6_B	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 2ND SOURCE
DVYRW6_C	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 3RD SOURCE
DVYRW6_D	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 4TH SOURCE
DVYRW6_E	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 5TH SOURCE
DVYRW6_F	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 6TH SOURCE
DVYRW6_G	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 7TH SOURCE
DVYRW6_H	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 8TH SOURCE
DVYRW6_I	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 9TH SOURCE

DVYRW6_J	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 10TH SOURC
DVYRW6_K	WHERHLPB	2000	CARE LAST YR - THREAT W/KNIFE: 11TH SOURC
DVYRW7_A	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 1ST SOURCE
DVYRW7_B	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 2ND SOURCE
DVYRW7_C	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 3RD SOURCE
DVYRW7_D	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 4TH SOURCE
DVYRW7_E	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 5TH SOURCE
DVYRW7_F	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 6TH SOURCE
DVYRW7_G	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 7TH SOURCE
DVYRW7_H	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 8TH SOURCE
DVYRW7_I	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 9TH SOURCE
DVYRW7_J	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 10TH SOURCE
DVYRW7_K	WHERHLPB	2000	CARE LAST YR - USED KNIFE: 11TH SOURCE
DVYRWPN	YESNORF	2000-2001, 2003	PARTNER THREATEN W/KNIFE OR GUN LAST YR
DXEVER2		2009	EVER BEEN DIAGNOSED: HEART DISEASE
DXEVER3		2009	EVER BEEN DIAGNOSED: HIGH BLOOD PRESSURE
DXEVER4		2009	EVER BEEN DIAGNOSED: HIGH CHOLESTEROL
EATBURGR	IV	1999	FREQUENCY ATE RARE HAMBURGERS LAST YEAR
EATCATCH	YESNO	2005	EAT CAUGHT FISH PAST 12 MTHS
EATCHKID	YESNOKID	2005	CHILDREN IN HOUSEHOLD EAT CAUGHT FISH
EATCHOFN	XIV	2005	HOW MANY TIMES EAT CAUGHT FISH IN PAST 30 DAYS
EATEGG	IV	1999	FREQUENCY ATE EGGS W/RUNNY YOLK LAST YR
EATFSKID	YESNOKID	2005	CHILDREN IN HOUSEHOLD EAT STORE FISH
EATFSMKT	YESNO	2005	EAT STORE FISH PAST 12 MTHS
EATFSOFN	XIV	2005	HOW MANY TIMES EAT STORE FISH PAST 30 DAYS
EATLESSB	YESNO	1997	ATE LESS BECAUSE NO FOOD/\$\$ FOR FOOD
EATLESSC	YESNO	1998-2012	ATE LESS BECAUSE NO \$\$ FOR FOOD
EATRAW2	IV	1999	FREQUENCY ATE RAW OYSTERS LAST YEAR
EATSPROT	IV	1999	FREQUENCY ATE ALFALFA SPROUTS LAST YEAR
ECWHERE	YESNO	2006	KNOW WHERE TO GET EMERGENCY CONTRACEPTION
ECWHERE2	ECWHERE	2007-2009	KNOW WHERE TO GET EMERGENCY CONTRACEPTION
EDUCA	EDUCA	1997-2004	EDUCATION LEVEL
EDUCA2	EDUCAB	2005-2012	EDUCATION LEVEL
EMERGWHT	EMERGWHT	1999-2004, 06-09	KNOWLEDGE OF EMERGENCY BIRTH CONTROL
EMPLOY3	EMPLOYB	1997-2012	EMPLOYMENT STATUS
EMPPLAN	YESNO	1997-2012	OWN EMPLOYER PROVIDES HEALTH COVERAGE

EMRGBC	YESNO	1999-2004, 06-07	DOES EMERGENCY BIRTH CONTROL EXIST?
EMRGBC2	YESNO	2008-2009	CAN WOMAN PREVENT PREGNANCY 5 DAYS AFTER UNPROTECTED SEX
ENDPREG	Num	2010	NUMBER OF ABORTIONS OR TERMINATIONS
EPHEDRA	YESNOUN	2001-2002	TAKE EPHEDRA IN LAST 12 MONTHS
EQUIP	YESNO	2005-2012	ANY SPECIAL EQUIPMENT FOR DISABILITY
ESTROHR2	ESTROHRT	1997	TAKING ESTROGEN OR HRT
ESTROHR3	YESNO	1999	CURRENTLY TAKING ESTROGEN FOR MENOPAUSE
ESTROHR4	YESNO	2001	NOW TAKING ESTROGEN/PROGESTERONE FOR MENOPAUSE
ESTROHRT	YESNO	1997	TAKING ESTROGEN OR HRT
EVEREST	YESNO	1999	EVER TAKEN ESTROGEN FOR MENOPAUSE
EVEREST2	YESNO	2001	EVER TAKEN ESTROGEN/PROGESTERONE FOR MENOPAUSE
EVRHNGRY	YESNO	1998-2012	EVER HUNGRY BECAUSE COULDN'T AFFORD FOOD
EXBMODAB	III	2002-2005, 09-10	HOW MANY DAYS SHOULD DO MOD ACTIVITY
EXBMODAY	III	2001	HOW MANY DAYS SHOULD DO MOD ACTIVITY
EXBMODM2	III	2011-2012	HOW MANY MINUTES SHOULD DO MOD/VIG ACTIVITY FOR GOOD HEALTH
EXBMODMB	III	2002-2005, 07-10	HOW MANY MINUTES SHOULD DO MOD ACTIVITY
EXBMODMI	III	2001	HOW MANY MINUTES SHOULD DO MOD ACTIVITY
EXERMOD	III	2001-2002	DAYS PER WK DO MOD ACTIVITY FOR 10 MIN
EXERMOD2	III	2003-2012	DAYS PER WK DO MOD/VIG ACTIVITY FOR 10 MIN
EXEROFT2	XIV	2003-2012	HOW MUCH AVG TIME DO MOD/VIG ACTIVITY (IN MINUTES)
EXEROFTM	XIV	2001-2002	HOW MUCH AVG TIME DO MOD ACTIVITY (IN MINUTES)
EXERWORK	EXERWORK	2001-2004	PHYSICAL ACTIVITY DURING WORK
EXMODAK	III	2008-2009	HOW MANY DAYS SHOULD DO MOD/VIG ACTIVITY TO KEEP WEIGHT OFF
EXMODAL	III	2008-2009	HOW MANY DAYS SHOULD DO MOD/VIG ACTIVITY TO LOSE WEIGHT
EXPANGER	SCALEI	2009	WHAT DEGREE EACH EMOTION DESCRIBE U IF EXPERIENCES RACISM:ANGER
EXPHRS	IX	1997-1998	HRS AND MIN EXPOSED TO SECOND HAND SMOKE
EXPOVRAL	SCALEJ	2009	HAS RACISM AFFECTED YOUR LIFE ON A PERSONAL LEVEL
EXPPHYS	OFTENH	2009	PAST 12 MON HOW OFTEN HAVE U EXPERIENCES PHYSICAL SYMPTOMS AS A RESULT OF YOUR RACE
EXPOWER	SCALEI	2009	WHAT DEGREE EACH EMOTION DESCRIBE U IF EXPERIENCES RACISM:POWERLESS
EXPSERV	OFTENG	2009	BEING IGNORED,OVERLOOKED,NOT GIVEN SERVICE
EXPSTRES	SCALEI	2009	WHAT DEGREE EACH EMOTION DESCRIBE IF EXPERIENCES RACISM:STRESSED

F40	YESNO	1997	WOMAN AGE 40+ LIVING IN HOUSEHOLD
F40A	I	1997	AGE OLDEST WOMAN 40+ LIVING IN HOUSEHOLD
F40B	I	1997	AGE 2ND OLDEST WOMAN 40+ IN HOUSEHOLD
F40C	I	1997	AGE OF 3RD OLDEST WOMAN 40+ IN HOUSEHOLD
F40CBEG	BGUIDE	1997	HOW OFTEN SHOULD WOMEN 40+ HAVE CBE(40+)
F40CBEGB	BGUIDE	2002-2004	HOW OFTEN SHOULD WOMEN YOUR AGE HAVE CBE
F40DFPAY	DIFFIC	1997	DIFFICULTY PAYING FOR MAMMOGRAM (40+)
F40GUID2	BGUIDE	2000	MAMMOGRAM FREQUENCY FOR WOMAN RESP AGE
F40GUIDE	BGUIDE	1997-1999	FREQUENCY OF MAMMOGRAMS WOMAN 40+ (40+)
F40INPAY	YESNO	1997	INSURANCE PAYS FOR MAMMOGRAM (40+)
F40NUM	II	1997	NUMBER OF WOMEN 40+ LIVING IN HOUSEHOLD
F40RXMAM	YESNO	1997	DR SUGGEST LAST MAMMOGRAM (AGE 40+)
F40RXMAM	YESNO	1998	DR SUGGEST LAST MAMMOGRAM (ALL)
F40SFPAY	YESNO	1997	PAID FOR ALL/PART OF LAST MAMMO (40+)
F50GUID2	IMPORT	1997-1998	HOW IMPORT MAMM 50+ NO BC IN FAMILY(ALL)
F50GUID3	IMPORT	1997-1998	HOW IMPORT MAMM, 50+ NO BC SYMPTOMS(ALL)
F50GUIDE	BGUIDE	1997-1998	FREQUENCY OF MAMMOGRAMS WOMAN 50+(ALL)
F50RXMAM	YESNO	1997-1998	EVER TOLD BY DR NEED MAMMOGRAM
FALLBR2	YESNO	2004, 2006	BROKEN BONE FROM FALL EVER
FALLBRK	YESNO	2002	BROKEN BONE FROM FALL LAST 12 MONTHS
FALLTEST	YESNO	2004, 2006	DID YOU HAVE BONE DENSITY TEST BECAUSE YOU FELL
FAS	FAS	1999	KNOWLEDGE ABOUT FETAL ALCOHOL SYNDROME
FASAWARE	FASAWARE	2006-2007	KNOW ABOUT FETAL ALCOHOL SYNDROME
FASCURED	YESNODF	2006-2007	CAN FETAL ALCOHOL SYNDROME BE CURED?
FASDNUM	MANYIII	2006-2007	HOW OFTEN OK FOR PREGNANT WOMAN DRINK ALCOHOL
FASTFOOD	MANYII	2008-2012	HOW MANY TIMES PER DAY/WEEK/MONTH EAT FAST FOOD
FDSTMAPP	YESNO	2000-2009	APPLY FOR FOOD STAMPS LAST 12 MONTHS
FDSTMDEN	YESNO	2000-2009	DENIED FOOD STAMPS LAST 12 MONTHS
FERTADV	YESNO	2005	SERVICE TO HELP FERTILITY: ADVICE
FERTBRD	YESNO	2005	SERVICE TO HELP FERTILITY: TRTMT/SRGRY FIBROIDS
FERTCAM	YESNO	2005	SERVICE TO HELP FERTILITY: OTHER ALTERNATIVE HELP
FERTDCTR	YESNO	2005	TALKED WITH HEALTH PROFESSIONAL ABOUT FERTILITY
FERTDRUG	YESNO	2005	SERVICE TO HELP FERTILITY: FERT DRUGS
FERTINSM	YESNO	2005	SERVICE TO HELP FERTILITY: INSEMINATION

FERTIVF	YESNO	2005	SERVICE TO HELP FERTILITY: IVF
FERTOTHR	YESNO	2005	SERVICE TO HELP FERTILITY: OTHER MEDICAL HELP
FERTTEST	YESNO	2005	SERVICE TO HELP FERTILITY: FERT TESTING
FERTTUBE	YESNO	2005	SERVICE TO HELP FERTILITY: TUBE SURGERY
FIBROIDS	YESNO	2005	DOCTOR SAID YOU HAD FIBROIDS
FIPS		1997-2004	STATE FIPS CODE
FIPS_CODE		2009-2011	FIPS_CODE
FISHHLTH	YESNO	2008	HEARD EATING FISH GOOD FOR HEALTH
FISHOFT	IV	2003	HOW OFTEN DO YOU EAT FISH
FISHPORT	IV	2005	PORTIONS OF FISH EATEN PER OCCASION
FISHSERV	IV	2003	HOW MANY SERVINGS OF FISH DO YOU EAT
FISHWARN	YESNO	2003, 2005, 2008	AWARE OF PUBLIC HEALTH WARNINGS ABOUT FISH
FLUVAC	YESNO	2003-2004	FLU SHOT IN PAST 12 MONTHS
FLUVAC2	YESNO	2005-2006	FLU SHOT OR SPRAY IN PAST 12 MONTHS
FLUVAC50	XVI	2003-2004	AGE RECOMMENDED THAT GEN PUBLIC GET FLU SHOT
FOLIC_A	YESNO	1997	FOODS INCREASE FOLIC ACID
FOLIC_B	YESNO	1997	VITAMIN SUPPLEMENTS INCREASE FOLIC ACID
FOLIC_C	YESNO	1997	PRESCRIPTION MEDS INCREASE FOLIC ACID
FOLIC_D	YESNO	1997	WAYS TO INCREASE FOLIC ACID (SPECIFY)
FOLICEAB	FOLICEAT	2002	MORE LIKELY TO BUY CEREAL WITH FOLATE
FOLICEAT	FOLICEAT	2001	MORE LIKELY TO BUY CEREAL WITH FOLATE
FOLICHER	YESNO	1997-2000 09-11	EVER HEARD OF FOLIC ACID
FOLICIN2	SOURCE	1998	WAYS TO INCREASE FOLIC ACID INTAKE
FOLICL_A	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:MAGAZINE/NEWSPAPER
FOLICL_B	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:RADIO
FOLICL_C	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:TELEVISION
FOLICL_D	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:PHYSICIAN\OB-GYN\GP
FOLICL_E	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:BOOKS
FOLICL_F	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:BROCHURES
FOLICL_G	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:FRIEND\RELATIVE\CO-WORKER
FOLICL_H	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:SCHOOL\COLLEGE
FOLICL_I	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:LABEL\VITAMIN BOTTLE
FOLICL_J	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:NUTRITION CLASSES OTHER THAN SCHOOL

FOLICL_K	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:NURSE\ NURSE PRACTITIONER
FOLICL_L	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:NURSING SCHOOL
FOLICL_M	YESNO	1998-2000, 03, 11	WHERE DID YOU LEARN ABOUT FOLIC ACID:MEDIA
FOLICL_N	YESNO	1998-2000, 03, 11	FOLATE EDUC: OTHER (SPECIFY)
FOLICL_O	YESNO	2003	FOLATE EDUC: MOVIE THEATER
FOLICL_O	YESNO	2009-2011	WHERE DID YOU LEARN ABOUT FOLIC ACID:WEBSITE
FOLICLTX	FOLICLTX	1998-2000	FOLATE EDUC (TEXT)
FOLICS_A	YESNO	1998	FOLATE SOURCE: BROCCOLI
FOLICS_B	YESNO	1998	FOLATE SOURCE: SPINACH
FOLICS_C	YESNO	1998	FOLATE SOURCE: GREEN VEGETABLES
FOLICS_D	YESNO	1998	FOLATE SOURCE: GREEN SALAD
FOLICS_E	YESNO	1998	FOLATE SOURCE: OTHER NOT GREEN VEGS
FOLICS_F	YESNO	1998	FOLATE SOURCE: DRIED BEANS OR PEAS
FOLICS_G	YESNO	1998	FOLATE SOURCE: CEREALS AND GRAINS
FOLICS_H	YESNO	1998	FOLATE SOURCE: DAIRY PRODUCTS
FOLICS_I	YESNO	1998	FOLATE SOURCE: MEAT
FOLICS_J	YESNO	1998	FOLATE SOURCE: ORANGE JUICE
FOLICS_K	YESNO	1998	FOLATE SOURCE: FRUITS
FOLICS_L	YESNO	1998	FOLATE SOURCE: OTHER (SPECIFY)
FOLICSOA	FOLICSOA	1997	BEST SOURCE OF FOLIC ACID
FOLICSTX	FOLICTXT	1998	FOLATE SOURCE (TEXT)
FOLICTXT	FOLICTXT	1997-2003	WAYS TO INCREASE FOLIC ACID (TEXT)
FOLICWHY	RISK	1997	EFFECT OF FOLIC ACID ON BIRTH DEFECTS
FOODBANK	YESNO	2000-2012	FOOD ASSISTANCE: FOODBANK
FOODKIT	YESNO	2000-2002	FOOD ASSISTANCE: MEALS AT COMMUNITY SITE
FOODS_A	FOODSTORE	1997	FOOD PREPARED IN HOME: CONVENIENCE STORES
FOODS_B	FOODSTORE	1997	FOOD PREPARED IN HOME: HOME GARDEN
FOODS_C	FOODSTORE	1997	FOOD PREPARED IN HOME: COMMUNITY GARDEN
FOODS_D	FOODSTORE	1997	FOOD PREPARED IN HOME: FARMERS MARKET
FOODS_E	FOODSTORE	1997	FOOD PREPARED IN HOME: FRUIT & VEG STANDS
FOODS_F	FOODSTORE	1997	FOOD PREPARED IN HOME: FOOD BANKS
FOODS_G	FOODSTORE	1997	FOOD PREPARED IN HOME: FOOD OUTLETS
FOODS_H	FOODSTORE	1997	FOOD PREPARED IN HOME: FRIENDS/RELATIVES
FOODS_I	FOODSTORE	1997	FOOD PREPARED IN HOME: GROCERY STORE ONLY
FOODS_J	FOODSTORE	1997	FOOD PREPARE IN HOME: OTHR PLACE(SPECIFY)

FOODSENR	YESNO	2000-2002	FOOD ASSISTANCE: SENIOR MEAL OR DELIVERY
FOODSHOP	FOODSH	2006-2007	HOW FAR DO YOU TRAVEL FOR GROCERIES?
FOODSTLS	III	2001-2010	HOW MANY DAYS OUT OF MONTH DO FOOD STAMPS LAST
FOODSTP	YESNO	2001-2003	FOOD ASSISTANCE: FOOD STAMPS
FOODSTP2	YESNO	2004-2007	FOOD ASSISTANCE: FOOD STAMPS OR EBT CARD
FOODSTP3	YESNO	2008-2012	FOOD ASSISTANCE: FOOD STAMP BENEFITS
FOODSTXT	FOODSHOP	1997	FOOD PREPARED IN HOME: OTHER PLACE (TEXT)
FOODWIC	YESNO	2000-2002	FOOD ASSISTANCE: WIC
FOODWIC2	YESNO	2003-2010	FOOD ASSISTANCE: WIC
FOODWIC3	YESNO	2011-2012	FOOD ASSISTANCE IN LAST 12 MONTHS:WIC
FOSTCARE	YESNO	2001-2010	EVER REMOVED FROM HOME BY GOVT OR COURT
FPADVICE	FPADVICE	2011-2012	WHERE USUALLY RECEIVE FAMILY PLANNING, ADVICE OR COUNSELING
FPDELAY	YESNO	2011	IN PAST 12 MOTNHS EVER DELAY OR NOT GET CONTRACEPTION NEEDED
FPDELAY2	FPDELAY	2012	IN PAST 12 MONTHS EVER DELAY OR NOT GET CONTRACEPTON NEEDED (New Response)
FPDENAP	YESNORF	1998-2004	GONE W/O BC SUPPLY: NO CONVENIENT APOINTM
FPDENIE2	YESNORF	1998-2002	GONE W/O BC SUPPLY CAUSE NO \$\$ TO BUY
FPDENIE3	YESNORF	2003-2004	GONE W/O BC SUPPLY CAUSE NO \$\$ TO BUY
FPDENIED	YESNO	1997	GONE W/O BC PLANNING FROM NO MONEY
FPDENLO	YESNORF	1998-2002	GONE W/O BC SUPPLY: DIDNT KNOW WHERE TO G
FPDENLO2	YESNORF	2003-2004	GONE W/O BC SUPPLY: DONT KNOW WHERE TO GET
FPKID	AGREE	1997	FAMILY PLANNING: DECIDING # OF CHILDREN
FPKIDWEN	AGREE	1997	FAMILY PLAN: DECIDING WHEN TO HAVE KIDS
FPOTHR	YESNO	1997	WHAT ELSE FAMILY PLANNING MEANS(SPECIFY)
FPOTHTXT	FPOTHTXT	1997	WHAT ELSE FAMILY PLANNING MEANS(TEXT)
FPPREG	AGREE	1997	FAMILY PLANNING: PREVENTING UNINTENDED PG
FPREASDE	FPREASDE	2011-2012	MAIN REASON DELAYED OR DID NOT GET THE CONTRACEPTION NEEDED
FPREPRO	AGREE	1997	FAMILY PLANNING: IMPROVING WOMEN HEALTH
FPWHEN	HOWLONGD	1997	WHEN LAST VISIT TO DISCUSS BIRTH CONTROL
FPWHEN2	HOWLONGD	1998-2004, 06-07	LAST VISIT TO DISCUSS/GET BIRTH CONTROL
FPWHERE	FPWHERE	1997	WHERE USUALLY GO FOR BIRTH CONTROL SERV
FPWHERE2	FPWHERE	1998	WHERE USUALLY GET BIRTH CONTROL SUPPLY
FPWHETX2	FPLOCATE	1998	WHERE USUALLY GO FOR BC SUPPLIES (TEXT)
FPWHETXT	FPLOCATE	1997	WHERE USUALLY GO FOR BC SERVICES (TEXT)
FRSTCOND	YESNORF	1998-2002, 04, 06	USE CONDOM WITH NEW SEX PARTNER 1ST TIME

FSEGG	YESNO	1999	HEAR EGGS W/RUNNY YOLK CAUSE ILLNESS
FSHAMB	YESNO	1999	HEAR RARE HAMBURGER CAUSE ILLNESS
FSOYSTER	YESNO	1999	HEAR RAW OYSTERS CAUSE ILLNESS
FSSPROUT	YESNO	1999	HEAR ALFALFA SPROUTS CAUSE ILLNESS
FTVGMOR2	FTVGMOR2	2008-2010	EAT HOW MUCH FRUIT AND VEGGIES
FVACTIVE	YESNO	2011-2012	ATTENDED FESTIVAL, CELEBRATION OR HEALTH FAIR W ACTIVIES EATING FRUITS AND VEGETABLES OR BEING PHYSIALLY ACIVE
FVCANNED	FVCANNED	2006	PERCENT CANNED FRUITS AND VEGETABLES EATEN
GAPPLN	YESNO	1997-2003	GAP IN HEALTH COVERAGE IN PAST 12 MONTHS
GAPPLNT	II	1997-2002	NUMBER OF MONTHS W/O HEALTH COVERAGE
GAPPLNT2	II	2003-2012	NUMBER OF MONTHS W/O HEALTH COVERAGE
GENHLTH	HEALTH	1998-2012	GENERAL HEALTH STATUS
GYNE1_J	YESNO	2011	REASON DID NOT ASK DOCTOR: DOCTOR DOES NOT SEEM TO UNDERSTAND OR CARE ABOUT MY QUESTIONS OR CONCERNS
GYNE1_K	YESNO	2011	REASON DID NOT ASK DOCTOR: NO NEED/NO PROBLEM/NOT CONCERNED
GYNE1_L	YESNO	2011	REASON DID NOT ASK DOCTOR: NOT ENOUGH TIME DURING MY VISIT TO ASK QUESTIONS
GYNE1_M	YESNO	2011	REASON DID NOT ASK DOCTOR: NO RISK /NO SYMPTOMS (PREVIOUS TEST GOOD, NO FAMILY HISTORY, WILL NOT HAPPEN)
GYNE1_N	YESNO	2011	REASON DID NOT ASK DOCTOR: FORGOT TO ASK/DID NOT THINK ABOUT IT
GYNE1_O	YESNO	2011	REASON DID NOT ASK DOCTOR: SOMETIMES DOCTOR DOES NOT EXPLAIN THINGS IN WAYS THAT UNDERSTAND
GYNE1_P	YESNO	2011	REASON DID NOT ASK DOCTOR: HAD A HYSTERECTOMY
GYNE1_Q	YESNO	2011	REASON DID NOT ASK DOCTOR: OTHER
GYNEC_E	YESNO	2011	TYPE OF CANCER HEARD ABOUT: OTHER
GYNEC_G	YESNO	2011	LIKE TO LEARN ABOUT: ALL OF THE ABOVE
GYNEC_I	YESNO	2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: OTHER MORE IMPORTANT HEALTH CONCERNS
GYNEC_J	YESNO	2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: NO ONE IN MY FAMILY HAS HAD THIS TYPE OF CANCER
GYNEC10A	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: DOCTOR DOES NOT SPEAK MY LANGUAGE
GYNEC10B	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: ALREAY HAVE INFORMATION I NEED TO KNOW
GYNEC10C	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: DIDN'T HAVE QUESTIONS ABOUT WOMENS CANCERS

GYNEC10D	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: GET MY INFORMATION FROM OTHER SOURCES
GYNEC10E	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: DIDN'T KNOW WHICH QUESTIONS TO ASK
GYNEC10F	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: DIDN'T FEEL COMFORTABLE TALKING WITH DOCTOR
GYNEC10G	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: DOCTOR: FEELS FOOLISH WHEN ASK QUESTIONS
GYNEC10H	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: DOCTOR BROUGHT IT UP
GYNEC10I	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: MORE IMPORTANT HEALTH ISSUES AND CONCERNS TO TALK ABOUT
GYNEC10O	YESNO	2010-2011	REASON DID NOT ASK DOCTOR: OTHER SPECIFY
GYNEC13A	YESNO	2010-2011	WHY INFORMATION GIVEN NOT HELPFUL: NOT INTERESTED IN WOMENS CANCERS
GYNEC13B	YESNO	2010-2011	WHY INFORMATION GIVEN NOT HELPFUL: HAVE A DIFFICULT TIME READING
GYNEC13C	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: TOO DIFFICULT TO UNDERSTAND
GYNEC13D	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: NOT EASY TO READ
GYNEC13E	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: DID NOT ADDRESS MY QUESTIONS OR CONCERNS
GYNEC13F	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: NOT RELEVANT TO MY AGE GROUP
GYNEC13G	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: NOT RELEVANT TO MY CULTURE
GYNEC13H	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: NOT IN MY PREFERRED LANGUAGE
GYNEC13I	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: NO TIME TO READ THE INFORMATION
GYNEC13J	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: LOST OR MISPLACED
GYNEC13O	YESNO	2010-2011	WHY INFORMATION GIVEN WAS NOT HELPFUL: OTHER SPECIFY
GYNEC1A	YESNO	2010-2011	TYPE OF CANCER HEARD ABOUT: CERVICAL CANCER
GYNEC1B	YESNO	2010-2011	TYPE OF CANCER HEARD ABOUT: UTERIN CANCER
GYNEC1C	YESNO	2010-2011	TYPE OF CANCER HEARD ABOUT: OVARIAN CANCER
GYNEC1O	YESNO	2010-2011	TYPE OF CANCER HEARD ABOUT: OTHER
GYNEC2A	YESNO	2010-2011	LIKE TO LEARN ABOUT: DIFFERENT TYPES OF WOMENS CANCERS
GYNEC2B	YESNO	2010-2011	LIKE TO LEARN ABOUT: PERSONAL RISK/RISK FACTORS FOR CANCER
GYNEC2C	YESNO	2010-2011	LIKE TO LEARN ABOUT: WAYS OF FINDING WOMENS CANCERS EARLY
GYNEC2D	YESNO	2010-2011	LIKE TO LEARN ABOUT: SIGNS OR SYMPTOMS OF CANCER
GYNEC2E	YESNO	2010-2011	LIKE TO LEARN ABOUT: WAYS I CAN PROTECT MYSELF FROM CANCER

GYNEC2F	YESNO	2010-2011	LIKE TO LEARN ABOUT: DIFFERENT TREATMENTS FOR CANCER
GYNEC2O	YESNO	2010-2011	LIKE TO LEARN ABOUT: OTHER SPECIFY
GYNEC3A	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: NO REASON
GYNEC3B	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: NOT INTERESTED
GYNEC3C	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: ALREADY HAVE THE INFORMATION
GYNEC3D	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: HAD A HYSTERECTOMY
GYNEC3E	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: DO NOT THINK IMPORTANT
GYNEC3F	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: LIFESTYLE CHOICES MAKE ME SAFE
GYNEC3G	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: IT IS FATE IF GET CANCER
GYNEC3H	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: HAVE NOT HAD ANY FEMALE PROBLEMS
GYNEC3O	YESNO	2010-2011	WHY NOT INTERESTED IN LEARNING MORE ABOUT CANCERS: OTHER SPECIFY
GYNECO11	YESNO	2010-2011	DID DOCTOR GIVE YOU WRITTEN INFORMATION ABOUT CERVICAL, UTERINE, OR OVARIAN CANCER
GYNECO12	YESNO	2010-2011	WAS INFORMATION HELPFUL
GYNECOL4	GYNECO4L	2010-2012	YEAR LAST WENT TO DOCTOR FOR ROUTINE WELL WOMAN EXAM
GYNECOL5	GYNECO4L	2010	YEAR LAST WENT TO DOCTOR FOR A WELL WOMAN EXAM WHICH
GYNECOL6	GYNECO6L	2010	MOST IMPORTANT REASON DID NOT HAVE A WELL-WOMAN EXAM
GYNECOL7	YESNO	2010-2011	AT LAST WELL WOMEN EXAM TALK ABOUT CERVICAL, UTERINE, OR OVARIAN CANCER
GYNECOL8	YESNO	2010-2011	AT LAST WELL WOMAN EXAM TALK ABOUT PAP TEST OR HPV HUMAN PAPILLOMAVIRUS
GYNECOL9	YESNO	2010-2011	EVER ASKED DOCTOR ABOUT CERVICAL, UTERINE, OR OVARIAN CANCER
GYNECOLO	Num	2010-2011	TYPE OF CANCER HEARD ABOUT: OTHER SPECIFY
GYNEXAM	IV	2003-2004	WHEN WAS LAST GYNECOLOGIC EXAM
HADBABY	YESNO	2011-2012	HAVE YOU EVER GIVEN BIRTH TO LIVE BABY
HADCBE	YESNO	1997-2010, 2012	EVER HAD CLINICAL BREAST EXAM
HADMAM	YESNO	1997-2003, 05-10, 2012	EVER HAD MAMMOGRAM
HADPAP	YESNO	1997, 1999-2001	EVER HAD A PAP SMEAR
HADPAP2	YESNO	2005-2012	EVER HAD A PAP SMEAR
HADSIG4	YESNO	2012	EVER HAD SIGMOIDOSCOPY or COLONOSCOPY
HADSTLHM	YESNO	2012	EVER HAD HOME STOOL BLOOD TEST
HAPP1	HAPPA	2006	HAPPINESS: INTERESTED IN WHAT YOU ARE DOING
HAPP2	HAPPB	2006	HAPPINESS: SPEND TIME DOING IMPROTANT THINGS

HAPP3	HAPPC	2006	HAPPINESS: EXPERIENCE PLEASURE OR PAIN
HAPP4	HAPPD	2006	HAPPINESS: MY LIFE IS GOOD/BAD
HARTATCK	YESNO	2004	DOCTOR SAID YOU HAD HEART ATTACK
HARTDIS	YESNO	2004	DOCTOR SAID YOU HAD ANGINA
HARTSTRK	YESNO	2004	DOCTOR SAID YOU HAD A STROKE
HAVECWHS	YESNO	2008-2012	HAVE ANY HEALTH CARE PLAN (NOTE: HAVECWHS = HAVEPLN3)
HAVEPLN3	YESNO	1997-2008	HAVE ANY HEALTH CARE PLAN
HAVEPLN4	YESNO	2008	LONGTERM CARE: DOES PERSON YOU CARE FOR HAVE ANY HEALTH CARE PLAN
HEARSERV	YESNO	2002	NOTICED ANY MEDIA ABOUT NUM OF FRUIT/VEG TO EAT
HEARSTOR	YESNO	2002	NOTICED IN PRODUCE SECTION NUM OF FRUIT/VEG TO EAT
HEARTEAT	RISKC	2001	DOES DIET MAKE DIF IN HEART DISEASE RISK
HEARTEXR	RISKC	2000	EFFECT OF EXERCISE ON HEART DISEASE RISK
HEARTHBP	RISKC	2000	EFFECT OF HBP ON HEART DISEASE RISK
HEARTHRT	RISKC	2001	DOES HRT MAKE DIF IN HEART DISEASE RISK
HEARTIMP	IMPORTB	2000	HOW IMPORTANT IS HEART DISEASE FOR WOMEN
HEARTSMK	RISKC	2000	EFFECT OF SMOKING ON HEART DISEASE RISK
HEARTTLK	YESNO	2000-2002	DOCTOR TALKED W/YOU ABOUT HEART DISEASE
HEARTWT	RISKC	2001	DOES WEIGHT MAKE DIF IN HEART DISEASE RISK
HEIGHT	IV	1997-2012	REPORTED HEIGHT IN FEET AND INCHES
HELP3TXT	MHWHELPC	2002	PROVIDED HELP FOR MENTAL HEALTH CONDITION
HELPGOOD	YESNO	2000	GOOD TO GET PROF MENTAL HEALTH HELP
HELPKID	OFTENB	2001-2002	ENOUGH SUPPORT TO HELP W/STRESS OF CHILD
HERBSORC	HERBSORC	2003	MOST IMPORTANT SOURCE IN DECIDING TO USE HERBS
HERBSUP	YESNO	2003-2004	TAKEN ANY HERBS FROM LIST
HERBTAK2	YESNO	2005	TAKEN ANY HERBAL SUPPLEMENTS IN PAST 12 MOS
HERBTAKE	YESNO	2003-2004	TAKEN ANY HERBS IN PAST 12 MOS
HERBTALK	YESNO	2003-2005	HEALTHCARE PROVIDER KNOW ABOUT HERB USE
HHSIZE		1997-2012	HOUSEHOLD SIZE
HIFBR	XIX	2008-2010	HOW MANY TIMES PER DAY/WEEK/MONTH EAT HIGH FIBER CEREAL
HINSNTRN	YESNO	2002-2006	HEALTH INSURANCE COVER NUTRITION/WEIGHT LOSS
HISP3	YESNO	2002-2012	HISPANIC ORIGIN
HISPANIC	YESNO	1997-2001	HISPANIC ORIGIN
HIVPGTLK	YESNO	2003-2005	HEALTH PROVIDER DISCUSS HIV DURING LAST PREG
HIVPGTST	YESNO	2003-2005	HAVE HIV BLOOD TEST WHEN PREG IN LAST 5 YEARS

HLPACT	YESNO	1997-1998	GET HELP IF NEEDED WITH DAILY ACTIVITIES
HLPONEY	YESNO	1997-1998	BORROW A LITTLE MONEY IF NEEDED
HLPRIDE	YESNO	1997-1998	GET RIDE TO APPOINTMENT IF NEEDED
HLPSICK	YESNO	1997-1998	GET HELP IF SICK OR INJURED
HLTHLIST	HLTHLIST	1997-1998	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHLIST	HLTHLIB	1999-2002	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHLIST	HLTHLISC	2003-2005	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHPLA2	HLTHLIST	2008	LONTERM CARE: WHAT TYPE HEALTH INS FOR PERSON IN CARE
HLTHTXT	HLTHLIB	2002	HEALTH PLAN DEFINED - TEXT
HLTHTXT	II	1999-2001	HEALTH PLAN DEFINED - TEXT
HLTHTXT	HLTHLISC	2003-2005	HEALTH PLAN DEFINED - TEXT
HMLSADQ	YESNO	2003	PAST 12 MONTHS TROUBLE FINDING ACCEPTABLE HOUSING
HMLSMOVE	IV	2003	PAST 12 MONTHS HOW MANY TIMES MOVED
HMLSRENT	YESNO	2003	PAST 12 MONTHS LATE WITH RENT/MORTGAGE
HMOPPO2	YESNO	1997-2005	HEALTH PLAN IS HMO
HOMELESS	YESNO	2003	PAST 12 MONTHS BEEN WITHOUT HOUSING
HOWLE_A	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: REMINDER CARD IN MAIL
HOWLE_B	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: DOCTOR'S OFFICE
HOWLE_C	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: TV, RADIO, MAGAZINE
HOWLE_D	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: PATIENT EDUC MATERIALS
HOWLE_E	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: HEALTH FAIR, COMMUNITY EVENT
HOWLE_F	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: FAMILY MEMBER, FRIEND
HOWLE_G	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: INTERNET
HOWLE_H	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: DID NOT LEARN
HOWLE_I	YESNO	2012	HOW DID YOU LEARN ABOUT COLORECTAL CANCER SCREENING: OTHER
HOWLONG2	HOWLONGB	1997-2010, 2012	HOW LONG SINCE LAST MAMMOGRAM (1992)
HOWLOSE	HOWLOSE	2008-2012	WEIGHT LOSS STRATEGY
HPVCERV	YESNO	2007	HAS DOCTOR TALKED ABOUT HPV AND CERVICAL CANCER
HPVCRVCA	TRUEFAL	2007, 2012	T/F SOME HPV CAUSES CERVICAL CANCER
HPVHEAR2	YESNO	2008-2009, 2011	HEARD OF HPV VACCINE OR HPV SHOT
HPVHEARD	YESNO	2007	HEARD OF HPV VACCINE
HPVNUM	II	2007-2008	HOW MANY TIMES RECEIVED HPV SHOT

HPVNUM2	Num	2009, 2011	HOW MANY HPV SHOTS DID YOU RECEIVE
HPVSTD	TRUEFAL	2007, 2012	T/F SOME HPV IS SEXUALLY TRANSMITTED
HPVVAC	YESNO	2007	RECEIVED HPV VACCINE
HPVVAC2	YESNO	2008	RECEIVED HPV VACCINE
HPVVAC3	YESNO	2009, 2011	HAVE YOU EVER HAD THE HPV VACCINATION
HPVWHYN2	HPVWHYNT	2009, 2011	MAIN REASON DIDN'T RECEIVE HPV SHOTS
HPVWHYNT	HPVWHYNT	2007-2008	MAIN REASON DIDN'T RECEIVE HPV SHOTS (AGE 18-26)
HRTBELIF	YESNOEST	1997	POST MENOPAUSE WOMEN SHOULD HAVE HRT
HRTCURR	YESNO	2007	TAKING HORMONE REPLACEMENTS FOR MENOPAUSE
HTF		1997-2000, 2012	REPORTED HEIGHT - FEET
HTI		1997-2000, 05-12	REPORTED HEIGHT - INCHES
HYSTER2	YESNO	1997-2009	HAD A HYSTERECTOMY, ALL WOMEN
HYSTER2	YESNO	2010-2011, 2012	HAD A HYSTERECTOMY, ALL NON PREGNANT WOMEN
IDEALBF	MANYIV	1998	IDEAL LENGTH OF TIME FOR BREASTFEEDING
ILLDR_A	YESNODR	1997	USED MARIJUANA PAST MONTH
ILLDR_B	YESNODR	1997	USED COCAINE PAST MONTH
ILLDR_C	YESNODR	1997	USED AMPHETAMINES PAST MONTH
ILLDR_D	YESNODR	1997	USED HEROIN PAST MONTH
ILLDR_E	YESNODR	1997	USED PCP PAST MONTH
ILLDR_F	YESNODR	1997	USED OTHER HALLUCINOGENS PAST MONTH
ILLDR_G	YESNODR	1997	USED OTHER STREET DRUGS PAST MONTH
INCOM01	INCOMEB	2001-2002, 05, 08	HOUSEHOLD INCOME
INCOM02	INCOMEB	2003-2004, 06-07, 11	HOUSEHOLD INCOME
INCOM03	INCOMED	2012	HOUSEHOLD INCOME
INCOM94B	INCOME C	1997-2004	PERSONAL INCOME
INCOM95	INCOME C	1997-2000	HOUSEHOLD INCOME
INCOMADQ	YESNO	1997,2000-2012	FEEL HAD ENOUGH MONEY FOR BASIC NEEDS
INDIANHS	YESNO	1997,2000-2012	INDIAN HEALTH SERVICE
INDOTHR	YESNO	1998	INDIAN HEALTH SERVICE OR SOME OTHER PLAN
INFERTI2	YESNO	2007, 2012	EVER TOLD BY DOCTOR HAVE NON-AGE FERTILITY PROBLEMS
INFERTI3	YESNO	2008	EVER TOLD BY DOCTOR HAVE NON-AGE FERTILITY PROBLEMS
INFERTIL	YESNORF	1997-1998,01,03	EVER TOLD YOU WERE INFERTILE
INFOHELP	YESNO	2012	DID INFORMATION MOTIVATE YOU TO GET COLORECTAL CANCER SCREENING
INFRTAGE	III	2008	HOW OLD WHEN TOLD YOU HAD NON-AGE FERTILITY PROBLEMS

INTEREST	INTEREST	1997	INTERESTED IN WIC IF ELIGIBLE
INTID		1998-2001,03,04, 2012	INTERVIEWER ID
IRON	YESNO	1997-1998	CURRENTLY TAKING IRON SUPPLEMENT
IRONLOCK	YESNO	1997	KEEP IRON SUPPLEMENTS IN LOCKED CABINET
LANGCHLD	LANGMORE	2005, 2009-2012	WHAT LANGUAGE USED AS CHILD
LANGFRND	LANGMORE	2005, 2010-2012	WHAT LANGUAGE SPEAK WITH FRIENDS
LANGHOME	LANGMORE	2005, 2010-2012	WHAT LANGUAGE SPEAK AT HOME
LANGSPK	LANGMORE	2005, 2010-2012	WHAT LANGUAGE READ AND SPEAK
LANGTHNK	LANGMORE	2005, 2010-2012	WHAT LANGUAGE THINK IN LAST QUESTION COMPLETED IN PARTIAL INTERVIEWS
LASTQUEST		2010-2012	
LAXWGHT	YESNO	2000	CONTROL WEIGHT LAST 12 MONTHS: LAXATIVE
LIKEWT2	IV	2001-2003	WHAT IS HEALTHY WEIGHT FOR YOU
LIVEBRT2	II	2001-2010	NUMBER OF LIVE BIRTHS EVER HAD
LIVEBRTH	III	1998-2000	NUMBER OF LIVE BIRTHS EVER HAD
LIVEBRTH	Num	2011, 2012	DATE LAST GAVE BIRTH TO A LIVE BABY-MONTH YEAR
LOBRTHWT	II	2003-2005	HOW MANY HAD BIRTH WEIGHT OF LESS THAN 55 POUNDS
LOSEWT	YESNO	1998	EVER TRY TO LOSE WEIGHT
LTCBUY	YESNO	2003	PURCHASED/WILL PURCHASE LONG TERM CARE FOR SELF/FAMILY
LTCDISC	YESNO	2003	DISCUSSED OWN LONG TERM CARE NEEDS
LTCGIVE	YESNO	2003	PROVIDED LONG TERM CARE FOR MORE THAN 1 MONTH
LTCHAVE	YESNO	2008	LONGTERM CARE: DOES PERSON CARED FOR HAVE LONGTERM HEALTH INS
LTCRCVD	YESNO	2003	KNOW ANYONE WHO RECEIVED LONG TERM CARE
LTCWHO	LTCWHO	2003	WHO WILL CARE FOR YOU IF YOU ARE UNABLE
LUMPOFT2	YESNO	2001	EXAMINED OWN BREASTS LAST 12 MONTHS
MAINCOND	YESNORF	1997	LAST MAIN PARTNER INTERCOURSE USE CONDOM
MAINPART	YESNORF	1997	HAVE A MAIN MALE PARTNER PAST 12 MONTHS
MAINPLAN	MAINPLN	1997	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
MAINPLN2	MAINPLNB	1998-2005	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
MAJRPROB	MAJRPROB	1998-1999	MAJOR PROBLEM THAT LIMITS ACTIVITIES AGE WOMEN SHOULD START GETTING MAMMOGRAMS
MAMMAGE	MAMMAGE	2008-2010, 2012	
MAMMDFP	DIFFIC	1998-2001	DIFFICULTY PAYING FOR MAMMOGRAM
MAMMDFPB	DIFFIC	2002-2004	DIFFICULTY PAYING FOR MAMMOGRAM
MAMMED12	YESNO	2001	SINCE JAN 2000 SEEN ADS FOR MAMMOGRAM
MAMMEDIB	YESNO	1997-1998	SAW MAMMOGRAM IN MEDIA RECENT PAST
MAMMOFTN	OFTENE	2008-2010, 2012	HOW OFTEN SHOULD WOMEN GET MAMMOGRAMS AFTER 1ST TIME

MAMMPAY	PORTION	1998-2004	PORTION OF MAMMOGRAM WOMAN MUST PAY
MANYCBE	II	2002-2004	HOW MANY CLINICAL BREAST EXAMS LAST 5 YEARS
MANYMAM	II	1997,2002-2004	NUMBER OF MAMMOGRAMS IN LAST 5 YEARS
MARITAL	MARITAL	1997-2012	MARITAL STATUS
MEDI_FU2	YESNO	2001-2011	HAVE RED WHITE & BLUE SOCIAL SECURITY CARD
MEDI_FUP	YESNO	1999-2000	EVER HAD MEDICARE CARD (NO MEDICARE REP)
MEDICAL	YESNO	1997-2012	COVERED BY MEDI-CAL
MEDICARE	YESNO	1997-2012	COVERED BY MEDICARE
MENCYCPL	YESNO	2007	HEARD OF CONTRACEPTIVES TO SUPPRESS MENSTURAL CYCLE
MENODEPR	YESNO	1997	BECOME DEPRESSED FROM MENOPAUSE SYMPTOMS
MENOLMT	YESNO	1997	MENO SYMPTOMS: DIDNT DO USUAL ACTIVITIES
MENOMED	YESNO	1997	SEEK MEDICAL CARE FOR MENOPAUSE SYMPTOMS
MENOPAU2	MENOPAUS	2007, 2009, 2011	STAGE OF LIFE - MENOPAUSE
MENOPAUS	MENOPAUS	1997	STAGE OF LIFE - MENOPAUSE
MENOWHEN	I	1997, 2007, 2009, 11	AGE PERIODS STOPPED/BECAME IRREGULAR
MENOWORK	YESNO	1997	LOST WORK DAYS DUE TO MENOPAUSE SYMPTOMS
MENSES	II	1997	AGE AT FIRST MENSES
MENSES2	II	2007-2008, 2012	AGE AT FIRST MENSES
MENSES3	II	2012	AGE AT FIRST MENSES <12, 12 or 13, >13
MENSPRMT	MENSPRMT	2007	AGE AT FIRST MENSES <12 OR >13
MENTBELF	IV	2001	PERCENT OF ADULTS YOU THINK HAVE MH PROB EMBARRASSED TO GET HELP FROM MH PROFESIONAL
MENTHELP	YESNO	2001	
MENTHLTH	III	1998-2012	DAYS OF POOR MENTAL HEALTH IN LAST MO
MENTMED	AGREED	2001	MEDICATION AVAILABLE TO HELP MH PROB
MHDX	MHDX	1997	MENTAL HEALTH CONDITION DIAGNOSIS
MHDX2	MHDXB	1998-1999, 2005	MENTAL HEALTH CONDITION DIAGNOSIS
MHELPEVR	YESNO	2000	EVER GET PROFESSIONAL MENTAL HEALTH HELP
MHEVER	YESNO	1998	EVER DIAGNOSED WITH MENTL HLTH CONDITION
MHHELP	YESNO	1997	WANT MENTAL HEALTH HELP IN PAST 12 MTHS
MHHELP2	YESNO	1998-2000, 02-09	WANT MENTAL HEALTH HELP IN PAST 12 MTHS
MHHELP3	YESNO	2001	WANT MH PROFESSIONAL HELP IN PAST 12 MTHS
MHHELPTX	MHHELPTX	1999	HELP MENTAL HEALTH (TEXT) DID YOU GET WANTED HELP WITH PERSONAL PROBS.
MHHLCWHS	YESNO	2008-2009	
MHHLAWN2	YESNO	1999,2001-2004	GET MENTAL HEALTH HELP
MHHLAWN3	YESNO	2000	GET MENTAL HEALTH HELP IN LAST 12 MONTHS

MHHPWN4	YESNO	2006-2008	DID YOU GET WANTED HELP WITH PERSONAL PROBS.
MHHPWNT	YESNO	1997-1998, 2005	GET MENTAL HEALTH HELP WANTED
MHLMTDY	SCALEC	1998	MOOD LIMITED DAILY ACTIVITY PAST 30 DAYS
MHLMTWK	SCALEC	1998	MOOD LIMITED ABILITY TO WORK PAST 30 DYS
MHLONG	V	1997	LENGTH OF TIME HAD MH CONDITON
MHMED	YESNO	1997, 2005	TAKEN MEDS FOR MENTAL COND LAST 12 MTHS
MHMED2	YESNO	1998-1999	PRESCRIBE MEDS FOR MENTAL HEALTH PROBLEM
MHNO2_A	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 1ST REASON
MHNO2_B	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 2ND REASON
MHNO2_C	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 3RD REASON
MHNO2_D	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 4TH REASON
MHNO2_E	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 5TH REASON
MHNO2_F	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNO2_G	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNO2_H	MHWHYNOB	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNOINTX	MHNOINTX	1998-1999	WHY NO INSURANCE FOR MH CARE (TEXT)
MHNOT_A	YESNO	1997	WHY NO MH HELP: NO MONEY TO PAY FOR HELP
MHNOT_B	YESNO	1997	WHY NO MH HELP: NO INSURANCE
MHNOT_C	YESNO	1997	WHY NO MH HELP: INSURANCE WOULDNT PAY
MHNOT_D	YESNO	1997	WHY NO MH HELP: DIDNT KNOW WHERE TO GO
MHNOT_E	YESNO	1997	WHY NO MH HELP: NO ONE TAKE AS PATIENT
MHNOT_F	YESNO	1997	WHY NO MH HELP: COULDNT GET APPOINTMENT
MHNOT_G	YESNO	1997	WHY NO MH HELP: OFFICE HRS NOT CONVENIENT
MHNOT_H	YESNO	1997	WHY NO MH HELP: NO TRANSPORT TO OFFICE
MHNOT_I	YESNO	1997	WHY DIDNT GET MH HELP: NO CHILD CARE
MHNOT_J	YESNO	1997	WHY NO MH HELP: NO TIME OFF WORK
MHNOT_K	YESNO	1997	WHY NO MH HELP: COUNSELING HELP LINE BUSY
MHNOT_L	YESNO	1997	WHY NO MH HELP: DR DIDNT UNDERSTAND PROB
MHNOT_M	YESNO	1997	WHY NO HELP: DIDNT WANT MENTAL ILL LABEL
MHNOT_N	YESNO	1997	WHY NO MH HELP: OTHER REASON (SPECIFY)
MHNOTTX2	MHWHYNOT	1998-1999	WHY NO MH HELP (TEXT)
MHNOTTXT	MHWHYNOT	1997	WHY NO MH HELP: OTHER REASON (TEXT)
MHNOW	YESNO	1997, 2005	CURRENTLY HAVE MH CONDITION 6+ MONTHS
MHNTCTRL	OFTEN	1999-2002	HOW OFTEN FELT OUT-OF-CONTROL IN PAST 30
MHOVRWL2	OFTEN	2000	HOW OFTEN FELT OVERWHELMED IN PAST 30
MHOVRWLM	OFTEN	1997-1999, 02-10	DAYS FELT OVERWHELMED IN PAST 30

MHPAYDIF	DIFFICB	2000	DIFFICULTY PAYING FOR MENTAL HEALTH HELP
MHPAYDOC	MHPAYDOB	1997	WHO PAID FOR MENTAL HEALTH PROVIDER
MHPAYDOC	MHPAYDOC	1998-1999, 2005	WHO PAID FOR MENTAL HEALTH PROVIDER
MHPAYRX	MHPAY	1997	WHO PAID FOR MENTAL HLTH COND MEDS
MHPROHLP	YESNO	1997, 2005	EVER GET HELP FOR MENTAL HLTH CONDITION
MHTLKHLP	YESNO	2000	DID TALKING W/MENTAL HEALTH PROF HELP TRY TO GET MENTAL HEALTH HELP FROM PROFESSIONAL
MHTRYHL2	YESNO	2001	
MHTRYHLP	YESNO	1999	SEEK MENTAL HEALTH AID FROM PROFESSIONAL
MHUSUAL	YESNO	1997	DOES MH CONDITION LIMIT USUAL ACTIVITIES
MHWHE_A	YESNO	1998-1999,2002	MENTAL HEALTH HELP: PSYCHIATRIST
MHWHE_B	YESNO	1998-1999,2002	MENTAL HEALTH HELP: PSYCHOLOGIST
MHWHE_C	YESNO	1998-1999,2002	MENTAL HEALTH HELP: MEDICAL DOCTOR
MHWHE_D	YESNO	1998-1999,2002	MENTAL HEALTH HELP: COUNSELOR (SPECIFY)
MHWHE_E	YESNO	1998-1999,2002	MENTAL HEALTH HELP: SOCIAL WORKER
MHWHE_F	YESNO	1998-1999,2002	MENTAL HEALTH HELP: MINISTER/PRIEST/RABBI
MHWHE_G	YESNO	1998-1999,2002	MENTAL HEALTH HELP: SELFHELP GROUP
MHWHE_H	YESNO	1998-1999,2002	MENTAL HEALTH HELP: HEALER
MHWHE_I	YESNO	1998-1999,2002	MENTAL HEALTH HELP: CASE MANAGER
MHWHE_J	YESNO	1998-1999,2002	MENTAL HEALTH HELP: OTHER (SPECIFY)
MHWHE_K	YESNO	1999	MENTAL HEALTH HELP: DIDNT KNOW ANSWER
MHWHE_L	YESNO	1999	MENTAL HEALTH HELP: REFUSED QUESTION
MHWHE2_A	YESNO	2005	MENTAL HEALTH HELP: PSYCHOTHERAPIST
MHWHE2_B	YESNO	2005	MENTAL HEALTH HELP: PSYCHIATRIST
MHWHE2_C	YESNO	2005	MENTAL HEALTH HELP: PSYCHOLOGIST
MHWHE2_D	YESNO	2005	MENTAL HEALTH HELP: MEDICAL DOCTOR
MHWHE2_E	YESNO	2005	MENTAL HEALTH HELP: COUNSELOR (SPECIFY)
MHWHE2_F	YESNO	2005	MENTAL HEALTH HELP: MINISTER/PRIEST/RABBI
MHWHE2_G	YESNO	2005	MENTAL HEALTH HELP: SELFHLP GRP EMOTIONAL STRESS
MHWHE2_H	YESNO	2005	MENTAL HEALTH HELP: OTHER (SPECIFY)
MHWHE2_I	YESNO	2005	MENTAL HEALTH HELP: SELFHLP GRP MENTAL ILLNESS STRESS
MHWHELP	MHWHELP	1997	PROVIDED HELP FOR MENTAL HLTH CONDITION
MHWHELP2	MHWHELPB	1997	PROVIDED HELP FOR MENTAL HLTH CONDITION
MHWHERGO	YESNO	2000	KNOW WHERE TO GET PROF MENTAL HLTH HELP
MHWHETXT	MHWHO	1998-1999	MENTAL HEALTH HELP (TEXT)
MHWORK	YESNO	1997, 2005	DOES MH CONDITION LIMIT WORK KIND/AMOUNT

MHWTH_A	YESNO	1999	HELP MENTAL HEALTH: CHILDCARE
MHWTH_B	YESNO	1999	HELP MENTAL HEALTH: BETTER JOB
MHWTH_C	YESNO	1999	HELP MENTAL HEALTH: HEALTH CARE
MHWTH_D	YESNO	1999	HELP MENTAL HEALTH: ENOUGH FOOD
MHWTH_E	YESNO	1999	HELP MENTAL HEALTH: COUNSELING
MHWTH_F	YESNO	1999	HELP MENTAL HEALTH: TRANSPORTATION
MHWTH_G	YESNO	1999	HELP MENTAL HEALTH: HOUSING
MHWTH_H	YESNO	1999	HELP MENTAL HEALTH: MORE MONEY
MHWTH_I	YESNO	1999	HELP MENTAL HEALTH: CONVENIENT COUNSELIN
MHWTH_J	YESNO	1999	HELP MENTAL HEALTH: OTHER (SPECIFY)
MHWTH_K	YESNO	1999	HELP MENTAL HEALTH: NOTHING WOULD HELP
MICROBIC	YESNOB	2007	WOULD USE VAGINAL MICROBICIDE IF AVAILABLE
MILINDOT	YESNO	1997	MIL/CHAMPUS/VA/IHS/OTHER COVERS HEALTH
MILPLAN	YESNO	1998-2012	MIL/CHAMPUS/VA HEALTH
MISSWORK	YESNO	2008	LONGTERM CARE: MISSED WORK IN PAST YEAR TO PROVIDE CARE
MLKPREWK	MILK	1998	MILK FOR BABY MONTH BEFORE RETURNING WORK
MLKPSTWK	MILKB	1998	MILK FOR BABY 2 MTHS AFTER RETURN WORK
MONTH	MONTHS	1997	MONTH OF DATA COLLECTION
MONTHS	MONTHS	1998-2010	MONTH OF DATA COLLECTION
NALCOCC	III	1997-2012	NUMBER OF DRINKS PER OCCASION
NEEDDOC2	YESNO	1997-1998	NEEDED TO SEE MD IN PAST 12 MONTHS
NEWCHILD	YESNO	1997	ADOPTING OR FOSTERING CHILD <5
NOCOND	YESNO	2007	DIDN'T USE CONDOM, WORRIED ABOUT PARTNER'S REACTION
NOEXA_A	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: COULDN'T AFFORD
NOEXA_B	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: INSURANCE DIDN'T COVER
NOEXA_C	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: DIFFICULTY FINDING A DOC
NOEXA_D	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: DOC'S OFFICE TOO FAR AWAY
NOEXA_E	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: NO CHILD CARE
NOEXA_F	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: DOC UNAVAILABLE AFTER 5
NOEXA_G	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: AFRAID OF FINDING A PROBLEM
NOEXA_H	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: DON'T HAVE A DOC
NOEXA_I	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: NO TRANSPORTATION
NOEXA_J	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: PUBLIC TRANSPORTATION TAKES TOO LONG

NOEXA_K	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: COULDN'T FIND DOC WHO SPEAKS MY LANGUAGE
NOEXA_L	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: COULDN'T GET TIME OFF WORK
NOEXA_M	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: HAD A HYSTERECTOMY
NOEXA_N	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: BECAUSE I'M HEALTHY
NOEXA_O	YESNO	2012	REASON NOT BEEN TO DOC FOR WELL WOMEN EXAM PAST 2 YRS: OTHER REASON
NOFDHLTH	YESNO	2000-2001	DONT HAVE FOOD WANT: HLTH POOR CANT COOK
NOFDOUT	YESNO	2000	DONT HAVE FOOD WANT: NOT AT WORK OR OUT
NOFDOUT2	YESNO	2001	DONT HAVE FOOD WANT: NOT AT WORK OR OUT
NOFDSTOR	YESNO	2000-2001	DONT HAVE FOOD WANT: HARD TO GET TO STORE
NOFMONEY	YESNO	2011-2012	NOT ENOUGH MONEY TO BUY FOOD
NOHOME	Num	2010	IN LIFETIME TOTAL NIGHTS SPENT HOMELESS
NOTEAT	YESNO	2000-2009	EAT LESS SO OTHERS COULD EAT
NOTMED	YESNO	2000	DELAYED GETTING MEDICAL CARE TO BUY FOOD
NOWWGHT	NOWWGHT	2008-2012	WEIGHT MAINTENANCE STATUS
NUMADULT		1997-2012	NUMBER OF ADULTS IN HOUSEHOLD
NUMHRWRK	III	1998	NUMBER HRS AWAY FROM BABY FIRST 2 MONTHS
NUMMEN		1997-2012	NUMBER OF ADULT MALES IN HOUSEHOLD
NUMPHON2	II	1997-2006	HOW MANY UNIQUE PHONE NUMBERS
NUMPHON3	II	2007-2012	HOW MANY UNIQUE PHONE NUMBERS
NUMWOMEN		1997-2012	NUMBER OF ADULT FEMALES IN HOUSEHOLD
OCAVRISK	SCALEB	2009	CHANCES A WOMEN YOUR AGE WILL DEVELP OVARIAN CANCER
OCERLTRT	AGREEF	2009	HOW STRONGLY AGREE: OVARIAN CANCER CAN BE CURED IF FOUND EARLY
OCFAMDY	YESNO	2009	CASES OF CANCER IN YOUR FAMILY
OCPERISK	SCALEB	2009	SOMETHING THAT PUTS A WOMEN AT RISK FOR OVARIAN CANCER
OCRELDX	II	2009	HOW MANY RELATIVES DIAGNOSED WITH OVARIAN CANCER
OCRSKFAC	OVARRISK	2009	SYMPTOMS OF OVARIAN CANCER:HEADACHE
OEMPLAN	YESNO	1997-2012	ANOTHERS EEMPL PROVIDES HEALTH COVERAGE
OFTCERL	IV	2003	HOW OFTEN EAT COLD CEREAL
ORACE	ORACE	1997-2000	REPORTED RACE
ORACE2	ORACEB	1997-2000	REPORTED RACE (EXPANDED)
ORACE2A	ORACE2A	1997-2011	REPORTED RACE - ASIAN
ORACE2X	ORACE2X	2006	REPORTED RACE: HISPANIC SUBCATEGORIES
ORACE3	ORACEC	2001-2012	REPORTED RACE (EXPANDED)

ORACE3_A	YESNO	2001-2012	REPORTED RACE: WHITE
ORACE3_B	YESNO	2001-2012	REPORTED RACE: BLACK
ORACE3_C	YESNO	2001-2012	REPORTED RACE: ASIAN
ORACE3_D	YESNO	2001-2012	REPORTED RACE: HAWAII/PI
ORACE3_E	YESNO	2001-2012	REPORTED RACE: AM IND/ALASKA NATIVE
ORACE3_F	YESNO	2001-2012	REPORTED RACE: OTHER
ORACE4	ORACEC	2001-2012	WHICH BEST REPRESENTS YOUR RACE
OSTEO	YESNO	1999	HAD BONE DENSITY TEST LAST 2 YEARS
OSTEO2	YESNO	2004	EVER HAD BONE DENSITY TEST FOR OSTEOPOROSIS
OSTEOCAL	YESNO	2006	CURRENTLY TAKING CALCIUM SUPPLEMENTS
OSTEODEF	OSTEO	2000-2002	WHAT IS OSTEOPOROSIS
OSTEOFOD	MANYII	2006	HOW OFTEN EAT HIGH CALCIUM FOODS
OSTEOHAD	YESNO	2006	BEEN TOLD YOU HAVE OSTEOPOROSIS
OSTEOHRD	YESNO	2000-2001	EVER HEARD OF OSTEOPOROSIS
OSTEOIMP	IMPORTB	2000-2001	HOW IMPORTANT IS OSTEOPOROSIS FOR WOMEN
OSTEOPA	MANYII	2006	HOW OFTEN DO STRENGTHENING EXERCISES
OSTEOPHY	SCALEF	2002	INCREASE PHYSICAL ACTIVITY TO PREVENT OSTEOPOROSIS
OSTEOPRV	YESNO	2004, 2006	DOING ANY OSTEOPOROSIS PREVENTION/MANAGEMENT
OSTEORSK	YESNO	2004-2005	THINK YOU HAVE RISK FACTOR FOR OSTEOPOROSIS
OSTEORX	YESNO	2006	CURRENTLY TAKING PERSCRIPTION FOR OSTEOPOROSIS
OSTEOTL2	YESNO	2002	EVER TOLD YOU HAVE OSTEOPOROSIS
OSTEOTL3	YESNO	2004-2005	DOCTOR SAID YOU HAVE OSTEOPOROSIS
OSTEOTLB	YESNO	2002	DOC EVER TALKED @PREVENTING OSTEOPOROSIS
OSTEOTLC	YESNO	2004-2005	DOCTOR DISCUSSED OSTEOPOROSIS PREVENTION
OSTEOTLD	YESNO	2000-2001,04-05	EVER TOLD YOU HAVE OSTEOPOROSIS
OSTEOTLK	YESNO	2000-01	DOC EVER TALKED @PREVENTING OSTEOPOROSIS
OTHRCOND	YESNORF	1997	LAST NON-STEADY INTERCOURSE USED CONDOM
OTHRPAR2	YESNORF	1998-1999	HAVE NEW MALE SEX PARTNER LAST YR
OTHRPAR3	YESNORF	2000, 02, 04, 07, 09	HAVE NEW MALE SEX PARTNER LAST YR
OTHRPART	YESNORF	1997	HAVE NON-STEADY/NEW MALE PARTNER LAST YR
OTHRSRCE	YESNO	1999-2012	SOME OTHER SOURCE OF HEALTH INSURANCE
OUTOFFD	TRUEFALB	1998-2012	WHEN DID NOT HAVE ENOUGH FOOD
OVARRISK	OVARRISK	2002	NAME RISK FOR OVARIAN CANCER
OWNPLAN	YESNO	1997-2012	BUYS OWN HEALTH COVERAGE

PAIN	YESNO	1998-1999	PAIN PREVENTS DOING WHAT WANTED
PAPINFO	YESNO	2001	RECEIVE PAMPHLET AT LAST PAP EXAM
PAPINFO2	YESNO	2002-2004, 2009	RECEIVE PAMPHLET AT LAST PAP EXAM
PAPREC	YESNO	2011	DOCTOR RECOMMENDED PAP TEST IN PAST 4 YEARS
PARTIAL	YESNO	2002-2006 09-12	INCOMPLETE SURVEY--COMPLETED THROUGH DEMOGRAPHICS
PASTPLAN	HOWLONGC	1997-2010, 2011-2012	HOW LONG SINCE LAST HEALTH CARE PLAN
PHONE93		1997-2000, 03-12	HOW MANY UNIQUE PHONE NUMBERS IN HOUSEHOLD
PHQ1	II	2006-2008, 2011-2012	MOOD: IN LAST 14, DAYS LITTLE INTEREST DOING THINGS
PHQ2	II	2006-2008, 2011-2012	MOOD: IN LAST 14, DAYS FELT DEPRESSED OR HOPELESS
PHQ3	II	2006-2008	MOOD: IN LAST 14, DAYS WITH SLEEP TROUBLE
PHQ4	II	2006-2008	MOOD: IN LAST 14, DAYS WITH LOW ENERGY
PHQ5	II	2006-2008	MOOD: IN LAST 14, DAYS WITH POOR/EXCESS APPETITE
PHQ6	II	2006-2008	MOOD: IN LAST 14, DAYS FEEL BAD ABOUT SELF
PHQ7	II	2006-2008	MOOD: IN LAST 14, DAYS TROUBLE CONCENTRATING
PHQ8	II	2006-2008	MOOD: IN LAST 14, DAYS MOVED SLOW/FAST
PHYSHLTH	III	1998-2012	DAYS OF POOR PHYSICAL HEALTH IN LAST MO
PLEASANT	PLEASANT	2004-2005	HOW PLEASANT IS YOUR NEIGHBORHOOD
POORHLTH	III	1998-2012	DAYS OF RESTRICTED ACTIVITY IN LAST MO
PRECARE1	YESNO	2009-2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:SMOKING
PRECARE2	YESNO	2009-2012	HEALTH CARE PROVIDER TALK TO YOU ABOUT:DIET OR EXERCISE
PRECARE3	YESNO	2009-2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:DENTAL CARE
PRECARE4	YESNO	2009-2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:TAKING FOLIC ACID
PRECARE5	YESNO	2010	HEALTH CARE PROVIDER TALK TO YOU ABOUT:ALCOHOL USE
PREG5YR	YESNO	1997-2010	PREGNANT IN THE PAST FIVE YEARS
PREGHLTH	HEALTH	2000	GENERAL HEALTH DURING LAST PREGNANCY
PREGNAN2	Num	2010-2012	PREGNANCY PLAN
PREGNANT	YESNO	1997-2010	PREGNANCY STATUS
PREGNUM	X	1998	TOTAL NUMBER OF PREGNANCIES EVER HAD
PREGPLAN	YESNO	2009-2010, 2012	DOCTOR TALK YOU WHETHET OR NOT BECOME PREGNANT IN FUTURE
PRENATA2	X	1999-2000	WKS OR MNTS PREGNANT 1ST PRENATAL VISIT
PRENATAL	X	1997	TIME IN PREGNANCY WHEN 1ST SAW PHYSICIAN
PRENHIV	YESNO	1998	DOC DISCUSS HIV RISK LAST PREGNANCY
PREVB_A	MON_YEAR	2000	MONTH 2ND MOST RECENT BIRTH OF LIVE BABY

PREVB_B	MON_YEAR	2000	YEAR 2ND MOST RECENT BIRTH OF LIVE BABY
PRIMCAR2	YESNO	2012	CLINIC HEALTH CENTER OR OTHER PLACE USUALLY GO TO IF SICK, NEED ADVICE OR ROUTINE CARE
PRIMPLAC	WHEREB	2012	WHAT PLACE DO YOU GO IF SICK, NEED HEALTH ADVICE OR ROUTINE CARE
PRIORBIR	MON_YEAR	2000	MONTH & YEAR PRIOR RECENT LIVE BIRTH
PRIORMNT	II	2000	MONTH OF PRIOR RECENT LIVE BIRTH
PRIORYR	IV	2000	YEAR OF PRIOR RECENT LIVE BIRTH
PROBPRE2	YESNO	2007-2008	PROBLEMS GETTING PREGNANT IN 12 MONTH PERIOD
PROBPRE3	YESNO	2012	TRIED MORE THAN 12 MONTHS BUT UNABLE TO GET PREGNANT
PROBPREG	YESNORF	1997-98,01,03,06	TRIED 12+ MONTHS TO GET PREGNANT
PROBR_A	YESNO	2005	NAME AN STD PROB: INFERTILITY
PROBR_B	YESNO	2005	NAME AN STD PROB: MORE CERVICAL CANCER RISK
PROBR_C	YESNO	2005	NAME AN STD PROB: PREG COMPLICATION
PROBR_D	YESNO	2005	NAME AN STD PROB: PELVIC INFLAM DISEASE
PROBR_E	YESNO	2005	NAME AN STD PROB: BLINDNESS
PROBR_F	YESNO	2005	NAME AN STD PROB: MENTAL ILLNESS
PROBR_G	YESNO	2005	NAME AN STD PROB: DEATH
PROBR_H	YESNO	2005	NAME AN STD PROB: SCARRING
PROBR_I	YESNO	2005	NAME AN STD PROB: LIFE-LONG SYMPTOMS
PROBR_J	YESNO	2005	NAME AN STD PROB: MORE AIDS/HIV RISK
PROBR_K	YESNO	2005	NAME AN STD PROB: OTHER
PROBR_L	YESNO	2005	NAME AN STD PROB: CAN'T NAME ANY, KNOW EXIST
PROBR_M	YESNO	2005	NAME AN STD PROB: ALWAYS TAKE MEDICATIONS
PROGR_A	YESNO	2011	WIC
PROGR_B	YESNO	2011	SNAP
PROGR_C	YESNO	2011	MEDI-CAL/MEDICARE
PROGR_D	YESNO	2011	TANF
PROGR_E	YESNO	2011	NONE
PTSD1	YESNO	2000-2001,04-05	EVER HAD A HORRIBLE EXPERIENCE
PTSD1	_DV	2002-2003	EVER HAD A HORRIBLE EXPERIENCE
PTSD2	YESNO	2000-2005	LAST 30 DAYS: HAVE NIGHTMARES @EXPERIENCE
PTSD3	YESNO	2000-2005	LAST 30 DAYS: TRY TO NOT THINK @EXPERIENCE
PTSD4	YESNO	2000-2005	LAST 30 DAYS: CONSTANTLY ON GUARD
PTSD5	YESNO	2000-2005	LAST 30 DAYS: FELT DETACHED FROM OTHERS
PUBASST	YESNO	2001	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST2	YESNO	2002	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE

PUBASST3	YESNO	2003-2006	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST4	YESNO	2007-2009	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASTCH	YESNO	2004	AS CHILD DID YOUR FAMILY RECEIVE WELFARE
PUBASTN2	YESNO	2002-2009	LAST 30 DAYS RECEIVE PUBLIC ASSISTANCE
PUBASTNW	YESNO	2001	CURRENTLY RECEIVING PUBLIC ASSISTANCE
QUARTER		2005-2007, 09-11	QUARTER SURVEY DATA COLLECTED
REASTST3	REASTSTC	1997	WHY WAS LAST AIDS TEST DONE
REAUNPLN	REAUNPLN	2006-2007	REASON FOR SEX W/O ANY BIRTH CONTROL
RECSERV	III	2002	WHAT WAS THE NUM OF FRUIT/VEG RECOMMENDED
RELIGION	MANYV	2007	HOW OFTEN ATTEND RELIGIOUS SERVICES
RESPNO		1997-2012	RESPONDENT NUMBER
RUBELLA	YESNO	1999-2000	EVER VACCINATED FOR RUBELLA
RXDRUG	III	2008-2010	HOW MANY PRESCRIPTION DRUGS reported per week=1/ month=2
RXMISUSE	YESNO	2008-2009	EVER MISUSED PRESCRIPTION DRUG
SCALE	XIX	2008-2009	HOW MANY TIMES PER DAY/WEEK/MONTH WEIGH YOURSELF
scale	Num	2010-2011	HOW MANY TIMES PER DAY=1/WEEK=2/MONTH=3 WEIGH YOURSELF
SCHLBRTH	II	1998	EDUCATION AT FIRST BIRTH
SCHLMEAL	YESNO	2006-2010, 2012	CHILDREN RECEIVE FREE/REDUCED LUNCH IN LAST YEAR
SEEDOC	YESNO	1997-1998	SAW MD FOR HEALTH CONDITION
SEHEALTH	AGREEC	1999	SELF EFFICACY: HEALTH DEPENDS ON SELF
SELFWGHT	WEIGHT	2000-2012	ASSESSMENT OF CURRENT WEIGHT
SEQNO	Char	10	SEQNO
SEX	SEX	1997-2012	SEX
SEXBADVC	YESNOD	2009, 2012	LAST 12 MON DR. ASK U ABOUT SEXUAL BEHAVIOR
SEXBEH1	VIII	1997	HOW MANY NEW MALE PARTNERS LAST YEAR
SEXBHAG2	VIII	2004-2007, 09-12	AGE AT FIRST INTERCOURSE WITH MAN
SEXBHAGE	VIII	1997-2003	AGE AT FIRST INTERCOURSE
SEXBHNU2	YESNORF	2002	MORE THAN ONE MALE SEX PARTNER LAST 12 MONTHS
SEXBHNU3	NUMCOUNT	2005	HOW MANY MALE SEX PARTNERS PAST 12 MTHS
SEXBHNUM	VIII	1997-1998, 04-12	NUMBER MALE PARTNERS LAST 12 MONTHS
SEXBHVER	YESNO	1998-2004	VERIFICATION OF AGES 12 AND YOUNGER
SEXED	AGREEB	1997	SCHOOLS SHOULD TEACH HUMAN SEXUALITY
SEXEDBC	AGREEB	1997	SCHOOLS SHOULD TEACH CONTRACEPTION
SEXEDSTD	AGREEB	1997	SCHOOLS SHOULD TEACH STD PREVENTION

SEXHAG2	VIII	2009, 2011	AGE AT FIRST INTERCOURSE WITH MAN
SEXWOTH2	SCALEG	2004	HOW LIKELY RECENT MALE SEX PARTNER HAD SEX WITH OTHER
SEXWOTH3	SCALEH	2007	HOW LIKELY RECENT MALE SEX PARTNER HAD SEX WITH OTHER
SEXWOTHR	SCALEG	2002	HOW LIKELY SEX PARTNERS HAVE HAD SEX WITH OTHER
SEXWOTRE	CERTAIN	2009, 2012	PAST 12 MON DID MALE PARTNER HAVE SEX WITH ANYONE ELSE
SFCHEESE	YESNO	2000	LAST PREGNANCY: EAT SOFT CHEESE
SFMEAT	YESNO	2000	LAST PREGNANCY: EAT PROCESSED MEATS
SIGEVER	YESNO	2000-2002	EVER HAD A SIGMOIDOSCOPY TEST
SIZEFEE2	RELATED	2000	WEIGHT INFLUENCE FEELINGS OF SELF WORTH
SIZEFEEL	SCALE	1998	WEIGHT INFLUENCE FEELINGS OF SELF WORTH
SMKEVDA2	EVDAY	1997-2012	SMOKE EVERY DAY/SOME DAYS/NOT AT ALL
SMOKE100	YESNO	1997-2012	SMOKED AT LEAST 100 CIGS
SODA	XIX	2008-2012	HOW MANY TIMES PER DAY/WEEK/MONTH DRINK SODA
SPANIN2	SPANINB	2008-2001	LANGUAGE OF SURVEY
SPANINT	SPANINT	1997-2007, 2011-2012	LANGUAGE OF SURVEY
SPECIAL1	YESNO	2012	IN LAST TWO YEARS, HAS HEALTH CARE PROVIDER REFERRED YOU TO SPECIALIST
SPECIAL2	YESNO	2012	IN LAST TWO YEARS, DID YOU WANT TO SEE A SPECIALIST
SPECIAL3	YESNO	2012	IN LAST TWO YEARS, ABLE TO GET REFERRAL TO SPECIALIST
SPECIAL4	YESNO	2012	HAVE YOU SEEN A SPECIALIST IN LAST TWO YEARS FROM TIME OF REFERRAL, HOW SOON WAS SPECIALIST ABLE TO SEE YOU
SPECIAL7	TIMEA	2012	
SPECI_A	YESNO	2012	TYPE OF SPECIALIST SEEN: OBGYN
SPECI_B	YESNO	2012	TYPE OF SPECIALIST SEEN: GASTRO-INTESTINAL SPECIALIST
SPECI_C	YESNO	2012	TYPE OF SPECIALIST SEEN: ONCOLOGIST
SPECI_D	YESNO	2012	TYPE OF SPECIALIST SEEN: CARDIOLOGIST
SPECI_E	YESNO	2012	TYPE OF SPECIALIST SEEN: ALLERGIST
SPECI_F	YESNO	2012	TYPE OF SPECIALIST SEEN: EAR, NOSE & THROAT SPECIALIST
SPECI_G	YESNO	2012	TYPE OF SPECIALIST SEEN: OTHER
SPECNO_A	YESNO	2012	WHY NOT SEE SPECIALIST: NO NEED TO SEE SPECIALIST
SPECNO_B	YESNO	2012	WHY NOT SEE SPECIALIST: NO SPECIALIST NEARBY
SPECNO_C	YESNO	2012	WHY NOT SEE SPECIALIST: SPECIALIST DIDN'T TAKE INSURANCE
SPECNO_D	YESNO	2012	WHY NOT SEE SPECIALIST: TOOK TOO LONG TO GET APPOINTMENT

SPECNO_E	YESNO	2012	WHY NOT SEE SPECIALIST: NO TRANSPORTATION
SPECNO_F	YESNO	2012	WHY NOT SEE SPECIALIST: NO ONE TO WATCH CHILDREN
SPECNO_G	YESNO	2012	WHY NOT SEE SPECIALIST: COULDN'T GET TIME OFF WORK
SPECNO_H	YESNO	2012	WHY NOT SEE SPECIALIST: TOO BUSY TO GO TO APPOINTMENT
SPECNO_I	YESNO	2012	WHY NOT SEE SPECIALIST: OTHER REASON
SSTDC_A	YESNO	2006	CAUSES CERVICAL CANCER: HERPES
SSTDC_B	YESNO	2006	CAUSES CERVICAL CANCER: CHLAMYDIA
SSTDC_C	YESNO	2006	CAUSES CERVICAL CANCER: HUMAN PAPILLOMA VIRUS
SSTDC_D	YESNO	2006	CAUSES CERVICAL CANCER: GONORRHEA
STAIRAC2	MANYI	1998	FLIGHT OF STAIRS CLIMBED DAILY OR WEEKLY
STDADV	YESNORF	1997	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDADV	HOWLONGE	1998	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDADV2	YESNO	2002-2004, 2007	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDCHILD	YESNO	2006	TALKED WITH CHILD ABOUT STD
STDCHK	YESNO	2002	HAD STD CHECK/TREATMENT PAST 12 MONTHS
STDCHK	YESNORF	1997-1998	HAD STD CHECK/TREATMENT PAST 12 MONTHS
STDCHLTD	YESNOUN	2003-2006	EVER TOLD YOU HAVE CHLAMYDIA
STDCHLY2	TRUEFALS	1997,2000-2001	WOMEN WITH CHLAMYDIA HAVE SYMPTOMS?
STDCHLY3	YESNOUN	2002-2003, 2006	WOMEN WITH CHLAMYDIA HAVE SYMPTOMS?
STDCHLYD	YESNORF	97, 00-01, 04, 07	EVER HEARD OF CHLAMYDIA
STDDX_A	YESNO	1997, 2004	STD DX: CHLAMYDIA
STDDX_B	YESNO	1997, 2004	STD DX: GENITAL HERPES
STDDX_C	YESNO	1997, 2004	STD DX: GENITAL WARTS (HPV)
STDDX_D	YESNO	1997, 2004	STD DX: GONORRHEA
STDDX_E	YESNO	1997, 2004	STD DX: HIV OR AIDS
STDDX_F	YESNO	1997, 2004	STD DX: PELVIC INFLAMMATORY DISEASE (PID)
STDDX_G	YESNO	1997, 2004	STD DX: SYPHILIS
STDDX_H	YESNO	1997, 2004	STD DX: TRICHOMONAS
STDDX_I	YESNO	1997, 2004	STD DX: YEAST INFECTION
STDDX_J	YESNO	1997, 2004	STD DX: OTHER (SPECIFY)
STDDX_K	YESNO	1997, 2004	REFUSED STD MODULE
STDDX2_A	YESNO	2005	WHAT WAS STD: CHLAMYDIA
STDDX2_B	YESNO	2005	WHAT WAS STD: GENITAL HERPES
STDDX2_C	YESNO	2005	WHAT WAS STD: GENITAL WARTS (HPV)
STDDX2_D	YESNO	2005	WHAT WAS STD: GONORRHEA

STDDX2_E	YESNO	2005	WHAT WAS STD: HIV OR AIDS
STDDX2_F	YESNO	2005	WHAT WAS STD: PELVIC INFLAMMATORY DISEASE (PID)
STDDX2_G	YESNO	2005	WHAT WAS STD: SYPHILIS
STDDX2_H	YESNO	2005	WHAT WAS STD: TRICHOMONAS
STDDX2_I	YESNO	2005	WHAT WAS STD: YEAST INFECTION
STDDX2_J	YESNO	2005	WHAT WAS STD: OTHER (SPECIFY)
STDDX2_K	YESNO	2005	WHAT WAS STD: BACTERIAL VAGINOSIS
STDDX2_L	YESNO	2005	WHAT WAS STD: CHRANCROID
STDDX2_M	YESNO	2005	WHAT WAS STD: CYTOMEGALOVIRUS
STDDX2_N	YESNO	2005	WHAT WAS STD: CRABS
STDDX2_O	YESNO	2005	WHAT WAS STD: HEPATITIS
STDDX2_P	YESNO	2005	WHAT WAS STD: PUBIC LICE
STDDX2_Q	YESNO	2005	WHAT WAS STD: SCABIES
STDDX2_R	YESNO	2005	WHAT WAS STD: CAN'T NAME ANY
STDDXTXT	STDDXTXT	1997-2004	STD DX: OTHER (TEXT)
STDHI_A	YESNO	1998	STD INCREASES RISK OF HIV INFECTION
STDHI_B	YESNO	1998	STD HAVE NO EFFECT ON HIV INFECTION RISK
STDHI_C	YESNO	1998	STD DECREASES RISK OF HIV INFECTION
STDHRPNO	TRUEFALS	1999-2001	GENITAL HERPES KNOWLEDGE: PEOPLE KNOW IT
STDHRPT2	TRUEFALS	2001	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDHRPT3	TRUEFALS	2002, 2006	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDHRPTD	YESNO	1999-2003, 2006	EVER TOLD HAVE GENITAL HERPES
STDHRPTR	TRUEFALS	1999	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDKID2	GRADE	2009	GRADE LEVEL CHILDREN SHOULD BE TAUGHT ABOUT STDS
STDPROB	YESNO	2005	ANY LONG TERM HEALTH PROB FOR WOMEN W/STD
STDPROPG	YESNORF	2001	WOMEN WITH CHLAMYDIA HAVE PROBS GETTING PREGNANT
STDRC_A	YESNO	2005	NAME AN STD: GONORRHEA
STDRC_B	YESNO	2005	NAME AN STD: SYPHILIS
STDRC_C	YESNO	2005	NAME AN STD: GENITAL HERPES
STDRC_D	YESNO	2005	NAME AN STD: AIDS/HIV
STDRC_E	YESNO	2005	NAME AN STD: CHLAMYDIA
STDRC_F	YESNO	2005	NAME AN STD: GENITAL WARTS
STDRC_G	YESNO	2005	NAME AN STD: HEPATITIS
STDRC_H	YESNO	2005	NAME AN STD: CRABS
STDRC_I	YESNO	2005	NAME AN STD: TRICHOMONIASIS

STDRC_J	YESNO	2005	NAME AN STD: PELVIC INFLAM DISEASE
STDRC_K	YESNO	2005	NAME AN STD: PUBIC LICE
STDRC_L	YESNO	2005	NAME AN STD: BACTERIAL VAGINOSIS
STDRC_M	YESNO	2005	NAME AN STD: CHRANCROID
STDRC_N	YESNO	2005	NAME AN STD: YEAST INFECTION
STDRC_O	YESNO	2005	NAME AN STD: SCABIES
STDRC_P	YESNO	2005	NAME AN STD: CYTOMEGALVIRUS
STDRC_Q	YESNO	2005	NAME AN STD: OTHER
STDRC_R	YESNO	2005	NAME AN STD: CAN'T NAME ANY
STD TALK	DISCUSS	2003	ANY DISCUSSION WITH PARENTS ABOUT SEX ANY DISCUSSION WITH MALE PARTNER ABOUT STDS
STD TALK2	SEXTALK	2004	
STD TEST	YESNO	2004	PAST 12 MOS DOCTOR SAID YOU HAD STD
STD TOLD	YESNORF	1997	PAST 12 MONTHS MD TOLD YOU HAVE STD
STD TOLD2	YESNO	2005	DOCTOR EVER SAID YOU HAD STD
STDWH_A	YESNO	1997-1998	HAD STD CHECK AT PUBLIC STD CLINIC
STDWH_B	YESNO	1997-1998	HAD STD CHECK AT OTHER PUBLIC CLINIC
STDWH_C	YESNO	1997-1998	HAD STD CHECK AT FAMILY PLANNING CLINIC
STDWH_D	YESNO	1997-1998	HAD STD CHECK AT COMMUNITY CLINIC
STDWH_E	YESNO	1997	HAD STD CHECK AT PRIVATE DOCTOR/HMO
STDWH_E	YESNO	1998	HAD STD CHECK AT PRIVATE DOCTOR
STDWH_F	YESNO	1997-1998	HAD STD CHECK AT EMERGENCY ROOM
STDWH_G	YESNO	1997-1998	HAD STD CHECK AT STUDENT HEALTH CENTER
STDWH_H	YESNO	1997-1998	HAD STD CHECK AT MILITARY FACILITY
STDWH_I	YESNO	1997-1998	HAD STD CHECK AT JAIL/DETENTION FACILITY
STDWH_J	YESNO	1997-1998	HAD STD CHECK AT OTHER LOCATION(SPECIFY)
STDWH_K	YESNO	1997-1998	REFUSED STD CHECK MODULE
STDWH_L	YESNO	1998	HAD STD CHECK AT HMO
STDWHTXT	STDWHETX	1997-1998	HAD STD CHECK AT OTHER LOCATION (TEXT)
STOPSUPP	YESNO	1999-2000	STOPPED SUPPLEMENT DUE TO BAD REACTION
STRATUM		1997-2004	WEIGHTING ADJUSTMENT
SUPPORT	YESNO	2009	SOMEONE YOU CAN TURN TO FOR COMFORT OR LISTEN TO YOU
SUPSLEEP	YESNO	1999	TAKE ANYTHING TO CALM NERVES PAST YEAR
SXORIEN2	ORIENT	2005-2012	SEXUAL ORIENTATION: NEW SPANISH INTRO
SXORIENT	ORIENT	2004	WHICH DESCRIBES YOUR SEXUAL ORIENTATION†
SYMPL_A	V	2000	DAYS URINARY TRACT INFECTION LASTED
SYMPL_B	V	2000	WEEKS URINARY TRACT INFECTION LASTED

SYMPL_C	V	2000	MONTHS URINARY TRACT INFECTION LASTED
TAKEMED	YESNO	1998-1999	TAKE MEDS FOR MH PROBLEM AS DIRECTED
TAKESUPP	YESNO	2000	TAKE ANY SUPPLEMENTS LAST 12 MONTHS
TALKDOC1	Num	2010-2011	LEVEL OF CONFIDENCE IN ABILITY TO KNOW WHAT QUESTIONS TO ASK A DOCTOR
TALKDOC2	Num	2010-2011	LEVEL OF CONFIDENCE IN ABILITY TO GET A DOCTOR TO ANSWER ALL OF YOUR QUESTIONS
TALKDOC3	Num	2010-2011	LEVEL OF CONFIDENCE IN ABILITY TO MAKE MOST OF YOUR VISITS WITH YOUR DOCTOR
TALKDOC4	Num	2010-2011	LEVEL OF CONFIDENCE IN ABILITY TO GET A DOCTOR TO TAKE YOUR CHIEF HEALTH CONCERN SERIOUSLY
TALKDOC5	Num	2010-2011	LEVEL OF CONFIDENCE IN ABILITY TO GET A DOCTOR TO DO SOMETHING ABOUT YOUR CHIEF HEALTH CONCERN
THRESH00	YESNO	2007-2011	HH INCOME ABOVE HIGHER THRESHOLD
THRESH01	YESNO	2007-2011	HH INCOME BETWEEN LOWER THRESHOLD AND HIGH THRESHOLD
THRESH02	YESNO	2009-2011	HH INCOME BETWEEN LOWEST THRESHOLD AND LOWER THRESHOLD
THRESH03	YESNO	2004-2005, 2008	HH INCOME ABOVE THRESHOLD
THRESH95	THRESH	1997-1999	POVERTY THRESHOLDS FOR PRIOR YEAR
THRESH98	THRESH	2000	POVERTY THRESHOLDS FOR PRIOR YEAR
THRSH185	THRESH	1999-2000	185% OF POVERTY FOR PRIOR YEAR
THRSH250	THRESH	2000	200% OF POVERTY FOR PRIOR YEAR
TIMEPLAN	HOWLNGD	1998-2002	HOW LONG HAD CURRENT HEALTH CARE PLAN
TIMES_A	VIII	1998	HOURS SPENT SITTING DAILY
TIMES_B	VIII	1998	MINUTES SPENT SITTING DAILY
TIMESIT	IV	1998	HOURS & MINUTES SPENT SITTING DAILY
TIMESIT2	IX	2001	HOURS & MINUTES SPENT SITTING DAILY
TLDSTRPB	YESNO	2000	LAST PREG: PREVENT GROUP B STREP PLAN
TOLDINF	YESNOTS	1997	MD TOLD HAD BLADDER INFECTION 3+ MONTHS
TRAFFIC	SAFE	2004-2005	HOW SAFE IS NEIGHBORHOOD: TRAFFIC
TRANS1	TRANSDOC	2012	HOW USUALLY GET TO CLINIC OR DOCTOR
TRANS2	YESNO	2012	IS OBTAINING TRANSPORTATION TO DOCTOR A PROBLEM
TRANS3	TRANPROB	2012	MAIN TRANSPORTATION PROBLEM
TRYLO_A	YESNO	1998	WEIGHT LOSS ACTION TAKEN: NOTHING
TRYLO_B	YESNO	1998	WEIGHT LOSS ACTION TAKEN: DIET
TRYLO_C	YESNO	1998	WEIGHT LOSS ACTION TAKEN: FAST
TRYLO_D	YESNO	1998	WEIGHT LOSS ACTION TAKEN: LAXATIVES, ETC
TRYLO_E	YESNO	1998	WEIGHT LOSS ACTION TAKEN: PURGE

TRYLO_F	YESNO	1998	WEIGHT LOSS ACTION TAKEN: DRANK ALCOHOL
TRYLO_G	YESNO	1998	WEIGHT LOSS ACTION TAKEN: SMOKE TOBACCO
TRYLO_H	YESNO	1998	WEIGHT LOSS ACTION TAKEN: EXERCISE
TRYLO_I	YESNO	1998	WEIGHT LOSS ACTION TAKEN: OTHER (SPECIFY)
TRYLOTXT	TRYLOTXT	1998	WEIGHT LOSS ACTION TAKEN (TEXT)
TRYPREG	YESNO	1997, 1999, 00-08	CURRENTLY TRYING TO GET PREGNANT
TRYPREG2	YESNO	2009	CURRENTLY TRYING TO GET PREGNANT
TSSBTAD	YESNORF	2001-2005	AS ADULT ANYONE EVER BEAT YOU
TSSBTCH	YESNORF	2001-2005	AS CHILD ANYONE EVER BEAT YOU (Begun 6/01)
TSSDIAD	YESNORF	2001-2005	AS ADULT ANYONE CLOSE DIE IN ACCIDENT
TSSDICH	YESNORF	2001-2005	AS CHILD ANYONE CLOSE DIE IN ACCIDENT (Begun 6/01)
TSSINSCH	YESNORF	2001-2005	AS CHILD ANYONE IN HOUSEHOLD INSULT OR THREATEN YOU
TSSSRELA	YESNORF	2009	PAST 12 MOS WHAT WAS THE PERSONS RELATIONSHIP TO YOU
TSSSXAD	YESNORF	2001-2008	AS ADULT ANYONE FORCE SEX ON YOU
TSSSXCH	YESNORF	2001-2008	AS CHILD ANYONE FORCE SEX ON YOU (Begun 6/01)
TSSSXYR	YESNORF	2005-2008	DID FORCE SEX HAPPEN IN PAST 12 MTHS
TSSSXYR2	YESNORF	2009	DID FORCE SEX HAPPEN IN PAST 12 MTHS
TSSTKAD	YESNORF	2001-2005	AS ADULT ANYONE FORCE SOMETHING FROM YOU
TSSTKCH	YESNORF	2001-2005	AS CHILD ANYONE FORCE SOMETHING FROM YOU (Begun 6/01)
UIPROB	YESNO	1997-1998	CURRENTLY HAVE PROB WITH LEAKING URINE
UNPLANSX	OFTEN	2006-2007	HOW OFTEN HAD UNPROTECTED SEX IN LAST YEAR
USEEVDY1	USEEVDY	2012	AVERAGE NUMBER OF PERSONAL CARE PRODUCTS USED EACH DAY
USEEVDY2	USEEVDY	2012	AVERAGE NUMBER OF CANNED DRINKS DID YOU DRINK EACH DAY
USEEVDY3	USEEVDY	2012	AVERAGE NUMBER OF CANNED FOODS EATEN EACH DAY
USEEVDY4	USEEVDY	2012	AVERAGE NUMBER OF TIMES PER DAY EAT FOOD THAT COMES IN CARDBOARD CONTAINER OR WRAPPED PAPER
USEEVDY5	USEEVDY	2012	AVERAGE NUMBER OF TIMES PER DAY MICROWAVE FOOD IN PLASTIC CONTAINER
USEEVDY6	USEEVDYV	2012	AVERAGE NUMBER OF TIMES PER DAY EAT ANY KIND OF MEAT
USEEVDY7	USEEVDY	2012	AVERAGE NUMBER ORGANIC FOODS EATEN EACH DAY
USEEVDY8	YESNOBPA	2012	BOUGHT PRODUCTS LABELED BPA or PHTHALATE
USEENTRY	IV	1998-2001	YEAR FIRST ENTERED US
USEENTRY2	IV	2003-2012	YEAR FIRST LIVED IN US
USEPROG	YESNO	2011	CURRENTLY USING ANY OF PROGRAMS

VEGCLASS	YESNO	2011-2012	ATTENDED CLASS/ACTIVITY ABOUT EATING FRUITS AND VEGETABLES OR BEING PHYSICALLY ACTIVE
VITAIU	IU	2000	DOSAGE OF IU OF VITAMIN A
VITAMA	YESNO	1999	NOW TAKING: VITAMIN A
VITAMBF	BABY	1997-1998	TAKE PRENATAL VITAMINS PRE-PREGNANCY
VITAMCT	YESNO	1997	CURRENTLY TAKING MULTI-VITAMINS
VITAMCT2	YESNO	1998	CURRENTLY TAKING MULTI-VITAMINS
VITANX	YESNO	1999	TAKING SUPPLEMENT: ANXIETY OR DEPRESSION
VITAT_A	YESNO	1998	CURRENTLY TAKING: MULTI/PRENATAL VITAMIN
VITAT_B	YESNO	1998-1999	CURRENTLY TAKING: FOLATE
VITAT_C	YESNO	1998	CURRENTLY TAKING: VITAMIN C SUPPLEMENT
VITAT_D	YESNO	1998	CURRENTLY TAKING: IRON SUPPLEMENT
VITAT_E	YESNO	1998	CURRENTLY TAKING: BODY BUILDING SUPPLEME
VITAT_F	YESNO	1998	CURRENTLY TAKING: WEIGHT LOSS DRINK
VITAT_G	YESNO	1998	CURRENTLY TAKING: VITAMIN FORIFIED DRINK
VITAT_H	YESNO	1998	CURRENTLY TAKING: OTHER (SPECIFY)
VITATAK2	YESNO	1999	NOW TAKING: OTHER VITAMIN OR MINERALS
VITATXT	VITAMIN	1998	OTHER SUPPLEMENTS (TEXT)
VITBWHY	VITBWHY	2000	REASON WOMEN SHOULD TAKE B VITAMIN
VITBWHYB	VITBWHYB	2002-2004	REASON WOMEN SHOULD TAKE B VITAMIN
VITCVD	YESNO	1999	TAKING SUPPLEMENT: CARDIOVASCULAR HEALTH
VITDAILY	YESNO	2002-2009	DO YOU TAKE VITAMIN B DAILY
VITGHLT	YESNO	1999	TAKING SUPPLEMENT: GENERAL HEALTH
VITIMMU	YESNO	1999	TAKING SUPPLEMENT: IMMUNE FUNCTION
VITMILK	YESNO	2003	DRINK REMAINING MILK IN BOWL
VITMNAL	YESNO	1999	TAKING SUPPLEMENT: MENTAL ALERTNESS
VITOTR	YESNO	1999	TAKING SUPPLEMENT: OTHER REASON
VITPREN	YESNO	1999	NOW TAKING: MULTI OR PRENATAL VITAMIN
VITPREN2	YESNO	2000-2001	CURRENTLY TAKE: MULTI OR PRENATAL VITAMIN
VITSEDOC	YESNO	1999-2000	GET CARE FOR REACTION TO SUPPLEMENT
VITTAKEA	YESNO	2000	CURRENTLY TAKE: VITAMIN A PILL
VITTAKEB	YESNO	2000-2001	CURRENTLY TAKE: B VITAMIN FOLATE PILL
VITTAKEC	YESNO	2002-2009	CURRENTLY TAKE: B VITAMIN FOLATE PILL
VITTIMES	YESNO	2010-2012	TIMES PER WEEK TAKE MULTIPLE, PRENATAL OR FOLIC ACID VITAMIN
VITWTLS	YESNO	1999	TAKING SUPPLEMENT: WEIGHT LOSS
VOMTWGHT	YESNO	2000	CONTROL WEIGHT LAST 12 MONTHS: VOMIT

WATCHTV	XIV	2004-2007	TIME SPENT WATCHING TV YESTERDAY IN MINUTES
WATCHTV3	WATCHTV	2008-2012	TIME SPENT WATCHING TV ON TYPICAL DAY IN HOURS
WATCHTV4	WATCHTV	2008-2012	TIME SPENT WATCHING TV ON WEEKEND IN HOURS PER DAY
WEIGHT	IV	1997-2012	REPORTED WEIGHT IN POUNDS
WGHTHLTH	YESNO	2003	CONSIDER YOURSELF AT A HEALTHY WEIGHT
WHAT2_A	YESNO	2003	WIC FOR PEOPLE ON WELFARE
WHAT2_B	YESNO	2003	WIC FOR PEOPLE ON MEDI-CAL
WHAT2_C	YESNO	2003	WIC FOR PREGNANT WOMEN
WHAT2_D	YESNO	2003	WIC FOR TEENS
WHAT2_E	YESNO	2003	WIC FOR WOMEN AND THEIR CHILDREN
WHAT2_F	YESNO	2003	WIC FOR FREE FOOD AND FORMULA
WHAT2_G	YESNO	2003	WIC FOR NUTRITION COUNSELING
WHAT2_H	YESNO	2003	WIC FOR LOWER INCOME PEOPLE
WHAT2_I	YESNO	2003	WIC FOR CHILDREN UNDER 5
WHAT2_J	YESNO	2003	WHAT ELSE HEARD ABOUT WIC (SPECIFY)
WHAT2TXT	WHATHEAX	2003	WHAT ELSE HEARD ABOUT WIC (TEXT)
WHATB_A	WHATBONE	2004, 2006	BONE BROKEN: 1
WHATB_B	WHATBONE	2004, 2006	BONE BROKEN: 2
WHATB_C	WHATBONE	2004, 2006	BONE BROKEN: 3
WHATB_D	WHATBONE	2004, 2006	BONE BROKEN: 4
WHATB_E	WHATBONE	2004, 2006	BONE BROKEN: 5
WHATB_F	WHATBONE	2004, 2006	BONE BROKEN: 6
WHATB_G	WHATBONE	2004, 2006	BONE BROKEN: 7
WHATB_H	WHATBONE	2004, 2006	BONE BROKEN: 8
WHATB_I	WHATBONE	2004, 2006	BONE BROKEN: 9
WHATB_J	WHATBONE	2004, 2006	BONE BROKEN: 10
WHATB_K	WHATBONE	2004, 2006	BONE BROKEN: 11
WHATB_L	WHATBONE	2004, 2006	BONE BROKEN: 12
WHATB_M	WHATBONE	2004, 2006	BONE BROKEN: 13
WHATB_N	WHATBONE	2004, 2006	BONE BROKEN: 14
WHATBONE	WHATBONE	2002, 2004	WHICH BONE WAS BROKEN
WHATH_A	YESNO	1997, 1999	WIC FOR PEOPLE ON WELFARE
WHATH_B	YESNO	1997, 1999	WIC FOR PEOPLE ON MEDI-CAL
WHATH_C	YESNO	1997, 1999	WIC FOR PREGNANT WOMEN
WHATH_D	YESNO	1997, 1999	WIC FOR WOMEN AND THEIR CHILDREN

WHATH_E	YESNO	1997, 1999	GET FREE FOOD OR FORMULA FROM WIC
WHATH_F	YESNO	1997, 1999	GET NUTRITION COUNSELING FROM WIC
WHATH_G	YESNO	1997	GET COUPONS FOR DAIRY PRODUCTS
WHATH_H	YESNO	1997	WIC FOR THE NEEDY/LOW INCOME PEOPLE
WHATH_I	YESNO	1997, 1999	WHAT ELSE HEARD ABOUT WIC (SPECIFY)
WHATH_J	YESNO	1999	WIC FOR TEEN PARENTS
WHATH_K	YESNO	1999	WIC FOR LOWER INCOME PEOPLE
WHATP_A	YESNO	2002, 2009	WHAT DETECTED BY PAP: OVARIAN CANCER
WHATP_B	YESNO	2002, 2009	WHAT DETECTED BY PAP: CERVICAL CANCER
WHATP_C	YESNO	2002, 2009	WHAT DETECTED BY PAP: STD
WHATP_D	YESNO	2002, 2009	WHAT DETECTED BY PAP: NONE
WHATP_E	YESNO	2002, 2009	WHAT DETECTED BY PAP: OTHER
WHATPAP	WHATCA	2000-2001	WHICH CANCER DETECTED BY PAP
WHATTXT	WHATHEAX	1997, 1999, 2003	WHAT ELSE HEARD ABOUT WIC (TEXT)
WHENCARD	HOWLONGH	2000-2002	WHEN WAS LAST BLOOD STOOL TEST
WHENCBE	HOWLONGB	1997-2010, 2012	WHEN WAS LAST CLINICAL BREAST EXAM
WHENDRUG	MANYV	1997	TIMES PER WK OR MONTH USED ILLEGAL DRUGS
WHENPAP2	HOWLONGB	1997, 1998, 2000	WHEN WAS LAST PAP SMEAR (1992)
WHENPAP3		2001, 2003	WHEN WAS LAST PAP SMEAR (MONTH AND YEAR)
WHENPAP4	HOWLONGB	2005-2008	HOW LONG AGO WAS LAST PAP SMEAR
WHENPAP5	HOWLONGB	2009-2012	HOW LONG SINCE LAST PAP TEST
WHENSIG	HOWLONGH	2000-2001	WHEN WAS LAST SIGMOIDOSCOPY TEST
WHENSIG2	HOWLONGI	2002	WHEN WAS LAST SIGMOIDOSCOPY TEST
WHENSIG4	WHENSIG	2012	WHEN WAS LAST SIGMOIDOSCOPY OR COLONOSCOPY TEST
WHENSTO3	WHENSTO	2012	WHEN WAS LAST STOOL BLOOD TEST
WHERCARE	WHERCARE	2001-2005	LAST 12 MONTHS WHERE USUALLY GO FOR CARE
WHEREH_A	YESNO	1997, 1999	HEARD OF WIC AT FOOD STORE
WHEREH_B	YESNO	1997, 1999	HEARD OF WIC AT PRIVATE DOCTORS OFFICE
WHEREH_C	YESNO	1997, 1999	HEARD OF WIC AT PUBLIC HEALTH CLINIC
WHEREH_D	YESNO	1997, 1999	READ OF WIC IN NEWSPAPER OR MAGAZINE
WHEREH_E	YESNO	1997, 1999	HEARD OF WIC AT SOCIAL SERVICES AGENCY
WHEREH_F	YESNO	1997, 1999, 2001	HEARD OF WIC ON TELEVISION
WHEREH_G	YESNO	1997, 1999, 2001	HEARD OF WIC FROM RADIO
WHEREH_H	YESNO	1997, 1999, 2001	HEARD OF WIC FROM FRIEND
WHEREH_I	YESNO	1997	SAW AD FOR WIC ON PUBLIC TRANSPORTATION
WHEREH_J	YESNO	1997, 1999, 2001	HEARD OF WIC FROM OTHER SOURCE (SPECIFY)

WHERH_K	YESNO	1999	SAW AD FOR WIC ON BILLBOARD
WHERH_L	YESNO	1999	SAW AD FOR WIC ON BUS BENCHES
WHERH_M	YESNO	1999	HEAR OF WIC AT HOSPITAL
WHERH_N	YESNO	2001	HEARD OF WIC FROM DOCTORS OFFICE
WHERH_O	YESNO	2001-2004	HEARD OF WIC FROM BILLBOARD
WHERTXT	WHEREHR	1997, 1999	HEARD OF WIC FROM OTHER SOURCE (TEXT)
WHNSTPBF	CHILDAGE	1998	BABYS AGE WHEN STOPPED BREASTFEEDING
WHOSEX	WHOSEX	1998	SEXUAL PARTNERS DURING PAST 5 YEARS
WHOSX12M	WHOSEXB	1999-2012	SEXUAL PARTNERS OVER LAST 12 MONTHS
WHOSXEVR	WHOSEXB	1999-2004	SEXUAL PARTNERS OVER ADULT LIFE
WHTHLPBF	PUMPHLP	1998	HELP BREASTFEED AFTER RETURNING WORK
WHTHLTXT	PUMPHLP	1998	HELP BREASTFEED AFTER RETURN WORK (TEXT)
WHYCBE	WHYCBE	1997-1998	WHY HAD LAST CLINICAL BREAST EXAM
WHYCBE2	WHYDONE	2005-2010	WHY HAD LAST CLINICAL BREAST EXAM
WHYCEB3	WHYCBE	2012	WHY HAD LAST CLINICAL BREAST EXAM
WHYDON2	WHYDONEB	1999-2001	MAIN REASON HAD MAMMOGRAM
WHYDONE	WHYDONE	1997-1998, 02-10	WHY HAD MAMMOGRAM
WHYDONE3	WHYCBE	2012	MAIN REASON HAD LAST MAMMOGRAM REASON NEVER PARTICIPATED IN ANY OF PROGRAMS
WHYNEVER	WHYNEVER	2011	
WHYNO_A	YESNO	1997-1998	DIDNT HAVE ENOUGH MONEY OR INSURANCE
WHYNO_B	YESNO	1997-1998	DIDNT KNOW WHERE TO GET HEALTH CARE
WHYNO_C	YESNO	1997-1998	COULDNT FIND A HEALTH CARE PROVIDER
WHYNO_D	YESNO	1997-1998	COULDNT GET AN APPOINTMENT
WHYNO_E	YESNO	1997-1998	OFFICE HOURS NOT CONVENIENT
WHYNO_F	YESNO	1997-1998	NO TRANSPORTATION TO GET TO OFFICE
WHYNO_G	YESNO	1997-1998	NO CHILD CARE
WHYNO_H	YESNO	1997-1998	COULDNT TAKE OFF FROM WORK
WHYNO_I	YESNO	1997-1998	FELT BETTER PROBLEM WENT AWAY
WHYNO_J	YESNO	1997-1998	TOO EMBARRASSED TO GO TO DOCTOR
WHYNO_K	YESNO	1997-1998	DIDNT WANT LECTURE ABOUT WEIGHT
WHYNO_L	YESNO	1997-1998	LANGUAGE PROBLEM
WHYNO_M	YESNO	1997-1998	AGAINST RELIGION
WHYNO_N	YESNO	1997-1998	DONT BELIEVE IN WESTERN MEDICINE
WHYNO_O	YESNO	1997-1998	OTHER REASON (SPECIFY)
WHYNOFS	WHYNOFS	2002-2008	MAIN REASON NOT CURRENTLY RECEIVING FOOD STAMPS

WHYNOFS2	WHYNOFS	2009-2011	MAIN REASON NOT CURRENTLY RECEIVING FOOD STAMPS
WHYNOMED	WHYNOMED	1998-1999	WHY NOT TAKE MH PROBLEM MEDS AS DIRECTED
WHYNOPAP	WHYNOPAP	2011	WHY NEVER HAD A PAP TEST IN PAST 4 YEARS
WHYNOPR	WHYNOPR	2011	REASON NO LONGER PARTICIPATE IN PROGRAMS
WHYNOSIG	WHYNODNB	2000-2002	WHY HAVENT YOU HAD A SIGMOIDOSCOPY TEST
WHYNOTDB	WHYNOTDB	2002-2004, 09-10, 2012	MAIN REASON NO MAMMOGRAM IN PAST YEAR
WHYNOTDC	WHYNOTDC	2005-2007	MAIN REASON NO MAMMOGRAM IN PAST YEAR
WHYNOTDN	WHYNOTDN	1999-2001	MAIN REASON NO MAMMOGRAM PAST 2 YEARS
WHYNOTF2	WHYNOTFVB	2006-2008	REASON DONT EAT MORE VEGETABLES
WHYNOTFV	WHYNOTFVB	2005	MAIN REASON DON'T EAT MORE FRUIT/VEG
WHYNOTIN	WHYNOTIN	1997	MAIN REASON NOT INTERESTED IN WIC
WHYNOTXT	WHYNOTXT	1997-1998	REASON DIDNT GET MEDICAL CARE (TEXT)
WHYNOVAC	WHYNOVAC	2005	WHY NO FLU SHOT/SPRAY IN PAST 12 MTHS
WHYNU_A	YESNO	1998-1999, 2005	INSURANCE DIDNT COVER MENTAL HLTH CARE
WHYNU_B	YESNO	1998-1999, 2005	INSURANCE FOR MENTAL HEALTH CARE USED UP
WHYNU_C	YESNO	1998-1999, 2005	INSURANCE REFUSED PAY MENTAL HLTH CARE
WHYNU_D	YESNO	1998-1999, 2005	DIDNT WANT RECORD OF MENTAL HLTH CARE
WHYNU_E	YESNO	1998-1999, 2005	DIDNT LIKE HEALTH PLAN APPROVED PROVIDER
WHYNU_F	YESNO	1998-1999, 2005	DIDNT WANT INSURANCE OVERSEEING CARE
WHYNU_G	YESNO	1998-1999, 2005	DID USE INSURANCE
WHYNU_H	YESNO	1998-1999, 2005	WHY NO INSURANCE FOR MH CARE: OTR SPECIFY
WHYPAP	WHYPAP	1997-1998	WHY HAD LAST PAP SMEAR
WHYSIG	WHYDONEC	2001-2002	MAIN REASON FOR LAST SIGMOIDOSCOPY
WIC2YR	YESNO	1998-1999	ENROLLED IN WIC DURING LAST 2 YEARS
WICAD	YESNO	2001	IN LAST 12 MONTHS SEEN MESSAGES ABOUT WIC
WICCURR	YESNO	1998-1999	CURRENTLY ENROLLED IN WIC
WICDISLK	WICDISLK	1997-1998	WHAT LEAST LIKED ABOUT WIC
WICDITXT	WICDISLK	1998	WHAT LEAST LIKED ABOUT WIC (TEXT)
WICDSLK2	WICDISLKB	1999	WHAT LEAST LIKED ABOUT WIC
WICEVER	YESNO	1997	EVER BEEN ENROLLED IN THE WIC
WICHEAR	YESNO	1997, 1999, 03-04	EVER HEARD OF WIC
WICHEAR2	YESNO	2001	EVER HEARD OF WIC
WICLIKE	WICLIKE	1997-1998	WHAT MOST LIKED ABOUT WIC
WICLIKE2	WICLIKEB	1999	WHAT MOST LIKED ABOUT WIC
WICLITXT	WICLIKE	1998	WHAT MOST LIKED ABOUT WIC (TEXT)

WICNOGO	WHYNOGO	1998	MAIN REASON DIDNT FOLLOW WIC REFERRAL
WICNOTE2	WICNOTEB	1999	REASON NO LONGER ENROLLED IN WIC
WICNOTEN	WICNOTEN	1998	REASON NO LONGER ENROLLED IN WIC
WICNOTXT	WICNOTEN	1998	REASON NO LONGER ENROLLED IN WIC (TEXT)
WICQU_A	YESNO	2004	WIC IS FOR PEOPLE ON WELFARE
WICQU_B	YESNO	2004	WIC IS FOR PEOPLE ON MEDI-CAL
WICQU_C	YESNO	2004	WIC IS FOR PREGNANT WOMEN
WICQU_D	YESNO	2004	WIC IS FOR WOMEN AND KIDS UNDER 5
WICQU_E	YESNO	2004	WIC IS FOR KIDS UNDER 5
WICQU_F	YESNO	2004	WIC IS FOR OTHER
WICQU_G	YESNO	2004	WIC IS FOR ANYBODY
WICQU_H	YESNO	2004	WIC IS FOR SICK/DISABLED PEOPLE
WICQU_I	YESNO	2004	WIC IS FOR SICK/DISABLED KIDS
WICQU_J	YESNO	2004	WIC IS FOR ELDERLY/OLDER PEOPLE
WICQU_K	YESNO	2004	WIC IS FOR SINGLE PARENTS
WICQU_L	YESNO	2004	WIC IS FOR THE UNINSURED
WICQU_M	YESNO	2004	WIC IS FOR NUTRITION FOR KIDS
WICQU_N	YESNO	2004	WIC IS FOR TEEN MOMS
WICRE_A	REFERRAL	1998	WIC REFERRAL: 1ST
WICRE_B	REFERRAL	1998	WIC REFERRAL: 2ND
WICRE_C	REFERRAL	1998	WIC REFERRAL: 3RD
WICRE_D	REFERRAL	1998	WIC REFERRAL: 4TH
WICRE_E	REFERRAL	1998	WIC REFERRAL: 5TH
WICRE_F	REFERRAL	1998	WIC REFERRAL: 6TH
WICRE_G	REFERRAL	1998	WIC REFERRAL: 7TH
WICRE_H	REFERRAL	1998	WIC REFERRAL: 8TH
WICRE_I	REFERRAL	1998	WIC REFERRAL: 9TH
WICRE_J	REFERRAL	1998	WIC REFERRAL: 10TH
WICRE_K	REFERRAL	1998	WIC REFERRAL: 11TH
WICRE_L	REFERRAL	1998	WIC REFERRAL: 12TH
WICRE_M	REFERRAL	1998	WIC REFERRAL: 13TH
WICRE_N	REFERRAL	1998	WIC REFERRAL: 14TH
WICREF	YESNO	1998	WIC REFERRED TO COMMUNITY PROGRAM
WICRETXT	REFERRAL	1998	WIC REFERRAL (TEXT)
WICSVGO	YESNO	1998	FOLLOWED WIC REFERRAL
WICWHEN	HOWLONGF	1999	WHEN FIRST HEAR ABOUT WIC

WNSTPBF2	IV	2001-2003	HOW OLD CHILD WHEN STOPPED BREASTFEEDING (IN WEEKS)
WORKNTR2	YESNO	2008-2011	EMPLOYER PROVIDE NUTRITION BENEFITS
WORKNTRN	YESNO	2002-2006	EMPLOYER PROVIDE NUTRITION BENEFITS
WORKNUSE	YESNO	2008	USE ANY EMPLOYER NUTRITION BENEFITS IN PAST YEAR
WORKPHY2	YESNO	2008-2011	EMPLOYER PROVIDE PHYSICAL FITNESS BENEFITS
WORKPHYS	YESNO	2002-2008	EMPLOYER PROVIDE PHYSICAL FITNESS BENEFITS
WORKPUSE	YESNO	2008-2011	USE ANY EMPLOYER PHYSICAL FITNESS BENEFITS IN PAST YEAR
WRKNUSE	YESNO	2009-2011	USE ANY EMPLOYER NUTRITION BENEFITS IN PAST YEAR
WT12M	IV	2001	WEIGHT ONE YEAR AGO
WT12MB	IV	2002-2003	WEIGHT ONE YEAR AGO
WTBARRI	WTBARRI	2003, 2005-2007	SINGLE BIGGEST BARRIER TO HEALTHY WIEGHT
WTFACIL	WTFACIL	2003	ONE CHANGE TO HELP REACH HEALTHY WEIGHT
WTFACIL2	WTFACILB	2004-2007	ONE CHANGE TO HELP REACH HEALTHY WEIGHT
WTGAIN	IV	1997-2000	PREGNANCY WEIGHT GAIN
WTGAINRT	GAIN	1997-2000	BELIEF ABOUT PREGNANCY WEIGHT GAIN
WTGAIVER	YESNO	1999-2000	VERIFIED RESPONSE IF GAIN GE 55 LBS
WTPREPG	IV	1997-2000	PRE-PREGNANCY WEIGHT
WWWHELTH	WHENVI	2002	LAST TIME YOU USED THE INTERNET FOR HEALTH INFO
WWWIN_A	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: SPECIFIC ILLNESS
WWWIN_B	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: SPECIFIC DOCTOR/HMO
WWWIN_C	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: BASIC HEALTH INFO
WWWIN_D	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: FITNESS AND NUTRITION
WWWIN_E	YESNO	2002	HEALTH INFO LOOKING FOR YOURSELF: OTHER
WWWHER	WWWHER	2002	WHERE DO YOU USUALLY ACCESS THE INTERNET
YEAR		1997-2012	YEAR OF DATA COLLECTION
YEARINCO	XVIII	2006	HH TOTAL ANNUAL INCOME
ZIPCODE	IX	1997-2012	ZIP CODE OF RESIDENCE
_AGEG	_AGEG	1997-2012	TEN YEAR AGE CATEGORY
_AGEGB	_AGEGB	1997-2012	TEN YEAR AGE CATEGORY, AT DECADE
_AGEGC	_AGEGC	1997-2012	TWO AGE CATEGORIES: 18-44 & 45+
_APA		1997-2010, 2012	ADULTS PER PHONE ADJUSTMENT
_BFLONG	BFLONG	1997	DAYS BREASTFED
_BMI		1997-2012	BODY MASS INDEX

_BMIREV	_BMIREV	1999-2004	REVISED (1998) WEIGHT CATEGORIES
_CARELNG	IX	1997	DAYS ACTED AS CAREGIVER
_CBE1	_BREASTA	1997-1998	NEVER/EVER HAD CBE, ASYMPTOMATIC WOMEN
_CBE2	_BREASTB	1997-1998	CBE STATUS, ASYMPTOMATIC WOMEN
_CBE3	_BREASTA	1997-2010, 2012	NEVER/EVER HAD CBE, ALL WOMEN
_CBE4	_BREASTB	1997-2010, 2012	CLINICAL BREAST EXAM STATUS, ALL WOMEN
_CSA		1997-2004, 2006, 2012	CLUSTER SIZE ADJUSTMENT
_DRKALC	III	1997-2012	TIMES DRANK ALCOHOL PER MONTH
_DVANY	_DV	1998	ANY TYPE OF DOMESTIC VIOLENCE REPORTED
_DVERBAL	_DV	1998	VERBAL ABUSE REPORTED
_DVEVHIT	YESNORF	2000	EVER EXPERIENCED: PARTNER KICKED, BIT, H
_DVEVRBT	YESNORF	2000	EVER EXPERIENCED: PARTNER BEAT OR CHOCKE
_DVEVRPS	YESNORF	2000	EVER EXPERIENCED: PUSHED, GRABBED, SHOVED
_DVEVRTH	YESNORF	2000	EVER EXPERIENCED: PARTNER THREW OBJECT
_DVEVSEX	YESNORF	2000	EVER EXPERIENCED: PARTNER FORCED SEX
_DVEVUSE	YESNORF	2000	EVER EXPERIENCED: PARTNER USE KNIFE OR G
_DVEVWPN	YESNORF	2000	EVER EXPERIENCED: PARTNER THREATENED W/G
_DVMINOR	_DV	1998	DV: LESS SEVERE PHYSICAL ABUSE (<=DVSLAP)
_DVPHYS	_DV	1998	ANY PHYSICAL ABUSE REPORTED
_DVSEVRE	_DV	1998	DV: SEVERE ABUSE REPORTED (>=DVHITYOU)
_DVTYPE	_DVTYPE	1998-1999	DOMESTIC ABUSE: MOST SEVERE TYPE REPORTED
_DVTYPE2	_DVTYPEB	2000	DOMESTIC ABUSE: MOST SEVERE LAST 12 MONTHS
_DVTYPEV	_DVTYPEC	2000	DOMESTIC ABUSE: MOST SEVERE TYPE EVER
_EXPHRS	IX	1997-1998	MINUTES EXPOSED TO SECOND HAND SMOKE
_IDEALBF		1998	IDEAL LENGTH OF TIME FOR BRSTFEED (MONTHS)
_MAINPL2	MAINPLNB	1998-2000	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
_MAINPLN	MAINPLN	1997	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
_MAMM1	_BREASTA	1997-1998	NEVER/EVER HAD MAMMOGRAM, ASYMPTOMATIC
_MAMM2	_BREASTB	1997-1998	MAMMOGRAPHY STATUS, ASYMPTOMATIC WOMEN
_MAMM3	_BREASTA	1997-2010, 2012	NEVER/EVER HAD MAMMOGRAM, ALL WOMEN
_MAMM4	_BREASTB	1997-2010, 2012	MAMMOGRAPHY STATUS, ALL WOMEN
_MHLONG	IX	1997	DAYS HAD MENTAL HEALTH CONDITION
_NALCMO	III	1997-2012	TOTAL ALCOHOL CONSUMED MONTHLY
_PAP5	_PAPC	1997-98, 2000-12	NEVER/EVER PAP SMEAR, NO HYSTERECTOMY
_PAP6	_PAPD	1997, 1999, 2000	PAP SMEAR STATUS, WOMEN W/O HYSTERECTOMY
_PAP7	_PAPC	1997-98, 2000-12	NEVER/EVER PAP SMEAR, ALL WOMEN

_PAP8	_PAPD	1997, 1999, 2000	PAP SMEAR STATUS, ALL WOMEN
_POVST	_POVST	1997-1998	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST2	_POVSTE	1999	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST3	_POVSTF	2000	POVERTY STATUS--RELATIVE TO POVERTY LINE
_POVST4	_POVSTG	2001-2012	POVERTY STATUS--RELATIVE TO POVERTY LINE
_PRENATL	X	1997	DAYS PREGNANT WHEN FIRST SAW PHYSICIAN
_PST00		1997-2010	POSTSTRATIF TO 2000 CA POP-- _WT00
_PST00B		1997-2010	POSTSTRATIF TO 2000 CA POP-- _WT00B
_PST00C		1997-2010	POSTSTRATIF TO 2000 CA POP-- _WT00R4
_PST90		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90
_PST90B		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90B
_PST90C		1997-2006	POSTSTRATIF TO 1990 CA POP-- _WT90R4
_PST10		2012	POSTRATIFICATION WEIGHT: 2 RACE, 6 AGE GRPS TO 2010
_PST10B		2012	POSTRATIFICATION WEIGHT: 4 RACE, 2 AGE GRPS TO 2010
_PST10C		2012	POSTRATIFICATION WEIGHT: 4 RACE, 4 AGE GRPS TO 2010
_PSU		1997-2009	PRIMARY SAMPLING UNIT
_RACE	_RACE	1997-2012	RACE, 8 CATEGORIES
_RACEG	_RACEG	1997-2012	RACE, WHITE-NONWHITE
_RACEGR	_RACEGR	1997-2012	RACE, 4 CATEGORIES
_RAWWT		1997-2010, 2012	RAW WEIGHT (_CSA * _APA)
_RFBMI2	_RF	2009-2012	AT RISK FOR OVERWEIGHT/OBESE (BMI >= 25)
_RFDRACU	_RF	1997-2012	AT RISK FOR ACUTE DRINKING
_RFDRCH2	_RF	1997-2012	AT RISK FOR CHRONIC DRINKING
_RFHUNGR	_RF	1997-2000	AT RISK FOR HUNGER
_RFSMOKE	_RF	1997-2012	AT RISK FOR SMOKING, INC IRREGULAR
_RFWHBMI	_RF	1997-2004	AT RISK FOR OVERWEIGHT (BASED ON BMI)
_SMOKER	_SMOKER	1997-2012	SMOKING STATUS
_STATE		1997-2004	STATE FIPS CODE
_STDHIV	_STDHIV	1998	BELIEF ABOUT STD AND HIV RELATIONSHIP
_STRATA		1997-2004	STRATUM CODE
_STSTR		1997-2004	_STATE AND _STRATA COMBINED
_WHENDRG		1997	TIMES USED DRUGS IN PAST MONTH
_WT00		1997-2010	FINAL WEIGHT: 2 RACE, 6 AGE GPS TO 2000
_WT00B		1997-2010	FINAL WEIGHT: 4 RACE, 2 AGE GPS TO 2000
_WT00R4		1997-2010	FINAL WEIGHT: 4 RACE, 6 AGE GPS TO 2000

_WT10		2012	FINAL WEIGHT: 2 RACE, 6 AGE GPS TO 2010
_WT10B		2012	FINAL WEIGHT: 4 RACE, 2 AGE GPS to 2010
_WT10R4		2012	FINAL WEIGHT: 4 RACE, 4 AGE GPS to 2010
_WT90		1997-2006	FINAL WEIGHT: 2 RACE, 6 AGE GPS TO 1990
_WT90B		1997-2006	FINAL WEIGHT: 4 RACE, 2 AGE GPS TO 1990
_WT90R4		1997-2006	FINAL WEIGHT: 4 RACE, 6 AGE GPS TO 1990
_WWWUSE	XV	2002	HOW OFTEN USED INTERNET IN LAST 12 MONTHS

## Part III: Continuous Variable Formats

<b>Format Type</b>	<b>Special Codes</b>	<b>Variables</b>
CHILD	9–Refused	CHD1317, CHILD612, CHILDLT6
I	7–Don’t Know/Not Sure 9–Refused	AGE, AGEB, AGEBRTH, BABYWHEN, F40A, F40B, F40C, MENOWHEN
II	88–Not Applicable 77–Don’t Know/Not Sure 98–Other 99–Refused	BRTHW_A, BRTHW_B, BRTHW_C, CHILD1–CHILD9, CHILD18, DAILYMLK, DAILYVEG, DRINKNUM, ENDPREG, F40NUM, GAPPLNT, GAPPLNT2, HLTHTXT, HPVNUM, LIVEBRT2, LOBRTHWT, MANYCBE, MANYMAM, MENSES, MENSES2, NUMPHON2, NUMPHON3, OCRE5DX, PHQ1–PHQ8, PRIORMNT, SCHLBRTH
III	88, 888–None 77, 777–Don’t Know/Not Sure 99, 999–Refused	BLKACT, DAILYEAT, DAILYVEG, DAYSANX, DAYSLEEP, DAYSSAD, DAYURIN, DRINKGE4, DRINKGE5, DRUNK, DRUNKNUM, EXBMODAB, EXBMODAY, EXBMODMB, EXBMODMI, EXERMOD, EXERMOD2, EXBMOD2, FOODSTLS, HPVNUM2, INFRTAGE, LIVEBRTH, MENTHLTH, NALCOCC, NUMHRWRK, PHYSHLTH, POORHLTH, RECSERV, _DRKALC, _NALCMO, ONEMONT1-ONEMONT8
IV	777, 7777–Don’t Know/Not Sure 888, 8888–Not Applicable/None 999, 9999–Refused	AGEB, AGEBCWHS, BRTHYR, CAREAGE, CARETIME, DIETLB, DIETLBYO, DOUCHOFN, DRUNK, EATBURGR, EATEGG, EATRAW2, EATSPROT, EXBMODAL, EXBMODAK, FISHOFT, FISHSERV, GYNEXAM, HEIGHT, HMLSMOVE, LIKEWT2, LIVEBRTH, LIVEBRTH2, MENTBELF, OFTCERL, PRIORYR, TIMESIT, USENTRY, USENTRY2, WEIGHT, WNSTPBF2, WT12M, WT12MB, WTGAIN, WTPREPG
V	88, 888–Time Frame Doesn’t Apply 77, 777–Don’t Know/Not Sure 99, 999–Refused	CAREL_A, CAREL_B, CAREL_C, CAREL_D, MHLONG, SYMPL_A, SYMPL_B, SYMPL_C,
VIII	555, 5555–Never 777, 7777–Don’t Know/Not Sure 888, 8888–Refused Module 999, 9999–Refused Question	SEXBEH1, SEXBHAG2, SEXBHAGE, SEXBHNUM, TIMES_A TIMES_B
IX	77777–Don’t Know/Not Sure 88888–Time Frame Doesn’t Apply 99999–Refused	EXPHRS, TIMESIT2, ZIPCODE, _CARELNG, _EXPHRS, _MHLONG
X	444, 4444–At Delivery 888, 8888–At Delivery 777, 7777–Don’t Know/Not Sure 999, 9999–Refused	PREGNUM, PRENATA2, PRENATAL, _PRENATL

XIII	88-Lactose Intolerant 77-Don't Know/Not Sure 99-Refused	DAILYMLK
------	---	----------

<b>Format Type</b>	<b>Special Codes</b>	<b>Variables</b>
--------------------	----------------------	------------------

XIX	777-Don't Know/Not Sure 888-None 999-Refused	
-----	--	--

XIV	8888-Not Applicable 7777-Don't Know/Not Sure  9999-Refused	EATCHOFN, EATFSOFN, EXEROFTM, EXEROFT2, WATCHTV, EXERMODM2,
-----	---	--

XV	88888-Never 77777-Don't Know/Not Sure 99999-Refused	_WWWUSE
----	---	---------

XVI	8888-Have Not Heard 7777-Don't Know/Not Sure 9999-Refused	FLUVAC50
-----	---	----------

XVIII	77777777-Don't Know/Not Sure 99999999-Refused	YEARINCO
-------	--	----------

FOODSH	77-Doesn't Shop/Internet Shops 88-Don't Know/Not Sure 99-Refused	FOODSHOP
--------	--	----------

MANYI	1xx-Number per Day 2xx-Number per Week 777-Don't Know/Not Sure 888-None 999-Refused	STAIRAC2
-------	---	----------

MANYII	1xx-Times per Day 2xx-Times per Week 3xx-Times per Month 777-Don't Know/Not Sure 888-Never 999-Refused	OSTEOFOD, OSTEOPA BREAKFST, CALORIES, FASTFOOD, HIFBR, SCALE, SODA
--------	---	---

MANYIII	1xx-Number per Day 2xx-Number per Week 3xx-Number per Month 4xx-Number During Entire Pregnancy 555-Never 777-Don't Know/Not Sure 999-Refused	FASDNUM
---------	--	---------

MANYIV	1xx-Number of Days 2xx-Number of Weeks 3xx-Number of Months 4xx-Number of Years 555-Not at All 777-Don't Know/Not Sure 999-Refused	IDEALBF
--------	--	---------

<b><u>Format Type</u></b>	<b><u>Special Codes</u></b>	<b><u>Variables</u></b>
---------------------------	-----------------------------	-------------------------

MANYV	1xx-Number per Week 2xx-Number per Month 777-Don't Know/Not Sure 888-None 999-Refused	DRKALC, RELIGION
-------	---	------------------

WATCHTV	0-0 TO LESS THAN 1 HOUR' 77, 777 -DNK\NS 88- DOES NOT HAVE TV 99-REF	WATCHTV3, WATCHTV4
---------	---	--------------------

## Part IV: Categorical Variable Formats

### VALUE AFPNOTXT

1 = 'PREGNANCY TERMINATED'  
2 = 'WOULDNT TERMINATE PREGNANCY'  
3 = 'DIDNT WANT TO KNOW'  
4 = 'HAD OTHER TEST'  
5 = 'TOO EARLY IN PREGNANCY'  
6 = 'NOT AT RISK FOR BIRTH DEFECTS'  
7 = 'DIDNT KNOW ABOUT AFP'  
8 = 'DOESNT WANT TO BE GUINEA PIG'  
9 = 'TEST UNNECESSARY'  
10 = 'TOO LATE IN PREGNANCY'  
11 = 'UNRELIABLE RESULTS'  
12 = 'CONCERNS ABOUT MISCARRIAGE'  
13 = 'AGAINST RELIGION'  
14 = 'NO REGULAR PHYSICIAN'  
15 = 'FAMILY RECOMMENDED AGAINST TEST'  
16 = 'OTHER';

### VALUE AGREE

1 = 'AGREE'  
2 = 'DISAGREE'  
7 = 'DNK\NS'  
9 = 'REF';

### VALUE AGREEB

1 = 'STRONGLY AGREE'  
2 = 'AGREE'  
3 = 'NEITHER AGREE NOR DISAGREE'  
4 = 'DISAGREE'  
5 = 'STRONGLY DISAGREE'  
7 = 'DNK\NS'  
9 = 'REF' ;

### VALUE AGREEC

1 = 'STRONGLY AGREE'  
2 = 'AGREE'  
3 = 'DISAGREE'  
4 = 'STRONGLY DISAGREE'  
7 = 'DNK\NS'  
9 = 'REF' ;

### VALUE AGREED

1 = 'AGREE'  
2 = 'DISAGREE'  
3 = 'NEITHER AGREE NOR DISAGREE'  
7 = 'DNK\NS'  
9 = 'REF' ;

### VALUE AGREEE

1 = 'STRONGLY AGREE'  
2 = 'AGREE'  
3 = 'DISAGREE'  
4 = 'STRONGLY DISAGREE'  
8 = 'NOT APPLICABLE'  
7 = 'DNK\NS'  
9 = 'REF' ;

### VALUE AGREEF

1 = 'STRONGLY AGREE'  
2 = 'SOMEWHAT AGREE'  
3 = 'SOMEWHAT DISAGREE'  
4 = 'STRONGLY DISAGREE'  
77 = 'DNK\NS'  
99 = 'REF' ;

### VALUE AGREER

1 = 'STRONGLY DISAGREE'  
2 = 'DISAGREE'  
3 = 'AGREE'  
4 = 'STRONGLY AGREE'  
8 = 'NOT APPLICABLE'  
7 = 'DNK\NS'  
9 = 'REF' ;

### VALUE AIDSNOT

1 = 'NOT HIGH RISK GROUP'  
2 = 'FEEL NERVOUS ABOUT RESULTS'  
3 = 'DONT KNOW HOW TO GET TESTED'  
4 = 'CONFIDENTIALITY CONCERNS'  
5 = 'CELIBATE'  
6 = 'MONOGAMOUS'  
7 = 'FEAR OF NEEDLES'  
8 = 'HAD OTHER BLOOD TEST'  
9 = 'PHYSICIAN DISCOURAGED'  
10 = 'PHYSICIAN DIDNT RECOMMEND'  
11 = 'NO SYMPTOMS'  
12 = 'PARTNER TESTED NEGATIVE'  
13 = 'DIDNT WANT TO HAVE TEST'  
14 = 'DIDNT WANT TO KNOW'  
15 = 'NOT USING DRUGS'  
16 = 'NO AIDS IN FAMILY'  
17 = 'TOO OLD'  
18 = 'NO INSURANCE'  
19 = 'NOT PROMISCUOUS'  
20 = 'INCONVENIENT'  
21 = 'NO REASON\ DIDNT THINK ABOUT IT'  
22 = 'DOESNT RECEIVE REGULAR MEDICAL CARE'  
23 = 'OTHER REASON'  
24 = 'NEVER BEEN ASKED TO HAVE TEST'  
77 = 'DNK\NS'  
99 = 'REF' ;

### VALUE AIDSTALK

1 = 'NEVER TALKED TO YOUR PARTNER ABOUT AIDS'  
2 = 'MENTIONED AIDS 1 OR 2 TIMES, NOT SERIOUS TALK'  
3 = 'TALKED SERIOUSLY ABOUT YOUR RISKS'  
8 = 'REFUSED MODULE'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE ALCASK

1 = 'YES, WITHIN THE PAST 12 MONTHS'  
 2 = 'YES, WITHIN THE PAST 3 YEARS'  
 3 = 'YES, 3 OR MORE YEARS AGO'  
 4 = 'NO'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BABY

1 = 'YES'  
 2 = 'NO'  
 3 = 'NEVER BEEN PREGNANT'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE BARRPA

1 = 'ALREADY EXERCISE ENOUGH'  
 2 = 'NOT ENOUGH TIME/TOO BUSY/TOO TIRED'  
 3 = 'LAZY/NO REASON'  
 4 = 'DO NOT FIND EXERCISE ENJOYABLE/BORING'  
 5 = 'LACK SELF-MOTIVATION'  
 6 = 'MEDICAL/HEALTH CONDITION/DISABILITY'  
 7 = 'PREGNANT/RECENT BIRTH'  
 8 = 'WEATHER'  
 9 = 'DEPRESSED'  
 10 = 'CHILD CARE'  
 11 = 'ON A PROGRAM'  
 12 = 'AGE'  
 13 = 'INCONVENIENT'  
 14 = 'SAFETY CONCERNS'  
 15 = 'NO ONE TO EXERCISE WITH'  
 16 = 'OTHER'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BARRPAB

1 = 'ALREADY EXERCISE ENOUGH'  
 2 = 'NOT ENOUGH TIME/TOO BUSY'  
 3 = 'TOO TIRED'  
 4 = 'LAZY'  
 5 = 'DONT FIND EXERCISE ENJOYABLE/BORING'  
 6 = 'LACK SELF-MOTIVATION'  
 7 = 'MEDICAL/HEALTH CONDITION/DISABILITY'  
 8 = 'WEATHER'  
 9 = 'DEPRESSED'  
 10 = 'CHILD CARE'  
 11 = 'ON A PROGRAM'  
 12 = 'AGE'  
 13 = 'INCONVENIENT'  
 14 = 'SAFETY CONCERNS'  
 15 = 'OTHER'  
 30 = 'PREGNANT/RECENT BIRTH'  
 31 = 'MONEY/COSTS'  
 32 = 'OTHER PRIORITIES'  
 33 = 'NO EQUIPMENT'  
 34 = 'NO COMPANION'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BCBAR

1 = 'ALWAYS USE IT'  
 2 = 'USE IT SOMETIMES'  
 3 = 'NEVER USE IT'  
 4 = 'NO MALE SEX PARTNER'  
 7 = 'DNK\NS'  
 9 = 'REF'  
 8 = 'REFUSED MODULE' ;

VALUE BCBARNOB

1 = 'USE BIRTH CONTROL PILLS\OTHER METHOD'  
 2 = 'BELIEVE THERE IS A SAFE TIME OF MONTH'  
 3 = 'METHOD NOT AVAILABLE'  
 4 = 'RESPONDENT DISLIKES METHOD'  
 5 = 'PARTNER DISLIKES METHOD'  
 6 = 'DIDNT THINK ABOUT IT'  
 7 = 'DOESNT SEE A NEED TO USE CONDOMS'  
 8 = 'WANTS TO GET PREGNANT'  
 9 = 'CANT GET PREGNANT\STERILIZED'  
 10 = 'UNDER THE INFLUENCE OF DRUGS\ALCOHOL'  
 11 = 'DIDNT FEEL LIKE IT'  
 12 = 'IN A MONOGAMOUS RELATIONSHIP'  
 13 = 'ALLERGIC TO METHOD'  
 14 = 'BOTH PARTNERS TESTED FOR HIV'  
 15 = 'PREGNANCY NOT A PROBLEM'  
 16 = 'CURRENTLY\RECENTLY PREGNANT'  
 17 = 'DOESNT BELIEVE IN METHOD\UNSAFE METHOD'  
 18 = 'COSTLY & INCONVENIENT'  
 19 = 'REFUSED MODULE'  
 20 = 'TOO OLD'  
 21 = 'NOT SEXUALLY ACTIVE'  
 22 = 'HEALTH REASONS'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BCBARNOT

1 = 'USE BIRTH CONTROL PILLS\OTHER METHOD'  
 2 = 'BELIEVE THERE IS A SAFE TIME OF MONTH'  
 3 = 'METHOD NOT AVAILABLE'  
 4 = 'RESPONDENT DISLIKES METHOD'  
 5 = 'PARTNER DISLIKES METHOD'  
 6 = 'DIDNT THINK ABOUT IT'  
 7 = 'DOESNT SEE A NEED TO USE CONDOMS'  
 8 = 'WANTS TO GET PREGNANT'  
 9 = 'UNDER THE INFLUENCE OF DRUGS\ALCOHOL'  
 10 = 'DIDNT FEEL LIKE IT'  
 11 = 'IN A MONOGAMOUS RELATIONSHIP'  
 12 = 'CANT GET PREGNANT\STERILIZED'  
 13 = 'ALLERGIC TO METHOD'  
 14 = 'BOTH PARTNERS TESTED FOR HIV'  
 15 = 'PREGNANCY NOT A PROBLEM'  
 16 = 'CURRENTLY\RECENTLY PREGNANT'  
 17 = 'DOESNT BELIEVE IN METHOD\UNSAFE METHOD'  
 18 = 'COSTLY & INCONVENIENT'  
 19 = 'OTHER REASON'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BCPAYTXT  
 1 = 'FREE CLINIC'  
 2 = 'PLANNED PARENTHOOD CLINIC'  
 3 = 'NATURAL FAMILY PLANNING METHOD'  
 4 = 'NO COST'  
 5 = 'OTHER'  
 6 = 'INFERTILITY PROBLEM'  
 7 = 'DOESNT REMEMBER'  
 8 = 'MENOPAUSAL'  
 98 = 'OTHER';

VALUE BCPAY  
 1 = 'YOU'  
 2 = 'CURRENT/MOST RECENT PARTNER'  
 3 = 'SHARED'  
 4 = 'HEALTH INSURANCE'  
 5 = 'FAMILY PACT'  
 6 = 'MEDI-CAL'  
 7 = 'INSURANCE AND YOU(CO PAY)'  
 8 = 'OTHER, SPECIFY'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BCTALK  
 1 = 'YOU'  
 2 = 'CURRENT/MOST RECENT PARTNER'  
 3 = 'SHARED'  
 4 = 'NO SEX YET'  
 5 = 'NON-BIRTH CONTROL USERS'  
 6 = 'WE NEVER TALK ABOUT IT'  
 77 = 'DNK\NS'  
 88 = 'DOES NOT USE BIRTH CONTROL'  
 99 = 'REF';

VALUE BCTYPETB  
 1 = 'CELIBATE\ABSTINENT'  
 2 = 'NATURAL FAMILY PLANNING'  
 3 = 'SPERMICIDE\SPERMICIDE FOR WOMEN'  
 4 = 'SPONGE'  
 5 = 'OTHER'  
 6 = 'MULTIPLE TYPES USED'  
 7 = 'CURRENTLY PREGNANT'  
 8 = 'NOTHING'  
 9 = 'MENOPAUSAL'  
 10 = 'PATCH'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BCTYPETX  
 1 = 'CELIBATE\ABSTINENT'  
 2 = 'NATURAL FAMILY PLANNING'  
 3 = 'SPERMICIDE\SPERMICIDE FOR WOMEN'  
 4 = 'SPONGE'  
 5 = 'OTHER'  
 6 = 'MULTIPLE TYPES USED'  
 7 = 'CURRENTLY PREGNANT'  
 8 = 'NOTHING'  
 9 = 'MENOPAUSAL'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BCWHYNOT  
 1 = 'DOES NOT LIKE SIDE EFFECTS'  
 2 = 'BIRTH CONTROL IS TOO MESSY'  
 3 = 'LOVEMAKING WOULD BE INTERRUPTED'  
 4 = 'BIRTH CONTROL IS TOO DIFFICULT TO USE'  
 5 = 'CONCERNED ABOUT LONG TERM HEALTH  
 PROBLEM'

6 = 'PARTNER OBJECTS TO USING BIRTH CONTROL'  
 7 = 'DOES NOT KNOW HOW OR WHERE TO GET'  
 8 = 'CANNOT AFFORD BIRTH CONTROL'  
 9 = 'AGAINST RELIGION'  
 10 = 'PREGNANCY WOULD BE O.K.'  
 11 = 'POSTPARTUM NURSING'  
 12 = 'DIDNT THINK ABOUT IT'  
 13 = 'NOT SEXUALLY ACTIVE'  
 14 = 'CANT GET PREGNANT'  
 15 = 'STERILIZED'  
 16 = 'PARTNER STERILE'  
 17 = 'PARTNER IS A WOMAN'  
 18 = 'NATURAL FAMILY PLANNING'  
 19 = 'MONOGAMOUS'  
 20 = 'DOESNT LIKE\WANT TO USE B.C.'  
 21 = 'INFREQUENT SEXUAL ACTIVITY'  
 22 = 'HEALTH REASONS'  
 23 = 'NOT WORRIED ABOUT PREGNANCY'  
 24 = 'TOO OLD TO GET PREGNANT'  
 25 = 'NO NEED FOR BIRTH CONTROL'  
 26 = 'PREGNANT/RECENTLY PREGNANT'  
 27 = 'OTHER SPECIFY'  
 51 = 'STERILIZED'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BFDISCOR  
 1 = 'OTHER CHILDREN';

VALUE BFENCWHO  
 1 = 'SISTER\SISTER-IN-LAW'  
 2 = 'OTHER RELATIVE'  
 3 = 'PEDIATRICIAN'  
 4 = 'PHYSICIAN'  
 5 = 'SELF\NO ONE ELSE'  
 6 = 'BOOK\LITERATURE\VIDEO'  
 7 = 'BREASTFEEDING CLASS'  
 8 = 'BIRTHING CLASS'  
 9 = 'LA LECHE SOCIETY\OTHER BF GROUP'  
 10 = 'HEALTHCARE ORGANIZATION'  
 11 = 'MIDWIFE'  
 12 = 'HOSPITAL\CLINIC'  
 13 = 'PRIOR EXPERIENCE'  
 14 = 'WIC'  
 15 = 'OTHER, NONRELATED PERSONS'  
 16 = 'OTHER SOURCE'  
 17 = 'OTHER HEALTH PROFESSIONAL'  
 18 = 'GRANDMOTHER'  
 19 = 'MOTHER\MOTHER-IN-LAW'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE BFFORM

- 1 = 'YES'
- 2 = 'NO'
- 3 = 'HOME BIRTH'
- 7 = 'DNK\NS'
- 9 = 'REF' ;

VALUE BFLONG

- 55 = 'STILL BREASTFEEDING'
- 555 = 'STILL BREASTFEEDING'
- 5555 = 'STILL BREASTFEEDING'
- 77 = 'DNK\NS'
- 777 = 'DNK\NS'
- 7777 = 'DNK\NS'
- 99 = 'REF'
- 999 = 'REF'
- 9999 = 'REF' ;

VALUE BFMLKGD

- 1 = 'FORMULA A LOT HEALTHIER'
- 2 = 'FORMULA A LITTLE HEALTHIER'
- 3 = 'THERE IS NO DIFFERENCE'
- 4 = 'BREASTMILK A LITTLE HEALTHIER'
- 5 = 'BREASTMILK A LOT HEALTHIER'
- 7 = 'DNK\NS'
- 9 = 'REF' ;

VALUE BFNOT

- 1 = 'DR. ADVISED AGAINST'
- 2 = 'BABY REFUSED'
- 3 = 'MOTHER HAD MEDICAL PROBLEM'
- 4 = 'MOTHER TAKING MEDS.'
- 5 = 'BABY ILL'
- 6 = 'MOTHER TOO YOUNG'
- 7 = 'DIDNT LIKE PRIOR EXPERIENCE'
- 8 = 'TOO PAINFUL'
- 9 = 'INCONVENIENT'
- 10 = 'DIDNT WANT TO'
- 11 = 'DIDNT WANT TO DAMAGE BREASTS'
- 12 = 'DIDNT FEEL COMFORTABLE'
- 13 = 'NOT ENOUGH MILK FOR BABY'
- 14 = 'BOTTLE FEEDING EASIER'
- 15 = 'WORK DEMANDS MADE DIFFICULT'
- 16 = 'HOME DEMANDS TOO GREAT'
- 17 = 'HAD CESAREAN SECTION'
- 18 = 'UNABLE TO BREASTFEED'
- 19 = 'MULTIPLE BIRTHS'
- 20 = 'BREASTFEEDING NOT COMMON'
- 21 = 'OTHER' ;

VALUE BFNURSE

- 1 = 'STRONGLY ENCOURAGED'
- 2 = 'SLIGHTLY ENCOURAGED'
- 3 = 'DIDNT MENTION BREASTFEEDING'
- 4 = 'SLIGHTLY DISCOURAGED'
- 5 = 'STRONGLY DISCOURAGED'
- 7 = 'DNK\NS'
- 9 = 'REF' ;

VALUE BFPROBTX

- 1 = 'BABY ILL'
- 2 = 'MOTHER HAD MEDICAL PROBLEM'
- 3 = 'PRE-EXISTING BREAST PROBLEM'
- 4 = 'BABY COULDNT NURSE'
- 5 = 'TOO PAINFUL'
- 6 = 'NOT ENOUGH MILK FOR BABY'
- 7 = 'INVERTED NIPPLES'
- 8 = 'DIDNT KNOW HOW TO B.F.'
- 9 = 'ENGORGED BREAST'
- 10 = 'SORE NIPPLES'
- 11 = 'OTHER' ;

VALUE BFWHERE

- 1 = 'BOTTLE FEED AT TIME'
- 2 = 'NOT TAKE BABY OUT OF HOUSE'
- 3 = 'FIND PRIVATE PLACE TO BREASTFEED'
- 4 = 'BREASTFEED DISCREETLY W\O SHOWING BREAST'
- 5 = 'BREASTFEED OPENLY EVEN IF SHOWS BREAST'
- 7 = 'DNK\NS'
- 9 = 'REF' ;

VALUE BFWHYQT

- 1 = 'BABY BECAME ILL'
- 2 = 'MOTHER BECAME ILL'
- 3 = 'AGE OF BABY'
- 4 = 'BABY DRINKING FROM CUP'
- 5 = 'NOT ENOUGH MILK FOR BABY'
- 6 = 'BABY WOULDNT TAKE BOTTLE'
- 7 = 'TRAVELING W\O BABY'
- 8 = 'RETURNED TO WORK'
- 9 = 'NURSING PROBLEMS'
- 10 = 'BABY REFUSED BREAST'
- 11 = 'BECAME PREGNANT'
- 12 = 'MOTHERS DIET NOT HEALTHY ENOUGH'
- 13 = 'INCONVENIENT TO BREASTFEED'
- 14 = 'STILL BREASTFEEDING'
- 15 = 'JUST WANTED TO QUIT'
- 16 = 'BREAST PROBLEM'
- 17 = 'OTHER' ;

VALUE BGUIDE

- 1 = 'MORE THAN 1 A YEAR'
- 2 = 'ONCE PER YEAR'
- 3 = 'LT 1\YR BUT AT LEAST EVERY 2\YRS'
- 4 = 'LESS THAN ONCE EVERY 2 YEARS'
- 5 = 'NEVER'
- 7 = 'DNK\NS'
- 9 = 'REF' ;

VALUE	BIRTHPLC
1	'UNITED STATES'
2	'MEXICO'
3	'JAPAN'
4	'CHINA'
5	'TAIWAN'
6	'PHILIPPINES'
7	'KOREA'
8	'VIETNAM'
9	'INDIA'
10	'INDONESIA'
11	'CAMBODIA'
12	'LAOS'
13	'CANADA'
14	'GUATEMALA'
15	'ENGLAND'
16	'IRELAND'
17	'EUROPE'
18	'SWEDEN'
19	'DENMARK'
20	'NORWAY'
21	'HOLLAND'
22	'BELGIUM'
23	'FRANCE'
24	'ITALY'
25	'SWITZERLAND'
26	'RUSSIA'
27	'ARMENIA'
28	'CROATIA'
29	'ISRAEL'
30	'LEBANON'
31	'IRAN'
32	'IRAQ'
33	'PAKISTAN'
34	'GERMANY'
35	'UKRAINE'
36	'SOUTH AMERICA'
37	'ARGENTINA'
38	'PERU'
39	'BRAZIL'
40	'VENEZUELA'
41	'HONDURAS'
42	'NICARAGUA'
43	'EL SALVADOR'
44	'ECUADOR'
45	'PANAMA'
46	'CUBA'
47	'BANGLADESH'
48	'FIJI'
49	'AMERICAN SAMOA'
50	'SAIPAN'
51	'AUSTRALIA'
52	'AFRICA'
53	'ZIMBABWE'
54	'GREECE'
55	'JORDAN'
56	'NIGERIA'
57	'PANAMA'
58	'PORTUGAL'
59	'THAILAND'
60	'VIRGIN ISLANDS'
61	'BURMA'
62	'COLUMBIA'
63	'YUGOSLAVIA'
64	'AUSTRIA'
65	'DOMINICAN REPUBLIC'
66	'POLAND'
67	'WEST INDIES'
68	'BELIZE'
69	'EGYPT'
70	'IVORY COAST'
71	'SINGAPORE'
72	'URUGUAY'
73	'GUAM'
74	'FINLAND'
75	'HUNGARY'
76	'UNITED KINGDOM'
77	'SPAIN'
78	'CHILE'
79	'MALAYSIA'
80	'OTHER'
81	'BOSNIA'
82	'ROMANIA'
83	'PUERTO RICO'
84	'ALBANIA'
85	'BAHRAIN'
86	'BOLIVIA'
87	'MOROCCO'
88	'TAHITI'
89	'SOUTH AFRICA'
90	'TRINIDAD'
91	'SLOVAKIA'
92	'GUYANA'
93	'SAUDI ARABIA'
94	'LATVIA'
95	'ICELAND'
96	'KENYA'
97	'SUDAN'
98	'NEW ZEALAND'
99	'PARAGUAY'
100	'HONG KONG'
101	'AFGHANISTAN'
102	'SYRIA'
103	'COSTA RICA'
104	'CZECH REPUBLIC'
105	'SRI LANKA'
106	'TUNISIA'
107	'CYPRUS'
108	'SCOTLAND'
109	'BARBADOS'
110	'LIBYA'
111	'JAMAICA'
112	'BULGARIA'
113	'MOZAMBIQUE'
114	'TURKEY'
115	'UGANDA'
116	'BERMUDA'
117	'ESTONIA'
118	'TONGA'
119	'LITHUANIA'

120 = 'MARSHALL ISLANDS'  
121 = 'KAZAKHSTAN'  
122 = 'ETHIOPIA'  
123 = 'MALTA'  
124 = 'NETHERLANDS'  
125 = 'YEMEN'  
126 = 'GHANA'  
127 = 'MOLDOVA'  
128 = 'SIERRA LEONE'  
129 = 'PALAU'  
777 = 'DNK\NS'  
999 = 'REF';

VALUE CAREPROB

1 = 'ADD/ADHD'  
2 = 'AIDS/HIV'  
3 = 'ARTHRITIS/RHEUMATISM'  
4 = 'ASTHMA'  
5 = 'CANCER'  
6 = 'CEREBRAL PALSY'  
7 = 'CHROMOSOMAL ANOMOLY'  
8 = 'DEMENTIA'  
9 = 'DEPRESSION'  
10 = 'DOWNS SYNDROME'  
11 = 'ANXIETY OR EMOTIONAL PROBLEMS'  
12 = 'DEVELOPMENTAL DELAY'  
13 = 'DIABETES'  
14 = 'EYE/VISION PROBLEM, BLINDNESS'  
15 = 'HEARING PROBLEM, DEAFNESS'  
16 = 'HEART DISEASE'  
17 = 'HYPERTENSION, HIGH BLOOD PRESSURE'  
18 = 'LUNG DISEASE/EMPHYSEMA'  
19 = 'MULTIPLE SCLEROSIS'  
20 = 'MUSCULAR DYSTROPHY'  
21 = 'OSTEOPOROSIS'  
22 = 'PARKINSONS'  
23 = 'SPINAL CORD INJURY'  
24 = 'STROKE'  
25 = 'TRAUMATIC BRAIN INJURY'  
26 = 'WEAKNESS/TIREDNESS'  
27 = 'OTHER'  
77 = 'DNK\NS'  
99 = 'REF';

VALUE CAREACTV

1= 'ALL DAY ACTIVITIES/EVERYTHING'  
2= 'BATHING/BATHROOM'  
3= 'CHILDCARE'  
4= 'COOKING/CLEANING/HOUSEKEEPING'  
5= 'COMMUNICATION/BEHAVIOR'  
6= 'EATING/DIET'  
7= 'FINANCES/MONEY'  
8= 'MOBILITY'  
9= 'MEDICATIONS/MEDICAL ASSISTANCE'  
10='TRANSPORTATION/DOCTORS APPOINTMENTS'  
11='GENERAL CARE/SOME DAILY ACTIVITIES'  
12='OTHER'  
77 = 'DNK\NS'  
99 = 'REF';

VALUE CAREBURD

1= 'FINANCIAL/MONEY'  
2= 'ISOLATION'  
3= 'RELTIONSHIP/SEEING THE PERSON ILL'  
4= 'NONE'  
5= 'PHYSICALLY DIFFICULT'  
6= 'STRESS/FATIGUE'  
7= 'TIME FOR ME/NOT ENOUGH TIME/NO TIME FOR FAMILY'  
8= 'TRAVELING'  
9= ' OTHER'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE CAREWHO

1 = 'SPOUSE\EX-SPOUSE'  
2 = 'SON OR DAUGHTER\IN-LAWS'  
3 = 'PARENT OR PARENT-IN-LAW'  
4 = 'GRANDPARENT'  
5 = 'OTHER RELATIVE'  
6 = 'FRIEND OR NEIGHBOR'  
7 = 'OTHER NON-RELATED ADULT'  
8 = 'OTHER NON-RELATED CHILD'  
9 = 'SIGNIFICANT OTHER'  
10 = 'FOSTER CHILD\SIBLING'  
11 = 'GRANDCHILD'  
12 = 'REF';

VALUE CAREWHOB

1 = 'EX-SPOUSE'  
2 = 'SON OR DAUGHTER\IN-LAWS'  
3 = 'BROTHER\SISTER-IN-LAW'  
4 = 'GRANDPARENT'  
5 = 'OTHER RELATIVE'  
6 = 'FRIEND OR NEIGHBOR'  
7 = 'OTHER NON-RELATED ADULT'  
8 = 'OTHER NON-RELATED CHILD'  
9 = 'SIGNIFICANT OTHER'  
10 = 'FOSTER CHILD\SIBLING'  
11 = 'GRANDCHILD'  
12 = 'REF';

VALUE CAREWHOC

1 = 'CHILD'  
2 = 'SPOUSE/PARTNER'  
3 = 'PARENT/PARENT-IN-LAW'  
4 = 'GRANDPARENT/GRANDPARENT-IN-LAW'  
5 = 'OTHER RELATIVE'  
6 = 'FRIEND OR NEIGHBOR'  
7 = 'OTHER NON-RELATED'  
77 = 'DNK\NS'  
99 = 'REF';

VALUE CAREWHY

1 = 'RECOVERY FROM SURGERY\MAJOR ILLNESS'  
 2 = 'PHYSICAL ILLNESS OR DISABILITY'  
 3 = 'MENTAL ILLNESS OR DISABILITY'  
 4 = 'CHILDCARE NEEDED'  
 5 = 'ELDERLY'  
 6 = 'FINANCIAL PROBLEM'  
 7 = 'TRANSPORTATION PROBLEMS'  
 8 = 'FAMILY CRISIS'  
 9 = 'PREGNANT\HAD BABY'  
 10 = 'NEEDED COMPANIONSHIP'  
 11 = 'OTHER'  
 12 = 'REF';

VALUE CERTAIN

1 = 'YES, DEFINITELY'  
 2 = 'NOT SURE'  
 3 = 'NO, IT IS VERY UNLIKELY'  
 88, 4 = 'REFUSED MODULED'  
 99 = 'REF';

VALUE CHILDAge

61 = 'LT 1 MONTH'  
 1 = '1 MONTH'  
 2 = '2 MONTHS'  
 3 = '3 MONTHS'  
 4 = '4 MONTHS'  
 5 = '5 MONTHS'  
 6 = '6 MONTHS'  
 7 = '7 MONTHS'  
 8 = '8 MONTHS'  
 9 = '9 MONTHS'  
 10 = '10 MONTHS'  
 11 = '11 MONTHS'  
 12 = '1 YR'  
 13 = '1 YR 1 MONTHS'  
 14 = '1 YR 2 MONTHS'  
 15 = '1 YR 3 MONTHS'  
 16 = '1 YR 4 MONTHS'  
 17 = '1 YR 5 MONTHS'  
 18 = '1 YR 6 MONTHS'  
 19 = '1 YR 7 MONTHS'  
 20 = '1 YR 8 MONTHS'  
 21 = '1 YR 9 MONTHS'  
 22 = '1 YR 10 MONTHS'  
 23 = '1 YR 11 MONTHS'  
 24 = '2 YRS 0 MONTHS'  
 25 = '2 YRS 1 MONTHS'  
 26 = '2 YRS 2 MONTHS'  
 27 = '2 YRS 3 MONTHS'  
 28 = '2 YRS 4 MONTHS'  
 29 = '2 YRS 5 MONTHS'  
 30 = '2 YRS 6 MONTHS'  
 31 = '2 YRS 7 MONTHS'  
 32 = '2 YRS 8 MONTHS'  
 33 = '2 YRS 9 MONTHS'  
 34 = '2 YRS 10 MONTHS'  
 35 = '2 YRS 11 MONTHS'  
 36 = '3 YRS 0 MONTHS'  
 37 = '3 YRS 1 MONTHS'

38 = '3 YRS 2 MONTHS'  
 39 = '3 YRS 3 MONTHS'  
 40 = '3 YRS 4 MONTHS'  
 41 = '3 YRS 5 MONTHS'  
 42 = '3 YRS 6 MONTHS'  
 43 = '3 YRS 7 MONTHS'  
 44 = '3 YRS 8 MONTHS'  
 45 = '3 YRS 9 MONTHS'  
 46 = '3 YRS 10 MONTHS'  
 47 = '3 YRS 11 MONTHS'  
 48 = '4 YRS 0 MONTHS'  
 49 = '4 YRS 1 MONTHS'  
 50 = '4 YRS 2 MONTHS'  
 51 = '4 YRS 3 MONTHS'  
 52 = '4 YRS 4 MONTHS'  
 53 = '4 YRS 5 MONTHS'  
 54 = '4 YRS 6 MONTHS'  
 55 = '4 YRS 7 MONTHS'  
 56 = '4 YRS 8 MONTHS'  
 57 = '4 YRS 9 MONTHS'  
 58 = '4 YRS 10 MONTHS'  
 59 = '4 YRS 11 MONTHS'  
 60 = '5+ YRS'  
 88 = 'NA'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE CHILDLT

1 = 'LT 1 MONTH'  
 2 = '1 TO LT 2 MONTHS'  
 3 = '2 TO LT 3 MONTHS'  
 4 = '3 TO LT 4 MONTHS'  
 5 = '4 TO LT 5 MONTHS'  
 6 = '5 TO LT 6 MONTHS'  
 7 = '6 TO LT 7 MONTHS'  
 8 = '7 TO LT 8 MONTHS'  
 9 = '8 TO LT 9 MONTHS'  
 10 = '9 TO LT 10 MONTHS'  
 11 = '10 TO LT 11 MONTHS'  
 12 = '11 TO LT 12 MONTHS'  
 13 = 'CHILD EXACTLY 1 YEAR'  
 14 = '1+ YEARS'  
 15 = 'MORE THAN 1 CHILD UNDER1'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE CHILDREL

1 = 'OWN CHILD'  
 2 = 'GRANDCHILD'  
 3 = 'PARTNERS CHILD'  
 4 = 'BROTHER/SISTER'  
 5 = 'NIECE/NEPHEW'  
 6 = 'COUSIN'  
 7 = 'UNRELATED CHILD'  
 8 = 'STEPCHILD'  
 9 = 'ADOPTED'  
 10 = 'GREAT GRANDCHILD'  
 11 = 'OTHER'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE CNCBELIF  
 1 = 'LUNG CANCER'  
 2 = 'BREAST CANCER'  
 3 = 'OVARIAN CANCER'  
 4 = 'COLON OR RECTAL CANCER'  
 5 = 'NONE OF THESE'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE COUNTY  
 1 = 'ALAMEDA'  
 2 = 'ALPINE'  
 3 = 'AMADOR'  
 4 = 'BUTTE'  
 5 = 'CALAVERAS'  
 6 = 'COLUSA'  
 7 = 'CONTRA COSTA'  
 8 = 'DEL NORTE'  
 9 = 'EL DORADO'  
 10 = 'FRESNO'  
 11 = 'GLENN'  
 12 = 'HUMBOLDT'  
 13 = 'IMPERIAL'  
 14 = 'INYO'  
 15 = 'KERN'  
 16 = 'KINGS'  
 17 = 'LAKE'  
 18 = 'LASSEN'  
 19 = 'LOS ANGELES'  
 20 = 'MADERA'  
 21 = 'MARIN'  
 22 = 'MARIPOSA'  
 23 = 'MENDOCINO'  
 24 = 'MERCED'  
 25 = 'MODOC'  
 26 = 'MONO'  
 27 = 'MONTEREY'  
 28 = 'NAPA'  
 29 = 'NEVADA'  
 30 = 'ORANGE'  
 31 = 'PLACER'  
 32 = 'PLUMAS'  
 33 = 'RIVERSIDE'  
 34 = 'SACRAMENTO'  
 35 = 'SAN BENITO'  
 36 = 'SAN BERNARDINO'  
 37 = 'SAN DIEGO'  
 38 = 'SAN FRANCISCO'  
 39 = 'SAN JOAQUIN'  
 40 = 'SAN LUIS OBISPO'  
 41 = 'SAN MATEO'  
 42 = 'SANTA BARBARA'  
 43 = 'SANTA CLARA'  
 44 = 'SANTA CRUZ'  
 45 = 'SHASTA'  
 46 = 'SIERRA'  
 47 = 'SISKIYOU'  
 48 = 'SOLANO'  
 49 = 'SONOMA'  
 50 = 'STANISLAUS'

51 = 'SUTTER'  
 52 = 'TEHAMA'  
 53 = 'TRINITY'  
 54 = 'TULARE'  
 55 = 'TUOLUMNE'  
 56 = 'VENTURA'  
 57 = 'YOLO'  
 58 = 'YUBA'  
 777 = 'DNK\NS'  
 999 = 'REF';

VALUE COUNTYA  
 001 = 'ALAMEDA'  
 041 = 'MARIN'  
 081 = 'SAN MATEO'  
 003 = 'ALPINE'  
 043 = 'MARIPOSA'  
 083 = 'SANTA BARBARA'  
 005 = 'AMADOR'  
 045 = 'MENDOCINO'  
 085 = 'SANTA CLARA'  
 007 = 'BUTTE'  
 047 = 'MERCED'  
 087 = 'SANTA CRUZ'  
 009 = 'CALAVERAS'  
 049 = 'MODOC'  
 089 = 'SHASTA'  
 011 = 'COLUSA'  
 051 = 'MONO'  
 091 = 'SIERRA'  
 013 = 'CONTRA COSTA'  
 053 = 'MONTEREY'  
 093 = 'SISKIYOU'  
 015 = 'DEL NORTE'  
 055 = 'NAPA'  
 095 = 'SOLANO'  
 017 = 'EL DORADO'  
 057 = 'NEVADA'  
 097 = 'SONOMA'  
 019 = 'FRESNO'  
 059 = 'ORANGE'  
 099 = 'STANISLAUS'  
 021 = 'GLENN'  
 061 = 'PLACER'  
 101 = 'SUTTER'  
 023 = 'HUMBOLDT'  
 063 = 'PLUMAS'  
 103 = 'TEHAMA'  
 025 = 'IMPERIAL'  
 065 = 'RIVERSIDE'  
 105 = 'TRINITY'  
 027 = 'INYO'  
 067 = 'SACRAMENTO'  
 107 = 'TULARE'  
 029 = 'KERN'  
 069 = 'SAN BENITO'  
 109 = 'TUOLUMNE'  
 031 = 'KINGS'  
 071 = 'SAN BERNARDINO'  
 111 = 'VENTURA'

033 = 'LAKE'  
073 = 'SAN DIEGO'  
113 = 'YOLO'  
035 = 'LASSEN'  
075 = 'SAN FRANCISCO'  
115 = 'YUBA'  
037 = 'LOS ANGELES'  
077 = 'SAN JOAQUIN'  
777 = 'DNK\NS'  
039 = 'MADERA'  
079 = 'SAN L OBISPO'  
999 = 'REF' ;

VALUE CVDMORT

1 = 'CANCER (GENERAL)'  
2 = 'HEART DISEASE/HEART ATTACK'  
3 = 'AIDS'  
4 = 'BREAST CANCER'  
5 = 'LUNG CANCER'  
6 = 'SMOKING'  
7 = 'DRUG ADDICTION/ALCOHOLISM'  
8 = 'VIOLENT CRIME'  
9 = 'STROKE'  
10 = 'DIABETES'  
11 = 'ACCIDENTAL DEATH\DRUNK DRIVERS'  
12 = 'OSTEOPOROSIS'  
13 = 'AGING'  
14 = 'OVARIAN\UTERINE\CERVICAL CANCER'  
15 = 'DOMESTIC VIOLENCE'  
16 = 'OTHER'  
17 = 'BLOOD PRESSURE'  
18 = 'MENTAL HEALTH/STRESS/DEPRESSION'  
19 = 'WEIGHT'  
20 = 'NUTRITION'  
21 = 'HEALTHCARE'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE CVDPROB

1 = 'AIDS'  
2 = 'CANCER (GENERAL)'  
3 = 'HEART DISEASE/ HEART ATTACK'  
4 = 'SMOKING'  
5 = 'DRUG ADDICTION/ALCOHOLISM'  
6 = 'BREAST CANCER'  
7 = 'STROKE'  
8 = 'DIABETES'  
9 = 'OSTEOPOROSIS'  
10 = 'ALZHEIMERS'  
11 = 'MENOPAUSE'  
12 = 'WEIGHT'  
13 = 'STRESS'  
14 = 'HEALTH INSURANCE'  
15 = 'DIET AND EXERCISE'  
16 = 'AGING'  
17 = 'ARTHRITIS'  
18 = 'DEPRESSION'  
19 = 'OVARIAN\UTERINE\CERVICAL CANCER'  
20 = 'OTHER'  
21 = 'DOMESTIC VIOLENCE'

22 = 'BLOOD PRESSURE'  
23 = 'MENTAL HEALTH'  
24 = 'GYNECOLOGICAL (PREG, MENOPAUSE, ETC.)'  
25 = 'HORMONAL'  
26 = 'LACK OF EDUCATION'  
27 = 'EXERCISE'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE DENTNOT

1= 'COST/DONT HAVE INSURANCE'  
2= 'TIME'  
3= 'NO TOOTH PROBLEMS'  
4= 'NO TEETH'  
5= 'LAZY/NO REASON'  
6= 'DONT HAVE A REGULAR DENTIST'  
7= 'SCARED/DISLIKE DENTISTS/DONT WANT TO'  
8= 'PREGNANT'  
9= 'TRANSPORTATION/TOO FAR'  
10='OTHER'  
11='DO NOT HAVE INSURANCE'  
12='DISLIKE DENTISTS'  
13='DO NOT WANT TO'  
14='NO REASON'  
15='TOO FAR'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE DIFFIC

1 = 'VERY DIFFICULT'  
2 = 'SOMEWHAT DIFFICULT'  
3 = 'NOT VERY DIFFICULT'  
4 = 'NOT AT ALL DIFFICULT'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE DIFFICB

1 = 'VERY DIFFICULT'  
2 = 'SOMEWHAT DIFFICULT'  
3 = 'SOMEWHAT EASY'  
4 = 'VERY EASY'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE DISCACT

1 = 'ACCEPT IT AS A FACT OF LIFE'  
2 = 'TRY TO DO SOMETHING ABOUT IT'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE DISCTALK

1 = 'TALK TO OTHER PEOPLE ABOUT IT'  
2 = 'KEEP IT TO YOURSELF'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE DISCUSS

- 1 = 'NO DISCUSSION'
- 2 = 'A LITTLE DISCUSSION'
- 3 = 'SOME DISCUSSION'
- 4 = 'MODERATE DISCUSSION'
- 5 = 'A LOT OF DISCUSSION'
- 7 = 'DNK\NS'
- 9 = 'REF';

VALUE DVREFER

- 1 = 'NO REFERRAL GIVEN'
- 2 = 'GAVE ME NUMBER TO DV HOTLINE'
- 3 = 'REFERRED TO A SHELTER'
- 4 = 'REFERRED TO MENTAL HEALTH CENTER'
- 5 = 'REFERRED TO A MENTAL HEALTH CARE PROFESSIONAL'
- 6 = 'TO CALL THE POLICE'
- 7 = 'OTHER'
- 77,8 = 'DNK\NS'
- 99 = 'REF';

VALUE DVRELATN

- 1 = 'HUSBAND'
- 2 = 'FORMER HUSBAND'
- 3 = 'PARTNER'
- 4 = 'FORMER PARTNER'
- 5 = 'BOYFRIEND'
- 6 = 'GIRLFRIEND'
- 7 = 'FORMER BOYFRIEND'
- 8 = 'FORMER GIRLFRIEND'
- 9 = 'FEMALE FIRST DATE'
- 10 = 'MALE FIRST DATE'
- 11 = 'MALE LIVE-IN PARTNER'
- 12 = 'FEMALE LIVE-IN PARTNER'
- 13 = 'FORMER MALE LIVE-IN PARTNER'
- 14 = 'FORMER FEMALE LIVE-IN PARTNER'
- 15 = 'OTHER'
- 77 = 'DNK\NS'
- 99 = 'REF';

VALUE DVSERVIA

- 1 = 'LOCAL DV HOTLINE'
- 2 = 'DV SHLETER OR SERVICES'
- 3 = 'MENTAL HEALTH SERVICES'
- 4 = 'RELIGIOUS ADVISOR'
- 5 = 'FRIEND OR FAMILY'
- 6 = 'LAW ENFORCEMENT'
- 7 = 'LEGAL SERVICES'
- 8 = 'HEALTH SERVICES'
- 9 = 'OTHER'
- 77 = 'DNK\NS'
- 99 = 'REF';

VALUE DVSERVIB

- 1 = 'REHAB TREATMENT'
- 2 = 'MENTAL HEALTH SERVICES'
- 3 = 'ANGER MANGEMENT OR BATTERER SERVICES'
- 4 = 'RELIGIOUS HELP'
- 5 = 'COURT ORDERED PROGRAM'

- 6 = 'TALKED TO FRIEND OR FAMILY'

- 7 = 'HEALTH SERVICES'

- 8 = 'COUPLES THERAPY'

- 9 = 'OTHER'

- 77 = 'DNK\NS'

- 99 = 'REF';

VALUE ECWHERE

- 1 = 'DOCTOR'S OFFICE/HOSPITAL'

- 2 = 'PHARMACY'

- 3 = 'SCHOOL NURSE/CLINIC'

- 4 = 'FRIEND'

- 5 = 'CONVENIENCE STORE'

- 6 = 'OTHER'

- 7 = 'DNK\NS'

- 9 = 'REFUSED';

VALUE EDUCA

- 1 = 'LESS THAN 9TH GRADE'

- 2 = 'SOME HIGH SCHOOL'

- 3 = 'HS GRAD OR GED CERT'

- 4 = 'SOME TECHNICAL SCHOOL'

- 5 = 'TECHNICAL SCHOOL GRAD'

- 6 = 'SOME COLLEGE'

- 7 = 'COLLEGE GRADUATE'

- 8 = 'POST GRAD'

- 9 = 'REF';

VALUE EDUCAB

- 1 = 'EIGHTH GRADE OR LESS (GRADES K-8)'

- 2 = 'SOME HIGH SCHOOL (GRADES 9-11)'

- 3 = 'GRADE 12 OR GED CERTIFICATE'

- 4 = 'SOME TECHNICAL SCHOOL'

- 5 = 'TECHNICAL SCHOOL GRAD'

- 6 = 'SOME COLLEGE (INCLUDE AA)'

- 7 = 'COLLEGE GRADUATE'

- 8 = 'POST GRADUATE OR PROFESSIONAL DEGREE'

- 9 = 'REFUSED';

VALUE EMERGWHT

- 1 = 'USE EMERGENCY CONTRACEPTION'

- 2 = 'TAKE THE MORNING AFTER PILL'

- 3 = 'HAVE IUD INSERTED'

- 4 = 'TAKE HIGH DOSE\EXTRA BC PILLS'

- 5 = 'TAKE BIRTH CONTROL PILLS'

- 6 = 'TAKE RU486'

- 7 = 'HAVE AN ABORTION'

- 8 = 'DOUCHE'

- 9 = 'PRAY'

- 10 = 'KNOWS RU486 IS ILLEGAL IN US'

- 11 = 'SEEK MEDICAL HELP'

- 12 = 'INJECTION'

- 13 = 'HERBAL REMEDIES'

- 14, 300 = 'OTHER'

- 15 = 'PILL - DIDNT KNOW NAME'

- 77 = 'DNK\NS'

- 99 = 'REF';

VALUE EMPLOYB	82.0='CUTOFTN'
1 = 'EMPLOYED FULL TIME'	83.0='EATLESSC'
2 = 'EMPLOYED PARTTIME'	84.0='EVRHNGRY'
3 = 'SELF EMPLOYED'	85.0='NOTEAT'
4 = 'OUT OF WORK > 1 YR'	86.0='FDSTMAPP'
5 = 'OUT OF WORK < 1 YR'	88.0='FOODBANK'
6 = 'HOMEMAKER'	89.0='FOODKIT'
7 = 'STUDENT'	91.0='FOODSTP'
8 = 'RETIRED'	92.0='WHYNOFS'
9 = 'UNABLE TO WORK'	93.0='FOODSTLS'
77 = 'DNK\NS'	94.0='PUBASST2'
99 = 'REF';	96.0='CPS'
	97.0='EXERWORK'
VALUE ESTROHRT	98.0='EXERMOD'
1 = 'YES - PILLS'	99.0='EXEROFTM'
2 = 'YES - PATCHES'	100.0='EXBMODAB'
3 = 'YES - CREAMS'	101.0='EXBMODMB'
4 = 'NO'	102.0='WORKPHYS'
7 = 'DNK\NS'	104.0='HINSNTRN'
9 = 'REF';	105.0='DIET12M'
	107.0='DIETPILL'
VALUE EVDAY	108.0='DIETDRK'
1 = 'EVERYDAY'	109.0='HADMAM'
2 = 'SOMEDAYS'	110.0='HOWLONG2'
3 = 'NOT AT ALL'	111.0='MANYMAM'
9 = 'REF';	112.0='WHYDONE'
	113.0='WHYNOTDB'
VALUE EXERWORK	114.0='BCHAD'
1 = 'MOSTLY SIT/STAND'	117.0='HADCBE'
2 = 'MOSTLY WALK'	118.0='WHENCBE'
3 = 'MOSTLY PHYSICAL LABOR'	119.0='MANYCBE'
4 = 'DOESNT WORK'	120.0='F40CBEGB'
7 = 'DNK\NS'	121.0='WHATPAPB'
9 = 'REF';	122.0='GYNEXAM'
	123.0='PAPINFO2'
VALUE FAS	124.0='OVARRISK'
1 = 'DRUNK'	125.0='HYSTER2'
2 = 'ADDICTED TO ALCOHOL'	127.0='COLOEVER'
3 = 'WITH CERTAIN BIRTH DEFECTS'	129.0='SIGEVER'
4 = 'DOESNT KNOW WHAT FAS IS'	131.0='WHYNOSIG'
7 = 'DNK\NS'	132.0='WHYSIG'
9 = 'REF';	133.0='OSTEODEF'
	134.0='OSTEOTLB'
VALUE FASAWARE	138.0='OSTEOPHY'
1 = 'NEVER HEARD OF FAS'	139.0='HELPKID'
2 = 'HEARD OF FAS'	140.0='MHNTCTRL'
3 = 'KNOW LITTLE ABOUT FAS'	141.0='MHOVRWLM'
4 = 'KNOW A LOT ABOUT FAS'	142.0='DAYSANX'
7 = 'DNK\NS'	143.0='DAYSSAD'
9 = 'REF';	144.0='MHHELP2'
	147.0='DRNKANY1'
VALUE FNLQUEST	148.0='DRKALC'
74.0='WWWUSE'	149.0='NALCOCC'
75.0='WWWHER'	153.0='DRKGUILT'
76.0='WWWHELTH'	154.0='SEXBHAGE'
77.0='WWWINFO'	155.0='FPWHEN2'
78.0='INCOMADQ'	156.0='FPDENIE2'
79.0='OUTOFFD'	159.0='BCUSE3'
80.0='AFRDMEAL'	163.0='BCWNTHOW'
81.0='CUTMEAL'	164.0='EMRGBC'

165.0='EMERGWHT'  
 166.0='WHOSXEVR'  
 167.0='WHOSX12M'  
 168.0='OTHRPAR3'  
 171.0='SEXWOTHR'  
 172.0='STDCHLY2'  
 173.0='CHLYDTST'  
 175.0='STDHRPT3'  
 176.0='STDCHK'  
 178.0='DCTRHIV'  
 180.0='DVYRCMB'  
 181.0='DVEVRCMB'  
 182.0='DVAID'  
 191.0='TSSINTRO'  
 192.0='TSSTKAD'  
 50078='OUTINTRO'  
 50096='EXERINTR'  
 500153='SEXINTR'  
 500178='DVINTRO1'  
 500199='PTSDINTR';

VALUE FOLICEAT

1 = 'NOT AT ALL'  
 2 = 'SOMEWHAT'  
 3 = 'VERY LIKELY'  
 4 = 'DOESNT EAT CEREAL'  
 7 = 'DNK\NS'  
 8 = 'DOESNT KNOW WHAT FOLIC ACID IS'  
 9 = 'REFUSED';

VALUE FOLICLTX

1 = 'FOOD LABEL'  
 2 = 'HEALTH FOOD STORE'  
 3 = 'OTHER HEALTHCARE PROVIDER'  
 4 = 'READ ABOUT IT, UNKNOWN SOURCE'  
 5 = 'WIC'  
 6 = 'WORK'  
 7 = 'DIDNT REMEMBER'  
 8 = 'FAMILY & FRIENDS'  
 9 = 'OTHER SOURCE'  
 10 = 'INTERNET'  
 11 = 'JUST HEARD TERM, NO KNOWLEDGE OF IT'  
 12 = 'FAMILY PLANNING CLINIC'  
 13 = 'ADVERTISEMENT, BILLBOARD';

VALUE FOLICSOA

1 = 'MILK'  
 2 = 'MEAT'  
 3 = 'DRIED BEANS'  
 4 = 'BANANAS'  
 5 = 'NONE ARE GOOD SOURCE'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE FOLICTXT

1 = 'GREEN VEG.\VEG.'  
 2 = 'OJ\ORANGES'  
 3 = 'OTHER FOODS'  
 4 = 'DIET'  
 5 = 'PILLS\SUPPLEMENTS'

6 = 'MINERALS\VITAMINS'  
 7 = 'ASK PHYSICIAN'  
 8 = 'INJECTIONS'  
 9 = 'IRON PILLS'  
 10 = 'TOPICAL CREAM'  
 11 = 'PERSONAL RESPONSIBILITY'  
 12 = 'SUNSHINE'  
 13 = 'OTHER'  
 77 = 'DNK\NS';

VALUE FOODSHOP

1 = 'CONVENIENCE STORES'  
 2 = 'HOME GARDEN'  
 3 = 'COMMUNITY GARDEN'  
 4 = 'FARMERS MARKET'  
 5 = 'FRUIT & VEGETABLE STANDS'  
 6 = 'FOOD BANKS'  
 7 = 'FOOD OUTLETS'  
 8 = 'FRIENDS AND RELATIVES'  
 9 = 'NO OTHER PLACE-GROCERY STORE ONLY'  
 10 = 'OTHER'  
 11 = 'COMMISSARY'  
 12 = 'SPECIALTY STORE'  
 13 = 'RESTAURANTS'  
 14 = 'FOOD SERVICE\HOME DELIVERY'  
 15 = 'FOOD CO-OP'  
 16 = 'HEALTH FOOD STORE'  
 17 = 'DRUG STORE'  
 18 = 'GROCERY STORE'  
 19 = 'HUNTING\FISHING'  
 20 = 'MEALS-ON-WHEELS'  
 21 = 'WIC'  
 22 = 'AT WORK'  
 77 = 'DNK\NS'  
 88 = 'NO FOOD PREPARED IN THE HOME'  
 99 = 'REF';

VALUE FOODSTOR

1 = 'YES'  
 2 = 'NO'  
 7 = 'DNK\NS'  
 8 = 'NO FOOD PREPARED AT HOME'  
 9 = 'REF' ;

VALUE FPADVICE

1 = 'PRIVATE DOCTOR OR HMO'  
 2 = 'HOSPITAL OR HOSPITAL CLINIC'  
 3 = 'PLANNED PARENTHOOD'  
 4 = 'COUNTY HEALTH DEPARTMENT, FAMILY PLANNING OR COMMUNITY CLINIC'  
 5 = 'SCHOOL OR SCHOOL-BASED CLINIC'  
 6 = 'INDIAN HEALTH SERVICE'  
 7 = 'PHARMACY'  
 8 = 'EMPLOYER OR COMPANY CLINIC'  
 9 = 'DID NOT USE FAMILY PLANNING SERVICES'  
 10 = 'DID NOT NEED FAMILY PLANNING SERVICES'  
 11 = 'OR SOME OTHER PLACE? (SPECIFY)'  
 77 = 'DNK'  
 99 = 'REF';

VALUE FPDELAY

- 1 = 'YES'
- 2 = 'NO'
- 3 = 'DIDN'T NEED FAMILY PLANNING SERVICES  
IN THE LAST 12 MONTHS'
- 77 = 'DNK'
- 99 = 'REF';

VALUE FPLOCATE

- 1 = 'PRIVATE DOCTORS OFFICE'
- 2 = 'HMO'
- 3 = 'HEALTH DEPT FAMILY PLANNING CLINIC'
- 4 = 'PLANNED PARENTHOOD'
- 5 = 'OTHER FAMILY PLANNING CLINIC'
- 6 = 'OTHER CLINIC'
- 7 = 'HOSPITAL'
- 8 = 'FRIEND'
- 9 = 'STUDENT HEALTH CTR.'
- 10 = 'DRUG STORE'
- 11 = 'CHURCH'
- 12 = 'FAMILY MEMBER'
- 13 = 'MILITARY'
- 14 = 'OTHER'
- 15 = 'WOMENS HEALTH CLINIC'
- 16 = 'NO NEED FOR BIRTH CONTROL'
- 17 = 'NO WHERE'
- 18 = 'MAIL ORDER PHARMACY'
- 19 = 'GROCERY STORE'
- 77 = 'DNK\NS';

VALUE FPOTHTXT

- 1 = 'COUPLES DECISION\BOTH PARTNERS'
- 2 = 'ABORTION\CHOICE\PREG TERMINATION'
- 3 = 'ACCESS'
- 4 = 'ADOPTION'
- 5 = 'AWARENESS'
- 6 = 'BIRTH CONTROL\CONTRACEPTION'
- 7 = 'COMMUNICATION'
- 8 = 'COUNSELING'
- 9 = 'DEALING W\OVERPOPULATION'
- 10 = 'DOES NOT INCLUDE ABORTION'
- 11 = 'EDUCATION & COUNSELING'
- 12 = 'FINANCIAL PLANNING\FAMILY SECURITY'
- 13 = 'FINDING RIGHT PARTNER\RELATIONSHIP  
W\PARTNER'
- 14 = 'GOV. PROGRAM\INTERFERENCE\AN  
ORGANIZATION'
- 15 = 'HEALTHCARE'
- 16 = 'HELP RAISING KIDS\CARING FOR FAMILY'
- 17 = 'IMPROVING QUALITY OF LIFE'
- 18 = 'INFERTILITY SERVICES'
- 19 = 'PREPAREDNESS'
- 20 = 'PREVENTION OF STDS'
- 21 = 'RESPONSIBILITY'
- 22 = 'SEX EDUCATION'
- 23 = 'WOMENS HEALTH'
- 24 = 'CONTROL\PREVENT UNWANTED PREG'
- 25 = 'DECIDING WHEN\IF TO HAVE KIDS'
- 26 = 'OTHER'
- 77 = 'DNK\NS';

VALUE FPREASDE

- 1 = 'DIDN'T HAVE INSURANCE'
- 2 = 'COULDN'T AFFORD IT'
- 3 = 'HAVE INSURANCE BUT COULDN'T AFFORD CO-  
PAYMENT'
- 4 = 'COULDN'T GET AN APPOINTMENT'
- 5 = 'TRANSPORTATION PROBLEMS'
- 6 = 'COULDN'T FIND TIME'
- 7 = 'FORGOT TO REFILL PRESCRIPTION'
- 8 = 'FORGOT TO TAKE CARE OF IT IN TIME'
- 9 = 'PROBLEMS GETTING CHILD CARE'
- 10 = 'DIDN'T NEED BIRTH CONTROL'
- 77 = 'DON'T KNOW'
- 88 = 'OTHER SPECIFY'
- 99 = 'REFUSE';

VALUE FPWHERE

- 1 = 'PRIVATE DOCTORS OFFICE'
- 2 = 'HMO'
- 3 = 'HEALTH DEPT FAMILY PLANNING CLINIC'
- 4 = 'PLANNED PARENTHOOD'
- 5 = 'OTHER FAMILY PLANNING CLINIC'
- 6 = 'OTHER CLINIC (SPECIFY)'
- 7 = 'HOSPITAL'
- 8 = 'FRIEND'
- 9 = 'OTHER (SPECIFY)'
- 10 = 'DRUG STORE'
- 11 = 'CHURCH\NATURAL BIRTH CONTROL'
- 12 = 'FAMILY MEMBER'
- 13 = 'DOESNT GO ANYWHERE'
- 14 = 'STERILE\PARTNER STERILE'
- 15 = 'STUDENT HEALTH CTR.'
- 16 = 'REFUSED MODULE'
- 77 = 'DNK\NS'
- 99 = 'REF';

VALUE FTVGMOR

- 1 = 'EAT THE RIGHT AMOUNT'
- 2 = 'SHOULD EAT A LITTLE MORE'
- 3 = 'SHOULD EAT A LOT MORE'
- 4 = 'SHOULD EAT A LITTLE LESS'
- 5 = 'SHOULD EAT A LOT LESS'
- 77 = 'DNK/NS'
- 99 = 'REF';

VALUE FVCANNED

- 1 = 'ALL OF THEM'
- 2 = 'MOST OF THEM'
- 3 = 'ABOUT HALF OF THEM'
- 4 = 'A LITTLE OF THEM'
- 5 = 'NONE OF THEM'
- 7 = 'DNK/NS'
- 9 = 'REF';

VALUE GAIN  
1 = 'TOO LITTLE'  
2 = 'TOO MUCH'  
3 = 'JUST RIGHT'  
7 = 'DNK\NS'  
8 = 'NOT APPLICABLE'  
9 = 'REF';

VALUE GRADE  
1 = 'ELEMENTARY SCHOOL'  
2 = '6TH GRADE'  
3 = '7TH GRADE'  
4 = '8TH GRADE'  
5, 10, 11 = 'HIGH SCHOOL'  
6 = 'SHOULD NOT BE TAUGHT AT ANY GRADE'  
77, 14, 15 = 'DNK\NS'  
99 = 'REF';

VALUE GYNECO4L  
1='WITHIN THIS PAST YEAR'  
2='LAST YEAR'  
3='TWO YEARS AGO'  
4='THREE YEARS AGO'  
5='FOUR YEARS AGO'  
6='FIVE OR MORE YEARS AGO'  
7='OTHER SPECIFY'  
77='DNK\NS'  
88='NEVER'  
99='REF';

VALUE GYNECO6L  
IT'  
1='MY DOCTOR DID NOT TELL ME I NEEDED  
IT'  
2='MY DOCTOR SAID I DID NOT NEED IT'  
3='DID NOT KNOW I NEEDED IT'  
4='DO NOT THINK IT IS IMPORTANT'  
5='DO NOT HAVE A DOCTOR'  
6='NEVER HAD ANY FEMALE HEALTH PROBLEMS'  
7='MY LIFESTYLE CHOICES MAKE ME SAFE  
FROM CANCER'  
8='FEMALE CHECK-UPS ARE TOO  
EMBARRASSING'  
9='TOO PAINFUL AND UNPLEASANT'  
10='AFRAID THEY MAY FIND SOMETHING  
WRONG'  
11='IT IS FATE IF I GET CANCER ANYWAY'  
12='DO NOT HAVE TIME TO GO TO THE  
DOCTOR'  
13='MY INSURANCE DOES NOT COVER IT'  
14='CAN NOT AFFORD TO PAY FOR IT'  
15='OTHER SPECIFY'  
77='DNK\NS'  
99='REF';

VALUE HAPPB  
1 = 'ALL OF TIME DOING THINGS UNIMPORTANT'  
2 = 'A LOT OF TIME DOING THINGS NEITHER  
IMPORTANT/UNIMPORTANT'  
3 = 'SOME OF TIME EVERY DAY DOING THINGS  
IMPORTANT'  
4 = 'MOST OF TIME EVERY DAY DOING THINGS  
IMPORTANT'  
5 = 'PRACTICALLY EVERY MOMENT EVERY DAY  
DOING THINGS IMPORTANT'  
7 = 'DNK\NS'  
8 = 'NA'  
9 = 'REF';

VALUE HAPPD  
1 = 'BAD'  
2 = 'OK'  
3 = 'GOOD'  
4 = 'VERY GOOD'  
5 = 'WONDERFUL'  
7 = 'DNK\NS'  
9 = 'REF';

VALUE HAPPA  
1 = 'BORED'  
2 = 'NEITHER BORED NOR INTERESTED IN WHAT I  
AM DOING'  
3 = 'INTERESTED IN WHAT I AM DOING'  
4 = 'QUITE INTERESTED IN WHAT I AM DOING'  
5 = 'FASCINATED BY WHAT I AM DOING'  
7 = 'DNK\NS'  
9 = 'REF';

VALUE HAPPC  
1 = 'MORE PAIN THAN PLEASURE'  
2 = 'PAIN AND PLEASURE IN EQUAL MEASURE'  
3 = 'MORE PLEASURE THAN PAIN'  
4 = 'MUCH MORE PLEASURE THAN PAIN'  
5 = 'MY LIFE IS FILLED WITH PLEASURE'  
7 = 'DNK\NS'  
9 = 'REF';

VALUE HEALTH  
1 = 'EXCELLENT'  
2 = 'VERY GOOD'  
3 = 'GOOD'  
4 = 'FAIR'  
5 = 'POOR'  
7, 77 = 'DONT KNOW/NOT SURE'  
9, 99 = 'REFUSED'  
96 = 'OTHER';

VALUE HERBSORC  
1 = 'PHYSICIAN'  
2 = 'OTHER HEALTH CARE PROVIDER'  
3 = 'HEALTH FOOD STORE EMPLOYEE'  
4 = 'PHARMACIST'  
5 = 'HERBALIST'  
6 = 'OTHER ALTERNATIVE HEALTH PROVIDER'  
7 = 'PRODUCT LABEL'  
8 = 'MAGAZINES/BOOKS'  
9 = 'INTERNET'  
10 = 'TELEVISION/RADIO/NEWSPAPER'  
11 = 'FRIEND/RELATIVE/CO-WORKER'  
12 = 'SAFETY/SIDE EFFECT INFO'

13 = 'OTHER'  
 77 = 'DONT KNOW/NOT SURE'  
 99 = 'REFUSED';

VALUE HLTHLIB /\*\* 1999 - 2001\*\*/  
 1 = 'AETNA HEALTH PLANS'  
 2 = 'ALAMEDA ALLIANCE FOR HEALTH'  
 3 = 'ANTHEM HEALTH COMPANIES'  
 4 = 'BLUE CROSS'  
 5 = 'BLUE SHIELD'  
 6 = 'BPS (VIVAHEALTH)'  
 7 = 'CARE FIRST HEALTH PLAN'  
 8 = 'CAREAMERICA'  
 9 = 'CCN'  
 10 = 'CHINESE COMMUNITY HEALTH PLAN'  
 11 = 'CIGNA HEALTH CARE'  
 12 = 'CNA'  
 13 = 'COMMUNITY HEALTH GROUP'  
 14 = 'COMMUNITY HEALTH PLAN'  
 15 = 'CONTRA COSTA HEALTH PLAN'  
 16 = 'FOUNDATION HEALTH SYSTEMS'  
 17 = 'GREAT AMERICAN HEALTH PLAN'  
 18 = 'GREATER PACIFIC HEALTHPLAN'  
 19 = 'GUARDIAN'  
 20 = 'HEALTH NET'  
 21 = 'HEALTH PLAN OF SAN JOAQUIN'  
 22 = 'HEALTH PLAN OF SAN MATEO'  
 23 = 'HEALTH PLAN OF REDWOODS'  
 24 = 'HMO CALIFORNIA (EMPLOYERS HLTH)'  
 25 = 'EMPLOYERS HEALTH (HMO CA)'  
 26 = 'INLAND EMPIRE HEALTH PLAN'  
 27 = 'INTER VALLEY HEALTH PLAN'  
 28 = 'KAISER FOUNDATION HLTH PLAN'  
 29 = 'KERN HEALTH SYSTEMS'  
 30 = 'KEY HEALTH PLAN'  
 31 = 'L.A. CARE HEALTH PLAN'  
 32 = 'LIFEGUARD HEALTH PLAN'  
 33 = 'MAXICARE'  
 34 = 'MOLINA MEDICAL CENTER'  
 35 = 'NATIONAL HEALTH PLAN'  
 36 = 'OMNI HEALTHCARE INC'  
 37 = 'ONE HEALTH PLAN OF CA, INC'  
 38 = 'PACIFIC MUTUAL LIFE INS CO'  
 39 = 'PACIFICARE OF CALIFORNIA'  
 40 = 'PRINCIPAL FINANCIAL GROUP'  
 41 = 'PRUDENTIAL HLTHCARE OF CA, INC'  
 42 = 'SAN FRANCISCO HEALTH PLAN'  
 43 = 'SANTA BARBARA HEALTH INITIATIVE'  
 44 = 'SANTA CLARA CNTY HLTH AUTHORITY'  
 45 = 'SANTA CRUZ COUNTY HEALTH OPTIONS'  
 46 = 'SCAN HEALTH PLAN'  
 47 = 'SHARP HEALTH PLAN'  
 48 = 'SOLANO PARTNERSHIP HEALTHPLAN'  
 49 = 'TOWER HEALTH'  
 50 = 'ULLICO INC'  
 51 = 'UNITED HEALTH CARE (METRA HEALTH)'  
 52 = 'METRA HLTH (UNITED HLTH CARE)'  
 53 = 'UNITED HEALTH PLAN'  
 54 = 'UNITED INS COMPANY OF AMERICA'  
 55 = 'UNIVERSAL CARE, INC'  
 56 = 'VALLEY HEALTH PLAN'  
 57 = 'VENTURA COUNTY HEALTH CARE PLAN'  
 58 = 'WESTERN HEALTH ADVANTAGE'  
 59 = 'BLUE CROSS CALIFORNIA CARE'  
 60 = 'BLUE SHIELD ACCESS+/HMO'  
 61 = 'PRUCARE OF CALIFORNIA'  
 62 = 'BLUE CROSS SENIOR CA CARE'  
 63 = 'FOUNDATION SENIOR VALUE'  
 64 = 'HEALTH NET SENIORITY PLUS'  
 65 = 'PACIFICARE SECURE HORIZONS'  
 66 = 'SHIELD 65'  
 67 = 'AFFORDABLE/HEALTH CARE COMPARE'  
 68 = 'ANTHEM HEALTH'  
 69 = 'BEECH STREET'  
 70 = 'BLUE CROSS PRUDENT BUYER'  
 71 = 'BLUE CROSS STANDARD (STANDARD INS)'  
 72 = 'BECKWITH, HIGHTOWER, & RENBERG'  
 73 = 'FOUNDATION'  
 74 = 'HEALTHCARE FOUNDATION OF SUPERIOR CA'  
 75 = 'HEALTH NET ELECT'  
 76 = 'HEALTH NET SELECT'  
 77 = 'INTERPLAN'  
 78 = 'OUCH'  
 79 = 'PACIFICARE'  
 80 = 'PACIFIC HEALTH ALLIANCE'  
 81 = 'PPO ALLIANCE'  
 82 = 'PRU NET (PRUDENTIAL)'  
 83 = 'QUAL CARE'  
 84 = 'UNIVERSAL HEALTH NETWORK'  
 85 = 'OTHER (SPECIFY)'  
 86 = 'MEDICARE'  
 87 = 'MEDI-CAL'  
 88 = 'SELF PAY'  
 89 = 'TRICARE PRIME (CHAMPUS)'  
 90 = 'CHAMPUS\VA\TRICARE'  
 91 = 'UC CARE'  
 92 = 'MET LIFE'  
 93 = 'UNION SELF- INSURED'  
 94 = 'EMPLOYER SELF-INSURED'  
 95 = 'FARM BUREAU'  
 96 = 'FARMERS INSURANCE'  
 97 = 'GREAT WESTERN'  
 98 = 'NEW YORK LIFE'  
 99 = 'NORTHWEST NAT LIFE'  
 100 = 'PERS CARE'  
 101 = 'GOV. HOSP. ASSO.'  
 102 = 'TRAVELERS'  
 103 = 'GOLDEN OUTLOOK'  
 104 = 'JOINT BENEFIT TRUST'  
 105 = 'SIERRA COMM. CARE'  
 106 = 'STATE FARM INS.'  
 107 = 'GALLAGHER BASSET SERVICE PPO'  
 108 = 'PROVIDENT INSURANCE'  
 109 = 'DELTA HEALTH CARE'  
 110 = 'AM. WESTERN LIFE'  
 111 = 'MASS. MUTUAL'  
 112 = 'SUTTER PREFERRED'  
 113 = 'JOHN ALDEN LIFE'  
 114 = 'JOHN HANCOCK'  
 115 = 'OPERATING ENGINEERS'

116 = 'PACIFICARE SECURE HORIZONS'  
 117 = 'CAL FARM'  
 118 = 'MOTION PICTURE'  
 119 = 'CAL OPTIMA'  
 120 = 'AARP'  
 121 = 'FIRST HEALTH'  
 122 = 'HARDER & COMPANY'  
 123 = 'UNICARE'  
 124 = 'GENERAL AMERICAN'  
 125 = 'GOV. EMPLOYEE HEALTH ASSOCIATION'  
 126 = 'MUTUAL OF OMAHA'  
 127 = 'ADVENTIST HEALTH'  
 128 = 'EXCLUSIVE HEALTH CARE'  
 129 = 'RISK MANAGEMENT'  
 130 = 'UNITED AMERICAN'  
 131 = 'HUMANA EMPLOYERS HEALTH'  
 132 = 'SELF INSURED SCHOOLS OF CA.'  
 133 = 'CORESTAR'  
 888 = 'NONE'  
 134 = 'AFTRA'  
 777 = 'DNK\NS'  
 999 = 'REFUSED' ;

VALUE HLTHLISC /\*\* 2002\*\*/

1 = 'AETNA HEALTH PLANS'  
 2 = 'ALAMEDA ALLIANCE FOR HEALTH'  
 3 = 'ANTHEM HEALTH COMPANIES'  
 4 = 'BLUE CROSS'  
 5 = 'BLUE SHIELD'  
 6 = 'BPS (VIVAHEALTH)'  
 7 = 'CARE FIRST HEALTH PLAN'  
 8 = 'CAREAMERICA'  
 9 = 'CCN'  
 10 = 'CHINESE COMMUNITY HEALTH PLAN'  
 11 = 'CIGNA HEALTH CARE'  
 12 = 'CNA'  
 13 = 'COMMUNITY HEALTH GROUP'  
 14 = 'COMMUNITY HEALTH PLAN'  
 15 = 'CONTRA COSTA HEALTH PLAN'  
 16 = 'FOUNDATION HEALTH SYSTEMS'  
 17 = 'GREAT AMERICAN HEALTH PLAN'  
 18 = 'GREATER PACIFIC HEALTHPLAN'  
 19 = 'GUARDIAN'  
 20 = 'HEALTH NET'  
 21 = 'HEALTH PLAN OF SAN JOAQUIN'  
 22 = 'HEALTH PLAN OF SAN MATEO'  
 23 = 'HEALTH PLAN OF REDWOODS'  
 24 = 'HMO CALIFORNIA (EMPLOYERS HLTH)'  
 25 = 'EMPLOYERS HEALTH (HMO CA)'  
 26 = 'INLAND EMPIRE HEALTH PLAN'  
 27 = 'INTER VALLEY HEALTH PLAN'  
 28 = 'KAISER FOUNDATION HLTH PLAN'  
 29 = 'KERN HEALTH SYSTEMS'  
 30 = 'KEY HEALTH PLAN'  
 31 = 'L.A. CARE HEALTH PLAN'  
 32 = 'LIFEGUARD HEALTH PLAN'  
 33 = 'MAXICARE'  
 34 = 'MOLINA MEDICAL CENTER'  
 35 = 'NATIONAL HEALTH PLAN'  
 36 = 'OMNI HEALTHCARE INC'

37 = 'ONE HEALTH PLAN OF CA, INC'  
 38 = 'PACIFIC MUTUAL LIFE INS CO'  
 39 = 'PACIFICARE OF CALIFORNIA'  
 40 = 'PRINCIPAL FINANCIAL GROUP'  
 41 = 'PRUDENTIAL HLTHCARE OF CA, INC'  
 42 = 'SAN FRANCISCO HEALTH PLAN'  
 43 = 'SANTA BARBARA HEALTH INITIATIVE'  
 44 = 'SANTA CLARA CNTY HLTH AUTHORITY'  
 45 = 'SANTA CRUZ COUNTY HEALTH OPTIONS'  
 46 = 'SCAN HEALTH PLAN'  
 47 = 'SHARP HEALTH PLAN'  
 48 = 'SOLANO PARTNERSHIP HEALTHPLAN'  
 49 = 'TOWER HEALTH'  
 50 = 'ULLICO INC'  
 51 = 'UNITED HEALTH CARE (METRA HEALTH)'  
 52 = 'METRA HLTH (UNITED HLTH CARE)'  
 53 = 'UNITED HEALTH PLAN'  
 54 = 'UNITED INS COMPANY OF AMERICA'  
 55 = 'UNIVERSAL CARE, INC'  
 56 = 'VALLEY HEALTH PLAN'  
 57 = 'VENTURA COUNTY HEALTH CARE PLAN'  
 58 = 'WESTERN HEALTH ADVANTAGE'  
 59 = 'BLUE CROSS CALIFORNIA CARE'  
 60 = 'BLUE SHIELD ACCESS+/HMO'  
 61 = 'PRUCARE OF CALIFORNIA'  
 62 = 'BLUE CROSS SENIOR CA CARE'  
 63 = 'FOUNDATION SENIOR VALUE'  
 64 = 'HEALTH NET SENIORITY PLUS'  
 65 = 'PACIFICARE SECURE HORIZONS'  
 66 = 'SHIELD 65'  
 67 = 'AFFORDABLE/HEALTH CARE COMPARE'  
 68 = 'ANTHEM HEALTH'  
 69 = 'BEECH STREET'  
 70 = 'BLUE CROSS PRUDENT BUYER'  
 71 = 'BLUE CROSS STANDARD (STANDARD INS)'  
 72 = 'BECKWITH, HIGHTOWER, & RENBERG'  
 73 = 'FOUNDATION'  
 74 = 'HEALTHCARE FOUNDATION OF SUPERIOR CA'  
 75 = 'HEALTH NET ELECT'  
 76 = 'HEALTH NET SELECT'  
 77 = 'INTERPLAN'  
 78 = 'OUCH'  
 79 = 'PACIFICARE'  
 80 = 'PACIFIC HEALTH ALLIANCE'  
 81 = 'PPO ALLIANCE'  
 82 = 'PRU NET (PRUDENTIAL)'  
 83 = 'QUAL CARE'  
 84 = 'UNIVERSAL HEALTH NETWORK'  
 85 = 'OTHER (SPECIFY)'  
 86 = 'MEDICARE'  
 87 = 'MEDI-CAL'  
 88 = 'SELF PAY'  
 89 = 'TRICARE PRIME (CHAMPUS)'  
 90 = 'CHAMPUS\VA\TRICARE'  
 91 = 'UC CARE'  
 92 = 'MET LIFE'  
 93 = 'UNION SELF- INSURED'  
 94 = 'EMPLOYER SELF-INSURED'  
 95 = 'FARM BUREAU'  
 96 = 'FARMERS INSURANCE'

97 = 'GREAT WESTERN'  
 98 = 'NEW YORK LIFE'  
 99 = 'NORTHWEST NAT LIFE'  
 100 = 'PERS CARE'  
 101 = 'GOV. HOSP. ASSO.'  
 102 = 'TRAVELERS'  
 103 = 'GOLDEN OUTLOOK'  
 104 = 'JOINT BENEFIT TRUST'  
 105 = 'SIERRA COMM. CARE'  
 106 = 'STATE FARM INS.'  
 107 = 'GALLAGHER BASSET SERVICE PPO'  
 108 = 'PROVIDENT INSURANCE'  
 109 = 'DELTA HEALTH CARE'  
 110 = 'AM. WESTERN LIFE'  
 111 = 'MASS. MUTUAL'  
 112 = 'SUTTER PREFERRED'  
 113 = 'JOHN ALDEN LIFE'  
 114 = 'JOHN HANCOCK'  
 115 = 'OPERATING ENGINEERS'  
 116 = 'PACIFICARE SECURE HORIZONS'  
 117 = 'CAL FARM'  
 118 = 'MOTION PICTURE'  
 119 = 'CAL OPTIMA'  
 120 = 'AARP'  
 121 = 'FIRST HEALTH'  
 122 = 'HARDER & COMPANY'  
 123 = 'UNICARE'  
 124 = 'GENERAL AMERICAN'  
 125 = 'GOV. EMPLOYEE HEALTH ASSOCIATION'  
 126 = 'MUTUAL OF OMAHA'  
 127 = 'ADVENTIST HEALTH'  
 128 = 'EXCLUSIVE HEALTH CARE'  
 129 = 'RISK MANAGEMENT'  
 130 = 'UNITED AMERICAN'  
 131 = 'HUMANA EMPLOYERS HEALTH'  
 132 = 'SELF INSURED SCHOOLS OF CA.'  
 133 = 'CORESTAR'  
 888 = 'NONE'  
 134 = 'AFTRA'  
 135 = 'HEALTHY FAMILIES '  
 136 = 'CARPENTERS HEALTH AND WELFARE FUND '  
 137 = 'CENTRAL VALLEY TRUST '  
 138 = 'GSHIP GRAD STUD HLTH INS PLAN '  
 139 = 'GREAT WEST- ONE HEALTH PLAN '  
 140 = 'BLUE CROSS/BLUE SHIELD'  
 777 = 'DNK\NS'  
 999 = 'REFUSED' ;

12 = 'NAT. HLTH PLANS\SECURITY CARE'  
 13 = 'OMNI HEALTHCARE'  
 14 = 'PACIFICARE\SECURE HORIZONS'  
 15 = 'PRUD\CAREPLUS\SENIOR CARE'  
 16 = 'TRICARE PRIME (CHAMPUS)'  
 17 = 'UC CARE'  
 18 = 'UNITED HEALTH PLAN'  
 19 = 'SELF-PAY'  
 20 = 'MEDICARE'  
 21 = 'MEDI-CAL'  
 22 = 'MET LIFE'  
 23 = 'UNION INS. PLAN'  
 24 = 'CHAMPUS\VA\TRICARE'  
 25 = 'AARP'  
 26 = 'EMPLOYER INS. PLAN'  
 27 = 'FARM BUREAU'  
 28 = 'FARMERS INS.'  
 29 = 'GREAT WESTERN'  
 30 = 'NEW YORK LIFE'  
 31 = 'NORTHWEST NAT. LIFE'  
 32 = 'PERS CARE'  
 33 = 'GOV.EMP.HOS.ASSO.'  
 34 = 'INLAND EMPIRE HLTH. PLAN'  
 35 = 'TRAVELERS'  
 36 = 'GUARDIAN\PHN'  
 37 = 'GOLDEN OUTLOOK'  
 38 = 'JOINT BENEFIT TRUST'  
 39 = 'SHARP HEALTH PLAN'  
 40 = 'SCAN HEALTH PLAN'  
 41 = 'SIERRA COMM. CARE'  
 42 = 'STATE FARM INS.'  
 43 = 'TOWER HEALTH'  
 44 = 'UNITED H EATLH CARE\METRA HEALTH'  
 45 = 'UNITED INS. CO. OF AMERICA'  
 46 = 'VALLEY HEALTH PLAN'  
 47 = 'ANTHEM HEALTH CO.'  
 48 = 'CCN'  
 49 = 'GALLAGHER BASSET SERVICE PPO'  
 50 = 'HEALTH PLAN OF SAN JOAQUIN'  
 51 = 'HEALTH PLAN OF SAN MATEO'  
 52 = 'HMO CA\EMPLOYERS HEALTH'  
 53 = 'KEY HEALTH PLAN'  
 54 = 'PROVIDENT INSURANCE'  
 55 = 'PRINCIPAL FINANCIAL GROUP'  
 56 = 'OTHER'  
 57 = 'ALAMEDA ALLIANCE FOR HEALTH'  
 58 = 'DELTA HEALTH CARE'  
 59 = 'AM. WESTERN LIFE'  
 60 = 'MASS. MUTUAL'  
 61 = 'SUTTER PREFERRED'  
 62 = 'BECKWICK, HIGHTOWER &'  
 63 = 'JOHN ALDEN LIFE'  
 64 = 'JOHN HANCOCK'  
 65 = 'AFFORDABLE\HEALTH CARE COMPARE'  
 66 = 'MOLINA MEDICAL CENTER'  
 67 = 'KERN HEALTH SYSTEMS'  
 68 = 'SOLANO PARTNERSHIP HEALTHPLAN'  
 69 = 'ACCORDIA'  
 70 = 'CARPENTERS HEALTH & WELFARE'  
 71 = 'CONNECTICUT GENERAL'

VALUE HLTHLIST /\*\*1997 and 1998\*\*/  
 1 = 'AETNA\SENIOR CHOICE'  
 2 = 'BS\BC\CA CARE'  
 3 = 'CAREAMERICA'  
 4 = 'CIGNA HEALTH CARE'  
 5 = 'FHP\FOUNDAT HLTH\TAKE CARE'  
 6 = 'HEALTH NET\SENIORITY+ '  
 7 = 'HLTH PLAN REDWOODS\MEDIPRIME'  
 8 = 'INTER VALLEY HEALTH PLAN'  
 9 = 'KAISER'  
 10 = 'LIFEGUARD HEALTH PLAN'  
 11 = 'MAXICARE'

72 = 'CONTRA COSTA HEALTH PLAN'  
 73 = 'FLEXNET'  
 74 = 'FRIENDLY HILLS'  
 75 = 'GENERAL AMERICAN'  
 76 = 'OPERATING ENGINEERS UNION INS.'  
 77 = 'MAILHANDLERS UNION INS.'  
 78 = 'RELIA-STAR'  
 79 = 'VALLEY CLERKS UNION INS.'  
 80 = 'JEFFERSON PILOT'  
 81 = 'MEMORIAL HEALTHCARE'  
 82 = 'OTHER'  
 83 = 'INDIAN HEALTH SERVICE'  
 84 = 'MEDICAL INDEMNITY'  
 85 = 'PHYSICIANS HEALTH CARE'  
 777 = 'DNK\NS'  
 888 = 'NONE'  
 999 = 'REFUSED' ;

VALUE HOWLNGD

1 = 'WITHIN PAST 6 MONTHS'  
 2 = 'WITHIN THE PAST YR'  
 3 = 'WITHIN THE PAST 2 YRS'  
 4 = 'WITHIN THE PAST 5 YRS'  
 5 = 'MORE THAN 5 YRS AGO'  
 8 = 'NEVER'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE HOWLONG

1 = 'WITHIN PAST YR'  
 2 = 'WITHIN PAST TWO YRS'  
 3 = 'WITHIN PAST FIVE YRS'  
 4 = 'MORE THAN FIVE YRS'  
 5 = 'REFUSED MODULE'  
 8, 88 = 'NEVER HAD'  
 7, 77 = 'DNK\NS'  
 9, 99 = 'REF' ;

VALUE HOWLONGB

1 = 'WITHIN PAST YR'  
 2 = 'WITHIN PAST 2 YRS'  
 3 = 'WITHIN PAST 3 YRS'  
 4 = 'WITHIN PAST 4 YRS'  
 5 = 'WITHIN PAST 5 YRS'  
 6 = 'MORE THAN 5 YRS'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE HOWLONGC

1 = 'WITHIN PAST 6 MONTHS'  
 2 = 'WITHIN PAST YR'  
 3 = 'WITHIN PAST 2 YRS'  
 4 = 'WITHIN PAST 5 YRS'  
 5 = 'MORE THAN 5 YRS'  
 8 = 'NEVER HAD'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE HOWLONGD

1 = 'WITHIN PAST 6 MONTHS'  
 2 = 'WITHIN PAST YR'  
 3 = 'WITHIN PAST 2 YRS'  
 4 = 'MORE THAN 2 YRS'  
 5 = 'NEVER'  
 8 = 'REFUSED MODULE'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE HOWLONGE

1 = 'WITHIN PAST YR'  
 2 = 'WITHIN PAST TWO YRS'  
 3 = 'WITHIN PAST FIVE YRS'  
 4 = 'MORE THAN FIVE YRS'  
 5 = 'NEVER HAD'  
 8 = 'REFUSED MODULE'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE HOWLONGF

1 = 'WITHIN PAST 6 MONTHS'  
 2 = 'WITHIN PAST YEAR'  
 3 = 'MORE THAN A YEAR AGO'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE HOWLONGG

1 = 'ALMOST EVERY MONTH'  
 2 = 'SOME, BUT NOT EVERY MONTH'  
 3 = 'ONLY IN ONE OR TWO MONTHS'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE HOWLONGH

1 = 'LT 1 YEAR'  
 2 = '1-2 YEARS'  
 3 = 'MORE THAN 2 YEARS'  
 7 = 'DNK/NS'  
 9 = 'REF' ;

VALUE HOWLONGI

1 = 'LT 1 YEAR'  
 2 = '1-5 YEARS'  
 3 = 'MORE THAN 5 YEARS'  
 7 = 'DNK/NS'  
 9 = 'REF' ;

VALUE HOWLONGJ

1 = 'LT 6 MONTHS'  
 2 = '6-12 MONTHS'  
 3 = '1-5 YEARS'  
 4 = 'MORE THAN 5 YEARS'  
 7 = 'DNK/NS'  
 9 = 'REF' ;

VALUE HOWLONGK  
1 = 'LAST YEAR'  
2 = '1-2 YEARS'  
3 = '2-5 YEARS'  
4 = 'MORE THAN 5 YEARS'  
5 = 'NEVER'  
7 = 'DNK/NS'  
9 = 'REF';

VALUE HOWLONGM  
1 = 'WITHIN PAST YR'  
2 = '1-2 YEARS'  
3 = '2-3 YEARS'  
4 = '3-4 YEARS'  
5 = '4-5 YEARS'  
6 = 'FIVE OR MORE YEARS'  
10 = 'OTHER'  
8 = 'NEVER HAD'  
88 = 'NEVER HAD'  
77,7 = 'DNK\NS'  
9 = 'REF'  
99 = 'REF';

VALUE HOWLONGN  
1 = 'WITHIN PAST YR'  
2 = 'WITHIN PAST 2 YEARS'  
3 = 'WITHIN PAST 3 YEARS'  
4 = 'WITHIN PAST 5 YEARS'  
5 = '5 OR MORE YEARS'  
77 = 'DNK\NS'  
99 = 'REF';

VALUE HOWLONGO  
1 = 'WITHIN PAST YR'  
2 = 'WITHIN PAST 2 YEARS'  
3 = 'WITHIN PAST 3 YEARS'  
4 = 'WITHIN PAST 5 YEARS'  
5 = 'WITHIN PAST 10 YEARS'  
5 = '10 OR MORE YEARS'  
77 = 'DNK\NS'  
99 = 'REF';

VALUE HOWLOSE  
1 = 'EAT LESS'  
2 = 'EAT DIFFERENT FOOD'  
3 = 'EXERCISE'  
4 = 'CALORIE COUNT'  
5 = 'BOTH DIET AND EXERCISE'  
6 = 'DO NOTHING'  
7 = 'DIET'  
8 = 'SURGERY'  
9 = 'CHANGE EATING HABITS'  
10 = 'SUPPORT SYSTEM'  
11 = 'MOTIVATION'  
12 = 'OTHER'  
13 = 'SMALLER PORTIONS'  
14 = 'EAT BETTER FOOD'  
15 = 'PHYSICAL ACTIVITY'

16 = 'KEEP TRACK OF CALORIES'  
17 = 'WEIGHT LOSS PROGRAM'  
18 = 'MEDICAL HELP'  
19 = 'FAMILY SUPPORT'  
20 = 'WILL POWER'  
77 = 'DNK/NS'  
99 = 'REF';

VALUE HPVWHYNT  
1 = 'DOC DIDNT RECOMMEND'  
2 = 'HAVENT GONE TO DOC.'  
3 = 'PLAN TO GET VACC. SOON'  
4 = 'EXPENSIVE/COST'  
5 = 'SAFETY CONCERNS REG. VACCINES'  
6 = 'SAFETY CONCERNS REG. HPV VACC.'  
7 = 'DONT NEED VACCINE'  
8 = 'OTHER (SPECIFY)'  
77 = 'DNK/NS'  
9, 99 = 'REF';

VALUE IMPORT  
1 = 'VERY IMPORTANT'  
2 = 'SOMEWHAT IMPORTANT'  
3 = 'NOT VERY IMPORTANT'  
4 = 'NOT AT ALL IMPORTANT'  
7 = 'DNK\NS'  
9 = 'REF';

VALUE INCOMEB  
1 = '< \$10,000'  
2 = '\$10,000-\$14,999'  
3 = '\$15,000-\$19,999'  
4 = '\$20,000-\$24,999'  
5 = '\$25,000-\$34,999'  
6 = '\$35,000-\$49,999'  
7 = '\$50,000-\$75,000'  
8 = '\$75,000-\$99,999'  
9 = '> \$100,000'  
10 = '\$0, NO INCOME'  
77 = 'DNK\NS'  
99 = 'REF';

VALUE INCOMEC  
1 = '< \$10,000'  
2 = '\$10,000-\$14,999'  
3 = '\$15,000-\$19,999'  
4 = '\$20,000-\$24,999'  
5 = '\$25,000-\$34,999'  
6 = '\$35,000-\$49,999'  
7 = '\$50,000-\$75,000'  
8 = 'OVER \$75,000'  
9 = '\$0; NO PERSONAL INCOME'  
77 = 'DNK\NS'  
99 = 'REF';

VALUE INTEREST

1 = 'YES'  
 2 = 'NO'  
 3 = 'NOT LOW INCOME'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE IU

1 = '<10,000 IU'  
 2 = '>10,000 IU'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE LANGBET

1 = 'ONLY SPANISH'  
 2 = 'SPAN BETTER THAN ENG'  
 3 = 'BOTH EQUALLY'  
 4 = 'BETTER ENG THAN SPAN'  
 5 = 'ONLY ENGLISH'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE LANGMORE

1 = 'ONLY SPANISH'  
 2 = 'MORE SPAN THAN ENG'  
 3 = 'BOTH EQUALLY'  
 4 = 'MORE ENG THAN SPAN'  
 5 = 'ONLY ENGLISH'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE LTCWHO

1 = 'FAMILY/SPOUSE/PARTNER'  
 2 = 'FRIENDS'  
 3 = 'COMMUNITY SERVICES'  
 4 = 'NURSING HOME'  
 5 = 'ASSISTED LIVING'  
 6 = 'GOVERNMENT'  
 7 = 'NEVER THOUGHT ABOUT IT'  
 8 = 'NO ONE'  
 9 = 'MYSELF'  
 10 = 'HEALTH CARE PROGRAM'  
 11 = 'NURSE'  
 12 = 'LAWYER'  
 13 = 'OTHER'  
 14 = 'LONG TERM CARE INS'  
 88 = 'NA'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE MAINPLN /\*\* 1997 \*\*/

1 = 'YOUR EMPLOYER'  
 2 = 'SOMEONE ELSE'S EMPLOYER'  
 3 = 'A PLAN YOU BUY'  
 4 = 'MEDICARE'  
 5 = 'MEDI-CAL MEDICAID'  
 6 = 'MILITARY\CHAMPUS\VA\IHS\OTHER'  
 7 = 'NONE'  
 88 = 'NA'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE MAINPLNB /\*\* 1998 - 2000 \*\*/

1 = 'YOUR EMPLOYER'  
 2 = 'SOMEONE ELSE'S EMPLOYER'  
 3 = 'A PLAN YOU BUY'  
 4 = 'MEDICARE'  
 5 = 'MEDI-CAL MEDICAID'  
 6 = 'MILITARY\CHAMPUS\VA'  
 7 = 'INDIAN HEALTH SERVICE'  
 8 = 'SOME OTHER SOURCE'  
 9 = 'NONE'  
 88 = 'NA'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE MAJRPROB

1 = 'BACK OR NECK PROBLEM'  
 2 = 'BROKEN BONE OR JOINT INJURY'  
 3 = 'PROBLEMS WALKING'  
 4 = 'HEARING PROBLEM'  
 5 = 'LUNG OR BREATHING PROBLEM'  
 6 = 'ARTHRITIS OR RHEUMATISM'  
 7 = 'HEART TROUBLE'  
 8 = 'STROKE'  
 9 = 'CANCER, OTHER THAN SKIN CANCER'  
 10 = 'DEPRESSION'  
 11 = 'FLU'  
 12 = 'AGING\GETTING OLD'  
 13 = 'POOR HEALTH\DOESNT FEEL GOOD'  
 14 = 'TOO TIRED\EXHAUSTED\FATIGUED'  
 15 = 'OTHER'  
 16 = 'PREGNANCY\PREG. RELATED ISSUES'  
 17 = 'ACCIDENT\INJURY'  
 18 = 'SURGERY'  
 19 = 'OVERWEIGHT\WEIGHT RELATED ISSUES'  
 20 = 'INFECTION'  
 21 = 'RESPIRATORY AILMENT'  
 22 = 'MULTIPLE PROBLEMS (2 OR MORE INDICATED)'  
 23 = 'DIABETES, COMPLICATIONS OF DIABETES'  
 24 = 'OTHER CHRONIC CONDITIONS'  
 25 = 'OTHER ACUTE CONDITIONS'  
 26 = 'PAIN'  
 27 = 'MENTIONED BODY PART (NOT CONDITION OR DX)'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE MARITAL

1 = 'MARRIED'  
 2 = 'DIVORCED'  
 3 = 'WIDOWED'  
 4 = 'SEPARATED'  
 5 = 'NEVER MARRIED'  
 6 = 'UNMARRIED COUPLE'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE MENOPAUS

1 = 'STILL HAVING PERIODS'  
2 = 'PERIODS STOPPED MEDICAL\SURGICAL REASONS'  
3 = 'PERIODS IRREGULAR BECAUSE OF MENOPAUSE'  
4 = 'PERIODS STOPPED BECAUSE OF MENOPAUSE'  
7, 77 = 'DNK\NS'  
9, 99 = 'REF' ;

VALUE MENSPRMT

1 = 'YOUNGER THAN 12'  
2 = '12-13'  
3 = 'OLDER THAN 13'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE MHDX

1 = 'EATING DISORDER'  
2 = 'MAJOR (CLINICAL) DEPRESSION'  
3 = 'SITUATIONAL (TEMPORARY) DEPRESSION'  
4 = 'MANIC DEPRESSION OR BI-POLAR DISORDER'  
5 = 'ANXIETY'  
6 = 'PANIC DISORDER'  
7 = 'POST TRAUMATIC STRESS DISORDER (PTSD)'  
8 = 'SCHIZOPHRENIA'  
9 = 'ATTENTION DEFICIT DISORDER (ADD)'  
10 = 'MENTAL BREAKDOWN'  
11 = 'NEUROSIS'  
12 = 'ALZHEIMERS DISEASE'  
13 = 'SENILE DEMENTIA'  
14 = 'EFFECTS OF HEART DISEASE OR STROKE'  
15 = 'ALCOHOL ABUSE'  
16 = 'DRUG ABUSE'  
17 = 'FAMILY PROBLEMS'  
18 = 'DISASSOCIATIVE IDENTITY DISORDER (DID)'  
19 = 'OTHER'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE MHDXB

1 = 'EATING DISORDER'  
2 = 'MAJOR (CLINICAL) DEPRESSION'  
3 = 'SITUATIONAL (TEMPORARY) DEPRESSION'  
4 = 'MANIC DEPRESSION OR BI-POLAR DISORDER'  
5 = 'ANXIETY'  
6 = 'PANIC DISORDER'  
7 = 'POST TRAUMATIC STRESS DISORDER (PTSD)'  
8 = 'SCHIZOPHRENIA'  
9 = 'ATTENTION DEFICIT DISORDER (ADD)'  
10 = 'MENTAL BREAKDOWN'  
11 = 'NEUROSIS'  
12 = 'ALZHEIMERS DISEASE'  
13 = 'SENILE DEMENTIA'  
14 = 'EFFECTS OF HEART DISEASE OR STROKE'  
15 = 'ALCOHOL ABUSE'  
16 = 'DRUG ABUSE'  
17 = 'STRESS'  
18 = 'OBSESSIVE COMPULSIVE DISORDER (OCD)'  
19 = 'DISSOCIATIVE IDENTITY DISORDER (DID)'  
20 = 'MULTIPLE PERSONALITY DISORDER (MPD)'

21 = 'MOURNING/BEREAVEMENT'  
22 = 'ADJUSTMENT DISORDER'  
23 = 'MARITAL PROBLEMS'  
24 = 'DEMENTIA'  
25 = 'EMOTIONAL REACTION TO PHYSICAL ILLNESS'  
26 = 'DIDNT TELL ME WHAT IT WAS'  
27 = 'RELATIONSHIP PROBLEM'  
28 = 'PARENTING PROBLEM'  
29 = 'OTHER'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE MHHELPTX

1 = 'CHILD CARE/FAMILY CARE'  
2 = 'BETTER JOB/ MORE STEADY JOB/ JOB TRAINING'  
3 = 'MEDICAL OR DENTAL CARE'  
4 = 'ADEQUATE FOOD'  
5 = 'COUNSELING'  
6 = 'TRANSPORTATION'  
7 = 'HOUSING'  
8 = 'MORE MONEY/FINANCIAL HELP'  
9 = 'MORE CONVENIENT COUNSELING'  
10 = 'OTHER'  
11 = 'NOTHING WOULD HAVE HELPED'  
12 = 'A FRIEND/SOMEONE TO TALK TO'  
13 = 'HOUSEHOLD HELP'  
14 = 'LAWYER/LEGAL SERVICES'  
15 = 'TIME OFF/TIME TO RELAX/VACATION'  
16 = 'SPIRITUAL SUPPORT/RELIGIOUS HELP'  
17 = 'MORE TIME/TIME MANAGEMENT'  
18 = 'SUPPORT FROM FAMILY'  
19 = 'HELP AT WORK/WORKING/FINDING WORK'  
20 = 'DONT KNOW/HAVENT THOUGHT ABOUT IT'  
21 = 'EXERCISE/FITNESS/WEIGHT'  
22 = 'DONT NEED HELP/NO PROBLEMS'  
23 = 'SOCIAL SERVICES';

VALUE MHNOINTX

1 = 'NEEDED REFERRAL'  
2 = 'DIDNT WANT TO WAIT FOR REFERRAL'  
3 = 'INSURANCE NOT NEEDED'  
4 = 'INCONVENIENT LOCATION IF USED INS.'  
5 = 'USED UP INSURANCE COVERAGE'  
6 = 'OTHER'  
7 = 'NO INSURANCE AT TIME OF CARE'  
8 = 'INSURANCE DIDNT COVER ENTIRE COST';

VALUE MHPAY

1 = 'SELF'  
2 = 'PRIVATE INSURANCE'  
3 = 'MEDICARE'  
4 = 'MEDI-CAL'  
5 = 'HUSBAND\PARTNER'  
6 = 'BOYFRIEND\GIRLFRIEND'  
7 = 'PARENT'  
8 = 'OTHER FAMILY MEMBER'  
9 = 'OTHER FRIEND'  
10 = 'COUNTY MENTAL HEALTH PROGRAM'  
11 = 'COMMUNITY CLINIC'



VALUE MHWHYNOB	9 = 'NA\BABY TOO YOUNG TO RESPOND'
1 = 'COULDNT AFFORD IT'	10 = 'GOATS MILK\GOATS MILK + OTHER'
2 = 'DIDNT KNOW WHERE TO GO'	77 = 'DNK\NS'
3 = 'CONCERNED WHAT OTHERS WOULD THINK'	99 = 'REF';
4 = 'APPOINTMENT TIMES INCONVENIENT'	
5 = 'DIDNT WANT MEDICAL RECORD OF CONDITION'	VALUE MON_YEAR
6 = 'OTHER'	1 = 'JANUARY'
7 = 'DIDNT LIKE PROVIDER\PROVIDER DIDNT	2 = 'FEBRUARY'
HELP'	3 = 'MARCH'
77 = 'DNK\NS'	4 = 'APRIL'
88 = 'REF';	5 = 'MAY'
	6 = 'JUNE'
VALUE MHWHYNOT	7 = 'JULY'
1 = 'RESOLVED PROBLEM BY SELF'	8 = 'AUGUST'
2 = 'PROBLEM NOT BAD ENOUGH'	9 = 'SEPTEMBER'
3 = 'FAMILY\FRIEND DISCOURAGED'	10 = 'OCTOBER'
4 = 'FAMILY\FRIEND WOULDNT GO'	11 = 'NOVEMBER'
5 = 'DIDNT TAKE INSURANCE'	12 = 'DECEMBER'
6 = 'NO INSURANCE'	841928 = '1928'
7 = 'NO MONEY FOR TREATMENT'	831929 = '1929'
8 = 'CHILDCARE PROBLEMS'	821930 = '1930'
9 = 'EMBARRASSED\PRIDE'	811931 = '1931'
10 = 'LANGUAGE BARRIER'	801932 = '1932'
11 = 'INCONVENIENT'	791933 = '1933'
12 = 'JUST DIDNT DO IT'	781934 = '1934'
13 = 'NO TIME TO SEEK HELP'	771935 = '1935'
14 = 'DIDNT KNOW WHERE TO GET HELP'	761936 = '1936'
15 = 'DIDNT KNOW HELP AVAILABLE'	751937 = '1937'
16 = 'GOT HELP ELSEWHERE'	741938 = '1938'
17 = 'COULDNT FIND ANYONE WHO HELPED'	731939 = '1939'
18 = 'DOESNT TRUST MH PROF.\FEAR'	721940 = '1940'
19 = 'DID SEEK HELP BUT DIDNT GET ANY'	711941 = '1941'
20 = 'CURRENTLY SEEKING HELP'	701942 = '1942'
21 = 'OTHER REASON'	691943 = '1943'
77 = 'DNK\NS'	681944 = '1944'
99 = 'REF';	671945 = '1945'
	661946 = '1946'
VALUE MILK	651947 = '1947'
1 = 'BREASTMILK ONLY'	641948 = '1948'
2 = 'FORMULA & BREASTMILK COMBINATION'	631949 = '1949'
3 = 'FORMULA ONLY'	621950 = '1950'
4 = 'COWS MILK & BREASTMILK'	611951 = '1951'
5 = 'COWS MILK ONLY'	601952 = '1952'
6 = 'COWS MILK & FORMULA COMBINATION'	591953 = '1953'
7 = 'GOATS MILK & FORMULA COMBINATION'	581954 = '1954'
8 = 'SOY MILK ONLY'	571955 = '1955'
9 = 'GOATS MILK\GOATS MILK + OTHER'	561956 = '1956'
10 = 'BREASTMILK & SOY MILK COMBINATION'	551957 = '1957'
77 = 'DNK\NS'	541958 = '1958'
99 = 'REF';	531959 = '1959'
	521960 = '1960'
VALUE MILKB	511961 = '1961'
1 = 'BREASTMILK ONLY'	501962 = '1962'
2 = 'FORMULA & BREASTMILK COMBINATION'	491963 = '1963'
3 = 'FORMULA ONLY'	481964 = '1964'
4 = 'COWS MILK & BREASTMILK'	471965 = '1965'
5 = 'COWS MILK ONLY'	461966 = '1966'
6 = 'COWS MILK & FORMULA COMBINATION'	451967 = '1967'
7 = 'GOATS MILK & FORMULA COMBINATION'	441968 = '1968'
8 = 'SOY MILK ONLY'	431969 = '1969'

**421970** = '1970'  
**411971** = '1971'  
**401972** = '1972'  
**391973** = '1973'  
**381974** = '1974'  
**371975** = '1975'  
**361976** = '1976'  
**351977** = '1977'  
**341978** = '1978'  
**331979** = '1979'  
**321980** = '1980'  
**311981** = '1981'  
**301982** = '1982'  
**291983** = '1983'  
**281984** = '1984'  
**271985** = '1985'  
**261986** = '1986'  
**251987** = '1987'  
**241988** = '1988'  
**231989** = '1989'  
**221990** = '1990'  
**211991** = '1991'  
**201992** = '1992'  
**191993** = '1993'  
**181994** = '1994'  
**171995** = '1995'  
**161996** = '1996'  
**151997** = '1997'  
**141998** = '1998'  
**131999** = '1999'  
**852000** = '2000'  
**862001** = '2001'  
**872002** = '2002'  
**77,13** = 'DNK MONTH'  
**7777,16** = 'DNK YEAR'  
**88** = 'NA'  
**99,15** = 'REF MONTH'  
**9999,17** = 'REF YEAR';

VALUE MON\_YEAR  
 1 = 'JANUARY'  
 2 = 'FEBRUARY'  
 3 = 'MARCH'  
 4 = 'APRIL'  
 5 = 'MAY'  
 6 = 'JUNE'  
 7 = 'JULY'  
 8 = 'AUGUST'  
 9 = 'SEPTEMBER'  
 10 = 'OCTOBER'  
 11 = 'NOVEMBER'  
 12 = 'DECEMBER'

**841928** = '1928'  
**831929** = '1929'  
**821930** = '1930'  
**811931** = '1931'  
**801932** = '1932'  
**791933** = '1933'  
**781934** = '1934'  
**771935** = '1935'

**761936** = '1936'  
**751937** = '1937'  
**741938** = '1938'  
**731939** = '1939'  
**721940** = '1940'  
**711941** = '1941'  
**701942** = '1942'  
**691943** = '1943'  
**681944** = '1944'  
**671945** = '1945'  
**661946** = '1946'  
**651947** = '1947'  
**641948** = '1948'  
**631949** = '1949'  
**621950** = '1950'  
**611951** = '1951'  
**601952** = '1952'  
**591953** = '1953'  
**581954** = '1954'  
**571955** = '1955'  
**561956** = '1956'  
**551957** = '1957'  
**541958** = '1958'  
**531959** = '1959'  
**521960** = '1960'  
**511961** = '1961'  
**501962** = '1962'  
**491963** = '1963'  
**481964** = '1964'  
**471965** = '1965'  
**461966** = '1966'  
**451967** = '1967'  
**441968** = '1968'  
**431969** = '1969'  
**421970** = '1970'  
**411971** = '1971'  
**401972** = '1972'  
**391973** = '1973'  
**381974** = '1974'  
**371975** = '1975'  
**361976** = '1976'  
**351977** = '1977'  
**341978** = '1978'  
**331979** = '1979'  
**321980** = '1980'  
**311981** = '1981'  
**301982** = '1982'  
**291983** = '1983'  
**281984** = '1984'  
**271985** = '1985'  
**261986** = '1986'  
**251987** = '1987'  
**241988** = '1988'  
**231989** = '1989'  
**221990** = '1990'  
**211991** = '1991'  
**201992** = '1992'  
**191993** = '1993'  
**181994** = '1994'  
**171995** = '1995'

**161996** = '1996'  
**151997** = '1997'  
**141998** = '1998'  
**131999** = '1999'  
**852000** = '2000'  
**862001** = '2001'  
**872002** = '2002'  
**77** = 'DNK MONTH'  
**7777** = 'DNK YEAR'  
**88** = 'NA'  
**99** = 'REF MONTH';

VALUE MONTHS  
**1** = 'JANUARY'  
**2** = 'FEBRUARY'  
**3** = 'MARCH'  
**4** = 'APRIL'  
**5** = 'MAY'  
**6** = 'JUNE'  
**7** = 'JULY'  
**8** = 'AUGUST'  
**9** = 'SEPTEMBER'  
**10** = 'OCTOBER'  
**11** = 'NOVEMBER'  
**12** = 'DECEMBER'  
**77** = 'DNK\NS'  
**99** = 'REF';

VALUE NOEXAM  
**1** = 'COULD NOT AFFORD DOCTOR'  
**2** = 'INSURANCE DID NOT COVER EXAM'  
**3** = 'DIFFICULTY FINDING DOCTOR'  
**4** = 'DOCTORS OFFICE FAR AWAY'  
**5** = 'NO CHILD CARE'  
**6** = 'NO DOCTOR AVAILABLE AFTER 5 PM'  
**7** = 'AFRAID DOCTOR WOULD FIND SOMETHING  
WRONG'  
**8** = 'DID NOT HAVE DOCTOR'  
**9** = 'DID NOT HAVE TRANSPORTATION'  
**10** = 'PUBLIC TRANSPOTATION TAKES TOO LONG'  
**11** = 'COULD NOT FIND DOCTOR SPEAKS MY  
LANGUAGE'  
**12** = 'COULD NOT GET TIME OFF FROM WORK'  
**13** = 'HAD A HYSTERECTOMY'  
**14** = 'I AM WELL\HEALTHY'  
**15** = 'OTHER'  
**77** = 'DNK\NS'  
**99** = 'REF';

VALUE NOHOME  
**2** = 'LESS THAN 7 NIGHTS'  
**3** = 'BETWEEN 7 AND 30 NIGHTS'  
**4** = 'BETWEEN 31 NIGHTS AND 6 MONTHS'  
**5** = 'MORE THAN 6 MONTHS BUT LESS THAN 2  
YEARS'  
**6** = 'MORE THAN 2 YEARS'  
**66** = 'NEVER'  
**7, 77** = 'DON'T KNOW NOT SURE'  
**9, 99** = 'REFUSED';

VALUE NOWWGHT  
**1** = 'LOSE WEIGHT'  
**2** = 'KEEP WEIGHT OFF'  
**3** = 'STAY SAME WEIGHT'  
**4** = 'GAIN WEIGHT'  
**5** = 'NOT TRYING TO CONTROL WEIGHT'  
**77** = 'DNK\NS'  
**99** = 'REF' ;

VALUE NUMCOUNT  
**1** = 'ONE'  
**2** = 'TWO'  
**3** = 'MORE THAN TWO'  
**4** = 'NONE'  
**7** = 'DNK\NS'  
**9** = 'REF' ;

VALUE OFTEN  
**1** = 'VERY OFTEN'  
**2** = 'OFTEN'  
**3** = 'SOMETIMES'  
**4** = 'RARELY'  
**5** = 'NEVER'  
**7** = 'DNK\NS'  
**8** = 'REF MODULE'  
**9** = 'REF' ;

VALUE OFTENA  
**1** = 'REGULARLY'  
**2** = 'OCCASIONALLY'  
**3** = 'NEVER'  
**7** = 'DNK\NS'  
**9** = 'REF' ;

VALUE OFTENB  
**1** = 'ALL THE TIME'  
**2** = 'MOST OF THE TIME'  
**3** = 'SOME OF THE TIME'  
**4** = 'ALMOST NEVER'  
**7** = 'DNK\NS'  
**8** = 'NOT APPLICABLE'  
**9** = 'REF' ;

VALUE OFTENC  
**1** = 'ALWAYS'  
**2** = 'NEARLY ALWAYS'  
**3** = 'SOMETIMES'  
**4** = 'SELDOM'  
**5** = 'NEVER'  
**6** = 'RETIRED'  
**7** = 'DNK\NS'  
**9** = 'REF' ;

VALUE OFTEND  
**1** = 'ALWAYS'  
**2** = 'MORE THAN HALF THE TIME'  
**3** = 'HALF THE TIME'  
**4** = 'LESS THAN HALF THE TIME'  
**5** = 'NEVER'  
**6** = 'NO MALE PARTNER'

```

77 = 'DNK\NS'
88 = 'NO SEX IN LAST 12 MO'
99 = 'REF' ;

VALUE OFTENE
 1 = 'MORE THAN ONCE A YEAR'
 2 = 'ONE TIME EVERY YEAR'
 3 = 'ONE TIME EVERY 2 YEARS'
 4 = 'ONE TIME EVERY 3+ YEARS'
 5 = 'ONE TIME IN A LIFETIME'
 6 = 'OTHER'
77 = 'DNK\NS'
99 = 'REF' ;

VALUE OFTENF
 1 = 'NEVER'
 2 = 'RARELY'
 3 = 'SOMETIMES'
 4 = 'FAIRLY OFTEN'
 5 = 'VERY OFTEN'
 7, 77 = 'DNK\NS'
 9, 99 = 'REF' ;

VALUE OFTENG
 1 = 'NEVER HAPPENED'
 2 = 'ONE TIME'
 3 = 'A FEW TIMES'
 4 = 'ABOUT ONCE A MONTH'
 5 = 'A FEW TIMES A MONTH '
 6 = 'ONCE A WEEK OR MORE '
 7 = 'DNK\NS'
 9 = 'REF' ;

VALUE OFTENH
 1 = 'NEVER'
 2 = 'NO MORE THAN ONCE A YEAR'
 3 = 'AT LEAST ONCE A MONTH'
 4 = 'AT LEAST ONCE A WEEK'
 5 = 'AT LEAST ONCE A DAY '
 6 = 'AT LEAST ONCE AN HOUR '
 7 = 'CONSTANTLY '
77 = 'DNK\NS'
99 = 'REF' ;

VALUE OFTENI
 1 = 'ALWAYS'
 2 = 'MOST OF THE TIME'
 3 = 'ABOUT HALF THE TIME'
 4 = 'SOMETIMES'
 5 = 'NEVER'
 7 = 'DONT KNOW'
 9 = 'REFUSED' ;

VALUE ORACE
 1 = 'WHITE'
 2 = 'BLACK'
 3 = 'ASIAN OR PACIFIC ISLANDER'
 4 = 'ALEUTIAN, ESKIMO OR AMERICAN INDIAN'
 5 = 'OTHER'
 7 = 'DNK\NS'
 9 = 'REF' ;

VALUE ORACE2A /*added 88=other on 6/7/02*/
 1 = 'CHINESE'
 2 = 'JAPANESE'
 3 = 'KOREAN'
 4 = 'FILIPINO'
 5 = 'VIETNAMESE'
 6 = 'CAMBODIAN'
 7 = 'LAOTIAN'
 8 = 'EAST INDIAN'
 9 = 'INDONESIAN'
10 = 'HAWAIIAN'
11 = 'SAMOAN'
12 = 'PAKISTANI'
13 = 'SAIPANESE'
14 = 'FIJIAN'
15 = 'BURMESE'
16 = 'TAHITAN'
17 = 'IRANIAN'
18 = 'THAI'
19 = 'GUAMANIAN'
20 = 'MACRONESIAN'
21 = 'AFGHAN'
22 = 'MALAYAN'
23 = 'MONGILAN'
24 = 'HMONG'
25 = 'SRI LANKAN'
26 = 'TONGANESE'
27 = 'TAIWANESE'
88 = 'OTHER'
77 = 'DNK\NS'
99 = 'REF' ;

VALUE ORACE2X
 1 = 'WHITE HISPANIC'
 2 = 'BLACK HISPANIC'
 3 = 'ASIAN HISPANIC'
 4 = 'PACIFIC ISLANDER HISPANIC'
 5 = 'AMERICAN INDIAN AND HISPANIC'
 6 = 'OTHER HISPANIC'
77 = 'DNK\NS'
99 = 'REF' ;

VALUE ORACEB
 1 = 'WHITE'
 2 = 'BLACK'
 3 = 'ASIAN'
 4 = 'PACIFIC ISLANDER'
 5 = 'AMERICAN INDIAN, ALASKA NATIVE'
 6 = 'OTHER'
 7 = 'DNK\NS'
 9 = 'REF' ;

VALUE ORACEC
 1 = 'WHITE'
 2 = 'BLACK'
 3 = 'ASIAN'
 4 = 'NATIVE HAWAIIAN, PACIFIC ISLANDER'
 5 = 'AMERICAN INDIAN, ALASKA NATIVE'
 6 = 'OTHER'
 7 = 'DNK\NS'
 9 = 'REF' ;

```

VALUE ORIENT

- 1 = 'HETEROSEXUAL'
- 2 = 'GAY OR LESBIAN'
- 3 = 'BISEXUAL'
- 4 = 'UNSURE'
- 7 = 'DNK\NS'
- 9 = 'REF';

VALUE OSTEO

- 1 = 'BONE LOSS'
- 2 = 'JOINT PROBLEMS'
- 3 = 'OTHER'
- 7 = 'DNK\NS'
- 9 = 'REF' ;

VALUE OVARRISK

- 1 = 'HRT'
- 2 = 'FAMILY HISTORY OF OVARIAN CANCER'
- 3 = 'PREVIOUS BREAST CANCER'
- 4 = 'NEVER GIVEN BIRTH'
- 5 = 'HORMONES'
- 6 = 'FAMILY HISTORY OF GENETIC'
- 7 = 'AGE OVER 55'
- 88 = 'OTHER'
- 77 = 'DNK\NS'
- 99 = 'REFUSED';

VALUE PARTNER

- 1 = 'YOU'
- 2 = 'CURRENT/MOST RECENT PARTNER'
- 3 = 'SHARED'
- 77 = 'DNK\NS'
- 99 = 'REF';

VALUE PLEASANT

- 1 = 'VERY PLEASANT'
- 2 = 'SOMEWHAT PLEASANT'
- 3 = 'SOMEWHAT UNPLEASANT'
- 4 = 'VERY UNPLEASANT'
- 7 = 'DNK\NS'
- 9 = 'REF';

VALUE PREGNAN

- 1 = 'CURRENTLY PREGNANT'
- 2 = 'TRYING TO BECOME PREGNANT'
- 3 = 'NOT CURRENTLY TRYING BUT PLANNING TO GET PREGNANT IN NEXT YEAR OR SO'
- 4 = 'NOT PLANNING TO GET PREGNANT IN THE NEXT YEAR OR SO, BUT PLAN FOR FUTURE'
- 5 = 'DO NOT PLAN TO GET PREGNANT EVER'
- 6 = 'CANNOT GET PREGNANT'
- 77 = 'DNK\NS'
- 99 = 'REF' ;

VALUE PORTION

- 1 = 'ALL'
- 2 = 'PART'
- 3 = 'NONE'
- 7 = 'DNK\NS'
- 9 = 'REF' ;

VALUE PUMPHLP

- 1 = 'ACCESS TO PUMP'
- 2 = 'TIME TO PUMP'
- 3 = 'PLACE TO PUMP'
- 4 = 'BABY AT WORK\SCHOOL WITH MOTHER'
- 5 = 'MORE SUPPORT FROM EMPLOYER'
- 6 = 'BETTER BREAST PUMP'
- 7 = 'MORE TIME'
- 8 = 'NOT RETURNING TO WORK\SCHOOL'
- 9 = 'DID CONTINUE TO BREASTFEED'
- 10 = 'OTHER NON-WORK RELATED'
- 11 = 'MORE INFORMATION'
- 12 = 'NOTHING WOULD HAVE HELPED'
- 77 = 'DNK\NS'
- 99 = 'REF' ;

VALUE REASTSTC

- 1 = 'HOSPITALIZATION\SURGICAL PROC'
- 2 = 'ROUTINE CHECKUP'
- 3 = 'PART OF A BLOOD DONATION'
- 4 = 'BECAUSE OF PREGNANCY'
- 5 = 'FIND OUT IF INFECTED\CURIOSITY'
- 6 = 'PARTNER IS HIV POSITIVE'
- 7 = 'PARTNER SHOOTS DRUGS'
- 8 = 'MALE PARTNER HAS SEX W\MEN'
- 9 = 'PARTNER WITH HEMOPHILIA'
- 10 = 'TOLD BY DOCTOR HAD A STD'
- 11 = 'I HAVE SHOT DRUGS'
- 12 = 'UNPROTECTED SEX W\PARTNER UNK DRUG USE'
- 13 = 'UNPROTECTED SEX W\PARTNER UNK HIV

STATUS'

- 14 = 'OCCUPATIONAL EXPOSURE'
- 15 = 'FOR EMPLOYMENT'
- 16 = 'MARRIAGE'
- 17 = 'FOR INSURANCE POLICY'
- 18 = 'FOR IMMIGRATION'
- 19 = 'UNSURE ABOUT SEX PARTNER'
- 20 = 'HAD BLOOD TRANSFUSION'
- 21 = 'NEW SEXUAL RELATIONSHIP'
- 22 = 'MULTIPLE SEX PARTNERS'
- 23 = 'IT WAS FREE'
- 24 = 'BECAUSE OF HEALTH PROBLEM'
- 25 = 'OTHER'
- 77 = 'DNK\NS'
- 99 = 'REF' ;

VALUE REAUNPLN

- 1 = 'DID NOT EXPECT TO HAVE SEX'
- 2 = 'NO MONEY FOR BIRTH CONTROL'
- 3 = 'NO AVAILABLE TRANSPORTATION TO GO TO CLINIC'
- 4 = 'NO TIME TO GET BIRTH CONTROL SUPPLIES'
- 5 = 'CANT AFFORD TO BUY BIRTH CONTROL SUPPLIES'
- 6 = 'CANT GET APPOINTMENT TO GET BIRTH CONTROL'
- 7 = 'CANT GET PREGNANT'
- 8 = 'PARTNER DID NOT LIKE USING ANY BIRTH CONTROL'
- 9 = 'RECENTLY PREGNANT/POSTPARTUM NURSING'

10 = 'PARTNER IS STERILE'  
 11 = 'PREGNANCY IS OK/NOT WORRIED ABOUT PREGNANT'  
 12 = 'TRYING TO GET PREGNANT'  
 13 = 'FORGOT TO TAKE MY PILLS'  
 14 = 'THOUGHT IT WAS SAFE TIME OF THE MONTH'  
 15 = 'TOO TIRED'  
 16 = 'DONT LIKE USING BIRTH CONTROL METHODS'  
 17 = 'CONDOM BROKE'  
 18 = 'FORCED INTERCOURSE/RAPE'  
 19 = 'THOUGHT PARTNER WAS USING A METHOD'  
 20 = 'DRINKING ALCOHOL AT THE TIME'  
 21 = 'USING DRUGS AT THE TIME'  
 300= 'OTHER'  
 77 = 'DNK/NS'  
 99 = 'REF';

VALUE REFERRAL

1 = 'HEALTHCARE'  
 2 = 'ALCOHOL TREATMENT OR SUPPORT PROGRAMS'  
 3 = 'DRUG TREATMENT OR SUPPORT PROGRAMS'  
 4 = 'STOP SMOKING CLASSES'  
 5 = 'CHILD CARE REFERRALS'  
 6 = 'HEAD START'  
 7 = 'FOOD CLOSET'  
 8 = 'FAMILY COUNSELING'  
 9 = 'HOMELESS SERVICES'  
 10 = 'BATTERED WOMENS SHELTER'  
 11 = 'FAMILY VIOLENCE PROGRAMS'  
 12 = 'LEGAL SERVICES'  
 13 = 'CHILD ABUSE PROGRAMS'  
 14 = 'OTHER (SPECIFY)'  
 15 = 'BREASTFEEDING'  
 16 = 'FOOD CO-OP'  
 88 = 'NA'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE RELATED

1 = 'VERY RELATED'  
 2 = 'SOMEWHAT RELATED'  
 3 = 'NOT VERY RELATED'  
 4 = 'NOT AT ALL RELATED'  
 7 = 'DNK/NS'  
 9 = 'REF';

VALUE RESPOND

1 = 'M1'  
 2 = 'M2'  
 3 = 'M3'  
 4 = 'M4'  
 5 = 'M5'  
 6 = 'M6'  
 7 = 'M7'  
 8 = 'M8'  
 9 = 'M9'  
 10 = 'F1'  
 11 = 'F2'  
 12 = 'F3'  
 13 = 'F4'

14 = 'F5'  
 15 = 'F6'  
 16 = 'F7'  
 17 = 'F8'  
 18 = 'F9';

VALUE RISK

1 = 'INCREASE RISK'  
 2 = 'REDUCE RISK'  
 3 = 'NO EFFECT'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE RISKB

1 = 'MUCH HIGHER'  
 2 = 'SOMEWHAT HIGHER'  
 3 = 'ABOUT THE SAME'  
 4 = 'LOWER'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE RISKC

1 = 'INCREASE'  
 2 = 'DECREASE'  
 3 = 'MAKE NO DIFFERENCE'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE SAFE

1 = 'VERY SAFE'  
 2 = 'SOMEWHAT SAFE'  
 3 = 'SOMEWHAT UNSAFE'  
 4 = 'VERY UNSAFE'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE SCALE

1 = 'VERY MUCH'  
 2 = 'SOMEWHAT'  
 3 = 'NOT VERY MUCH'  
 4 = 'NOT AT ALL'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

VALUE SCALEB

1 = 'HIGH'  
 2 = 'MEDIUM'  
 3 = 'LOW'  
 4 = 'NONE'  
 5 = 'NOT APPLICABLE'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

VALUE SCALEC

1 = 'NOT AT ALL'  
 2 = 'SLIGHTLY'  
 3 = 'MODERATELY'  
 4 = 'EXTREMELY'  
 8 = 'REFUSED MODULE'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

## VALUE SCALED

1 = 'VERY LIKELY'  
 2 = 'SOMEWHAT LIKELY'  
 3 = 'SOMEWHAT UNLIKELY'  
 4 = 'VERY UNLIKELY'  
 5 = 'DOESNT KNOW TERM'  
 8 = 'REFUSED MODULE'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

## VALUE SCALEE

1 = 'NOT AT ALL'  
 2 = 'SOMEWHAT'  
 3 = 'VERY MUCH'  
 4,88 = 'REFUSED MODULE'  
 7,77 = 'DNK\NS'  
 9,99 = 'REF' ;

## VALUE SCALEF

1 = 'NOT AT ALL LIKELY'  
 2 = 'SOMEWHAT LIKELY'  
 3 = 'VERY LIKELY'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

## VALUE SCALEG

1 = 'DEFINITELY YES'  
 2 = 'VERY LIKELY'  
 3 = 'SOMEWHAT LIKELY'  
 4 = 'NOT VERY LIKELY'  
 5 = 'DEFINITELY NO'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

## VALUE SCALEH

1 = 'DEFINITELY YES'  
 2 = 'NOT SURE, POSSIBLY'  
 3 = 'NO, VERY UNLIKELY'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

## VALUE SCALEI

1 = 'NOT AT ALL'  
 2 = 'MODERATELY'  
 3 = 'EXTREMELY'  
 7 = 'DNK\NS'  
 9 = 'REF'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

## VALUE SCALEJ

1 = 'NOT AT ALL'  
 2 = 'A LITTLE BIT'  
 3 = 'A MEDIUM AMOUNT'  
 4 = 'A LOT'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

## VALUE SEX

1 = 'MALE'  
 2 = 'FEMALE'  
 7 = 'DNK\NS'  
 9 = 'REF'  
 99='REF' ;

## VALUE SEXTALK

1 = 'TALKED SERIOUSLY ABOUT STDS'  
 2 = 'TALKED ABOUT STDS - NOT SERIOUSLY'  
 3 = 'NEVER TALKED ABOUT STDS'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

## VALUE SOURCE

1 = 'FOODS'  
 2 = 'VITAMIN SUPPLEMENT'  
 3 = 'BOTH'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

## VALUE SPANINT

2 = 'SPANISH'  
 1 = 'ENGLISH'  
 3= 'CANTONESE'  
 4= 'MANDARIN' ;

## VALUE SPANINB

2 = 'SPANISH'  
 3 = 'ENGLISH'  
 4 = 'CANTONESE'  
 5 = 'MANDARIN' ;

## VALUE STDDXTXT

1 = 'CONDYLOMA'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

## VALUE STDWHETX

1 = 'HOSPITAL'  
 2 = 'HEALTH CLINIC'  
 3 = 'COMMUNITY ORGANIZATION'  
 4 = 'PRIVATE DOCTOR'  
 5 = 'INSURANCE CLINIC'  
 6 = 'REF'  
 7 = 'BLOOD BANK' ;

## VALUE THRESH

1 = 'OVER'  
 2 = 'UNDER'  
 7 = 'DK'  
 9 = 'REF' ;

## VALUE TIMEA

1 = 'LESS THAN 1 MONTH'  
 2 = '1 TO 6 MONTHS'  
 3 = '7 TO 12 MONTHS'  
 4 = 'MORE THAN 1 YEAR'  
 7 = 'DK'  
 9 = 'REF' ;

VALUE TRANPROB  
 1 = 'COSTS TOO MUCH'  
 2 = 'NO ONE TO DRIVE ME'  
 3 = 'DO NOT HAVE ACCESS TO A CAR'  
 4 = 'NO PUBLIC TRANSPORTATION'  
 5 = "PUBLIC TRANSPORTATION DOES NOT GO TO DOCTOR'S OFFICE"  
 6 = 'PUBLIC TRANSPORTATION SCHEDULE INCONVENIENT'  
 7 = 'NO PUBLIC TRANSPORTATION AFTER CERTAIN HOURS'  
 8 = 'OTHER'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE TRANSDOC  
 1 = 'DRIVE'  
 2 = 'RIDE W OTHER'  
 3 = 'TAXI'  
 4 = 'PUBLIC TRANSPORTAION'  
 5 = 'WALK'  
 6 = 'COMMUNITY SERVICE ORGANIZATION'  
 7 = 'OTHER'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE TRUEFAL  
 1 = 'TRUE'  
 2 = 'FALSE'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE TRUEFALB  
 1 = 'OFTEN TRUE'  
 2 = 'SOMETIMES TRUE'  
 3 = 'NEVER TRUE'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE TRUEFALS  
 1 = 'TRUE'  
 2 = 'FALSE'  
 3 = 'DOESNT KNOW TERM'  
 8 = 'REFUSED MODULE'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE TRYLOTXT  
 1 = 'DID NOTHING'  
 2 = 'WENT ON A DIET'  
 3 = 'WENT ON A FAST'  
 4 = 'TOOK LAXATIVES, IPECAC, OR DIURETICS'  
 5 = 'MADE MYSELF THROW UP (VOMIT)'  
 6 = 'DRANK ALCOHOL'  
 7 = 'SMOKED'  
 8 = 'EXERCISED'  
 9 = 'SAW DOCTOR, NUTRITIONIST, OR REGISTERED DIETICIAN'  
 10 = 'HEALTH CONDITION\ILLNESS'  
 11 = 'DRINK LESS ALCOHOL'

12 = 'DRANK WATER'  
 13 = 'TRIED HERBAL SUPPLEMENTS'  
 14 = 'TRIED OTC DIET SUPPLEMENTS'  
 15 = 'TRIED PRESCRIPTION PILLS'  
 16 = 'OTHER';

VALUE USEEVDY  
 88 = 'N/A < 1 PER DAY'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE USEEVDYV  
 66 = 'RESPONDENT IS VEGETARIAN'  
 88 = 'N/A < 1 PER DAY'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE VITAMIN  
 1 = 'VITAMIN A'  
 2 = 'B VITAMINS'  
 3 = 'CALCIUM'  
 4 = 'VITAMIN C'  
 5 = 'VITAMIN D'  
 6 = 'VITAMIN E'  
 7 = 'GARLIC'  
 9 = 'MINERALS\MINERAL SUPPLEMENTS'  
 10 = 'MULTIPURPOSE VITAMIN'  
 11 = 'ANTIOXIDANTS'  
 12 = 'OTHER'  
 13 = 'BODYBUILDING/PROTEIN SUPPLEMENT'  
 14 = 'WEIGHT LOSS DRINK'  
 15 = 'OTHER HERBS'  
 16 = 'VITAMIN FORTIFIED DRINK'  
 17 = 'OMEGA 3 & OMEGA 6 FATTY ACIDS'  
 18 = 'FOLIC ACID/FOLIATE'  
 19 = 'FOOD SUPPLEMENT'  
 20 = 'GINKGO BILOBA, GINKGO'  
 21 = 'GINSENG'  
 22 = 'IRON'  
 23 = 'MAGNESIUM'  
 24 = 'SELENIUM'  
 25 = 'ZINC'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE VITBWHY  
 1 = 'MAKE STRONG BONES'  
 2 = 'PREVENT BIRTH DEFECTS'  
 3 = 'PREVENT HIGH BLOOD PRESSURE'  
 7 = 'DNK/NS'  
 9 = 'REF';

VALUE VITBWHYB  
 1 = 'MAKE STRONG BONES'  
 2 = 'PREVENT BIRTH DEFECTS'  
 3 = 'PREVENT WEIGHT GAIN'  
 7 = 'DNK/NS'  
 9 = 'REF';

VALUE VITTIMES

1= 'DID NOT TAKE A VITAMIN AT ALL'  
 2= '1 TO 3 TIMES A WEEK'  
 3= '4 TO 6 TIMES A WEEK'  
 4= 'EVERY DAY OF THE WEEK'  
 7 = 'DNK/NS'  
 9 = 'REF';

VALUE WEIGHT

1 = 'OVERWEIGHT'  
 2 = 'UNDERWEIGHT'  
 3 = 'ABOUT RIGHT'  
 7 = 'DNK/NS'  
 9 = 'REF';

VALUE WHATBONE

1 = 'HIP OR PELVIS'  
 2 = 'WRIST OR FOREARM'  
 3 = 'FOOT OR LEG'  
 4 = 'BACK'  
 5 = 'CLAVICLE'  
 6 = 'FINGERS'  
 7 = 'RIBS'  
 8 = 'MULTIPLE BONES'  
 9 = 'KNEE'  
 10 = 'TOE'  
 11 = 'ELBOW'  
 12 = 'ANKLE'  
 13 = 'SHOULDER'  
 14 = 'OTHER BONE'  
 77 = 'DNK/NS'  
 99 = 'REF';

VALUE WHATCA

1 = 'OVARIAN'  
 2 = 'CERVICAL'  
 3 = 'BOTH'  
 4 = 'NEITHER'  
 7 = 'DNK/NS'  
 9 = 'REF';

VALUE WHATHEAX

1 = 'JUST NAME-DONT KNOW ABOUT PROGRAM'  
 2 = 'I\RELATIVE\FRIEND HAS BEEN ON WIC'  
 3 = 'GOVERNMENT PROGRAM'  
 4 = 'HEALTH\NUTRITION PROGRAM'  
 5 = 'PROGRAM FOR WOMEN\CHILDREN'  
 6 = 'PROVIDES FREE SERVICE\FREE FOOD'  
 7 = 'OFFERS CLASSES'  
 8 = 'WELFARE PROGRAM'  
 9 = 'PROGRAM FOR LOW INCOME PEOPLE'  
 10 = 'ITS A GOOD PROGRAM'  
 11 = 'FOR TEENS\TEEN MOTHERS'  
 12 = 'OTHER'  
 13 = 'DONT REMEMBER\DNK'  
 14 = 'REF'  
 15 = 'BREASTFEEDING PROGRAM'  
 16 = 'FAMILY PLANNING\SEX ED'  
 17 = 'JOB TRAINING'  
 18 = 'WORKS AT SOCIAL SERVICE AGENCY';

VALUE WHERECARE

1 = 'EMERGENCY ROOM'  
 2 = 'PRIVATE DOCTOR'  
 3 = 'HOSPITAL CLINIC'  
 4 = 'HMO CLINIC'  
 5 = 'COMMUNITY CLINIC'  
 6 = 'ACUTE CARE CLINIC'  
 7 = 'URGENT CARE CLINIC'  
 8 = 'DOESNT GO ONE PLACE MOST OFTEN'  
 9 = 'DIDNT SEE ANYONE DURING PAST 12 MONTHS'  
 10 = 'OTHER (SPECIFY)'  
 11 = 'CAMPUS HEALTH CENTER'  
 12 = 'MILITARY CLINIC'  
 13 = 'ALTERNATIVE PRACTITIONER'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

VALUE WHERE

1 = 'PUBLIC STD CLINIC'  
 2 = 'OTHER PUBLIC CLINIC'  
 3 = 'FAMILY PLANNING CLINIC'  
 4 = 'COMMUNITY CLINIC'  
 5 = 'PRIVATE DOCTOR'  
 6 = 'EMERGENCY ROOM'  
 7 = 'STUDENT HEALTH CENTER'  
 8 = 'MILITARY FACILITY'  
 9 = 'JAIL OR OTHER DETENTION FACILITY'  
 10 = 'HMO'  
 11 = 'OTHER (SPECIFY)'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

VALUE WHEREB

1 = 'DO NOT HAVE A PLACE'  
 2 = "DOCTOR'S OFFICE OR HMO"  
 3 = 'CLINIC OR HEALTH CENTER'  
 4 = 'HOSPITAL OR OUTPATIENT DEPARTMENT'  
 5 = 'HOSPITAL EMERGENCY ROOM'  
 6 = 'URGENT CARE CENTER'  
 7 = 'SOME OTHER KIND OF PLACE'  
 77 = 'DNK\NS'  
 99 = 'REF' ;

VALUE WHEREHLP

1 = 'OVERNIGHT HOSPITAL STAY'  
 2 = 'EMERGENCY ROOM VISIT'  
 3 = 'DOCTORS OFFICE, CLINIC, WALKIN CTR'  
 4 = 'DENTIST'  
 5 = 'MENTAL HEALTH CARE'  
 7 = 'WOMENS SHELTER'  
 88 = 'REFUSED MODULE'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE WHEREHR

1 = 'SCHOOL\CLASS'  
 2 = 'FRIEND\FAMILY'

3 = 'AT WORK'  
 4 = 'AT CHURCH'  
 5 = 'GROCERY STORE'  
 6 = 'HOSPITAL\DR.\DDS OFFICE\CLINIC'  
 7 = 'COUNTY HEALTH DEPT.'  
 8 = 'CHILDCARE CENTER'  
 9 = 'NURSING SCHOOL\NURSE'  
 10 = 'MEDIA CAMPAIGN'  
 11 = 'AFDC'  
 12 = 'COMMUNITY CENTER\SHELTER'  
 13 = 'MILITARY'  
 14 = 'DONT REMEMBER'  
 15 = 'OTHER'  
 16 = 'PERSONAL EXPERIENCE'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE WHERHLPB

1 = 'OVERNIGHT HOSPITAL STAY'  
 2 = 'EMERGENCY ROOM VISIT'  
 3 = 'DOCTORS OFFICE, CLINIC, WALKIN CTR'  
 4 = 'DENTIST'  
 5 = 'MENTAL HEALTH CARE'  
 6 = 'WOMENS SHELTER'  
 7 = 'CLERGY'  
 8 = 'POLICE'  
 9 = 'MARRIAGE COUNSELOR'  
 10 = 'PARENTS\RELATIVES'  
 11 = 'FRIENDS'  
 13 = 'SUPPORT GROUP'  
 14 = 'LAWYER'  
 15 = 'MILITARY'  
 16 = 'OTHER'  
 88 = 'REFUSED MODULE'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE WHO

1 = 'HUSBAND'  
 2 = 'FORMER HUSBAND'  
 3 = 'PARTNER'  
 4 = 'FORMER PARTNER'  
 5 = 'BOYFRIEND'  
 6 = 'GIRLFRIEND'  
 7 = 'FORMER BOYFRIEND'  
 8 = 'FORMER GIRLFRIEND'  
 10 = 'CHILDS FATHER'  
 11 = 'FRIEND (GENDER NOT INDICATED)'  
 12 = 'FATHER\STEP-FATHER'  
 13 = 'BROTHER\STEP-BROTHER'  
 14 = 'UNCLE\COUSIN'  
 15 = 'STRANGER'  
 16 = 'FAMILY FRIEND'  
 17 = 'ROOMMATE\HOUSEMATE'  
 18 = 'OTHER FAMILY MEMBER'  
 9 = 'REFUSED MODULE'  
 88 = 'REFUSED MODULE'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE WHOTWO

1 = 'CURRENT OR FORMER HUSBAND OR WIFE'  
 2 = 'FORMER OR CURRENT MALE LIVE-IN PARTNER'  
 3 = 'FORMER OR CURRENT FEMALE LIVE-IN PARTNER'  
 4 = 'FORMER OR CURRENT BOYFRIEND'  
 5 = 'FORMER OR CURRENT GIRLFRIEND'  
 6 = 'MALE DATE'  
 7 = 'FEMALE DATE'  
 8 = 'RELATIVE'  
 9 = 'SOMEONE ELSE THEY KNEW'  
 10 = 'STRANGER'  
 11 = 'OTHER'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE WHENSTO

1 = 'WITHIN THE PAST YEAR'  
 2 = 'WITHIN THE PAST 2 YEARS'  
 3 = 'WITHIN THE PAST 3 YEARS'  
 4 = 'WITHIN THE PAST 4 YEARS'  
 5 = '5 OR MORE YEARS AGO'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE WHENSIG

1 = 'WITHIN THE PAST YEAR'  
 2 = 'WITHIN THE PAST 2 YEARS'  
 3 = 'WITHIN THE PAST 3 YEARS'  
 4 = 'WITHIN THE PAST 5 YEARS'  
 5 = 'WITHIN THE PAST 10 YEARS'  
 6 = '10 OR MORE YEARS AGO'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE WHOSEX

1 = 'MAN'  
 2 = 'WOMAN'  
 3 = 'BOTH'  
 4 = 'NEITHER'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE WHOSEXB

1 = 'WOMAN'  
 2 = 'MAN'  
 3 = 'BOTH'  
 4 = 'NEITHER'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE WHYCBE

1 = 'ROUTINE CHECKUP'  
 2 = 'BREAST PROBLEM'  
 3 = 'HAD BREAST CANCER'  
 7 = 'DNK\NS'  
 9 = 'REF';

VALUE WHYDONE  
1 = 'ROUTINE'  
2 = 'PROBLEM'  
3 = 'CANCER'  
7 = 'DNK\NS'  
9 = 'REF';

VALUE WHYNEVER  
1 = 'DIDNT THINK I QUALIFY FOR ASSISTANCE'  
2 = 'DIDNT NEED ASSISTANCE'  
3 = 'SEEMS TOO DIFFICULT TO APPLY FOR THE PROGRAM'  
4 = 'SEEMS TOO DIFFICULT TO USE PROGRAMS'  
5 = 'FEEL UNCOMFORTABLE USING THE PROGRAM IN PUBLIC'  
77= 'DKN/NS'  
88= 'OTHER'  
99= 'REF';

VALUE WHYDONEB  
1 = 'DOCTOR/NURSE RECOMMENDED'  
2 = 'SAW OR HEARD MEDIA MESSAGES'  
3 = 'FRIEND OR RELATIVE RECOMMENDED'  
4 = 'FRIEND OR RELATIVE HAS CANCER'  
5 = 'EXPERIENCING BREAST PROBLEMS'  
6 = 'ROUTINE CHECKUP'  
7 = 'OTHER REASON'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE WHYDONEC  
1 = 'DOCTOR/NURSE RECOMMENDED'  
2 = 'SAW OR HEARD MEDIA MESSAGES'  
3 = 'FRIEND OR RELATIVE RECOMMENDED'  
4 = 'FRIEND OR RELATIVE HAS CANCER'  
5 = 'EXPERIENCING BOWEL PROBLEMS'  
6 = 'ROUTINE CHECKUP'  
7 = 'OTHER REASON'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE WHYNODNB  
1 = 'DOCTOR DIDNT RECOMMEND IT'  
2 = 'COST'  
3 = 'EMBARRASSMENT'  
4 = 'TEST PREPARATION'  
5 = 'AFRAID OF WHAT IT WOULD SHOW'  
6 = 'HEARD BAD THINGS ABOUT TESTS'  
7 = 'PAINFUL'  
8 = 'DIDNT WANT IT'  
9 = 'DIDNT NEED IT'  
10 = 'OTHER'  
11 = 'NO TIME'  
77 = 'DNK/NS'  
99 = 'REF' ;

VALUE WHYNOFS  
1 = 'DONT NEED THEM'  
2 = 'DONT THINK IM ELIGIBLE'  
3 = 'DONT KNOW HOW TO GET THEM'

4 = 'TOO HARD TO APPLY'  
5 = 'DONT WANT GOVT HELP'  
6 = 'WORRIED ABOUT CITIZENSHIP'  
7 = 'TOO EMBARRASSED'  
8 = 'DIDNT THINK ABOUT IT'  
9 = 'DONT QUALIFY'  
10 = 'DIDNT KNOW ABOUT THEM'  
11 = 'IN PROCESS'  
12 = 'OTHER'  
13 = 'DENIED FOOD STAMPS'  
77 = 'DNK\NS'  
99 = 'REFUSED'  
88 = 'OTHER';

VALUE WHYNOGO  
1 = 'NO TRANSPORTATION'  
2 = 'DIDNT NEED SERVICE'  
3 = 'DIDNT WANT SERVICE\DIDNT WANT TO GO'  
4 = 'NO CHILD CARE'  
5 = 'DIDNT THINK SERVICE WOULD HELP'  
6 = 'OTHER REASON'  
7 = 'DNK\NS'  
9 = 'REF';

VALUE WHYNOMED  
1 = 'COULD NOT AFFORD TO BUY IT'  
2 = 'FELT MEDICINE WAS UNNECESSARY'  
3 = 'DID NOT LIKE SIDE AFFECTS'  
4 = 'DO NOT LIKE TAKING PILLS'  
5 = 'DID NOT THINK IT WORKED'  
6 = 'OTHER'  
7 = 'DNK\NS'  
9 = 'REF';

VALUE WHYNOPAP  
1 = 'NO REASON/NEVER THOUGHT ABOUT IT'  
2 = 'DOCTOR DID NOT TELL ME I NEEDED IT'  
3 = 'HAVE NOT HAD ANY PROBLEMS/DO NOT THINK I NEED ONE'  
4 = 'PUT IT OFF/LAZINESS/DO NOT HAVE TIME'  
5 = 'TOO EXPENSIVE/NO INSURANCE/COST'  
6 = 'TOO PAINFUL, UNPLEASANT, UNCOMFORTABLE OR EMBARRASSING'  
7 = 'HYSTERECTOMY'  
8 = 'DO NOT HAVE A DOCTOR'  
9 = 'HAD HPV VACCINE'  
10 = 'HAD HPV DNA TEST'  
11 = 'OTHER (PLEASE SPECIFY)'  
77 = 'DNK/NS'  
99 = 'REF';

VALUE WHYNOPR  
1 = 'NOT APPLICABLE, CURRENTLY SEEKING ASSISTANCE OR STILL USING THE PROGRAMS'  
2 = 'DO NOT THINK QUALIFY FOR MORE ASSISTANCE'  
3 = 'DO NOT FEEL IN SITUATION THAT WARRANTS THE NEED'  
4 = 'DO NOT HAVE GOOD EXPERIENCE WITH THE PROGRAM ADMINISTRATION'

5 = 'DO NOT HAVE GOOD EXPERIENCE WITH  
SUPPLIER'  
6 = 'NOT STOPPED PARTICIPATION IN ANY OF THE  
PROGRAMS'  
77 = 'DNK/NS'  
88 = 'OTHER'  
99 = 'REF';

VALUE WHYNOTDB

1 = 'DOCTOR DIDNT RECOMMEND IT'  
2 = 'NO REASON TO HAVE ONE'  
3 = 'COST'  
4 = 'NO INSURANCE'  
5 = 'TOO PAINFUL'  
6 = 'INCONVENIENT/NO TIME'  
7 = 'ITS NOT SAFE'  
8 = 'NOT INTERESTED'  
9 = 'DONT LIKE MAMMOS'  
10 = 'OTHER'  
11 = 'EMBARRASSED'  
12 = 'NO DOCTOR'  
13 = 'HAVE APPT TO GO'  
77 = 'DNK/NS'  
88 = 'OTHER'  
99 = 'REF' ;

VALUE WHYNOTDC

1 = 'NO INSURANCE TO COVER MAMM'  
2 = 'DOCTOR/NURSE DID NOT RECOMMEND IT'  
3 = 'CANT AFFORD TO PAY FOR MAMM'  
4 = 'DIDNT KNOW YOU NEEDED ONE'  
5 = 'DIDNT HAVE TIME TO GO/LAZY'  
6 = 'TOO PAINFUL/AFRAID'  
88 = 'OTHER'  
77 = 'DNK/NS'  
99 = 'REF' ;

VALUE WHYNOTDN

1 = 'DR. NOT RECOMMEND\DR SAID DIDNT NEED'  
2 = 'NOT NEEDED\NOT NECESSARY'  
3 = 'NEVER HEARD OF A MAMMOGRAM'  
4 = 'COST'  
5 = 'NO INSURANCE TO PAY FOR IT'  
6 = 'TOO PAINFUL'  
7 = 'INCONVENIENT/NO TIME'  
8 = 'THINK IT IS NOT SAFE'  
9 = 'NOT INTERESTED'  
10 = 'DONT LIKE MAMMOGRAM'  
11 = 'OTHER'  
77 = 'DNK\NS'  
99 = 'REF';

VALUE WHYNOTFVB

1 = 'TAKE TOO MUCH TIME'  
2 = 'NOT AVAILABLE'  
3 = 'NOT IN HABIT'  
4 = 'TOO EXPENSIVE'  
5 = 'DONT LIKE TASTE'  
6 = 'NOT SURE HOW TO SELECT'  
7 = 'IM NOT SURE HOW TO FIX'

8 = 'DIET RESTRICTION'  
9 = 'THEY ARE MESSY'  
10 = 'HARD TO GET IN RESTAURANTS'  
11 = 'HARD TO GET AT WORK'  
12 = 'I EAT ENOUGH NOW'  
13 = 'SPOIL EASILY'  
14 = 'OTHER'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE WHYNOTIN

1 = 'DONT WANT GOV. ASSISTANCE'  
2 = 'DOESNT THINK MEETS INCOME GUIDELINES'  
3 = 'WORK-CANT LEAVE WORK DURING DAY'  
4 = 'NO NUTRITION PROBLEMS IN FAMILY'  
5 = 'NO TRANSPORTATION'  
6 = 'NO CHILDCARE WHILE GOING TO WIC'  
7 = 'TOO OLD TO RECEIVE'  
8 = 'NO CHILDREN\KIDS TOO OLD\NOT AT HOME'  
9 = 'SELF\SPOUSE EMPLOYED'  
10 = 'TRY TO TAKE CARE OF SELF'  
11 = 'NO NEED FOR IT'  
12 = 'RECEIVE HELP ELSEWHERE'  
13 = 'NO KNOWLEDGE OF PROGRAM'  
14 = 'HAS MEDICAL INSURANCE'  
15 = 'ALWAYS BEEN HEALTHY'  
16 = 'TOO BUSY'  
17 = 'TOO YOUNG\STUDENT'  
18 = 'NOT PLANNING PREG\PAST CHILDBEARING'  
19 = 'GET INFO\MEDICAL INFO ELSEWHERE'  
20 = 'FINANCIALLY SECURE'  
21 = 'PROGRAM COSTS TOO MUCH TO USE'  
22 = 'NOT ELIGIBLE'  
23 = 'JUST NOT INTERESTED'  
24 = 'DOESNT BELIEVE IN GOV. PROGRAMS'  
25 = 'NOT INTERESTED IN DIET PROGRAMS'  
26 = 'OTHER'  
77 = 'DNK\NS'  
99 = 'REF' ;

VALUE WHYNOTXT

1 = 'AFRAID OF DOCTORS'  
2 = 'CONDITION NOT TREATABLE'  
3 = 'TRIED ALTERNATIVE CURE'  
4 = 'RECEIVED TREATMENT'  
5 = 'DISCUSSED OVER PHONE'  
6 = 'COULDNT GET APPOINTMENT'  
7 = 'TOO BUSY'  
8 = 'PROBLEM SEASONAL-WENT AWAY'  
9 = 'JUST DIDNT SEE PHYSICIAN'  
10 = 'NO INSURANCE'  
11 = 'NO REGULAR DOC'  
12 = 'OTHER'  
13 = 'HAVE UPCOMING APPOINTMENT'  
14 = 'DIDNT WANT TO CARE FOR SELF';

VALUE WHYNOVAC

1 = 'DIDNT KNOW I NEEDED IT'  
2 = 'DIDNT THINK OF IT'  
3 = 'COST'

```

4 = 'DIDNT KNOW WHERE TO GET SHOT'
5 = 'INCONVENIENT TIME OR LOCATION'
6 = 'FLU VACCINE UNAVAILABLE'
7 = 'ASKED DOCTOR, BUT SAID I DIDNT NEED IT'
8 = 'DR DIDNT RECOMMEND IT'
9 = 'DIDNT THINK IT WOULD WORK'
10 = 'I AM NOT AT RISK/NOT SERIOUS'
11 = 'FLU SHOT GIVES YOU FLU'
12 = 'SERIOUS SIDE EFFECTS'
13 = 'MEDICAL REASONS'
14 = 'DONT Like SHOTS OR NEEDLES'
15 = 'OTHER'
16 = 'SAVE FOR OTHERS MORE AT RISK'
17 = 'GOT PNEUMONIA SHOT'
18 = 'DOES NOT BELIEVE IN THEM'
19 = 'ALLERGIC'
20 = 'JUST DIDNT WANT ONE'
77 = 'DK/NS'
99 = 'REFUSED';

VALUE WHYPAP
1 = 'ROUTINE EXAM'
2 = 'CHECK PROBLEM'
3 = 'OTHER'
7 = 'DNK\NS'
9 = 'REF';

VALUE WICDISLK
1 = 'WAITING TIME FOR APPOINTMENTS'
2 = 'NUTRITION\DIETARY COUNSELING'
3 = 'HEALTH CLASSES'
4 = 'NUTRITION CLASSES'
5 = 'TREATMENT BY WIC STAFF'
6 = 'TREATMENT BY STORE STAFF W USING WIC'
7 = 'NO CHILDCARE WHILE GOING TO WIC'
8 = 'TOO MUCH PAPERWORK'
9 = 'NEED TO RETURN TO WIC REGULARLY'
10 = 'DO NOT DISLIKE ANYTHING ABOUT WIC'
11 = 'WAIT AT GROCERY STORE'
12 = 'THE COUPONS'
13 = 'CLINIC FACILITIES'
14 = 'KIDS DONT LIKE WIC FOOD'
15 = 'WIC FOOD\CHOICES'
16 = 'NOT ENOUGH FOOD\MILK PROVIDED'
17 = 'EMBARRASSING TO BE ON WIC'
18 = 'MEDICAL CHECKUPS FOR CHILDREN'
19 = 'WAIT FOR VOUCHERS'
20 = 'CLINIC LOCATION\NEED TRANSPORTATION'
21 = 'CLIENTS NOT SCREEN ENOUGH'
22 = 'LIMITED CHOICE OF STORES'
23 = 'LIMITED APPT. TIMES (NOT EARLY ENOUGH)'
24 = 'PROGRAM ENDS TOO SOON'
25 = 'HEALTH LIMITATIONS NEEDED TO RECD WIC'
26 = 'OTHER'
77 = 'DNK\NS'
99 = 'REF';

VALUE WICDSLKB
1 = 'NOTHING, I REALLY LIKED WIC'
2 = 'WAITING AT THE CLINIC'

3 = 'WAITING TIME TO GET AN APPOINTMENT'
4 = 'HEALTH CLASSES'
5 = 'NUTRITION OR DIETARY COUNSELING'
6 = 'TREATMENT BY WIC STAFF'
7 = 'TREATMENT BY STORE STAFF WHEN USING WIC'
8 = 'NO ONE TO WATCH CHILD WHILE GOING TO WIC'
9 = 'TOO MUCH PAPERWORK'
10 = 'NO TRANSPORTATION'
77 = 'DNK\NS'
99 = 'REF';

VALUE WICLIKE
1 = 'FREE FOOD\FORMULA'
2 = 'NUTRITION EDUCATION & COUNSELING'
3 = 'SUPPORT WITH BREASTFEEDING'
4 = 'PROVIDES HEALTHY FOOD TO CHILDREN'
5 = 'CONCERNED ABOUT CHILDREN'
6 = 'HELPS LOW INCOME WOMEN\KIDS\FAMILIES'
7 = 'PROVIDES VOUCHERS FOR FOOD'
8 = 'ONE-ON-ONE NUTRITIONAL COUNSELING'
9 = 'LETS YOU PICK STORE YOU WANT'
10 = 'NICE STAFF'
11 = 'NOTHING-DONT LIKE WIC'
12 = 'CLASSES PROVIDED'
13 = 'LIKED EVERYTHING'
14 = 'HEALTH EXAMS\CONCERN ABOUT HEALTH'
15 = 'OTHER'
77 = 'DONT KNOW'
99 = 'REFUSED';

VALUE WICLIKEB
1 = 'FREE FOOD OR FORMULA'
2 = 'NUTRITION EDUCATION'
3 = 'PARENTING CLASSES'
4 = 'BREASTFEEDING SUPPORT'
5 = 'NOTHING, I DID NOT LIKE WIC'
6 = 'LIKED EVERYTHING'
7 = 'DNK\NS'
9 = 'REF';

VALUE WICNOTEB
1 = 'ARE NO LONGER ELIGIBLE'
2 = 'DID NOT LIKE WIC'
3 = 'MOVED'
4 = 'OTHER'
7 = 'DNK\NS'
9 = 'REF';

VALUE WICNOTEN
1 = 'NO LONGER QUALIFIED'
2 = 'MOVED'
3 = 'DIDNT NEED IT ANY MORE'
4 = 'DID NOT LIKE WIC'
5 = 'NO CHILDCARE AVAILABLE TO GO TO WIC'
6 = 'TOO MUCH PAPERWORK'
7 = 'WAITING TIME AT WIC TOO LONG'
8 = 'TOO HARD TO GET REQUIRED MEDICAL INFO'

```

```

9 = 'NO HLTH INSURANCE\CANT AFFORD HLTH CARE'
10 = 'TOO HARD TO GET A MEDICAL APPOINTMENT'
11 = 'CANT AFFORD MEDICAL VISITS\CO-PAY'
12 = 'TRANSPORTATION PROBLEMS GETTING TO WIC'
13 = 'CANT GET TIME FROM WORK TO GO TO WIC'
14 = 'OTHER (SPECIFY) '
15 = 'MISSED APPOINTMENT'
88 = 'NA'
77 = 'DNK\NS'
99 = 'REF';

VALUE WTBARRI
1 = 'WEIGHT ALREADY HEALTHY'
2 = 'INACTIVITY '
3 = 'NOT ABLE TO EXERCISE (ILL, DISABLED) '
4 = 'NO TIME TO EXERCISE/EXERCISE MORE '
5 = 'METABOLISM/GENETICS/HEREDITY/AGE '
6 = 'STRESS'
7 = 'LAZY/TIRED '
8 = 'LACK OF DISCIPLINE/WILLPOWER'
9 = 'ENJOY EATING/AMOUNT (TYPE) OF FOOD I EAT'
10 = 'MONEY/MONEY TO BUY NUTRITIOUS FOOD/GYM'
11 = 'HEALTH ISSUES/HEALTH CARE'
12 = 'NO ONE TO EXERCISE WITH'
13 = 'FINDING HEALTHY FOODS WHEN EATING OUT'
14 = 'TIME PROBLEM'
15 = 'BEHAVIORS/HABITS'
16 = 'NO BARRIER'
17 = 'OTHER'
18 = 'NO SUPPORT'
77 = 'DNK\NS'
99 = 'REF';

VALUE WTFACIL
1 = 'NOTHING WOULD HELP/HEREDITY/TOO OLD'
2 = 'MAKING TIME FOR EXERCISE/MORE TIME'
3 = 'FINDING AN EXERCISE I LIKE'
4 = 'MOTIVATION'
5 = 'EATING LESS'
6 = 'EATING DIFFERENT KINDS OF FOOD'
7 = 'WEIGHT LOSS CLASSES OR DOCTOR VISITS'
8 = 'MORE DISCIPLINE/ MORE WILL POWER'
9 = 'DONT NEED TO/DONT WORRY ABOUT IT'
10 = 'MORE FOOD'
11 = 'REDUCE STRESS'
12 = 'MEDICAL HELP'
13 = 'COUNSELING/WEIGHT LOSS PROGRAM'
14 = 'MONEY'
15 = 'COMPANIONSHIP/FAMILY SUPPORT'
16 = 'CAN NOT GAIN WEIGHT/UNDERWEIGHT'
17 = 'MOVE/CHANGE JOBS'
18 = 'OTHER'
19 = 'STOP SMOKING/STOP DRINKING'
77 = 'DNK\NS'
99 = 'REF';

VALUE WTFACILB
1 = 'NOTHING WOULD HELP/HEREDITY/TOO OLD'

2 = 'MAKING TIME FOR EXERCISE/MORE TIME'
3 = 'FINDING AN EXERCISE I LIKE'
4 = 'MOTIVATION'
5 = 'EATING LESS'
6 = 'EATING DIFFERENT KINDS OF FOOD'
7 = 'WEIGHT LOSS CLASSES OR DOCTOR VISITS'
8 = 'MORE DISCIPLINE/ MORE WILL POWER'
9 = 'DONT NEED TO/DONT WORRY ABOUT IT'
10 = 'MORE FOOD'
11 = 'REDUCE STRESS'
12 = 'MEDICAL HELP'
13 = 'COUNSELING/WEIGHT LOSS PROGRAM'
14 = 'MONEY'
15 = 'COMPANIONSHIP/FAMILY SUPPORT'
16 = 'OTHER'
17 = 'BETTER HEALTH'
77 = 'DNK\NS'
99 = 'REF';

VALUE WWWHER
1 = 'HOME'
2 = 'WORK'
3 = 'SCHOOL'
4 = 'LIBRARY'
5 = 'HEALTH CENTER'
6 = 'OTHER'
7 = 'DNK\NS'
9 = 'REF';

VALUE YESNO
1 = 'YES'
2 = 'NO'
3 = 'REFUSED MODULE'
7 = 'DNK\NS'
77='DNK\NS'
8 = 'NA'
88='NA'
99 = 'REF'
9='REF';

VALUE YESNOBPA
1 = 'YES'
2 = 'NO'
3 = "DOESN'T KNOW WHAT BPA OR PHTHALATE IS"
7, 77 = 'DNK\NS'
9, 99 = 'REF' ;

VALUE YESNOCAL
1 = 'YES'
2 = 'NO'
3 = 'NEVER NOTICED OR LOOKED'
4= 'CANNOT FIND INFORMATION'
7, 77 = 'DNK\NS'
8, 88 = 'DOESNT EAT AT FAST FOOD OR CHAIN RESTAURANTS'
9, 99 = 'REF';

```

VALUE YESNOB  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'DONT KNOW WHAT CHLAMYDIA IS'  
 4 = 'REFUSED MODULE'  
 77 = 'DNK/NS'  
 99= 'REF';

VALUE YESNOC  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'NEVER ASKED FOR CARE'  
 77 = 'DNK/NS'  
 99= 'REF';

VALUE YESNOD  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'DIDNT SEE DR/HEALTH CARE PROFE'  
 4 = 'REFUSED MODULE'  
 77 = 'DNK/NS'  
 99= 'REF';

VALUE YESNODRUG  
 1 = 'YES'  
 2 = 'NO, NEVER INTERACTED WITH CHILD WELFARE'  
 3 = 'NO, NOT ASKED ANY QUESTIONS ABOUT ALCOHOL OR DRUGS'  
 77, 7 = 'DNK/NS'  
 99, 9 = 'REF';

VALUE YESNODF  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'DONT KNOW WHAT IT IS'  
 7 = 'DNK/NS'  
 9 = 'REF';

VALUE YESNODK  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'NEVER DRINK'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE YESNODR  
 1 = 'YES'  
 2 = 'NO'  
 8 = 'NONE USED'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE YESNODVA  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'NEVER BEEN ABUSED'  
 4 = 'NO PARTNER'  
 5 = 'COULD NOT RECONTACT'  
 8 = 'REFUSED MODULE'

7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE YESNODVC  
 1 = 'YES'  
 2 = 'NO'  
 8 = 'DIDNT SEEK SERVICE'  
 7 = 'DNK/NS'  
 9 = 'REF';

VALUE YESNOEST  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'DEPENDS ON WOMAN'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE YESNOGES  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'GESTATIONAL DIABETES'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE YESNOGY  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'REFUSED MODULE'  
 4, 8, 88= 'NOT INTERESTED IN LEARNING MORE ABOUT WOMENS CANCERS'  
 7, 77 = 'DNK\NS'  
 9, 99 = 'REF';

VALUE YESNOKID  
 1 = 'YES'  
 2 = 'NO'  
 8, 88 = 'NO CHILDREN'  
 7, 77 = 'DNK\NS'  
 9, 99= 'REF' ;

VALUE YESNOM  
 1 = 'YES'  
 2 = 'NO'  
 3 = 'NO MALE SEXUAL PARTNERS'  
 4= 'NO SEX YET'  
 8 = 'REFUSED MODULE'  
 7 = 'DNK\NS'  
 9 = 'REF' ;

VALUE YESNOR  
 1= 'YES'  
 2= 'NO'  
 88, 3= 'DID NOT READ INFORMATION'  
 7, 77= 'DNK\NS'  
 9, 99= 'REF';

VALUE YESNOMB  
1 = 'YES'  
2 = 'NO'  
7 = 'DNK\NS'  
8 = 'NO MALE SEXUAL PARTNERS'  
9 = 'REF' ;

VALUE YESNOPG  
1 = 'YES'  
2 = 'NO'  
3 = 'TOO EARLY IN PREGNANCY'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE YESNORF  
1 = 'YES'  
2 = 'NO'  
3 = 'NO PARTNER IN PAST 12 MONTHS'  
4 = 'REF MODULE'  
8 = 'REF MODULE'  
5 = 'COULD NOT RECONTACT'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE YESNOTER  
1 = 'YES'  
2 = 'NO'  
3 = 'NO, PREGNANCY TERMINATED\MISCARRIED'  
4 = 'NO, TOO EARLY IN PREGNANCY'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE YESNOTS  
1 = 'YES'  
2 = 'NO'  
3 = 'NO, DIDNT SEEK MEDICAL HELP'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE YESNOUN  
1 = 'YES'  
2 = 'NO'  
3 = 'DOESNT KNOW TERM'  
8 = 'REFUSED MODULE'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE YESNOPF  
1 = 'YES'  
2 = 'NO'  
3 = 'NO PARTNER/FORMER PARTNER IN PAST 12M'  
7 = 'DNK\NS'  
9 = 'REF' ;

VALUE \_AGEG  
1 = '18-24'  
2 = '25-34'  
3 = '35-44'  
4 = '45-54'  
5 = '55-64'  
6 = '65+'  
9 = 'REF' ;

VALUE \_AGEGB  
1 = '18-29'  
2 = '30-39'  
3 = '40-49'  
4 = '50-59'  
5 = '60+'  
9 = 'REF' ;

VALUE \_AGEGC  
1 = '18-44'  
2 = '45+'  
9 = 'REF' ;

VALUE \_BMIREV  
1 = 'UNDERWEIGHT'  
2 = 'NORMAL WEIGHT'  
3 = 'OVERWEIGHT'  
4 = 'OBESE'  
9 = 'DNK\REF' ;

VALUE \_BREASTA  
1 = 'NEVER HAD'  
2 = 'EVER HAD'  
9 = 'DNK\REF' ;

VALUE \_BREASTB  
1 = 'NEVER HAD'  
2 = 'HAD W\IN 1 YR'  
3 = 'HAD W\IN 2 YRS'  
4 = 'HAD W\IN 5 YRS'  
5 = 'HAD > 5 YRS AGO'  
9 = 'UNKNOWN\REFUSED' ;

VALUE \_DV  
1 = 'YES'  
2 = 'NO'  
4 = 'NO PARTNER'  
5 = 'COULD NOT RECONTACT'  
7 = 'DNK\NS'  
8 = 'REFUSED MODULE'  
9 = 'REFUSED QUESTION' ;

VALUE \_DVTYPE  
 1 = 'INSULTED OR SWORE AT YOU'  
 2 = 'THREATENED TO THROW THING AT YOU'  
 3 = 'THREW, SMASHED, HIT OR KICKED  
 SOMETHING'  
 4 = 'THREW SOMETHING AT YOU'  
 5 = 'PUSHED, GRABBED, SHOVED YOU'  
 6 = 'SLAPPED YOU'  
 7 = 'KICKED, BIT OR HIT YOU WITH FIST'  
 8 = 'HIT OR TRIED TO HIT YOU WITH SOMETHING'  
 9 = 'BEAT UP'  
 10 = 'CHOKED'  
 11 = 'THREATENED WITH KNIFE OR GUN'  
 12 = 'USE A KNIFE OR GUN'  
 13 = 'USED A KNIFE OR GUN ON RESPONDENT'  
 33 = 'NO ABUSE REPORTED'  
 44 = 'NO PARTNER'  
 55 = 'COULD NOT RECONTACT'  
 77 = 'DNK\NS'  
 88 = 'REFUSED MODULE'  
 99 = 'REFUSED QUESTIONS';

VALUE \_DVTYPEB  
 1 = 'PAST 12 MONTHS: THREW OBJECT AT YOU'  
 2 = 'PAST 12 MONTHS: PUSHED, GRABBED,  
 SHOVED, SLAPPED'  
 3 = 'PAST 12 MONTHS: KICKED, BIT, HIT WITH  
 FIST'  
 4 = 'PAST 12 MONTHS: BEAT UP OR CHOKED'  
 5 = 'PAST 12 MONTHS: FORCED SEX AGAINST  
 WILL'  
 6 = 'PAST 12 MONTHS: THREATENED WITH KNIFE  
 OR GUN'  
 7 = 'PAST 12 MONTHS: USED A KNIFE OR GUN ON  
 RESPONDENT'  
 33 = 'PAST 12 MONTHS: NO ABUSE REPORTED'  
 44 = 'PAST 12 MONTHS: NO PARTNER'  
 55 = 'COULD NOT RECONTACT'  
 77 = 'DNK\NS'  
 88 = 'REFUSED MODULE'  
 99 = 'REFUSED QUESTIONS';

VALUE \_DVTYPEC  
 1 = 'EVER: THREW OBJECT AT YOU'  
 2 = 'EVER: PUSHED, GRABBED, SHOVED, SLAPPED'  
 3 = 'EVER: KICKED, BIT, HIT WITH FIST'  
 4 = 'EVER: BEAT UP OR CHOKED'  
 5 = 'EVER: FORCED SEX AGAINST WILL'  
 6 = 'EVER: THREATENED WITH KNIFE OR GUN'  
 7 = 'EVER: USED A KNIFE OR GUN ON  
 RESPONDENT'  
 33 = 'EVER: NO ABUSE REPORTED'  
 44 = 'EVER: NO PARTNER'  
 55 = 'COULD NOT RECONTACT'  
 77 = 'DNK\NS'  
 88 = 'REFUSED MODULE'  
 99 = 'REFUSED QUESTIONS';

VALUE \_PAPC  
 1 = 'NEVER HAD'  
 2 = 'EVER HAD'  
 9 = 'DNK\REF';

VALUE \_PAPD  
 1 = 'NEVER HAD'  
 2 = 'HAD W\IN 1 YR'  
 3 = 'HAD W\IN 2 YRS'  
 4 = 'HAD W\IN 3 YRS'  
 5 = 'HAD W\IN 5 YRS'  
 6 = 'HAD > 5 YRS AGO'  
 9 = 'DNK\REF';

VALUE \_POVST  
 1 = 'BELOW POVERTY'  
 2 = '101%-200%'  
 3 = 'OVER 200%'  
 7 = 'DNK\NS';

VALUE \_POVSTE  
 1 = 'BELOW POVERTY'  
 2 = '101%-185%'  
 3 = '186%-200%'  
 4 = 'OVER 200%'  
 7 = 'UNKNOWN' ;

VALUE \_POVSTF  
 1 = 'BELOW POVERTY'  
 2 = '101%-185%'  
 3 = '186%-200%'  
 4 = '201%-250%'  
 5 = 'OVER 250%'  
 6 = 'LESS THAN 185%'  
 7 = 'LESS THAN 200%'  
 8 = 'LESS THAN 250%'  
 77 = 'UNKNOWN' ;

VALUE \_POVSTG  
 1 = 'BELOW POVERTY'  
 2 = '100% - 130%'  
 3 = '131% - 185%'  
 4 = '186% - 200%'  
 5 = '201% - 249%'  
 6 = '250% AND OVER'  
 7 = 'LESS THAN 130%'  
 8 = 'LESS THAN 185%'  
 9 = 'LESS THAN 200%'  
 10 = 'LESS THAN 250%'  
 11 = 'OVER 200%'  
 77 = 'UNKNOWN';

VALUE \_RACE  
 1 = 'WHITE, NON-HISPANIC'  
 2 = 'BLACK, NON-HISPANIC'  
 3 = 'WHITE HISPANIC'  
 4 = 'BLACK HISPANIC'  
 5 = 'OTHER HISPANIC'  
 6 = 'ASIAN\PACIFIC ISLANDER'  
 7 = 'ALEUTIAN, ESKIMO OR AMERICAN INDIAN'  
 8 = 'OTHER'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE \_RACEG  
 1 = 'WHITE'  
 2 = 'NONWHITE'  
 9 = 'REF'  
 7 = 'DNK\NS';

VALUE \_RACEGR  
 1 = 'WHITE'  
 2 = 'BLACK'  
 3 = 'HISPANIC'  
 4 = 'OTHER'  
 9 = 'REF'  
 7 = 'DNK\NS';

VALUE \_RF  
 1 = 'NOT AT RISK'  
 2 = 'AT RISK'  
 9,999 = 'DNK\REF';

VALUE \_SMOKER  
 1 = 'CURRENT SMOKER'  
 2 = 'FORMER SMOKER'  
 3 = 'NEVER SMOKED'  
 4 = 'IRREGULAR SMOKER'  
 9 = 'REF';

VALUE \_STDHIV  
 1 = 'STD INCREASES RISK OF HIV'  
 2 = 'STD HAVE NO EFFECT ON HIV RISK'  
 3 = 'STD DECREASES RISK OF HIV'  
 4 = 'NONE ARE CORRECT'  
 7 = 'DNK\NS'  
 9 = 'REF';

/\*  
 \*  
 \* THE FOLLOWING FORMATS ARE FOR NUMERIC  
 VARIABLES \*  
 \*  
 \*/

VALUE CHILD  
 9 = 'REF';

VALUE I  
 7, 77 = 'DNK\NS'  
 9, 99 = 'REF';

VALUE II  
 88 = 'NONE'  
 777, 77 = 'DNK\NS'  
 98 = 'OTHER'  
 999, 99 = 'REF';

VALUE III  
 88 = 'NONE'  
 8888, 888 = 'NONE'  
 77 = 'DNK\NS'  
 7777, 777 = 'DNK\NS'  
 99 = 'REF'  
 9999, 999 = 'REF';

VALUE IV  
 777, 7777 = 'DNK\NS'  
 7777777 = 'DNK\NS'  
 888, 8888 = 'NA\NONE'  
 999, 9999 = 'REF'  
 9999999 = 'REF';

VALUE V  
 88, 888 = 'TIME FRAME DOES NOT APPLY'  
 77, 777 = 'DNK\NS'  
 99, 999 = 'REF';

VALUE VI  
 44 = 'AT DELIVERY'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE X  
 444, 4444 = 'AT DELIVERY'  
 888, 8888 = 'AT DELIVERY'  
 777, 7777 = 'DNK\NS'  
 999, 9999 = 'REF';

VALUE VIII  
 555, 5555 = 'NEVER'  
 777, 7777 = 'DNK\NS'  
 888, 8888 = 'NOT APPLICABLE'  
 999, 9999 = 'REF';

VALUE IX  
 77777 = 'DNK\NS'  
 88888 = 'TIME FRAME DOES NOT APPLY'  
 99999 = 'REF';

VALUE XIII  
 88 = 'LACTOSE INTOLERANT'  
 77 = 'DNK\NS'  
 99 = 'REF';

VALUE XIV  
 8888 = 'N\A'  
 7777 = 'DNK\NS'  
 9999 = 'REF';

VALUE XV  
 88888 = 'NEVER'

**77777** = 'DNK\NS'  
**99999** = 'REF';

VALUE XVI  
**8888** = 'HAVE NOT HEARD'  
**7777** = 'DNK\NS'  
**9999** = 'REF';

VALUE XVII  
**88** = 'DOESNT SHOP/SHOPS ON INTERNET'  
**77** = 'DNK/NS'  
**99** = 'REF';

VALUE XVIII  
**7777777777** = 'DK'  
**9999999999** = 'RF';

VALUE CONFLEV  
**77** = 'DNK/NS'  
**99** = 'REF';

VALUE FOODSH  
**88** = 'DOESNT SHOP/INTERNET SHOP'  
**77** = 'DNK/NS'  
**99** = 'REF';

VALUE MANYI  
**777** = 'DNK\NS'  
**888** = 'NONE'  
**999** = 'REF';

VALUE MANYII  
**777** = 'DNK\NS'  
**888** = 'NEVER'  
**999** = 'REF';

VALUE MANYIII  
**555** = 'NEVER'  
**777** = 'DNK\NS'  
**999** = 'REF';

VALUE MANYIV  
**555** = 'NOT AT ALL'  
**777** = 'DNK\NS'  
**999** = 'REF';

VALUE MANYV  
**777** = 'DNK\NS'  
**888** = 'NONE'  
**999** = 'REF';

VALUE WATCHTV  
**0** = '0 TO LESS THAN 1 HOUR'  
**77, 777** = 'DNK\NS'  
**88** = 'DOES NOT HAVE TV'  
**99** = 'REF';

VALUE WHENVI  
**1** = 'WEEK'  
**2** = 'MONTH'  
**3** = '6 MONTHS'  
**4** = 'OVER 6 MONTHS '  
**5** = 'NEVER'  
**7** = 'DNK\NS'  
**9** = 'REF';

VALUE TVIII  
**88, 888** = 'DOES NOT HAVE A TV'  
**77, 777** = 'DNK\NS'  
**99, 999** = 'REF';

# Part V: Variable Locations on Questionnaires by Subject

Note: The last question on the survey is underscored and bold (e.g., 122)

<u>Variable Name</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>	<u>2008</u>	<u>2009</u>	<u>2010</u>	<u>2011</u>	<u>2012</u>
<b><u>Acculturation Scales</u></b>																
LANGCHLD	.	.	.	.	.	.	.	.	102	.	.	.	18.2	12.2	14.2	18.2
LANGFRND	.	.	.	.	.	.	.	.	105	.	.	.	18.5	12.5	14.5	18.5
LANGHOME	.	.	.	.	.	.	.	.	103	.	.	.	18.3	12.3	14.3	18.3
LANGSPK	.	.	.	.	.	.	.	.	101	.	.	.	18.1	12.1	14.1	18.1
LANGTHNK	.	.	.	.	.	.	.	.	104	.	.	.	18.4	12.4	14.4	18.4
<b><u>Adverse Childhood Experiences</u></b>																
ACEDEPMI	.	.	.	.	.	.	184	184	190	.	.	.	.	.	.	.
ACEDVMOM	.	.	.	.	.	.	185	.	.	.	.	.	.	.	.	.
ACEDVMO2	.	.	.	.	.	.	.	185	191	.	.	.	.	.	.	.
ACEDVRCE	.	.	.	.	.	.	.	187	193	.	.	.	.	.	.	.
ACEHNGR	.	.	.	.	.	.	.	.	194	70	61	15.8	.	.	.	.
ACEJAIL	.	.	.	.	.	.	186	186	192	.	.	.	.	.	.	.
ACESUBAB	.	.	.	.	.	.	183	183	189	.	.	.	.	.	.	.
ACEWLFAR	.	.	.	.	.	.	.	.	195	84	74	.	.	.	.	.
<b><u>AFP Awareness</u></b>																
AFPBOOK	40	61	59	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT1	42	63	61	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT2	43	64	62	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT3	44	65	63	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT4	45	66	64	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT5	46	67	65	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT6	47	68	66	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT7	48	69	67	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT8	49	70	68	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPNOT9	50	71	69	.	.	.	.	.	.	.	.	.	.	.	.	.
AFPTEST	41	62	60	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>AIDS Awareness</u></b>																
AIDSNOT	180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
AIDSTALK	.	180	.	.	.	.	.	.	.	.	.	.	.	.	.	.
AIDSTST3	178	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DCTRHIV	.	.	.	.	.	178	169	.	.	.	.	.	.	.	.	.
HIVPGTLK	.	.	.	.	.	.	170	.	.	.	.	.	.	.	.	.
HIVPGTST	.	.	.	.	.	.	171	172	.	.	.	.	.	.	.	.
PRENHIV	.	60	.	.	.	.	.	.	.	.	.	.	.	.	.	.
REASTST3	179	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
STDHIV	.	186	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Alcohol Consumption</u></b>																
AODCUT	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	31.6
AODPROB	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	31.5
AODPROB2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	31.7
AODTREAT	.	.	.	.	.	.	.	.	.	.	.	.	.	19.8	23.7	.
DRINKGE4	.	.	.	.	.	.	.	.	.	.	124	25.4	25.4	19.4	23.3	31.3
DRINKGE5	174	164	160	151	150	150	142	143	162	137	.	.	.	.	.	
DRINKNUM	.	.	.	.	.	.	.	.	.	.	.	25.5	25.5	19.5	23.4	31.4
DRKALC	172	162	158	149	148	148	140	141	160	135	122	25.2	25.2	19.2	23.1	31.1
DRKGUILT	.	.	.	154	153	153	145	.	.	.	.	.	.	.	.	.

DRNKANY1	171	161	157	148	147	147	139	140	159	134	121	25.1	25.1	19.1	.	.
DRNKHARM	.	.	.	.	.	.	.	145	164	.	.	.	.	.	.	.
DRNKHARM2	.	.	.	.	.	.	.	.	.	.	.	.	.	19.6	23.5	.
DRNKHHELP	.	.	.	.	.	.	.	146	165	.	.	.	.	.	.	.
DRNKPProb	175	165	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DRUNK	.	.	161	152	151	151	143	144	163	.	.	.	.	.	.	.
DRUNKNUM	.	.	162	153	152	152	144	.	.	.	.	.	.	.	.	.
FAS	.	.	163	.	.	.	.	.	.	.	.	.	.	.	.	.
FASAWARE	.	.	.	.	.	.	.	.	37	31	.	.	.	.	.	.
FASCURED	.	.	.	.	.	.	.	.	38	32	.	.	.	.	.	.
FASDNUM	.	.	.	.	.	.	.	.	39	33	.	.	.	.	.	.
NALCOCC	173	163	159	150	149	149	141	142	161	136	123	25.3	25.3	19.3	23.3	31.2
CHILDREM	.	.	.	.	.	.	.	.	.	.	.	.	.	19.7	23.6	.
<b><u>Antibiotic Use</u></b>																
ABTREAT	.	.	.	106	.	.	.	.	.	.	.	.	.	.	.	.
ALTD0C	.	.	.	52	.	.	.	.	.	.	.	.	.	.	.	.
ALTH0RB	.	.	.	51	.	.	.	.	.	.	.	.	.	.	.	.
ANTBEAR	.	.	.	101	.	.	.	.	.	.	.	.	.	.	.	.
ANTBLAD	.	.	.	103	.	.	.	.	.	.	.	.	.	.	.	.
ANTCOLD	.	.	.	102	.	.	.	.	.	.	.	.	.	.	.	.
ANTCOLD2	.	.	.	.	.	119	.	.	.	.	17	.	.	.	.	.
<b><u>Asthma</u></b>																
ASTHEVR	.	.	.	.	.	.	.	108	.	.	.	.	.	.	.	.
ASTHSTL	.	.	.	.	.	.	.	109	.	.	.	.	.	.	.	.
<b><u>Attitudes about Sex Education in Schools</u></b>																
SEXED	168	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SEXEDBC	169	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SEXEDSTD	170	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Attachment Scale</u></b>																
CRI1	.	.	.	.	.	.	.	.	211	.	.	.	.	.	.	.
CRI2	.	.	.	.	.	.	.	.	212	.	.	.	.	.	.	.
CRI3	.	.	.	.	.	.	.	.	213	.	.	.	.	.	.	.
CRI4	.	.	.	.	.	.	.	.	214	.	.	.	.	.	.	.
CRI5	.	.	.	.	.	.	.	.	215	.	.	.	.	.	.	.
CRI6	.	.	.	.	.	.	.	.	216	.	.	.	.	.	.	.
CRI7	.	.	.	.	.	.	.	.	217	.	.	.	.	.	.	.
CRI8	.	.	.	.	.	.	.	.	218	.	.	.	.	.	.	.
CRI9	.	.	.	.	.	.	.	.	219	.	.	.	.	.	.	.
CRI10	.	.	.	.	.	.	.	.	220	.	.	.	.	.	.	.
<b><u>Birth Control Use</u></b>																
BCBAR	200	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCBAR2	.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCBARNO2	.	176	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCBARNOT	201	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCCHOOSE	.	.	.	.	.	.	.	.	.	.	.	27.2	27.2	20.8	.	.
BCPAY	.	.	172	163	162	162	154	155	.	.	.	.	.	.	.	.
BCPAY2	.	.	.	163.5	162.5	162.5	154.5	155.5	.	.	.	.	.	.	.	.
BCPAY3	.	.	.	.	.	.	.	.	.	.	.	27.3	27.3	20.9	8.6	12.9
BCTALK	.	.	.	.	.	.	.	.	.	.	.	27.1	.	.	.	.
BCTALK2	.	.	.	.	.	.	.	.	.	.	.	.	27.1	20.7	.	.
BCTYPE	184	173	170	161	160	160	152	153	.	144	130	27.6.1	27.6.1	20.3	8.2	12.2
BCTYPTXT	.	.	.	161.5	160.5	160.5	152.5	153.5	.	144.5	130.5	27.6.2	27.6.2	20.4	8.3	12.3
BCUSE	183	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

BCUSE2	.	172	169	.	.	.	.	.	.	.	.	.	.	.	.	.
BCUSE3	.	.	.	160	159	159	151	152	.	.	.	.	.	.	.	.
BCUSE4	.	.	.	.	.	.	.	152	167	143	129	27.5	27.5	20.2	8.1	12.1
BCUTIL	.	.	.	.	.	.	.	.	.	.	.	27.4	27.4	20.1	.	.
BCWHYNOT	185	174	171	162	161	161	153	154	.	145	131	27.7.1	27.7.1	20.5	8.4	12.4
BCWHYNOX	.	.	.	162.5	161.5	161.5	153.5	154.5	.	145.5	.	27.7.2	27.7.2	20.6	8.5	12.5
BCWNTHOW	.	.	173	164	163	163	155	.	.	.	.	.	.	.	.	.
CONDOFTN	.	.	.	.	.	.	.	.	.	.	132	.	.	.	.	.
CONDOM3	.	.	.	.	.	.	.	.	.	.	.	.	30.5	.	.	10.5
CYCPLNOW	.	.	.	.	.	.	.	.	.	.	109	.	.	.	.	.
ECWHERE	.	.	.	.	.	.	.	.	.	148	.	.	.	.	.	.
ECWHERE2	.	.	.	.	.	.	.	.	.	.	137	27.10	27.10	.	.	.
EMERGWHT	.	.	175	166	165	165	157	157	.	147	136	27.9	27.9	.	.	.
EMRGBC	.	.	174	165	164	164	156	156	.	146	135	.	.	.	.	.
EMRGBC2	.	.	.	.	.	.	.	.	.	.	.	27.8	27.8	.	.	.
FPADVICE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8.7	12.6
FPDELAY	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8.8	12.7
FPREASDE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8.9	12.8
MENCYCPL	.	.	.	.	.	.	.	.	.	.	108	.	.	.	.	.
MICROBIC	.	.	.	.	.	.	.	.	.	.	134	.	.	.	.	.
NOCOND	.	.	.	.	.	.	.	.	.	.	133	.	.	.	.	.
OTHRCOND	199	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Breast and Cervical Cancer Screening**

BCFAM	113	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCHAD	112	124	125	112	112	114	.	.	.	.	.	.	.	.	.	.
BCMEMA-BCMMD	114	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCRISK	.	125	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCRISK2	.	.	126	113	.	.	.	.	.	.	.	.	.	.	.	.
CBEGUID2	.	.	131	118	.	.	.	.	.	.	.	.	.	.	.	.
CBEGUIDE	122	131	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CNCRTYPE	.	.	.	.	.	.	.	103	.	.	.	.	.	.	.	.
F40	98	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F40A-F40C	100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F40CBEG	121	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F40CBEGB	.	.	.	.	.	120	130	131	.	.	.	.	.	.	.	.
F40DFPAY	117	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F40GUIDE	106	118	124	111	.	.	.	.	.	.	.	.	.	.	.	.
F40INPAY	115	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F40NUM	99	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F40RXMAM	110	122	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F40SFPAY	116	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F50GUID2	108	120	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F50GUID3	109	121	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F50GUIDE	107	119	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F50RXMAM	111	123	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GYNEXAM	.	.	.	.	.	122	131	132	.	.	.	.	.	.	.	.
HADCBE	118	128	129	116	116	117	127	129	137	117	98	22.5	23.5	16.5	.	24.5
HADMAM	101	114	120	107	108	109	120	121	133	113	94	22.1	23.1	16.1	.	24.1
HADPAP	123	132	.	119	120	.	.	.	.	.	.	.	.	.	.	.
HADPAP2	.	.	.	.	.	.	.	.	140	120	101	22.8	23.8	16.8	20.1	24.8
HOWLONG2	102	115	121	108	109	110	121	122	134	114	95	22.2	23.2	16.2	.	24.3
HYSTER2	126	135	132	122	124	125	133	134	143	122	103	23.2	23.11	17.19	7.4	11.5
LUMPOFT2	.	.	.	.	118	.	.	.	.	.	.	.	.	.	.	.

MAMMDFP	.	127	128	115	114	.	.	.	.	.	.	.	.	.	.	.	.
MAMMDFPB	.	.	.	.	.	116	126	127	.	.	.	.	.	.	.	.	.
MAMMED12	.	.	.	.	115	.	.	.	.	.	.	.	.	.	.	.	.
MAMMEDIB	105	117	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MAMMPAY	.	126	127	114	113	115	125	126	.	.	.	.	.	.	.	.	.
MANYCBE	.	.	.	.	.	119	129	130	.	.	.	.	.	.	.	.	.
MANYMAM	103	.	.	.	.	111	122	123	.	.	.	.	.	.	.	.	.
PAPINFO	.	.	.	.	122	.	.	.	.	.	.	.	.	.	.	.	.
PAPINFO2	.	.	.	.	.	123	132	133	.	.	.	.	23.10	.	.	.	.
PAPREC	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	20.3	.
WHATPAP	.	.	.	121	123	.	.	.	.	.	.	.	.	.	.	.	.
WHATPAPB	.	.	.	.	.	121	.	.	.	.	.	.	.	.	.	.	.
WHENCBE	119	129	130	117	117	118	128	129	138	118	99	22.6	23.6	16.6	.	.	24.6
WHENPAP2	124	133	.	120	.	.	.	.	.	.	.	.	.	.	.	.	.
WHENPAP3	.	.	.	.	121	.	.	.	.	.	.	.	.	.	.	.	.
WHENPAP4	.	.	.	.	.	.	.	.	141	121	102	22.9	.	.	.	.	.
WHENPAP5	.	.	.	.	.	.	.	.	.	.	.	.	23.9	16.9	20.2	.	24.9
WHYCBE	120	130	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WHYCBE2	.	.	.	.	.	.	.	.	139	119	100	22.7	23.7	16.7	.	.	.
WHYCBE3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	24.7
WHYDON2	.	.	122	109	110	.	.	.	.	.	.	.	.	.	.	.	.
WHYDONE	104	116	.	.	.	112	123	124	135	115	96	22.3	23.3	16.3	.	.	24.3
WHYNOPAP	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	20.4	.
WHYNOTDB	.	.	.	.	.	113	124	125	.	.	.	22.4	23.4	16.4	.	.	24.4
WHYNOTDC	.	.	.	.	.	.	.	.	136	116	97	.	.	.	.	.	.
WHYNOTDN	.	.	123	110	111	.	.	.	.	.	.	.	.	.	.	.	.
WHYPAP	125	134	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

***Breast Cancer Drug Prevention***

BCGENET	.	.	.	.	119	.	.	.	.	.	.	.	.	.	.	.	.
BCPREVNT	.	.	133	123	.	.	.	.	.	.	.	.	.	.	.	.	.
BCPRVMD	.	.	136	126	.	.	.	.	.	.	.	.	.	.	.	.	.
CURRALOX	.	.	135	125	.	.	.	.	.	.	.	.	.	.	.	.	.
CURRTAMX	.	.	134	124	.	.	.	.	.	.	.	.	.	.	.	.	.

***Breastfeeding***

BFBENEFT	60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFDISCOU	72	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFDISWHO	73	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFENCOUR	62	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFFORM	68	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFHELP	66	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFHLPWHO	67	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFINFO	61	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFLONG	69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFMLKGD	74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFNURSE	63	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFPROB	64	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFPROB1	65	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFWHERE2	.	.	46	.	.	.	.	.	.	.	.	9.6	.	.	.	.	.
BFWHERE	75	87	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFWHYNOT	71	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BFWHYQT	70	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRSTFED2	.	.	.	.	43	38	45	.	.	.	.	.	.	.	.	.	.
BRSTFEED	59	79	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.



CAREPBLM	.	.	.	.	.	.	.	.	.	46	39	11.3	12.3	.	.	.
CAREWHAT	.	.	.	.	.	.	.	.	.	47	40	11.4	12.4	.	.	.
<b><u>Colorectal Cancer Screening</u></b>																
COLOEVER	.	.	.	128	126	127	.	.	.	.	.	.	.	.	.	.
COLOIMP	.	.	.	127	.	.	.	.	.	.	.	.	.	.	.	.
COLONAGE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	29.5
COLOTLK	.	.	.	.	125	126	.	.	.	.	.	.	.	.	.	.
HADSIG4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	29.3
HADSTLHM	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	29.1
HOWLEARN	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	29.6
INFOHELP	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	29.7
SIGEVER	.	.	.	130	128	129	.	.	.	.	.	.	.	.	.	.
WHENCARD	.	.	.	129	127	128	.	.	.	.	.	.	.	.	.	.
WHENSIG	.	.	.	131	129	130	.	.	.	.	.	.	.	.	.	.
WHENSIG4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	29.4
WHENSTO3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	29.2
WHYNOSIG	.	.	.	132	130	131	.	.	.	.	.	.	.	.	.	.
WHYSIG	.	.	.	.	131	132	.	.	.	.	.	.	.	.	.	.
<b><u>Demographics</u></b>																
AGE	29	47	47	29	36	.	.	.	.	.	.	.	.	.	.	.
AGEB	.	.	.	.	.	31	37	32	23	31	22	8.1	.	.	.	.
AGEBCWHS	.	.	.	.	.	.	.	.	.	.	.	.	9.1	7.1	6.1	8.2
BIRTHPLC	79	91	90	61	58	57	68	53	51	55	48	14.6.1	14.6.1	9.6	10.6	14.6
BIRTHTXT	.	.	.	.	.	.	.	53.5	51.5	55.5	48.5	14.6.2	14.6.2	9.6.1	10.7	14.7
CHILDAGE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	13.2
CHILD18	81	94	93	64	61	60	71	56	54	41	34	10.1	11.1	8.1	9.1	13.1
CHILD1-CHILD9	82	.	94	65	62	61	72	57	55	42	35	10.2	11.2	8.2	9.2	.
CHILDLT1	.	.	94.5	65.5	62.5	61.5	.	.	.	.	.	.	.	.	.	.
COUNTY1	92	104	103	74	72	71	82	66	64	157	154	17.4	17.4	11.4	13.5	17.5
DEMOC1R-	.	.	.	.	.	.	.	.	56	43	36	10.3	11.3	.	.	.
DEMOC9R	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
EDUCA	84	96	95	66	63	62	73	58	.	.	.	.	.	.	.	.
EDUCA2	.	.	.	.	.	.	.	.	57	86	76	17.1	17.1	11.1	13.2	17.2
EMPLOY3	85	97	96	67	64	63	74	59	58	87	77	17.2	17.2	11.2	13.3	17.3
HEIGHT	90	102	101	72	69	68	79	64	62	90	83	20.1	20.1	14.1	16.1	17.8
HHSIZE	86	98	97	68	65	64	75	60	59	59	50	14.8	14.8	9.8	10.9	14.9
HISP3	.	.	.	.	.	53	64	49	47	51	44	14.2	14.2	9.2	10.2	14.2
HISPANIC	76	88	87	58	54	.	.	.	.	.	.	.	.	.	.	.
INCOM01	.	.	.	.	66	65	.	.	.	.	.	.	.	.	.	.
INCOM02	.	.	.	.	.	.	76	61	60	60	51	14.9	14.9	9.9	10.10	.
INCOM03	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	14.10
INCOM94B	89	101	100	71	68	67	78	63	.	.	.	.	.	.	.	.
INCOM95	87	99	98	69	.	.	.	.	.	.	.	.	.	.	.	.
INCOMADQ	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	14.12
MARITAL	80	93	92	63	60	59	70	55	53	80	70	15.16	15.16	10.09	13.1	17.1
NEWCHILD	83	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NUMPHON2	93	105	104	75	74	73	84	68	66	.	.	.	.	.	.	.
NUMPHON3	.	.	.	.	.	.	.	.	.	88	79	17.3	17.3	11.3	13.4	17.4
ORACE2	77	89	88	59	.	.	.	.	.	.	.	.	.	.	.	.
ORACE2A	78	90	89	60	57	56	67	52	50	54	47	14.5	14.5	9.5	10.5	14.5
ORACE3	.	.	.	.	55	54	65	50	48	52	45	14.3	14.3	9.5	10.3	14.3
ORACE4	.	.	.	.	56	55	66	51	49	53	46	14.4	14.4	9.4	10.4	14.4
THRESH00	.	.	.	.	67	66.6	.	.	.	.	.	.	.	.	.	.
THRESH01	.	.	.	.	67.1	66.8	.	.	.	.	.	.	.	.	.	.

THRESH02	.	.	.	.	67.2	66.9	77	.	.	.	.	.	.	.	.	.
THRESH03	.	.	.	.	.	.	.	62	61	61	52	14.10	14.10	9.10	10.11	14.11
THRESH95	88	100	99	.	.	.	.	.	.	.	.	.	.	.	.	.
THRESH98	.	.	.	70	.	.	.	.	.	.	.	.	.	.	.	.
USENTRY	.	92	91	62	59	58	.	54	.	.	.	.	.	.	10.8	.
USENTRY2	.	.	.	.	.	.	69	.	52	56	49	14.7	14.7	9.7	.	14.8
WEIGHT	91	103	102	73	70	69	80	65	63	.	84	20.2	20.2	14.2	16.2	17.7
WT12M	.	.	.	.	71	.	.	.	.	.	.	.	.	.	.	.
WT12MB	.	.	.	.	.	70	81	.	.	.	.	.	.	.	.	.
YEARINCO	.	.	.	.	.	.	.	.	.	57	.	.	.	.	.	.
ZIPCODE*	94	106	105	76	73	72	83	67	65	158	155	17.5	17.5	11.5	13.6	17.6

**Dental Care**

DENTCHEK	.	.	.	.	.	.	.	.	.	.	.	3.1	5.1	.	.	.
DENTNOT	.	.	.	.	.	.	.	.	.	.	.	3.2	5.2	.	.	.

**Diabetes**

DIABDRN2	.	.	58	.	.	.	.	.	.	.	.	.	.	.	.	.
DIABDRNK	.	59	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DIABEVR	.	.	.	.	.	.	.	110	.	.	.	12.1	13.1	.	.	.
DIABPREG	.	.	.	.	.	.	.	111	.	.	.	12.2	13.2	.	.	.
DIABTEST	.	.	.	.	.	.	.	.	.	.	.	12.3	13.3	.	.	.
DMPREG	39	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Dieting Behavior**

CALORIES	.	.	.	.	.	.	.	.	.	.	.	20.7	21.7	14.6	16.6	.
DIET12M	.	.	.	.	102	105	116	97	94	98	90	20.4	21.4	14.4	16.4	20.2
DIETLBYO	.	.	.	.	105	.	.	.	.	.	.	.	.	.	.	.
DIETPILL	.	.	.	.	106	107	.	.	.	.	.	.	.	.	.	.
EPHEDRA	.	.	.	.	48	44	.	.	.	.	.	.	.	.	.	.
HOWLOSE	.	.	.	.	.	.	.	.	.	.	.	20.5	21.5	14.5	16.5	20.3
LIKEWT2	.	.	.	.	50	46	58	.	.	.	.	.	.	.	.	.
NOWWGHT	.	.	.	.	.	.	.	.	.	.	.	20.3	21.3	14.3	16.3	20.1
SCALE	.	.	.	.	.	.	.	.	.	.	.	20.6	21.6	14.3	.	.

**Disability**

DISANY	.	.	.	.	.	.	20	20	17	17	19	6.2	7.2	5.2	4.2	5.2
DISBEND	.	27	26	.	.	.	.	.	.	.	.	.	.	.	.	.
DISCARE	.	.	.	.	.	.	23	23	.	.	.	.	.	.	.	.
DISLONG	.	.	.	.	.	.	21	21	.	.	.	.	.	.	.	.
DISMDPRB	.	.	.	.	.	.	24	24	.	.	.	.	.	.	.	.
DISMODER	.	25	24	.	.	.	.	.	.	.	.	.	.	.	.	.
DISSTAIR	.	26	25	.	.	.	.	.	.	.	.	.	.	.	.	.
DISUSUAL	.	29	28	.	.	.	.	.	.	.	.	.	.	.	.	.
DISVIGOR	.	24	23	.	.	.	.	.	.	.	.	.	.	.	.	.
DISWALK	.	28	27	.	.	.	.	.	.	.	.	.	.	.	.	.
DISWORK	.	.	.	.	.	.	22	22	.	.	.	.	.	.	.	.
EQUIP	.	.	.	.	.	.	.	.	16	16	18	6.1	7.1	5.1	4.1	5.1
MAJRPROB	.	30	29	.	.	.	.	.	.	.	.	.	.	.	.	.
PAIN	.	34	30	.	.	.	.	.	.	.	.	.	.	.	.	.
POORHLTH	.	4	4	4	4	4	4	4	4	4	4	1.4	1.4	1.4	1.4	1.4

**Discrimination**

DISCEVER	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	18.1
----------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------

**Domestic Violence**

COUPLE	.	189	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVCANTLK	.	190	187	178	178	.	.	.	.	.	.	.	.	.	.	.
FOSTCARE	.	.	.	.	95	96	102	87	84	85	75	16.1	16.1	.	.	.

**Violence Last 12 Months**

DVAID	.	.	.	.	182	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
DVBEATDG	.	.	.	184.2	184.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
DVBEATU2	.	224	196.1	184.1	184.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
DVBEATUP	.	223	196	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
DVCHLD	.	.	.	.	.	.	.	.	187	.	.	.	.	.	.	.	.	.	.	.	
DVCHLD2	.	.	.	.	.	.	.	.	.	168	.	.	.	.	.	.	.	.	.	.	
DVCHLD3	.	.	.	.	.	.	.	.	.	.	165	.	.	.	.	.	.	.	.	.	
DVCHLD4	.	.	.	.	.	.	.	.	.	.	.	30.10	33.11	.	.	.	.	.	.	27.9	
DVCHOKE	.	227	197	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
DVCHOKE2	.	228	197.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
DVCNTROL	.	.	204	180	180	.	173	174	179	160	157	30.2	33.2	.	.	.	.	.	.	27.2	
DVCONDOM	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.12
DVDRGALC	.	.	.	.	.	.	.	.	188	169	.	.	.	.	.	.	.	.	.	.	
DVDRGAL2	.	.	.	.	.	.	.	.	.	.	166	.	.	.	.	.	.	.	.	.	
DVDRINK	.	.	.	.	.	.	.	.	.	.	.	30.11	33.11	.	.	.	.	.	.	.	
DVDRASKU	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.15
DVDRUASK	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.14
DVDRUG	.	.	.	.	.	.	.	.	.	.	.	30.12	33.12	.	.	.	.	.	.	.	
DVFEAR	.	.	205	179	179	179	172	173	178	159	156	30.1	33.1	.	.	.	.	.	.	.	27.1
DVFLODG	.	.	.	.	188.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVFLOWU	.	.	.	.	188.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVHITDG	.	.	.	183.2	183.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVHITTH2	.	220	195.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVHITTHG	.	219	195	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVHITYO2	.	216	194.1	183.1	183.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVHITYOU	.	215	194	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVINJASK	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.17
DVINJURY	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.16
DVINSLT	.	191	188	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVINSLT2	.	192	188.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED1	.	193	188.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED10	.	229	197.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED11	.	233	198.2	186.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED12	.	237	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED13	.	.	200.2	187.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED14	.	.	.	185.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED2	.	197	189.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED3	.	201	190.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED4	.	205	191.2	181.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED5	.	209	192.2	182.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED6	.	213	193.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED7	.	217	194.2	183.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED8	.	221	195.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVMED9	.	225	196.2	184.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVNOUSE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.11
DVPREG	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.13
DVPRTR1	.	.	.	.	.	.	.	.	.	.	.	30.15	.	.	.	.	.	.	.	.	.
DVPRTR2	.	.	.	.	.	.	.	.	.	.	.	30.17	.	.	.	.	.	.	.	.	.
DVPRTR3	.	.	.	.	.	.	.	.	.	.	.	30.18	.	.	.	.	.	.	.	.	.
DVPUSHDG	.	.	.	182.2	182.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVPUSHE2	.	208	192.1	182.1	182.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DVREFERR	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.18

DVRELATN	.	.	.	.	.	.	.	.	.	.	30.13	33.12	.	.	27.10	
DVSERVIC	.	.	.	.	.	.	.	.	170	.	.	.	.	.	.	
DVSERVIC2	.	.	.	.	.	.	.	.	.	167	.	.	.	.	.	
DVSERVI1_A-I	.	.	.	.	.	.	.	.	.	.	30.14	33.10	.	.	.	
DVSERVI2_A-I	.	.	.	.	.	.	.	.	.	.	30.16	.	.	.	.	
DVSKHLP	.	.	.	.	.	182	182	.	.	.	.	.	.	.	.	
DVSLAP	.	211	193	.	.	.	.	.	.	.	.	.	.	.	.	
DVSLAP2	.	212	193.1	.	.	.	.	.	.	.	.	.	.	.	.	
DVTHRDG	.	.	.	181.2	181.2	.	.	.	.	.	.	.	.	.	.	
DVTHRTH2	.	200	190.1	.	.	.	.	.	.	.	.	.	.	.	.	
DVTHRTHG	.	199	190	.	.	.	.	.	.	.	.	.	.	.	.	
DVTHRRTN	.	195	189	.	.	.	.	.	.	.	.	.	.	.	.	
DVTHRRTN2	.	196	189.1	.	.	.	.	.	.	.	.	.	.	.	.	
DVTHRWP2	.	232	198.1	186.1	186.1	.	.	.	.	.	.	.	.	.	.	
DVTHRWPN	.	231	198	.	.	.	.	.	.	.	.	.	.	.	.	
DVTHRYO2	.	204	191.1	181.1	181.1	.	.	.	.	.	.	.	.	.	.	
DVTHRYOU	.	203	191	.	.	.	.	.	.	.	.	.	.	.	.	
DVUSEDG	.	.	.	187.2	187.2	.	.	.	.	.	.	.	.	.	.	
DVUSEWP2	.	236	.	.	.	.	.	.	.	.	.	.	.	.	.	
DVUSEWPN	.	235	199	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR1	.	194	188.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR10	.	230	197.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR11	.	234	198.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR12	.	238	.	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR13	.	.	200.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR2	.	198	189.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR3	.	202	190.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR4	.	206	191.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR5	.	210	192.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR6	.	214	193.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR7	.	218	194.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR8	.	222	195.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWHR9	.	226	196.3	.	.	.	.	.	.	.	.	.	.	.	.	
DVWPNDG	.	.	.	186.2	186.2	.	.	.	.	.	.	.	.	.	.	
DVWPNON2	.	.	200.1	187.1	187.1	.	.	.	.	.	.	.	.	.	.	
DVWPNONU	.	.	200	.	.	.	.	.	.	.	.	.	.	.	.	
DVYRBEAT	.	.	.	184	184	.	177	178	183	164	162	30.7	33.7	.	21.4	27.6
DVYRFLOW	.	.	.	.	188	.	181	181	186	167	158	30.3	33.3	.	.	.
DVYRHIT	.	.	.	183	183	.	176	177	182	163	161	30.6	33.6	.	21.3	27.5
DVYRPUSH	.	.	.	182	182	.	175	176	181	162	160	30.5	33.5	.	21.2	27.4
DVYRSEX	.	.	.	185	185	.	178	179	184	165	163	30.8	33.8	.	21.5	27.7
DVYRSEX2	.	.	.	185.1	185.1	.	.	.	.	.	.	.	.	.	.	.
DVYRTHRW	.	.	.	181	181	.	174	175	180	161	159	30.4	33.4	.	21.1	27.3
DVYRUSE2	.	.	.	.	.	.	.	.	185	166	164	30.9	33.9	.	21.6	27.8
DVYRUSE	.	.	.	187	187	.	180	180	.	.	.	.	.	.	.	.
DVYRW1_A-K	.	.	.	181.4	.	.	.	.	.	.	.	.	.	.	.	.
DVYRW2_A-K	.	.	.	182.4	.	.	.	.	.	.	.	.	.	.	.	.
DVYRW3_A-K	.	.	.	183.4	.	.	.	.	.	.	.	.	.	.	.	.
DVYRW4_A-K	.	.	.	184.4	.	.	.	.	.	.	.	.	.	.	.	.
DVYRW5_A-K	.	.	.	185.4	.	.	.	.	.	.	.	.	.	.	.	.
DVYRW6_A-K	.	.	.	186.4	.	.	.	.	.	.	.	.	.	.	.	.
DVYRW7_A-K	.	.	.	187.4	.	.	.	.	.	.	.	.	.	.	.	.
DVYRWPN	.	.	.	186	186	.	179	.	.	.	.	.	.	.	.	.



BARRPA2	.	.	.	.	.	.	.	90	94	89	.	.	.	.	.
BLKACT	.	32	31	.	.	.	.	.	.	.	.	.	.	.	.
CRIME	.	.	.	.	.	.	100	98	.	.	.	.	.	.	.
EXBMODAB	.	.	.	.	100	110	91	88	.	87	21.5	22.5	.	.	.
EXBMODAK	.	.	.	.	.	.	.	.	.	.	21.4	22.4	.	.	.
EXBMODAL	.	.	.	.	.	.	.	.	.	.	21.3	22.3	.	.	.
EXBMODAY	.	.	.	99	.	.	.	.	.	.	.	.	.	.	.
EXBMODM2	.	.	.	.	.	.	.	.	.	.	.	.	.	17.3	21.3
EXBMODMB	.	.	.	.	101	111	92	89	.	88	21.7	22.6	15.3	.	.
EXERMOD	.	.	.	97	98	.	.	.	.	.	.	.	.	.	.
EXERMOD2	.	.	.	.	.	108	89	86	92	85	21.1	22.1	15.1	17.1	21.1
EXEROFT2	.	.	.	.	.	109	90	87	93	86	21.2	22.2	15.2	17.2	21.2
EXEROFTM	.	.	.	98	99	.	.	.	.	.	.	.	.	.	.
EXERWORK	.	.	.	96	97	107	88	.	.	.	.	.	.	.	.
EXMODMI	.	.	.	100	.	.	.	.	.	.	.	.	.	.	.
PLEASANT	.	.	.	.	.	.	102	100	.	.	.	.	.	.	.
STAIRAC2	.	31	.	.	.	.	.	.	.	.	.	.	.	.	.
TIMESIT	.	33	.	.	.	.	.	.	.	.	.	.	.	.	.
TIMESIT2	.	.	.	101	.	.	.	.	.	.	.	.	.	.	.
TRAFFIC	.	.	.	.	.	.	101	99	.	.	.	.	.	.	.
WATCHTV	.	.	.	.	.	.	99	97	101	93	.	.	.	.	.
WATCHTV3	.	.	.	.	.	.	.	.	.	.	20.8	22.8	14.7	16.7	20.4
WATCHTV4	.	.	.	.	.	.	.	.	.	.	20.9	22.9	14.8	16.8	20.5
WORKPHYS	.	.	.	.	102	113	94	91	95	.	.	.	.	.	.
WORKPHY2	.	.	.	.	.	.	.	.	.	.	.	22.7	15.4	.	.

***Fish Consumption***

EATCATCH	.	.	.	.	.	.	.	39	.	.	.	.	.	.	.
EATCHKID	.	.	.	.	.	.	.	41	.	.	.	.	.	.	.
EATCHOFN	.	.	.	.	.	.	.	40	.	.	.	.	.	.	.
EATFSKID	.	.	.	.	.	.	.	44	.	.	.	.	.	.	.
EATFSMKT	.	.	.	.	.	.	.	42	.	.	.	.	.	.	.
EATFSOFN	.	.	.	.	.	.	.	43	.	.	.	.	.	.	.
FISHHLTH	.	.	.	.	.	.	.	.	.	.	19.1	.	.	.	.
FISHOFT	.	.	.	.	.	61	.	.	.	.	.	.	.	.	.
FISHPORT	.	.	.	.	.	.	.	45	.	.	.	.	.	.	.
FISHSERV	.	.	.	.	.	62	.	.	.	.	.	.	.	.	.
FISHWARN	.	.	.	.	.	63	.	46	.	.	19.2	.	.	.	.

***Family Planning***

***Access to Family Planning Services***

***Attitudes***

ENDPREG	.	.	.	.	.	.	.	.	.	.	.	.	23.2	.	.
FPDENAP	.	171	168	159	158	158	150	151	.	.	.	.	.	.	.
FPDENIE2	.	169	166	157	156	156	.	.	.	.	.	.	.	.	.
FPDENIE3	.	.	.	.	.	.	148	149	.	.	.	.	.	.	.
FPDENIED	167	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FPDENLO	.	170	167	158	157	157	.	.	.	.	.	.	.	.	.
FPDENLO2	.	.	.	.	.	.	149	150	.	.	.	.	.	.	.
FPKID	160	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FPKIDWEN	161	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FPOTHR	164	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FPPREG	163	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FPREPRO	162	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FPWHEN	165	.	.	.	.	.	.	.	.	.	.	.	.	.	.

FPWHEN2	.	167	165	156	155	155	147	148	.	142	128	.	.	.	.	
FPWHERE	166	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
FPWHERE2	.	168	.	.	.	.	.	.	.	.	.	.	.	.	.	
<b><i>Fertility</i></b>																
FERTDCTR	.	.	.	.	.	.	.	.	123	.	.	.	.	.	.	
FIBROIDS	.	.	.	.	.	.	.	.	122	.	.	.	.	.	.	
FERTADV	.	.	.	.	.	.	.	.	124	.	.	.	.	.	.	
FERTTEST	.	.	.	.	.	.	.	.	125	.	.	.	.	.	.	
FERTDRUG	.	.	.	.	.	.	.	.	126	.	.	.	.	.	.	
FERTTUBE	.	.	.	.	.	.	.	.	127	.	.	.	.	.	.	
FERTINSM	.	.	.	.	.	.	.	.	128	.	.	.	.	.	.	
FERTIVF	.	.	.	.	.	.	.	.	129	.	.	.	.	.	.	
FERTFBRD	.	.	.	.	.	.	.	.	130	.	.	.	.	.	.	
FERTOTHR	.	.	.	.	.	.	.	.	131	.	.	.	.	.	.	
FERTCAM	.	.	.	.	.	.	.	.	132	.	.	.	.	.	.	
<b><i>Folic Acid</i></b>																
FOLICEAB	.	.	.	.	.	41	.	.	.	.	.	.	.	.	.	
FOLICEAT	.	.	.	.	45	.	.	.	.	.	.	.	.	.	.	
FOLICHER	35	55	56	40	.	.	.	.	.	.	.	4.1	3.1	3.1	.	
FOLICIN2	.	56	.	.	.	.	.	.	.	.	.	.	.	.	.	
FOLICINC	37	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
FOLICLRN	.	58	57	41	.	.	52	.	.	.	.	4.2	3.2	3.2	.	
FOLICLTX	.	.	.	41.5	.	.	.	.	.	.	.	.	.	.	.	
FOLICSO2	.	57	.	.	.	.	.	.	.	.	.	.	.	.	.	
FOLICSOA	38	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
FOLICWHY	36	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
FOLIC_A-O	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
<b><i>Food Adequacy</i></b>																
AFRDMEAL	.	108	107	79	77	80	87	71	69	64	55	15.2	15.2	10.2	11.2	15.2
CUTMEAL	.	.	108	80	78	81	88	72	70	65	56	15.3	15.3	10.3	11.3	15.3
CUTOFTN	.	.	109	81	79	82	89	73	71	66	57	15.4	15.4	10.4	11.4	15.4
EATLESSB	96	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
EATLESSC	.	109	110	82	80	83	90	74	72	67	58	15.5	15.5	10.5	11.5	15.5
EVRRHNGRY	.	110	111	83	81	84	91	75	73	68	59	15.6	15.6	10.6	11.6	15.6
FDSTMAPP	.	.	.	93	83	86	93	77	75	71	62	15.9	15.9	.	.	.
FDSTMDEN	.	.	.	94	84	87	94	78	76	72	63	15.10	15.10	.	.	.
FOODBANK	.	.	.	89	85	88	95	79	77	73	64	15.11	15.11	10.7	12.1	16.1
FOODKIT	.	.	.	90	86	89	.	.	.	.	.	.	.	.	.	.
FOODSHOP	.	.	.	.	.	.	.	.	.	78	69	.	.	.	.	.
FOODSENR	.	.	.	92	87	90	.	.	.	.	.	.	.	.	.	.
FOODSTLS	.	.	.	.	89	93	99	83	81	77	68	15.15	15.15	.	.	.
FOODSTOR	97	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FOODSTP	.	.	.	.	88	91	96	.	.	74	.	.	.	.	.	.
FOODSTP2	.	.	.	.	.	.	.	80	78	.	65	.	.	.	.	.
FOODSTP3	.	.	.	.	.	.	.	.	.	.	.	15.12	15.12	10.7	12.2	16.2
FOODWIC	.	.	.	91	35	30	.	81	.	.	.	.	.	.	.	.
FOODWIC2	.	.	.	.	.	.	97	.	79	75	66	15.13	15.13	10.7	.	.
FOODWIC3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	12.3	16.3
FVCANNED	.	.	.	.	.	.	.	.	.	78	.	.	.	.	.	.
INCOMADQ	95	.	.	77	75	78	85	69	67	62	53	14.11	14.11	9.11	10.12	.
NOFDHLTH	.	.	.	88	92	.	.	.	.	.	.	.	.	.	.	.
NOFDOUT	.	.	.	87	.	.	.	.	.	.	.	.	.	.	.	.
NOFDOUT2	.	.	.	.	91	.	.	.	.	.	.	.	.	.	.	.

NOFDSTOR	.	.	.	86	90	.	.	.	.	.	.	.	.	.	.
NOFMONEY	.	.	.	.	.	.	.	.	.	.	.	.	.	11.7	15.7
NOTEAT	.	.	.	84	82	85	92	76	74	69	60	15.7	15.7	.	.
NOTMED	.	.	.	85	.	.	.	.	.	.	.	.	.	.	.
OUTOFFD	.	107	106	78	76	79	86	70	68	63	54	15.1	15.1	10.1	11.1
SCHLMEAL	.	.	.	.	.	.	.	.	.	81	71	15.17	15.17	10.10	12.5
WHYNOFS	.	.	.	.	.	92	98	82	80	76	67	15.14	15.14	.	.
WHYNOFS2	.	.	.	.	.	.	.	.	.	.	.	.	.	10.08	12.4
<b><u>Food Safety</u></b>															
EATBURGR	.	.	112	.	.	.	.	.	.	.	.	.	.	.	.
EATEGG	.	.	113	.	.	.	.	.	.	.	.	.	.	.	.
EATRAW2	.	.	114	.	.	.	.	.	.	.	.	.	.	.	.
EATSPROT	.	.	115	.	.	.	.	.	.	.	.	.	.	.	.
FSEGGG	.	.	118	.	.	.	.	.	.	.	.	.	.	.	.
FSHAMB	.	.	117	.	.	.	.	.	.	.	.	.	.	.	.
FSOYSTER	.	.	116	.	.	.	.	.	.	.	.	.	.	.	.
FSSPROUT	.	.	119	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Gynecological Cancer Information</u></b>															
GYNE10	.	.	.	.	.	.	.	.	.	.	.	.	.	17.10	18.8
GYNECO11	.	.	.	.	.	.	.	.	.	.	.	.	.	17.11	18.9
GYNECO12	.	.	.	.	.	.	.	.	.	.	.	.	.	17.12	18.10
GYNECO13	.	.	.	.	.	.	.	.	.	.	.	.	.	17.13	18.11
GYNECOL1	.	.	.	.	.	.	.	.	.	.	.	.	.	17.1	18.1
GYNECOL2	.	.	.	.	.	.	.	.	.	.	.	.	.	17.2	18.2
GYNECOL3	.	.	.	.	.	.	.	.	.	.	.	.	.	17.3	18.3
GYNECOL4	.	.	.	.	.	.	.	.	.	.	.	.	.	17.4	18.4
GYNECOL5	.	.	.	.	.	.	.	.	.	.	.	.	.	17.5	.
GYNECOL6	.	.	.	.	.	.	.	.	.	.	.	.	.	17.6	.
GYNECOL7	.	.	.	.	.	.	.	.	.	.	.	.	.	17.7	18.5
GYNECOL8	.	.	.	.	.	.	.	.	.	.	.	.	.	17.8	18.6
GYNECOL9	.	.	.	.	.	.	.	.	.	.	.	.	.	17.9	18.7
NOEXAM	.	.	.	.	.	.	.	.	.	.	.	.	.	.	22.2
<b><u>Health Access</u></b>															
EMPLAN	2	6	6	6	6	6	6	6	6	6	6	2.2	2.2	2.3	2.2
GAPPLN	9	14	15	15	15	15	.	.	.	.	.	.	.	.	.
GAPPLNT	10	15	16	16	16	16	.	.	.	.	.	.	.	.	.
GAPPLNT2	.	.	.	.	.	.	15	15	14	14	14	2.10	2.10	2.11	2.10
HAVECWHS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2.1
HAVEPLN3	1	5	5	5	5	5	5	5	5	5	5	2.1	2.1	2.1	2.1
HLTHLIST	12	17	18	18	18	18	17	17	.	.	.	.	.	.	.
HLTHPLAN	2	6	6	6	6	6	.	.	.	.	.	.	.	.	.
HLTHTXT	.	.	.	18a	18a	18a	.	.	.	.	.	.	.	.	.
HMOPPO2	11	16	17	17	17	17	16	16	.	.	.	.	.	.	.
INDIANHS	.	.	12	12	12	.	12	12	12	12	12	2.8	2.8	2.9	2.8
INDOTHER	.	12	.	.	.	.	.	.	.	.	.	.	.	.	.
MAINPLAN	8	.	.	.	14	14	14	14	.	.	.	.	.	.	.
MAINPLN2	.	13	14	14	.	.	.	.	.	.	.	.	.	.	.
MEDI_FU2	.	.	.	.	.	205	201	202	221	178	171	31.4	31.4	24.1	.
MEDI_FUP	.	.	207	201	204	.	.	.	.	.	.	.	.	.	.
MEDICAL	6	10	10	10	10	.	10	10	10	10	10	2.5	.	2.7	2.6
MEDICARE	5	9	9	9	9	.	9	9	9	9	9	2.6	2.5	2.6	2.5
MEDICAID	.	.	.	.	.	.	.	.	.	.	.	.	2.6	.	.
MILINDOT	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.

MILPLAN	.	11	11	11	11	.	11	11	11	11	11	2.7	2.7	2.8	2.7	.
OEMPLAN	3	7	7	7	7	.	7	7	7	7	7	2.3	2.3	2.4	2.3	.
OTHRSRCE	.	.	13	13	13	.	13	13	13	13	13	2.9	2.9	2.10	2.9	.
OWNPLAN	4	8	8	8	8	.	8	8	8	8	8	2.4	2.4	2.5	2.4	.
PASTPLAN	13	19	20	20	20	20	18	18	15	15	15	2.11	2.11	2.12	2.11	2.11
PRIMCAR2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2.14
PRIMPLAC	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2.15
TIMEPLAN	.	18	19	19	19	19	.	.	.	.	.	.	.	.	.	.

**Health Information and Health Decisions**

CHECKUP2	17	23	21	21	21	21	19	19	.	.	.	.	.	.	.	.
CHECKUP3	.	.	.	.	.	.	.	.	.	19	16	2.12	2.12	2.13	.	.
CHECKUP4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2.13	2.13
CHKUP_A	.	.	.	.	.	.	.	.	.	20	.	.	.	.	.	.
CHKUP_B	.	.	.	.	.	.	.	.	.	21	.	.	.	.	.	.
CHKUP_C	.	.	.	.	.	.	.	.	.	22	.	.	.	.	.	.
CHKUP_D	.	.	.	.	.	.	.	.	.	23	.	.	.	.	.	.
CHKUP_E	.	.	.	.	.	.	.	.	.	24	.	.	.	.	.	.
CHKUP_F	.	.	.	.	.	.	.	.	.	25	.	.	.	.	.	.
CHKUP_G	.	.	.	.	.	.	.	.	.	26	.	.	.	.	.	.
CHKUP_H	.	.	.	.	.	.	.	.	.	27	.	.	.	.	.	.
CHKUP_I	.	.	.	.	.	.	.	.	.	28	.	.	.	.	.	.
CNCBELIF	.	.	.	.	.	27	.	.	.	.	.	.	.	.	.	.
GENHLTH	.	1	1	1	1	1	1	1	1	1	1	1.1	1.1	1.1	1.1	1.1
NEEDDOC2	14	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.
OVARRISK	.	.	.	.	.	124	.	.	.	.	.	.	.	.	.	.
PHYSHLTH	.	2	2	2	2	2	2	2	2	2	2	1.2	1.2	1.2	1.2	1.2
PRECARE1	.	.	.	.	.	.	.	.	.	.	.	.	2.14	2.14	.	.
PRECARE2	.	.	.	.	.	.	.	.	.	.	.	.	2.15	2.14	2.13	2.16
PRECARE3	.	.	.	.	.	.	.	.	.	.	.	.	2.16	2.14	.	.
PREACRE4	.	.	.	.	.	.	.	.	.	.	.	.	2.17	2.14	.	.
PREACRE5	.	.	.	.	.	.	.	.	.	.	.	.	2.17	2.14	.	.
PRECARE	.	.	.	.	.	.	.	.	.	.	.	.	2.14	2.14	.	.
SEEDOC	15	21	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SEHEALTH	.	.	22	.	.	.	.	.	.	.	.	.	.	.	.	.
TALKDOC1	.	.	.	.	.	.	.	.	.	.	.	.	.	17.14	18.12	.
TALKDOC2	.	.	.	.	.	.	.	.	.	.	.	.	.	17.16	18.13	.
TALKDOC3	.	.	.	.	.	.	.	.	.	.	.	.	.	17.16	18.14	.
TALKDOC4	.	.	.	.	.	.	.	.	.	.	.	.	.	17.17	18.15	.
TALKDOC5	.	.	.	.	.	.	.	.	.	.	.	.	.	17.18	18.16	.
WHERCARE	.	.	.	.	22	22	27	27	20	.	.	.	.	.	.	.
WHYNODOC	16	22	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WWWHELTH	.	.	.	.	.	76	.	.	.	.	.	.	.	.	.	.
WWWINFO	.	.	.	.	.	77	.	.	.	.	.	.	.	.	.	.
WWWUSE	.	.	.	.	.	74	.	.	.	.	.	.	.	.	.	.
WWWHER	.	.	.	.	.	75	.	.	.	.	.	.	.	.	.	.

**Herbs**

DCTRHERB	.	.	.	.	.	.	.	.	34	.	.	.	.	.	.	.
HERBSORC	.	.	.	.	.	.	56	.	.	.	.	.	.	.	.	.
HERBSUP	.	.	.	.	.	.	54	44	.	.	.	.	.	.	.	.
HERBTAKE	.	.	.	.	.	.	53	43	.	.	.	.	.	.	.	.
HERBTAKE2	.	.	.	.	.	.	.	.	33	.	.	.	.	.	.	.
HERBTALK	.	.	.	.	.	.	55	45	.	.	.	.	.	.	.	.

**Housing**

HMLSADQ	.	.	.	.	.	106	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HMLSMOVE	.	.	.	.	.	105	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HMLSRENT	.	.	.	.	.	103	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HOMELESS	.	.	.	.	.	104	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOHOME	.	.	.	.	.	.	.	.	.	.	.	.	.	23.1	.	.	.	.	.	.

**Immunization**

FLUVAC	.	.	.	.	.	25	25	.	.	.	.	.	.	.	.	.	.	.	.	.
FLUVAC2	.	.	.	.	.	.	.	18	18	.	.	.	.	.	.	.	.	.	.	.
FLUVAC50	.	.	.	.	.	26	26	.	.	.	.	.	.	.	.	.	.	.	.	.
WHYNOVAC	.	.	.	.	.	.	.	19	.	.	.	.	.	.	.	.	.	.	.	.
HPVHEARD	.	.	.	.	.	.	.	.	23	.	.	.	.	.	.	.	.	.	.	.
HPVHEAR2	.	.	.	.	.	.	.	.	.	8.2	9.2	.	.	.	.	.	6.2	.	.	
HPVNUM	.	.	.	.	.	.	.	.	25	.	8.4	.	.	.	.	.	.	.	.	
HPVNUM2	.	.	.	.	.	.	.	.	.	.	9.4	.	.	.	.	.	6.4	.	.	
HPVVAC	.	.	.	.	.	.	.	.	24	.	.	.	.	.	.	.	.	.	.	
HPVVAC2	.	.	.	.	.	.	.	.	.	8.3	.	.	.	.	.	.	.	.	.	
HPVVAC3	.	.	.	.	.	.	.	.	.	.	9.3	.	.	.	.	.	6.3	.	.	
HPVWHYNT	.	.	.	.	.	.	.	.	26	.	8.5	.	.	.	.	.	.	.	.	
HPVWHYN2	.	.	.	.	.	.	.	.	.	.	9.5	.	.	.	.	.	6.5	.	.	

**Income Adequacy**

PUBASST	.	.	.	.	93	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PUBASST2	.	.	.	.	.	94	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PUBASST3	.	.	.	.	.	100	84	82	82	.	.	.	.	.	.	.	.	.	.	.
PUBASST4	.	.	.	.	.	.	.	.	.	72	15.18	15.18	.	.	.	.	.	.	.	
PUBASTCH	.	.	.	.	.	.	86	.	.	.	.	.	.	.	.	.	.	.	.	.
PUBASTN2	.	.	.	.	95	101	85	83	83	73	15.19	15.19	.	.	.	.	.	.	.	
PUBASTNW	.	.	.	.	94	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Infertility**

INFERTI3	.	.	.	.	.	.	.	.	.	.	29.1	.	.	.	.	.	.	.	.	.
INFRTAGE	.	.	.	.	.	.	.	.	.	.	29.2	.	.	.	.	.	.	.	.	.

**Long Term Care**

LTCBUY	.	.	.	.	.	30	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LTCDISC	.	.	.	.	.	31	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LTCGIVE	.	.	.	.	.	29	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LTCRCVD	.	.	.	.	.	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LTCWHO	.	.	.	.	.	32	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Mammogram Knowledge**

MAMMAGE	.	.	.	.	.	.	.	.	.	.	4.1	6.1	4.1	.	.	.	.	.	4.1
MAMMOFTN	.	.	.	.	.	.	.	.	.	.	4.2	6.2	4.2	.	.	.	.	.	4.2

**Menopause**

ESTROHR2	131	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ESTROHR3	.	.	138	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ESTROHR4	.	.	.	.	138	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ESTROHRT	131	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
EVEREST	.	.	137	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
EVEREST2	.	.	.	.	137	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HRTBELIF	132	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HRTCURR	.	.	.	.	.	.	.	.	.	107	.	.	.	.	.	.	.	.	.	.
MEDWHEN	130	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MENOPAU5	128	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MENOPAU2	.	.	.	.	.	.	.	.	.	.	105	.	23.12	.	.	.	19.10	.	.	
MENOWHEN	129	.	.	.	.	.	.	.	.	.	106	.	23.13	.	.	.	19.2	.	.	

MENSES	127	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MENSES2	.	.	.	.	.	.	.	.	.	104	23.1	.	.	.	.	9.1
MENSES3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9.2
MENSPRMT	.	.	.	.	.	.	.	.	.	104.5	104.5	.	.	.	.	.
<b><u>Mental Health Issues</u></b>																
DAYSANX	.	146	143	143	.	142	135	136	145	.	.	.	.	.	.	.
DAYSLEEP	145	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DAYSSAD	.	147	144	144	.	143	136	137	146	.	.	.	.	.	.	.
HAPP1	.	.	.	.	.	.	.	.	.	174	.	.	.	.	.	.
HAPP2	.	.	.	.	.	.	.	.	.	175	.	.	.	.	.	.
HAPP3	.	.	.	.	.	.	.	.	.	176	.	.	.	.	.	.
HAPP4	.	.	.	.	.	.	.	.	.	177	.	.	.	.	.	.
HELPGOOD	.	.	.	138	.	.	.	.	.	.	.	.	.	.	.	.
MENTBELF	.	.	.	.	140	.	.	.	.	.	.	.	.	.	.	.
MENTHELP	.	.	.	.	142	.	.	.	.	.	.	.	.	.	.	.
MENTHLTH	.	3	3	3	3	3	3	3	3	3	3	1.3	1.3	1.3	1.3	1.3
MENTMED	.	.	.	.	141	.	.	.	.	.	.	.	.	.	.	.
MHDX	156	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHDX2	.	.	151	.	.	.	.	.	.	154	.	.	.	.	.	.
MHELPEVR	.	.	.	147	.	.	.	.	.	.	.	.	.	.	.	.
MHEVER	.	151.5	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHHELP	147	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHHELP2	.	152	146	145	.	144	137	.	147	124	111	24.2	24.2	.	.	.
MHHELP3	.	.	.	.	143	.	.	.	.	.	.	.	.	.	.	.
MHHLAWN2	.	.	147	.	145	145	138	139	.	.	112	.	.	.	.	.
MHHLAWN3	.	.	.	146	.	.	.	.	.	.	.	.	.	.	.	.
MHHLAWN4	.	.	.	.	.	.	.	.	.	125	.	24.3	.	.	.	.
MHHLWCWS	.	.	.	.	.	.	.	.	.	.	.	.	24.3	.	.	.
MHHLPWNT	148	153	.	.	.	.	.	.	148	.	.	.	.	.	.	.
MHLMTDY	.	151	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHLMTWK	.	150	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHLONG	151	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHMED	158	.	.	.	.	.	.	.	157	.	.	.	.	.	.	.
MHMED2	.	158	154	.	.	.	.	.	.	.	.	.	.	.	.	.
MHNOTGE2	.	154	149	.	.	.	.	.	149	.	.	.	.	.	.	.
MHNOTGET	149	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHNOW	150	.	.	.	.	.	.	.	150	.	.	.	.	.	.	.
MHNTCTRL	.	.	140	141	146	140	.	.	.	.	.	.	.	.	.	.
MHOVRWL2	.	.	.	142	.	.	.	.	.	.	.	.	.	.	.	.
MHOVRWLM	146	145	141	.	.	141	134	135	144	123	110	24.1	24.1	18.1	.	.
MHPAYDIF	.	.	.	140	.	.	.	.	.	.	.	.	.	.	.	.
MHPAYDOC	157	157	152	.	.	.	.	.	155	.	.	.	.	.	.	.
MHPAYRX	159	.	.	.	.	.	.	.	158	.	.	.	.	.	.	.
MHPROHLP	154	.	.	.	.	.	.	.	152	.	.	.	.	.	.	.
MHTLKHLP	.	.	.	146a	.	.	.	.	.	.	.	.	.	.	.	.
MHTRYHL2	.	.	.	.	144	.	.	.	.	.	.	.	.	.	.	.
MHTRYHLP	.	.	148	.	.	.	.	.	.	.	.	.	.	.	.	.
MHUSUAL	153	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHWHELP	155	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MHWHELP2	155.1	155	.	.	.	.	.	.	153	.	.	.	.	.	.	.
MHWHELP3	.	.	150	.	.	146	.	.	.	.	.	.	.	.	.	.
MHWHERGO	.	.	.	139	.	.	.	.	.	.	.	.	.	.	.	.
MHWORW	152	.	.	.	.	.	.	.	151	.	.	.	.	.	.	.

MHWTHelp	.	.	142	.	.	.	.	.	.	.	.	.	.	.	.
PHQ1	.	.	.	.	.	.	.	.	126	113	24.4	24.4	.	22.1	30.1
PHQ2	.	.	.	.	.	.	.	.	127	114	24.5	24.5	.	22.2	30.2
PHQ3	.	.	.	.	.	.	.	.	128	115	24.6	24.6	.	.	.
PHQ4	.	.	.	.	.	.	.	.	129	116	24.7	24.7	.	.	.
PHQ5	.	.	.	.	.	.	.	.	130	117	24.8	24.8	.	.	.
PHQ6	.	.	.	.	.	.	.	.	131	118	24.9	24.9	.	.	.
PHQ7	.	.	.	.	.	.	.	.	132	119	24.10	24.10	.	.	.
PHQ8	.	.	.	.	.	.	.	.	133	120	24.11	24.11	.	.	.
TAKEMED	.	159	155	.	.	.	.	.	.	.	.	.	.	.	.
WHYNOINS	.	157.5	153	.	.	.	.	156	.	.	.	.	.	.	.
WHYNOMED	.	160	156	.	.	.	.	.	.	.	.	.	.	.	.

**Nutritional Decisions**

BREAKFST	.	.	.	.	.	.	.	.	.	.	18.3	19.3	13.3	15.2	19.3
CALORDER	.	.	.	.	.	.	.	.	.	.	.	.	.	15.6	19.7
CALREAD	.	.	.	.	.	.	.	.	.	.	.	.	.	15.5	19.6
CALSIZE	.	.	.	.	.	.	.	.	.	.	.	.	.	15.7	19.8
DAILYEAT	.	.	.	51	47	59	47	36	.	80	18.1	19.1	13.1	15.1	.
DAILYMLK	.	.	.	57	53	49	.	.	.	.	.	.	.	.	.
DAILYVEG	.	.	.	56	52	48	60	48	37	.	81	.	.	.	.
DLYEATV	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19.1
DLYEATF	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19.2
FASTFOOD	.	.	.	.	.	.	.	.	.	.	18.4	19.4	13.4	15.4	19.4
FTVGMOR2	.	.	.	.	.	.	.	.	.	.	18.2	19.2	13.2	.	.
FVACTIVE	.	.	.	.	.	.	.	.	.	.	.	.	.	15.9	19.10
HEARSERV	.	.	.	.	50	.	.	.	.	.	.	.	.	.	.
HEARSTOR	.	.	.	.	51	.	.	.	.	.	.	.	.	.	.
HIFBR	.	.	.	.	.	.	.	.	.	.	18.5	19.5	.	.	.
HINSNTRN	.	.	.	.	104	115	96	93	97	.	.	.	.	.	.
RECSERV	.	.	.	.	52	.	.	.	.	.	.	.	.	.	.
SODA	.	.	.	.	.	.	.	.	.	.	18.6	19.6	13.5	15.3	19.5
VEGLASS	.	.	.	.	.	.	.	.	.	.	.	.	.	15.8	19.9
WORKNTRN	.	.	.	.	103	114	95	92	96	.	.	.	.	16.8	.
WHYNOTFV	.	.	.	.	.	.	.	38	.	.	.	.	.	.	.
WHYNOTF2	.	.	.	.	.	.	.	.	89	82	.	.	.	.	.

**Osteoporosis**

BONEDEN	.	.	.	.	.	.	.	.	103	.	.	.	.	.	.
CHKHGHT	.	.	.	.	.	.	119	.	112	.	.	.	.	.	.
FALLBRK	.	.	.	.	136	.	.	.	.	.	.	.	.	.	.
FALLBR2	.	.	.	.	.	.	114	.	109	.	.	.	.	.	.
OSTEO	.	.	32	.	.	.	.	.	.	.	.	.	.	.	.
FALLTEST	.	.	.	.	.	.	117	.	111	.	.	.	.	.	.
OSTEO2	.	.	.	.	.	.	116	.	.	.	.	.	.	.	.
OSTEOCAL	.	.	.	.	.	.	.	.	106	.	.	.	.	.	.
OSTEODEF	.	.	.	134	133	133	.	.	.	.	.	.	.	.	.
OETEOFOD	.	.	.	.	.	.	.	.	108	.	.	.	.	.	.
OSTEOHAD	.	.	.	.	.	.	.	.	104	.	.	.	.	.	.
OSTEOHRD	.	.	.	133	132	.	.	.	.	.	.	.	.	.	.
OSTEOIMP	.	.	.	135	134	.	.	.	.	.	.	.	.	.	.
OSTEOPA	.	.	.	.	.	.	.	.	107	.	.	.	.	.	.
OSTEOPHY	.	.	.	.	138	.	.	.	.	.	.	.	.	.	.
OSTEOPRV	.	.	.	.	.	.	120	.	102	.	.	.	.	.	.
OSTEORSK	.	.	.	.	.	.	118	.	.	.	.	.	.	.	.

OSTEORX	.	.	.	.	.	.	.	.	105	.	.	.	.	.	.	.	.	.	.
OSTEOTL2	.	.	.	.	.	135	.	.	.	.	.	.	.	.	.	.	.	.	.
OSTEOTL3	.	.	.	.	.	.	.	107	.	.	.	.	.	.	.	.	.	.	.
OSTEOTLC	.	.	.	.	.	.	.	112	.	.	.	.	.	.	.	.	.	.	.
OSTEOTLB	.	.	.	.	.	134	.	.	.	.	.	.	.	.	.	.	.	.	.
OSTEOTLD	.	.	.	137	136	.	.	113	.	.	.	.	.	.	.	.	.	.	.
OSTEOTLK	.	.	.	136	135	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WHATBONE	.	.	.	.	.	137	.	115	.	110	.	.	.	.	.	.	.	.	.
<b><u>Post Traumatic Stress Disorder</u></b>																			
PTSD1	.	.	.	196	199	200	196	197	206	.	.	.	.	.	.	.	.	.	.
PTSD2	.	.	.	197	200	201	197	198	207	.	.	.	.	.	.	.	.	.	.
PTSD3	.	.	.	198	201	202	198	199	208	.	.	.	.	.	.	.	.	.	.
PTSD4	.	.	.	199	202	203	199	200	209	.	.	.	.	.	.	.	.	.	.
PTSD5	.	.	.	200	203	204	200	201	210	.	.	.	.	.	.	.	.	.	.
TSSBTAD	.	.	.	.	192	193	188	189	197	.	.	.	.	.	.	.	.	.	.
TSSBTCH	.	.	.	.	196	197	193	194	203	.	.	.	.	.	.	.	.	.	.
TSSDIAD	.	.	.	.	194	195	190	191	198	.	.	.	.	.	.	.	.	.	.
TSSDICH	.	.	.	.	198	199	195	196	205	.	.	.	.	.	.	.	.	.	.
TSSINSCH	.	.	.	.	.	.	191	192	201	.	.	.	.	.	.	.	.	.	.
TSSSXAD	.	.	.	.	193	194	189	190	199	171	168	31.1	.	.	.	.	.	.	.
TSSSXCH	.	.	.	.	197	198	194	195	204	173	170	31.3	.	.	.	.	.	.	.
TSSSXYR	.	.	.	.	.	.	.	.	200	172	169	31.2	.	.	.	.	.	.	.
TSSSRELA	.	.	.	.	.	.	.	.	.	.	.	.	34.2	.	.	.	.	.	.
TSSSXYR2	.	.	.	.	.	.	.	.	.	.	.	.	34.1	.	.	.	.	.	.
TSSTKAD	.	.	.	.	191	192	187	188	196	.	.	.	.	.	.	.	.	.	.
TSSTKCH	.	.	.	.	195	196	192	193	202	.	.	.	.	.	.	.	.	.	.
<b><u>Prenatal Care</u></b>																			
BRTHWGHT	.	.	54	37	42	37	44	39	30	.	.	.	.	.	.	.	.	.	.
DATEBRTH	.	.	.	.	.	.	.	38	29	.	.	.	.	.	.	.	.	.	.
HADBABY	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7.2	11.3	.
LIVEBRT2	.	.	.	.	.	.	.	36	27	35	30	9.5	10.4	.	.	.	.	.	.
LIVEBRTH	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7.3	11.4	.
LOBRTHWT	.	.	.	.	.	.	42	37	28	.	.	.	.	.	.	.	.	.	.
PREGHLTH	.	.	.	39	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PREG5YR	.	.	.	.	.	.	.	35	26	34	29	9.3	10.3	7.3	.	.	.	.	.
PREGNAN2	.	.	.	.	.	.	.	.	.	.	.	.	.	7.2	7.1	11.1	.	.	.
PREGNANT	.	.	.	.	.	.	.	33	24	32	27	9.1	10.1	.	.	.	.	.	.
PREGPLAN	.	.	.	.	.	.	.	.	.	.	.	.	10.5	7.4	.	11.2	.	.	.
PRENATA2	.	.	53	36	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PRENATAL	51	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PREVBRTH	.	.	.	35	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
RUBELLA	.	.	73	46	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SFCHEESE	.	.	.	95	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SFMEAT	.	.	.	96	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TLDSTRPB	.	.	.	104	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRYPREG	.	.	.	.	.	.	.	34	25	33	28	9.2	10.2	.	.	.	.	.	.
WTGAIN	53	73	71	44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WTGAINRT	54	74	72	45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WTPREPG	52	72	70	43	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Prescription Drug Use</u></b>																			
RXDRUGS	.	.	.	.	.	.	.	.	.	.	.	26.1	26.1	.	.	.	.	.	.
RXMISUSE	.	.	.	.	.	.	.	.	.	.	.	26.2	26.2	.	.	.	.	.	.

**Religion**

RELIGION	.	.	.	.	.	.	.	.	.	.	78	.	.	.	.	.
----------	---	---	---	---	---	---	---	---	---	---	----	---	---	---	---	---

**Sexual Behavior**

FRSTCOND	.	179	179	170	.	169	.	165	.	.	148	.	.	.	.	.
MAINCOND	196	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MAINPART	195	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
OTHRPAR2	.	178	178	.	.	.	.	.	.	.	.	.	.	.	.	.
OTHRPAR3	.	.	.	169	.	168	.	164	.	.	147	.	30.2	.	.	.
OTHRPART	197	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
REAUNPLN	.	.	.	.	.	.	.	.	.	141	127	.	.	.	.	.
SEXBEH1	198	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SEXBHAGE	181	166	164	155	154	154	146	.	.	.	.	.	.	.	.	.
SEXBHAG2	.	.	.	.	.	.	.	147	166	138	125	.	29.4	20.1	24.1	10.1
SEXBHNU2	.	.	.	.	.	170	.	.	.	.	.	.	.	.	.	.
SEXBHNU3	.	.	.	.	.	.	.	.	175	.	.	.	.	.	.	.
SEXBHNUM	182	177	.	.	.	.	.	163	.	139	146	28.3	29.3	21.2	24.3	10.3
SXORIENT	.	.	.	.	.	.	.	160	.	.	.	.	.	.	.	.
SXORIEN2	.	.	.	.	.	.	.	.	169	150	139	28.2	29.2	21.3	24.3	10.8
SEXWOTHR	.	.	.	.	.	171	.	.	.	.	.	.	.	.	.	.
SEXWOTH2	.	.	.	.	.	.	.	167	.	.	.	.	.	.	.	.
SEXWOTH3	.	.	.	.	.	.	.	.	.	.	149	.	.	.	.	.
SEXWOTRE	.	.	.	.	.	.	.	.	.	.	.	.	30.4	.	.	10.4
UNPLANSX	.	.	.	.	.	.	.	.	140	126	.	.	.	.	.	.
WHOSEX	.	239	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WHOSX12M	.	.	177	168	167	167	159	159	168	149	138	28.1	29.1	21.1	24.2	10.2
WHOSXEVR	.	.	176	167	166	166	158	158	.	.	.	.	.	.	.	.

**Sexually Transmitted Disease**

ASKFRTST	.	182	182	175	.	.	.	.	.	.	.	.	.	.	.	.
CHLMTST4	.	.	.	.	.	.	.	.	.	.	.	.	30.7	.	.	10.7
CHLYDHIV	.	.	.	.	.	.	.	.	.	.	142	.	.	.	.	.
CHLYDHRD	.	.	.	.	.	.	.	.	.	.	141	.	.	.	.	.
CHLYDTS2	.	.	.	.	.	.	161	.	173	.	.	.	.	.	.	.
CHLYDTS3	.	.	.	.	.	.	.	162	.	.	.	.	.	.	.	.
CHLYDTS4	.	.	.	.	.	.	.	.	.	.	143	.	.	.	.	.
CHLYDTST	.	181	180	173	171	173	.	.	.	.	.	.	.	.	.	.
CHLYDTXT	.	.	.	174a	.	.	.	.	.	.	.	.	.	.	.	.
CHLYDWH2	.	.	.	.	.	.	162	.	174	.	.	.	.	.	.	.
CHLYDWHR	.	.	181	174	.	174	.	.	.	.	.	.	.	.	.	.
DOUCHEVR	.	.	.	176	174	.	.	.	.	.	.	.	.	.	.	.
DOUCHOFN	.	.	.	177	175	.	.	.	.	.	.	.	.	.	.	.
HPVCERV	.	.	.	.	.	.	.	.	.	.	151	.	.	.	.	.
HPVCRVCA	.	.	.	.	.	.	.	.	.	.	145	.	.	.	.	7.2
HPVSTD	.	.	.	.	.	.	.	.	.	.	144	.	.	.	.	7.1
INFERTIL	189	188	.	.	177	.	165	.	.	.	.	.	.	.	.	.
INFERTI2	.	.	.	.	.	.	.	.	.	.	153	.	.	.	.	12.11
PROBPREG	188	187	.	.	.	.	164	.	.	.	.	.	.	.	.	.
PROBPRE2	.	.	.	.	.	.	.	.	.	.	152	9.4	9.4	.	.	.
PROBPRE3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	12.10
PROBRCAL	.	.	.	.	.	.	.	.	172	.	.	.	.	.	.	.
STDADV	190	185	.	.	.	.	.	.	.	.	.	.	.	.	.	.
STDADV2	.	.	.	.	.	177	163	168	.	.	150	.	.	.	.	.
STDCERV	.	.	.	.	.	.	.	.	.	155	.	.	.	.	.	.
STDCHILD	.	.	.	.	.	.	.	.	.	156	.	.	.	.	.	.

STDCHK	193	183	.	.	.	176	.	.	.	.	.	.	.	.	.	
STDCHLTD	.	.	.	.	.	.	167	.	142	152	.	.	.	.	.	
STDCHLY2	187	.	.	172	169	172	.	.	.	.	.	.	.	.	.	
STDCHLY3	.	.	.	.	.	.	160	.	.	151	.	.	.	.	.	
STDCHLYD	186	.	.	171	168	.	.	161	.	.	140	.	.	.	.	
STDDX	192	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
STDDX2	.	.	.	.	.	.	.	.	177	.	.	.	.	.	.	
STDDXTXT	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
STDHRPNO	.	.	184	.	173	.	.	.	.	.	.	.	.	.	.	
STDHRPT2	.	.	.	.	172	.	.	.	.	.	.	.	.	.	.	
STDHRPT3	.	.	.	.	.	175	.	.	.	154	.	.	.	.	.	
STDHRPTD	.	.	185	.	.	.	166	.	.	153	.	.	.	.	.	
STDHRPTR	.	.	183	.	.	.	.	.	.	.	.	.	.	.	.	
STDPROB	.	.	.	.	.	.	.	.	171	.	.	.	.	.	.	
STDPROPG	.	.	.	.	170	.	.	.	.	.	.	.	.	.	.	
STDRCALL	.	.	.	.	.	.	.	.	170	.	.	.	.	.	.	
STD TALK	.	.	.	.	.	.	168	.	.	.	.	.	.	.	.	
STD TALK2	.	.	.	.	.	.	.	166	.	.	.	.	.	.	.	
STDTEST	.	.	.	.	.	.	.	169	.	.	.	.	.	.	.	
STD TOLD	191	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
STD TOLD2	.	.	.	.	.	.	.	.	176	.	.	.	.	.	.	
STD TSTW T	.	.	.	.	.	.	.	170	.	.	.	.	.	.	.	
STDWHERE	194	184	.	.	.	.	.	.	.	.	.	.	.	.	.	
SEXBADVC	.	.	.	.	.	.	.	.	.	.	.	30.6	.	.	10.6	
<b><u>Size Acceptance</u></b>																
LAXWGHT	.	.	.	100	.	.	.	.	.	.	.	.	.	.	.	
LOSEWT	.	112	.	.	.	.	.	.	.	.	.	.	.	.	.	
SELFWGHT	.	.	.	97	49	45	57	46	35	50	43	14.1	14.1	9.1	10.1	14.1
SIZEFEE2	.	.	.	98	.	.	.	.	.	.	.	.	.	.	.	.
SIZEFEEL	.	111	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRYLOSE	.	113	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VOMTWGHT	.	.	.	99	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Smoking</u></b>																
<b><u>Exposure</u></b>																
EXPHRS	20	37	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>History</u></b>																
SMKEVDA2	19	36	36	28	31	29	34	29	22	30	21	7.2	8.2	6.2	5.2	6.2
SMOKE100	18	35	35	27	30	28	33	28	21	29	20	7.1	8.1	6.1	5.1	6.1
<b><u>Social Support</u></b>																
HLPACT	137	138	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HLP MONEY	138	139	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HLPRIDE	140	141	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HLP SICK	139	140	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<b><u>Specialist</u></b>																
Special1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25.1
Special2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25.2
Special3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25.3
Special4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25.4
Special5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25.5
Special6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25.6
Special7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25.7





## **Part VI: Weights**

### **Why Weight?**

Survey data require weighting for two essential reasons. The first reason is to correct for the difference between survey sample composition and population composition. For example, the in-line text table below shows the racial composition of the 2012 California Women's Health Survey (CWHS) on the top and the California population according to the 2010 Census on the bottom: 4% Black, 25% Hispanic, 65% White, and 6% Other – CWHS sample composition, 8% Black, 38% Hispanic, 41% White, and 13% Other – U.S. Census California population composition. Weighting adjusts for the differences between the selected sample and the actual population; weighting results in more reliable data to reflect more closely the characteristics of the population.

Non-coverage and non-response cause composition discrepancies between survey sample and actual population. Non-coverage means that factors beyond the control of survey designers may exclude some segments of the population. The primary exclusionary factor in phone surveys is the lack of a residential landline. There are two types of non-response: item non-response which is when the respondent does not answer a particular question and unit non-response which is when a selected household does not complete the interview. Non-coverage and non-response are prevalent in all surveys. Survey researchers must employ weighting to adjust for the composition differences between the sample and the population.

The second reason for weighting survey data is to account for survey design. Survey design involves developing a sampling method to randomly select individuals from the population to participate in the survey. Simple random sampling, where respondents are selected completely at random from the total population, is not possible when there are no records with contact information for every individual in the population. Sampling techniques other than simple random sampling require weighting to correct for different selection probabilities. Most phone surveys employ similar sampling methods; they randomly select a household then randomly select a respondent from that household. The selection probability depends on both the number of households and the number of eligible respondents in that household. Unlike simple random sampling in which every individual has the same selection probability, most surveys must be weighted to account for different selection probabilities.

If a researcher fails to employ weights, then the study prevalence's, or estimated percentages, could be substantially different from the actual percent in the population. In short, failure to use weights will very likely result in an inaccurate representation of the population, and invalidate the study. A common artifact of misapplication of survey data by failure to weight is that an unweighted result will appear to be significant because it has a smaller variance than the correctly weighted data would have had. This artifact makes relationships in the study appear to be more significant than they are, skewing the conclusions and invalidating the study.

### **CWHS Weights**

As discussed above, weighting is an adjustment to the data to correct for non-coverage, non-response, and survey design. To get meaningful analysis, researchers must apply weights when using survey data. Survey Research Group (SRG) calculates weights for each year's dataset. Every respondent in the dataset has an assigned weight; this weight must be applied whenever that respondent's information is used. The weights appear as variables in the SAS dataset. Survey data analysis requires statistical software that allows for correct application of weights. SRG uses SAS, but other software is available. The survey research methods section of the

American Statistical Association offers a website elaborating on software packages with survey analysis capabilities at <http://www.hcp.med.harvard.edu/statistics/survey-soft/>. SAS provides for several types of analysis using survey data including frequency tabulation through PROC SURVEYFREQ. The SAS code example below shows a cross tabulation of health care coverage by race. The third line correctly weights the CWHS data, applying the overall weight to correct for survey design, non-coverage, and non-response. The second line requests a cross-tabulation of health coverage by race, with a row option to include counts and percentages by race.

```
1 proc surveyfreq data=cwhs.cwhs_12p;
2   table _racegr*havepln3 / row;
3   weight _wt10r4;
4 run;
```

The age and race distribution of the CWHS sample does not completely match that of the California population. Before use in any analysis, researchers must weight CWHS data to obtain meaningful population estimates. The attached tables provide the names and relevant information on all weights included in the CWHS dataset and the population estimates that SRG used to construct these weights.

Each weight in the CWHS Final Weights Table, below, combines post-stratification weighting and probability of selection adjustments. The post-stratification weights used here (discussed in more detail below) are ratio-adjusted and correct the age and race distribution of the CWHS sample to match the demographics of the California population. The probability of selection adjustments used in creating the weights take into account the following factors: number of adults in the household (NUMWOMEN), the number of unique telephone numbers in the household (PHONE93), and for aggregated years, the number of interviews completed within a given year. All weights are constructed so that they sum to a standard population.

Post-stratification weighting is an adjustment to the data to account for the discrepancies in demographics between the sample and population. For CWHS data, the demographic variables categorize the sample and population into different groups defined by age and race. SRG assigns weights to each individual based on that individual's categorical group. The assigned weight is a ratio of the percent of the categorical group in the population to the percent of that group in the sample. Statisticians implement post-stratification weighting after survey data collection is complete.

## Single year weights

SRG calculates three weights for each annual dataset using 2010 California Department of Finance population estimates. \_WT10, \_WT10B, and \_WT10R4 each utilize different categorical groups of demographics. \_WT00, \_WT00B, \_WT00R4, \_WT90, \_WT90B, \_WT90R4 correspond to the first three 2010 weights to provide compatibility with older analyses, but do not apply to new analyses since they are adjusted to the 1990 and 2000 California population. The CWHS Final Weights Table describes each weight.

Each of these weights adjusts a single year's sample to the age and race distribution of the 2010 California population, regardless of the year of data collection. These weights should be selected when the purpose of the analysis is to compare annual trends for two or more years. Using one of these weights will allow the researcher to control for changes in the age and race structure of the population over time. The choice of the weight depends upon the planned analysis. For example, if an analysis were planned to examine the prevalence of mammography screening in the population, \_WT00R4 would be an appropriate choice. However, if one wished to examine a variable which occurred infrequently in the population, for example, mental health condition diagnosis (MHDX), either \_WT10 OR \_WT10B would be a more appropriate choice.

These weights apply to analyses of the entire California female population, not smaller geographic areas, such as region or county. If data users wish to undertake regional analyses, it is necessary to develop regional weights based upon the population of the specific region. SRG recommends consulting with a statistician familiar with regional weighting procedures.

Finally, data users should be aware that the weights discussed here adjust only for differences in age and race between the CWHS sample and the California population. The weights do not adjust for any differences in education or income. Also, if the researcher wishes to compare differences among race/ethnicity groups, age should be included in the analysis, or the data should be age adjusted. If, after reviewing these weights, researchers find that none of the provided weights apply to the planned analysis, then consultation with a statistician familiar with weighting procedures is necessary. SRG adjusts the CWHS sample to the standard population of the 2010 California population. 2010 California data are on files at: [State of California, Department of Finance, \*Race/Ethnic Population with Age and Sex Detail, 2000–2050\*, Sacramento, CA, May 2004.](#)

## CWHS FINAL WEIGHTS

<u>Weight Variable</u>	<u>Age/Race Variables</u>	<u>Weight Characteristics</u>
_WT10	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 2010; 2 race groups—White, Non-White. 6 age groups.
_WT10B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 2010, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT10R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 2010, 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.
_WT00	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 2000; 2 race groups—White, Non-White. 6 age groups.
_WT00B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 2000, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT00R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 2000, 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.
_WT90	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 1990; 2 race groups—White, Non-White. 6 age groups.
_WT90B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 1990, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT90R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 1990 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.

**Values for Age Variables**

_AGEG	18-24	_AGEGC	18-44
	25-34		45+
	35-44		
	45-54		
	55-64		
	65+		

**Values for Race Variables**

_RACEGR	White	_RACEG	White
	Black		Non-White
	Hispanic		
	Asian\Other		

**Table VIII. DOF 1990 CA Population Estimates Used to Create Weight  
\_WT90N by Two Race Groups, 10-Year Age Categories**

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	784,757	1,518,975	1,407,811	948,299	802,625	1,447,907	6,910,374
	Non-White	823,984	1,233,129	891,208	507,923	369,059	387,990	4,213,293
<b>Total</b>		1,608,741	2,752,104	2,299,019	1,456,222	1,171,684	1,835,897	11,123,667

**Table IX. DOF 1990 CA Population Estimates Used to Create Weight  
\_WT90BN by Four Race Groups, 2 Age Categories**

		Age Category		Total
Sex	Race/Ethnicity	18-44	45+	
Female	White	3,711,543	3,198,831	6,910,374
	Black	492,743	263,387	756,130
	Hispanic	1,736,995	627,494	2,364,489
	Other	718,583	374,091	1,092,674
<b>Total</b>		6,659,864	4,463,803	11,123,667

**Table X. DOF 1990 CA Population Estimates Used to Create Weight  
\_WT90CN by Four Race Groups, 10-Year Age Categories**

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	784,757	1,518,975	1,407,811	948,299	802,625	1,447,907	6,910,374
	Black	124,443	209,467	158,833	98,982	72,234	92,171	756,130
	Hispanic	530,761	733,653	472,581	261,099	183,863	182,532	2,364,489
	Other	168,780	290,009	259,794	147,842	112,962	113,287	1,092,674
<b>Total</b>		1,608,741	2,752,104	2,299,019	1,456,222	1,171,684	1,835,897	11,123,667

**Table XI. DOF 2000 CA Population Estimates Used to Create Weight  
\_WT00 by Two Race Groups, 10-Year Age Categories**

		Age Category						
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	Total
Female	White	594,737	1,016,140	1,344,110	1,265,745	836,345	1,471,842	6,528,919
	Non-White	1,022,242	1,527,123	1,374,451	954,873	534,385	626,221	6,039,295
<b>Total</b>		1,616,979	2,543,263	2,718,561	2,220,618	1,370,730	2,098,063	12,568,214

**Table XII. DOF 2000 CA Population Estimates Used to Create Weight  
\_WT00B by Four Race Groups, 2 Age Categories**

		Age Category		
Sex	Race/Ethnicity	18-44	45+	Total
Female	White	2,954,987	3,573,932	6,528,919
	Black	465,957	339,260	805,217
	Hispanic	2,407,966	1,014,927	3,422,893
	Other	1,049,893	761,292	1,811,185
<b>Total</b>		6,878,803	5,689,411	12,568,214

**Table XIII. DOF 2000 CA Population Estimates Used to Create Weight  
\_WT00R4 by Four Race Groups, 10-Year Age Categories**

		Age Category						
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	Total
Female	White	594,737	1,016,140	1,344,110	1,265,745	836,345	1,471,842	6,528,919
	Black	107,199	166,056	192,702	142,778	87,510	108,972	805,217
	Hispanic	665,600	964,324	778,042	478,130	256,932	279,865	3,422,893
	Other	249,443	396,743	403,707	333,965	189,943	237,384	1,811,185
<b>Total</b>		1,616,979	2,543,263	2,718,561	2,220,618	1,370,730	2,098,063	12,568,214

**Table XIV. DOF 2010 CA Population Estimates Used to Create Weight  
\_WT10 by Two Race Groups, 10-Year Age Categories**

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	613,151	882,392	931,991	1,234,125	1,137,173	1,474,716	6,273,548
	Non-White	1,270,991	1,722,440	1,646,026	1,409,719	950,173	924,781	7,924,130
<b>Total</b>		1,884,142	2,604,832	2,578,017	2,643,844	2,087,346	2,399,497	14,197,678

**Table XV. DOF 2010 CA Population Estimates Used to Create Weight  
\_WT10B by Four Race Groups, 2 Age Categories**

		Age Category		Total
Sex	Race/Ethnicity	18-44	45+	
Female	White	2,427,534	3,846,014	6,273,548
	Black	413,976	424,377	838,353
	Hispanic	2,935,374	1,670,099	4,605,473
	Other	1,290,107	1,190,197	2,480,304
<b>Total</b>		7,066,991	7,130,687	14,197,678

**Table XVI. DOF 2010 CA Population Estimates Used to Create Weight  
\_WT10R4 by Four Race Groups, 10-Year Age Categories**

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	613,151	882,392	931,991	1,234,125	1,137,173	1,474,716	6,273,548
	Black	119,629	144,379	149,968	172,133	124,392	127,915	838,353
	Hispanic	837,075	1,095,510	1,002,789	773,344	465,312	431,443	4,605,473
	Other	314,287	482,551	492,269	464,242	360,352	365,423	2,480,304
<b>Total</b>		1,884,142	2,604,832	2,578,017	2,643,844	2,087,346	2,399,497	14,197,678

## Part VII: Calculated Variables

SRG combines the responses to some survey questions to improve ease of analysis and simplify categories. The names of calculated variables begin with an underscore to distinguish them from response variables. Some of the calculated variables are simple re-categorizations of a single variable, while others combine two or more categorical or continuous variables. The list below describes the details of the calculated variables. ALL means that all of the variables in the Variables Used list must fulfill the criterion, while ANY means that any one of the variables in the list may fulfill the criterion.

Variable	Variables Used	Coding/Formula
_AGEG	AGEB	1- $18 \leq \text{AGEB} \leq 24$ 2- $25 \leq \text{AGEB} \leq 34$ 3- $35 \leq \text{AGEB} \leq 44$ 4- $45 \leq \text{AGEB} \leq 54$ 5- $55 \leq \text{AGEB} \leq 64$ 6- $\text{AGEB} \geq 65$
_AGEGB	AGEB	1- $18 \leq \text{AGEB} \leq 29$ 2- $30 \leq \text{AGEB} \leq 39$ 3- $40 \leq \text{AGEB} \leq 49$ 4- $50 \leq \text{AGEB} \leq 59$ 5- $\text{AGEB} \geq 60$
_AGEGC	AGEB	1- $18 \leq \text{AGEB} \leq 44$ 2- $\text{AGEB} \geq 45$
_BFLONG	BFLONG	Convert BFLONG to days
_BMI	HTI, WEIGHT	$\_BMI = 703 \cdot \text{WEIGHT} / \text{HTI}^2$
_BMIREV	_BMI	1- $\_BMI < 18.5$ 2- $18.5 \leq \_BMI < 25$ 3- $25 \leq \_BMI < 30$ 4- $\_BMI \geq 30$
_CARELNG	CAREL_A, CAREL_B, CAREL_C, CAREL_D	Sum of CAREL_A through CAREL_D (all converted to days)
_CBE1	HADCBE, WHYCBE	1-HADCBE = 2 AND WHYCBE = 1 2-HADCBE = 1 AND WHYCBE = 1 9-HADCBE = 7 OR 9 OR WHYCBE = 7 OR 9
_CBE2	WHENCBE, WHYCBE HADCBE	1-HADCBE = 2 AND WHYCBE = 1 2-WHENCBE = 1 AND WHYCBE = 1 3-WHENCBE = 2 AND WHYCBE = 1 4-WHENCBE = 3 OR 4 AND WHYCBE = 1 5-WHENCBE = 5 AND WHYCBE = 1 9-WHENCBE = 7 OR 9 OR WHYCBE = 7 OR 9
_CBE3	HADCBE	1-HADCBE = 2 2-HADCBE = 1 9-HADCBE = 7 OR 9

_CBE4	WHENCBE, HADCBE	1-HADCBE = 2 2-WHENCBE = 1 3-WHENCBE = 2 4-WHENCBE = 3 OR 4 5-WHENCBE = 5 9-WHENCBE = 7 OR 9
_DRKALC	DRKALC	Convert DRKALC to days
_DVANY	DVINSLT, DVTHR TN, DVTHR THG, DVTHRYOU, DVPUSHED, DVSLAP, DVHITYOU, DVHITHG, DVBEATUP, DVCHOKE, DVTHR WPN, DVUSEWPN	1-ANY = 1 2-ANY = 3 OR ALL = 2 4-ANY = 4 7-ALL = 7 8-ANY = 8 AND ALL ≠ 1 9-ALL = 9
_DVERBAL	DVINSLT, DVCANTLK	1-DVINSLT = 1 2-DVINSLT = 2 OR 3 4-DVINSLT = 4 7-DVINSLT = 4 8-DVINSLT = 8 OR DVCANTLK = 8 OR 9 9-DVINSLT = 9
_DVEVHIT	DVCANTLK, DVCNTROL, DVYR THRW, DVYR PUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVR THR, DVEVR TH2, DVEVRPSH, DVEVPSH2, DVEVRHIT	1-DVEVRHIT = 1 OR DVYRHIT = 1 2-DVEVRHIT = 2 AND DVYRHIT = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYR THRW = 5 OR DVEVR THR = 5 7-DVEVRHIT = 7 8-ANY = 8 OR 88 AND DVYRHIT ≠ 1 9-DVEVRHIT = 9
_DVEVRBT	DVCANTLK, DVCNTROL, DVYR THRW, DVYR PUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVR THR, DVEVR TH2, DVEVRPSH, DVEVPSH2, DVEVRHIT DVEVRBET	1-DVEVRBET = 1 OR DVYRBEAT = 1 2-DVEVRBET = 2 AND DVYRBEAT = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYR THRW = 5 OR DVEVR THR = 5 7-DVEVRBET = 7 8-ANY = 8 OR 88 AND DVYRBEAT ≠ 1 9-DVEVRBET = 9
_DVEVRPS	DVCANTLK, DVCNTROL, DVYR THRW, DVYR PUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVR THR, DVEVR TH2, DVEVRPSH	1-DVEVRPSH = 1 OR DVYR PUSH = 1 2-DVEVRPSH = 2 AND DVYR PUSH = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYR THRW = 5 OR DVEVR THR = 5 7-DVEVRPSH = 7 8-ANY = 8 OR 88 AND DVYR PUSH ≠ 1 9-DVEVRPSH = 9

_DVEVRTH	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVFEAR	1-DVEVRTHR = 1 OR DVYRTHRW = 1 2-DVEVRTHR = 2 AND DVYRTHRW = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRTHR = 7 8-ANY = 8 OR 88 AND DVYRTHRW ≠ 1 9-DVEVRTHR = 9
_DVEVSEX	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT DVEVRBET, DVEVRSEX	1-DVEVRSEX = 1 OR DVYRSEX = 1 2-DVEVRSEX = 2 AND DVYRSEX = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRSEX = 7 8-ANY = 8 OR 88 AND DVYRSEX ≠ 1 9-DVEVRSEX = 9
_DVEVUSE	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT, DVEVRBET, DVEVRSEX, DVEVSEX2, DVEVRWPN, DVEVRUSE	1-DVEVRUSE = 1 OR DVYRUSE = 1 2-DVEVRUSE = 2 AND DVYRUSE = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRUSE = 7 8-ANY = 8 OR 88 AND DVYRUSE ≠ 1 9-DVEVRUSE = 9
_DVEVWPN	DVCANTLK, DVCNTROL, DVYRTHRW, DVYRPUSH, DVPUSHE2, DVPUSHDG, DVYRHIT, DVYRBEAT, DVYRSEX, DVYRWPN, DVYRUSE, DVEVRTHR, DVEVRTH2, DVEVRPSH, DVEVPSH2, DVEVRHIT, DVEVRBET, DVEVRSEX, DVEVSEX2, DVEVRWPN	1-DVEVRWPN = 1 OR DVYRWPN = 1 2-DVEVRWPN = 2 AND DVYRWPN = 2 5-DVCNTROL = 5 OR DVFEAR = 2 OR DVYRTHRW = 5 OR DVEVRTHR = 5 7-DVEVRWPN = 7 8-ANY = 8 OR 88 AND DVYRWPN ≠ 1 9-DVEVRWPN = 9
_DVMINOR	DVTHRRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVINSULT, DVCANTLK	1-DVTHRRTN = 1 OR DVTHRTHG = 1 OR DVTHRYOU = 1 OR DVPUSHED = 1 OR DVSLAP = 1 2-(DVTHRRTN = 2 AND DVTHRTHG = 2 AND DVTHRYOU = 2 AND DVPUSHED = 2 AND DVSLAP = 2) OR DVINSULT = 3 OR DVTHRRTN = 3 OR DVTHRTHG = 3 OR DVTHRYOU = 3 OR DVPUSHED = 3 OR DVSLAP = 3 4-DVTHRRTN = 4 OR DVTHRTHG = 4 OR DVTHRYOU = 4 OR DVPUSHED = 4 OR DVSLAP = 4 OR DVINSULT = 4

- 7-DVTHR TN = 7 OR DVTHR THG = 7 OR  
DVTHRYOU = 7 OR DVPUSHED = 7 OR  
DVSLAP = 7
- 8-DVTHR TN = 8 OR DVTHR THG = 8 OR  
DVTHRYOU = 8 OR DVSLAP = 8 OR  
DVINSLT = 8 OR DVCANTLK = 8 OR 9 AND  
(DVTHR TN ≠ 1 AND DVTHR THG ≠ 1 AND  
DVTHRYOU ≠ 1 AND DVSLAP ≠ 1)
- 9-DVTHR TN = 9 OR DVTHR THG = 9 OR  
DVTHRYOU = 9 OR DVPUSHED = 9 OR  
DVSLAP = 9

\_DVPHYS

DVINSLT, DVTHR TN,  
DVTHR THG, DVTHRYOU,  
DVPUSHED, DVSLAP,  
DVHITYOU, DVHITHG,  
DVBEATUP, DVCHOKE,  
DVTHR WPN, DVUSEWPN

- 1-DVTHR TN = 1 OR DVTHR THG = 1 OR  
DVTHRYOU = 1 OR DVPUSHED = 1 OR  
DVSLAP = 1 OR DVHITYOU = 1 OR  
DVHITHG = 1 OR DVBEATUP = 1 OR  
DVCHOKE = 1 OR DVTHR WPN = 1 OR  
DVUSEWPN = 1
- 2-(DVTHR TN = 2 AND DVTHR THG = 2 AND  
DVTHRYOU = 2 AND DVPUSHED = 2 AND  
DVSLAP = 2 AND DVHITYOU = 2 AND  
DVHITHG = 2 AND DVBEATUP = 2 AND  
DVCHOKE = 2 AND DVTHR WPN = 2 AND  
DVUSEWPN = 2) OR DVINSLT = 3 OR  
DVTHR TN = 3 OR DVTHR THG = 3 OR  
DVTHRYOU = 3 OR DVPUSHED = 3 OR  
DVSLAP = 3 OR DVHITYOU = 3 OR  
DVHITHG = 3 OR DVBEATUP = 3 OR  
DVCHOKE = 3 OR DVTHR WPN = 3 OR  
DVUSEWPN = 3
- 4-DVINSLT = 4 OR DVUSEWPN = 4 OR  
DVTHR TN = 4 OR DVTHR THG = 4 OR  
DVTHRYOU = 4 OR DVPUSHED = 4 OR  
DVSLAP = 4 OR DVHITYOU = 4 OR  
DVHITHG = 4 OR DVBEATUP = 4 OR  
DVCHOKE = 4 OR DVTHR WPN = 4
- 7-DVTHR WPN = 7 OR DVUSEWPN = 7 OR  
DVTHR TN = 7 OR DVTHR THG = 7 OR  
DVTHRYOU = 7 OR DVPUSHED = 7 OR  
DVSLAP = 7 OR DVHITYOU = 7 OR  
DVHITHG = 7 OR DVBEATUP = 7 OR  
DVCHOKE = 7
- 8-(DVTHR TN ≠ 1 AND DVTHR THG ≠ 1 AND  
DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND  
DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND  
DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND  
DVCHOKE ≠ 1 AND DVTHR WPN ≠ 1 AND  
DVUSEWPN ≠ 1) OR DVINSLT = 8 OR  
DVTHR TN = 8 OR DVTHR THG = 8 OR  
DVTHRYOU = 8 OR DVPUSHED = 8 OR  
DVSLAP = 8 OR DVHITYOU = 8 OR  
DVHITHG = 8 OR DVBEATUP = 8 OR  
DVCHOKE = 8 OR DVTHR WPN = 8 OR  
DVUSEWPN = 8 OR DVCANTLK = 8 OR 9

		9-DVTHRWPN = 9 OR DVUSEWPN = 9 OR DVTHRRTN = 9 OR DVTHRTHG = 9 OR DVTHRYOU = 9 OR DVPUSHED = 9 OR DVSLAP = 9 OR DVHITYOU = 9 OR DVHITHG = 9 OR DVBEATUP = 9 OR DVCHOKE = 9
_DVSEVRE	DVHITYOU, DVHITHG, DVBEATUP, DVCHOKE, DVTHRWPN, DVUSEWPN, DVINSULT, DVTHRRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVCANTLK	1-DVHITYOU = 1 OR DVHITHG = 1 OR DVBEATUP = 1 OR DVCHOKE = 1 OR DVTHRWPN = 1 OR DVUSEWPN = 1 2-(DVHITYOU = 2 AND DVHITHG = 2 AND DVBEATUP = 2 AND DVCHOKE = 2 AND DVTHRWPN = 2 AND DVUSEWPN = 2) OR DVINSULT = 3 OR DVTHRRTN = 3 OR DVTHRTHG = 3 OR DVTHRYOU = 3 OR DVPUSHED = 3 OR DVSLAP = 3 OR DVHITYOU = 3 OR DVHITHG = 3 OR DVBEATUP = 3 OR DVCHOKE = 3 OR DVTHRWPN = 3 OR DVUSEWPN = 3 4-DVINSULT = 4 OR DVTHRRTN = 4 OR DVTHRTHG = 4 OR DVTHRYOU = 4 OR DVPUSHED = 4 OR DVSLAP = 4 OR DVHITYOU = 4 OR DVHITHG = 4 OR DVBEATUP = 4 OR DVCHOKE = 4 OR DVTHRWPN = 4 OR DVUSEWPN = 4 7-DVHITYOU = 7 OR DVHITHG = 7 OR DVBEATUP = 7 OR DVCHOKE = 7 OR DVTHRWPN = 7 OR DVUSEWPN = 7 8-(DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1) OR DVINSULT = 8 OR DVTHRRTN = 8 OR DVTHRTHG = 8 OR DVTHRYOU = 8 OR DVPUSHED = 8 OR DVSLAP = 8 OR DVHITYOU = 8 OR DVHITHG = 8 OR DVBEATUP = 8 OR DVCHOKE = 8 OR DVTHRWPN = 8 OR DVUSEWPN = 8 DVCANTLK = 8 OR 9 9-DVHITYOU = 9 OR DVHITHG = 9 OR DVBEATUP = 9 OR DVCHOKE = 9 OR DVTHRWPN = 9 OR DVUSEWPN = 9
_DVTYPE	DVINSLT, DVTHRRTN, DVTHRTHG, DVTHRYOU, DVPUSHED, DVSLAP, DVHITYOU, DVHITHG, DVBEATUP, DVCHOKE, DVTHRWPN, DVUSEWPN, DVCANTLK	1-DVINSLT = 1 AND DVTHRRTN ≠ 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1 2-DVINSLT ≠ 1 AND DVTHRRTN = 1 AND DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

3-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG = 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

4-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU = 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

5-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED = 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

6-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP = 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

7-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU = 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

8-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG = 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

9-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP = 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

10-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE = 1 AND  
DVTHRWPN ≠ 1 AND DVUSEWPN ≠ 1

11-DVINSLT ≠ 1 AND DVTHRRTN ≠ 1 AND  
DVTHRTHG ≠ 1 AND DVTHRYOU ≠ 1 AND  
DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND  
DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND  
DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND  
DVTHRWPN = 1 AND DVUSEWPN ≠ 1

- 12-DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND DVTHR THG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHR WPN ≠ 1 AND DVUSEWPN = 1
- 33-DVINSLT = 3 OR DVTHR TN = 3 OR DVTHR THG = 3 OR DVTHRYOU = 3 OR DVPUSHED = 3 OR DVSLAP = 3 OR DVHITYOU = 3 OR DVHITHG = 3 OR DVBEATUP = 3 OR DVCHOKE = 3 OR DVTHR WPN = 3 OR DVUSEWPN = 3 OR (DVINSLT = 2 AND DVTHR TN = 2 AND DVTHR THG = 2 AND DVTHRYOU = 2 AND DVPUSHED = 2 AND DVSLAP = 2 AND DVHITYOU = 2 AND DVHITHG = 2 AND DVBEATUP = 2 AND DVCHOKE = 2 AND DVTHR WPN = 2 AND DVUSEWPN = 2)
- 44-DVINSLT = 4 OR DVTHR TN = 4 OR DVTHR THG = 4 OR DVTHRYOU = 4 OR DVPUSHED = 4 OR DVSLAP = 4 OR DVHITYOU = 4 OR DVHITHG = 4 OR DVBEATUP = 4 OR DVCHOKE = 4 OR DVTHR WPN = 4 OR DVUSEWPN = 4
- 77-(DVINSLT = 7 AND DVTHR TN = 7 AND DVTHR THG = 7 AND DVTHRYOU = 7 AND DVPUSHED = 7 AND DVSLAP = 7 AND DVHITYOU = 7 AND DVHITHG = 7 AND DVBEATUP = 7 AND DVCHOKE = 7 AND DVTHR WPN = 7 AND DVUSEWPN = 7) OR (DVINSLT = 7 AND DVTHR TN = 2 AND DVTHR THG = 2 AND DVTHRYOU = 2 AND DVPUSHED = 2 AND DVSLAP = 2 AND DVHITYOU = 2 AND DVHITHG = 2 AND DVBEATUP = 2 AND DVCHOKE = 2 AND DVTHR WPN = 2 AND DVUSEWPN = 2)
- 88-(DVINSLT ≠ 1 AND DVTHR TN ≠ 1 AND DVTHR THG ≠ 1 AND DVTHRYOU ≠ 1 AND DVPUSHED ≠ 1 AND DVSLAP ≠ 1 AND DVHITYOU ≠ 1 AND DVHITHG ≠ 1 AND DVBEATUP ≠ 1 AND DVCHOKE ≠ 1 AND DVTHR WPN ≠ 1 AND DVUSEWPN ≠ 1) OR DVINSLT = 9 OR DVTHR TN = 9 OR DVTHR THG = 9 OR DVTHRYOU = 9 OR DVPUSHED = 9 OR DVSLAP = 9 OR DVHITYOU = 9 OR DVHITHG = 9 OR DVBEATUP = 9 OR DVCHOKE = 9 OR DVTHR WPN = 9 OR DVUSEWPN = 9 OR DVCANTLK = 8 OR 9
- 99-DVINSLT = 9 AND DVTHR TN = 9 AND DVTHR THG = 9 AND DVTHRYOU = 9 AND DVPUSHED = 9 AND DVSLAP = 9 AND DVHITYOU = 9 AND DVHITHG = 9 AND DVBEATUP = 9 AND DVCHOKE = 9 AND DVTHR WPN = 9 AND DVUSEWPN = 9

_DVTYPE2	DVCANTLK, DVCNTROL, DVYRTHR W, DVYRPUSH, DVYRHIT, DVYRHIT, DVYRSEX, DVYRWPN, DVYRUSE	1-DVYRTHR W = 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1 2-DVYRTHR W ≠ 1 AND DVYRPUSH = 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1 3-DVYRTHR W ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT = 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1 4-DVYRTHR W ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT = 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1 5-DVYRTHR W ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX = 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1 6-DVYRTHR W ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN = 1 AND DVYRUSE ≠ 1 7-DVYRTHR W ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE = 1 33-DVYRTHR W = 2 AND DVYRPUSH = 2 AND DVYRHIT = 2 AND DVYRBEAT = 2 AND DVYRSEX = 2 AND DVYRWPN = 2 AND DVYRUSE = 2 55-DVCNTROL = 5 OR DVYRTHR W = 5 77-(DVYRTHR W = 7 AND DVYRPUSH = 7 AND DVYRHIT = 7 AND DVYRBEAT = 7 AND DVYRSEX = 7 AND DVYRWPN = 7 AND DVYRUSE = 7) OR (DVYRUSE = 2 AND DVYRTHR W = 7 AND DVYRPUSH = 2 AND DVYRHIT = 2 AND DVYRBEAT = 2 AND DVYRSEX = 2 AND DVYRWPN = 2) 88-((DVCANTLK = 8 OR 9 OR DVYRUSE = 8  DVYRTHR W = 8 OR DVYRPUSH = 8 OR DVYRHIT = 8 OR DVYRBEAT = 8 OR DVYRSEX = 8 OR DVYRWPN = 8) AND (DVYRTHR W ≠ 1 AND DVYRPUSH ≠ 1 AND DVYRHIT ≠ 1 AND DVYRBEAT ≠ 1 AND DVYRSEX ≠ 1 AND DVYRWPN ≠ 1 AND DVYRUSE ≠ 1)) OR (DVCANTLK = 2 AND DVCNTROL = 8)
OR		
_DVTYPEV	DVCNTROL, DVYRTHR W, _DVEVRTH, _DVEVRPS, _DVEVHIT, _DVEVRBT, _DVEVSEX, _DVEVWPN, _DVEVUSE, DVCANTLK	1-_DVEVRTH = 1 AND _DVEVRPS ≠ 1 AND _DVEVHIT ≠ 1 AND _DVEVRBT ≠ 1 AND _DVEVSEX ≠ 1 AND _DVEVWPN ≠ 1 AND _DVEVUSE ≠ 1

2- \_DVEVRTH  $\neq$  1 AND \_DVEVRPS = 1 AND  
    \_DVEVHIT  $\neq$  1 AND \_DVEVRBT  $\neq$  1 AND  
    \_DVEVSEX  $\neq$  1 AND \_DVEVWPN  $\neq$  1 AND  
    \_DDEVUSE  $\neq$  1  
 3- \_DVEVRTH  $\neq$  1 AND \_DVEVRPS  $\neq$  1 AND  
    \_DVEVHIT = 1 AND \_DVEVRBT  $\neq$  1 AND  
    \_DVEVSEX  $\neq$  1 AND \_DVEVWPN  $\neq$  1 AND  
    \_DDEVUSE  $\neq$  1  
 4- \_DVEVRTH  $\neq$  1 AND \_DVEVRPS  $\neq$  1 AND  
    \_DVEVHIT  $\neq$  1 AND \_DVEVRBT = 1 AND  
    \_DVEVSEX  $\neq$  1 AND \_DVEVWPN  $\neq$  1 AND  
    \_DDEVUSE  $\neq$  1  
 5- \_DVEVRTH  $\neq$  1 AND \_DVEVRPS  $\neq$  1 AND  
    \_DVEVHIT  $\neq$  1 AND \_DVEVRBT  $\neq$  1 AND  
    \_DVEVSEX = 1 AND \_DVEVWPN  $\neq$  1 AND  
    \_DDEVUSE  $\neq$  1  
 6- \_DVEVRTH  $\neq$  1 AND \_DVEVRPS  $\neq$  1 AND  
    \_DVEVHIT  $\neq$  1 AND \_DVEVRBT  $\neq$  1 AND  
    \_DVEVSEX  $\neq$  1 AND \_DVEVWPN = 1 AND  
    \_DDEVUSE  $\neq$  1  
 7- \_DVEVRTH  $\neq$  1 AND \_DVEVRPS  $\neq$  1 AND  
    \_DVEVHIT  $\neq$  1 AND \_DVEVRBT  $\neq$  1 AND  
    \_DVEVSEX  $\neq$  1 AND \_DVEVWPN  $\neq$  1 AND  
    \_DDEVUSE = 1  
 33- \_DVEVRTH = 2 AND \_DVEVRPS = 2 AND  
    \_DVEVHIT = 2 AND \_DVEVRBT = 2 AND  
    \_DVEVSEX = 2 AND \_DVEVWPN = 2 AND  
    \_DDEVUSE = 2  
 55- DVCNTROL = 5 OR DVYRTHRW = 5  
 77- (\_DVEVRTH = 7 AND \_DVEVRPS = 7 AND  
    \_DVEVHIT = 7 AND \_DVEVRBT = 7 AND  
    \_DVEVSEX = 7 AND \_DVEVWPN = 7 AND  
    \_DDEVUSE = 7) OR (\_DVEVRTH = 7 AND  
    \_DVEVHIT = 2 AND \_DVEVRBT = 2 AND  
    \_DVEVSEX = 2 AND \_DVEVWPN = 2 AND  
    \_DDEVUSE = 2 AND \_DVEVRPS = 2)  
 88- (\_DVEVRTH = 8 OR \_DVEVRPS = 8 OR  
    \_DVEVHIT = 8 OR \_DVEVRBT = 8 OR  
    \_DVEVSEX = 8 OR \_DVEVWPN = 8 OR  
    DVCANTLK = 8 OR DVCVANTLK = 9 OR  
    \_DDEVUSE = 8) AND (\_DVEVRTH  $\neq$  1 AND  
    \_DVEVHIT  $\neq$  1 AND \_DVEVRBT  $\neq$  1 AND  
    \_DVEVSEX  $\neq$  1 AND \_DVEVWPN  $\neq$  1 AND  
    \_DDEVUSE  $\neq$  1 AND \_DVEVRPS  $\neq$  1)  
 99- \_DVEVRTH = 9 AND \_DVEVRPS = 9 AND  
    \_DVEVHIT = 9 AND \_DVEVRBT = 9 AND  
    \_DVEVSEX = 9 AND \_DVEVWPN = 9 AND  
    \_DDEVUSE = 9

_EXPHRS	EXPHRS	Convert EXPHRS to minutes
HTI	HEIGHT	Convert HEIGHT to inches
_IDEALBF	IDEALBF	Convert IDEALBF to days

\_MAINPL2

- 1-(EMPPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 1
- 2-(OEMPLAN = 1 AND (EMPPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 2
- 3-(OWNPLAN = 1 AND (OEMPLAN ≠ 1 OR EMPPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 3
- 4-(MEDICARE = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR EMPPLAN ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 4
- 5-(MEDICAL = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR EMPPLAN ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 5
- 6-(MILPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 6
- 7-(INDIANHS = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR EMPPLAN ≠ 1 OR OTHRSRCE ≠ 1) OR MAINPLAN = 7
- 8-(OTHSRCE = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILPLAN ≠ 1 OR INDIANHS ≠ 1 OR EMPPLAN ≠ 1) OR MAINPLAN = 8
- 77-MAINPLAN = 77
- 88-MAINPLAN = 88
- 99-MAINPLAN = 99

\_MAINPLN

- 1-(EMPPLAN = 1 AND (OEMPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR MAINPLAN = 1
- 2-(OEMPLAN = 1 AND (EMPPLAN ≠ 1 OR OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR MAINPLAN = 2

3-(OWNPLAN = 1 AND (OEMPLAN ≠ 1 OR  
 EMPPLAN ≠ 1 OR MEDICARE ≠ 1 OR  
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR  
 MAINPLAN = 3  
 4-(MEDICARE = 1 AND (OEMPLAN ≠ 1 OR  
 OWNPLAN ≠ 1 OR EMPPLAN ≠ 1 OR  
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR  
 MAINPLAN = 4  
 5-(MEDICAL = 1 AND (OEMPLAN ≠ 1 OR  
 OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR  
 EMPPLAN ≠ 1 OR MILINDOT ≠ 1) OR  
 MAINPLAN = 5  
 6-(MILPLAN = 1 AND (OEMPLAN ≠ 1 OR  
 OWNPLAN ≠ 1 OR MEDICARE ≠ 1 OR  
 MEDICAL ≠ 1 OR MILINDOT ≠ 1) OR  
 MAINPLAN = 6  
 77-MAINPLAN = 77  
 88-MAINPLAN = 88  
 99-MAINPLAN = 99

_MAMM1	HADMAM, WHYDONE	1-HADMAM = 2 AND WHYDONE = 1 2-HADMAM = 1 AND WHYDONE = 1 9-HADMAM = 7 OR 9 OR WHYDONE = 7 OR 9
_MAMM2	HOWLONG2, WHYDONE HADMAM	1-HADMAM = 2 AND WHYDONE = 1 2-HOWLONG2 = 1 AND WHYDONE = 1 3-HOWLONG2 = 2 AND WHYDONE = 1 4-HOWLONG2 = 3 OR 4 AND WHYDONE = 1 5-HOWLONG2 = 5 AND WHYDONE = 1 9-HOWLONG2 = 7 OR 9 OR WHYDONE = 7 OR
9		
_MAMM3	HADMAM	1-HADMAM = 2 2-HADMAM = 1 9-HADMAM = 7 OR 9
_MAMM4	HOWLONG2, HADMAM	1-HADMAM = 2 2-HOWLONG2 = 1 3-HOWLONG2 = 2 4-HOWLONG2 = 3 OR 4 5-HOWLONG2 = 5 9-HOWLONG2 = 7 OR 9
_MHLONG	MHLONG	Convert MHLONG to days
_NALCMO	NALCOCC, _DRKALC	_NALCMO = NALCOCC·_DRKALC 888-_DRKALC = 888 OR NALCOCC = 888 999-_DRKALC = 999 OR NALCOCC = 999
_PAP5	HADPAP, HYSTER2	1-HADPAP = 2 AND HYSTER2 = 2 2-HADPAP = 1 AND HYSTER2 = 2 9-HADPAP = 7 OR 9 OR HYSTER2 = 7 OR 9
_PAP6	WHENPAP, HYSTER2 HADPAP	1-HADPAP = 2 AND HYSTER2 = 2 2-WHENPAP = 1 AND HYSTER2 = 2 3-WHENPAP = 2 AND HYSTER2 = 2

		4-WHENPAP = 3 OR 4 AND HYSTER2 = 2 5-WHENPAP = 5 AND HYSTER2 = 2 9-WHENPAP = 7 OR 9 OR HYSTER2 = 7 OR 9
_PAP7	HADPAP	1-HADPAP = 2 2-HADPAP = 1 9-HADPAP = 7 OR 9
_PAP8	WHENPAP, HADPAP HADPAP	1-HADPAP = 2 2-WHENPAP = 1 3-WHENPAP = 2 4-WHENPAP = 3 OR 4 5-WHENPAP = 5 9-WHENPAP = 7 OR 9
_POVST	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVST2	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVST3	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_POVTST4	Uses year specific income and threshold variables to assign poverty categories (complicated)	
_PRENATL	PRENATAL	Convert PRENATAL to days
_RACE	ORACE3, HISP3	1-ORACE3 = 1 AND HISP3 = 2 OR 7 OR 9 2-ORACE3 = 2 AND HISP3 = 2 OR 7 OR 9 3-ORACE3 = 1 AND HISP3 = 1 4-ORACE3 = 2 AND HISP3 = 1 5-ORACE3 = 3 OR 4 OR 5 OR 6 AND HISP3 = 1 6-ORACE3 = 3 OR 4 AND HISP3 = 2 OR 7 OR 9 7-ORACE3 = 5 AND HISP3 = 2 OR 7 OR 9 8-ORACE3 = 6 AND HISP3 = 2 OR 7 OR 9 77-ORACE3 = 7 99-ORACE3 = 9
_RACEG	_RACE	1-_RACE = 1 2-_RACE = 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 9-_RACE = 77 OR 99
_RACEGR	_RACE	1-_RACE = 1 2-_RACE = 2 3-_RACE = 3 OR 4 OR 5 4-_RACE = 6 OR 7 OR 8 9-_RACE = 77 OR 99
_RFDRACU	DRNKANY1, DRINKGE5	1-DRNKANY1 = 2 OR DRINKGE5 = 0 OR 88 2-1 ≤ DRINKGE5 < 77 9-DRNKANY1 = 7 OR 9

_RFDRCH2	_NALCMO	1- $1 \leq \_NALCMO < 60$ 2- $\_NALCMO \geq 60$ 9- $\_NALCMO = 888$ OR 999
_RFSMOKE	_SMOKER	1- $\_SMOKER = 2$ OR 3 2- $\_SMOKER = 1$ 9- $\_SMOKER = 9$
_RFBMI2	_BMI	1- $\_BMI < 25$ 2- $\_BMI \geq 25$
_RFWHBMI	_BMI	1- $\_BMI < 27.3$ 2- $\_BMI \geq 27.3$
_SMOKER	SMOKE100, SMKEVDA2	1-SMOKE100 = 1 AND SMKEVDA2 = 1 OR 2 2-SMOKE100 = 1 AND SMKEVDA2 = 3 3-SMOKE100 = 2 9-SMOKE100 = 7 OR 9 OR SMKEVDA2 = 7 OR 9
_STDHIV	STDHI_A, STDHI_B, STDHI_C	1-STDHI_A = 1 2-STDHI_B = 1 3-STDHI_C = 1 4-STDHI_A = 2 AND STDHI_B = 2 AND 7-ANY = 7 AND ALL $\neq$ 1 OR 9 9-ALL = 9 OR (STDHI_A = 9 AND STDHI_B = 2 AND STDHI_C = 2)
STDHI_C = 2		
_WHENDRG	WHENDRUG	Convert WHENDRUG to times per month

## California Women's Health Survey Data User Agreement

The undersigned agrees to all of the following regarding use of California Women's Health Survey (CWHS) data sets:

1. CWHS data will be used for academic, research, or professional purposes only.
2. CWHS data is for the exclusive use of the individual requesting the data. User will not alter, share, release or redistribute original CWHS data.
3. Original CWHS data is released "as is." Neither Survey Research Group, the Public Health Institute, nor the California Department of Public Health, or any of their respective divisions or subdivisions, make any representations, express or implied, about data completeness or accuracy, or fitness of the data for a particular purpose.
4. Pursuant to the guidelines set forth in the most current version of the *California Women's Health Survey SAS Documentation and Technical Report*, user will acknowledge the "California Women's Health Survey Workgroup" in all abstracts, publications or presentations. The following wording is strongly recommended for use in such acknowledgements:

Data for these analyses were provided by The California Women's Health Survey (CWHS) Group. The CWHS is coordinated by the California Department of Public Health in collaboration with the California Department of Mental Health, the California Department of Alcohol and Drug Programs, CMRI, the California Department of Social Services, the California Office of Women's Health and the Survey Research Group of the Public Health Institute. Questionnaire development and funding for the survey were provided by collaborating programs. Analyses, findings and conclusions described in this report are not necessarily endorsed by the CWHS Group.

5. User will notify Survey Research Group and the Office of Women's Health of all writings and/ or presentations, including but not limited to published articles, accepted abstracts, academic papers, and conference presentations or papers, that includes or is based on CWHS data.
6. User agrees to send one (1) reprint of all publications using CWHS data to each of the following entities:

Survey Research Group  
1825 Bell Street, Suite 102  
Sacramento, CA 95825  
Fax: (916) 779-0265

Office of Women's Health  
California Department of Public Health  
P.O. Box 942732 MS 0027  
Sacramento, CA 94234-7320  
Fax: (916) 440-7636

7. This agreement supersedes all previous CWHS data user agreements.

**Year(s) of data requested:** \_\_\_\_\_

**Name:** \_\_\_\_\_ **Title:** \_\_\_\_\_

**Research Question/Area of Interest:** \_\_\_\_\_

**What statistical software will be used to analyze the data?**

**Organization:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Telephone number(s):** \_\_\_\_\_

**Fax:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Fax or e-mail signed agreement to:**  
Fax: (916) 779-0265  
Marta Induni, Research Program Director  
E-mail: [minduni@surveyresearchgroup.org](mailto:minduni@surveyresearchgroup.org)  
\*\*Please keep original for your records\*\*

