Full Scope

Attachment A

Site Review Survey California Department of Health Services Medi-Cal Managed Care Division

Health Plan		IPA		Review Date:	Last review:
Provider/Address				Phone	Fax Fire Clearance
No. of staff on site RN LVN	•				
Visit Purpose		Site-Specific Certific	cation(s)	Provider type	Clinic type
Visit Purpose Initial Full Scope Periodic Full Scope Focused Review Other (type)	Follow-up	AAAHC CHDP	JCAHO NCQA None	Provider type Family Practice Internal Medicine Pediatrics OB/GYN General Practice Specialist Non-physician Mid-level Practitioner (type)	

Site Scores	Scoring Procedure	Compliance Rate
I. Access/Safety/29	 Add points given in each section. Add total points given for all six sections. 	Exempted Pass: 90%/above (w/o critical element deficiency)
II. Personnel/22	3) Adjust score for "N/A" criteria (if needed). Subtract "N/A" points from 150 total points possible.	Conditional Pass: 80-89%, or
III. Office Management/25	4) Divide total points given by 150 or by "adjusted" total points.5) Multiply by 100 to get the compliance (percent) rate.	90%/above (w/ Critical element deficit)
IV. Clinical Services/34	6) <u>Calculate</u>	Not Pass: Below 80%
V. Preventive Services/13	$\frac{1}{Points} \div \frac{1}{Total/Adjusted} = \frac{1}{Decimal} X 100 = \frac{\%}{Compliance}$	
VI Infection Control/27	given Points Score Rate	CAP Required
(Points given)		Other follow-up
		Next Review Due:

BLANK PAGE

Access/Safety

Site Access/Safety Survey Criteria	Yes	No	N/A	Wt	Site Score
A. Site is accessible and useable by individuals with physical disabilities. 3 CCR §504; 24 CCR (CA Building Standards Code); 28 CFR §35 (American Disabilities Act of 1990, Title II, Title III)					
Sites must have the following safety accommodations for physically disabled persons:1) Clearly marked (blue) curb or sign designating disabled-parking space near accessible primary entrance.2) Pedestrian ramps have a level landing at the top and bottom of the ramp.	1)	1) 2)	1) 2)	1	
3) Exit doorway openings allow for clear passage of a person in a wheelchair.	3)	3)	3)	1	
4) Accessible passenger elevator or reasonable alternative for multi-level floor accommodation.	4)	4)	4)	1	
5) Clear floor space for wheelchair in waiting area and exam room.	5)	5)	5)	1	
6) Wheelchair accessible restroom facilities or reasonable alternative.	6)	6)	6)	1	
7) Wheelchair accessible hand washing facilities or reasonable alternative.	7)	7)	7)	1	

Site Access/Safety Survey Criteria	Yes	No	N/A	Wt.	Site Score
B. Site environment is maintained in a clean and sanitary condition. 8 CCR §5193; 28 CCR §1300.80					
1) All patient areas including floor/carpet, walls, and furniture are neat, clean and well maintained.	1)	1)	1)	1	
2) Restrooms are clean and contain appropriate sanitary supplies	2)	2)	2)	1	
C. Site environment is safe for all patients, visitors and personnel. 8 CCR §3220; 22 CCR §53230; 24 CCR, §2, §3, §9; 28 CCR §1300.80; 29 CFR §1910.301, §1926.34					
There is evidence that staff has received safety training and/or has safety information available in the following: 1) Fire safety and prevention	1)	1)	1)	1	
2) Emergency non-medical procedures (e.g. site evacuation, workplace violence)	2)	2)	2)	1	
The following fire and safety precautions are evidenced on site: 3) Lighting is adequate in all areas to ensure safety.	3)	3)	3)	1	
4) Exit doors and aisles are unobstructed and egress (escape) accessible.	4)	4)	4)	2	
5) Exit doors are clearly marked with "Exit" signs.	5)	5)	5)	1	
6) Clearly diagramed "Evacuation Routes" for emergencies are posted in a visible location.	6)	6)	6)	1	
7) Electrical cords and outlets are in good working condition.	7)	7)	7)	1	
8) At least one type of fire fighting/protection equipment is accessible at all times.	8)	8)	8)	1	
Commontal Write commonts for all "No" (0 points) and "N/A" scores					

😨 🗁 RN/MD Review only

Site Access/Safety Survey Criteria	Yes	No	N/A	Wt	Site Score
D. Emergency health care services are available and accessible 24 hours a day, 7 days a week. 22 CCR §51056, §53216; 28 CCR §1300.67; 42 USC §139.5 (d) ∰					
1) Personnel are trained in procedures/action plan to be carried out in case of medical emergency on site.	1)	1)	1)	1	
2) Emergency equipment is stored together in easily accessible location.	2)	2)	2)	1	
3) Emergency phone number contacts are posted.	3)	3)	3)	1	
Emergency medical equipment appropriate to practice/patient population is available on site: 4) <u>Airway management: oxygen delivery system, oral airways, nasal cannula or mask, Ambu bag</u> .	4)	4)	4)	2	
5) Anaphylactic reaction management: Epinephrine 1:1000 (injectable), Benadryl 25 mg. (oral) or Benadryl 50 mg./ml. (injectable), tuberculin syringes, alcohol wipes.	5)	5)	5)	1	
6) Medication dosage chart (or other method for determining dosage) is kept with emergency medications.	6)	6)	6)	1	
There is a process in place on site to: 7) Document checking of emergency equipment/supplies for expiration and operating status at least monthly. 8) Replace/re-stock emergency equipment immediately after use.	7)	7)	7)	1	
 8) Replace/re-stock emergency equipment/supplies for expiration and operating status at least monthly. 8) Replace/re-stock emergency equipment immediately after use. Comments: Write comments for all "No" (0 points) and "N/A" scores. 	8)	8)	8)	1	

😨 🗁 RN/MD Review only

Site Access/Safety Survey Criteria	Yes	No	N/A	Wt.	Site Score
E Medical and lab equipment used for patient care is properly maintained. CA Health & Safety (H&S) Code, §1374.30, §111255; 28 CCR §1300.80; 21 CFR §800-1299; 21 USC §201 (h) 👧 🗁					
 Medical equipment is clean, functioning properly and maintained in operational condition. Written documentation demonstrates the appropriate maintenance of all specialized medical equipment according to equipment manufacturer's guidelines. 	1) 2)	1) 2)	1) 2)	1 1	
Comments: Write comments for all "No" (0 points) and "N/A" scores.					

2. Personnel

Site Personnel Survey Criteria	Yes	No	N/A	Wt	Site Score
A. Professional health care personnel have current California Licenses and Certifications. CA Business & Professional (B&P) Code §2050, §2585, §2725, §2746, §2834, §3500, §4110					
1) All required Professional Licenses and Certifications, issued from the appropriate licensing/certification agency, are current.	1)	1)	1)	1	
B. Health care personnel are properly identified.					
CA B&P Code §680, AB 1439					
1) Health care personnel wear identification badges/tags printed with name and title.	1)	1)	1)	1	

👧 🗁 RN/MD Review only

Site Personnel Survey Criteria	Yes	No	N/A	Wt	Site Score
C. Site personnel are qualified and trained for assigned responsibilities. CA B&P Code §2069; 16 CCR §1366; 22 CCR §75034, §75035 ∰					
1) Only qualified/trained personnel retrieve, prepare or administer medications.	1)	1)	1)	2	
2) Only qualified/trained personnel operate medical equipment.	2)	2)	2)	1	
3) Documentation of education/training for non-licensed medical personnel is maintained on site.	3)	3)	3)	1	

🙍 🗁 RN/MD Review only

Site Personnel Survey Criteria	Yes	No	N/A	Wt	Site Score
D. Scope of practice for non-physician medical practitioners is clearly defined. 16 CCR §1379, §1399.540, §1399.545, §1474, CA B&P Code §2725.1 ∰					
1) Standardized Procedures define the scope of services provided by Nurse Practitioners (NP) and/or Certified Nurse Midwives (CNM).	1)	1)	1)	1	
2) A Delegation of Services Agreement defines the scope of services provided by Physician Assistants (PA) and Supervisory Guidelines define the method of supervision by the Supervising Physician.	2)	2)	2)	1	
3) Standardized Procedures, Delegation of Services Agreements and Supervisory Guidelines are revised, updated <u>and</u> signed by the supervising physician and NPMP when changes in scope of services occur.	3)	3)	3)	1	
4) Each NPMP that prescribes controlled substances has a valid DEA Registration Number.	4)	4)	4)	1	

Site Personnel Survey Criteria	Yes	No	N/A	Wt	Site Score
E. Non-physician medical practitioners (NPMP) are supervised according to established standards. 22 CCR §51240, §51241 🛱 🗁					
 The designated supervising physician(s) on site: 1) ratio to number of NPMPs does not exceed established ratios in any combination. a) 1:4 Nurse Practitioners b) 1:3 Certified Nurse Midwives 	1)	1)	1)	1	
 c) 1:2 Physicians Assistants 2) The designated supervising or back-up physician is available in person or by electronic communication at all times when a NPMP is caring for patients. 	2)	2)	2)	1	

Site Personnel Survey Criteria	Yes	No	N/A	Wt	Site Score
F. Site personnel receive safety training/information. 8 CCR §5193; CA H&S Code §117600; CA Penal Code §11164, §11168; 29 CFR §1910.1030 ∰					
There is evidence that site staff has received training and/or information on the following: 1) Infection control/universal precautions	1)	1)	1)	1	
2) Blood Borne Pathogens Exposure Prevention	2)	2)	2)	1	
3) Biohazardous Waste handling	3)	3)	3)	1	
4) Child/Elder/Domestic Violence Abuse	4)	4)	4)	1	

Site Personnel Survey Criteria	Yes	No	N/A	Wt	Site Score
G. Site personnel receive training and/or information on member rights. 22 CCR §51009, §51014.1, §51305.1, §53452, §53858; 28 CCR §1300.68 ∰					
There is evidence that site staff has received training and/or information on the following: 1) Patient Confidentiality	1)	1)	1)	1	
2) Informed consent, including Human Sterilization	2)	2)	2)	1	
3) Prior Authorization requests	3)	3)	3)	1	
4) Grievance/Complaint Procedure	4)	4)	4)	1	
5) Sensitive Services/Minors' Rights	5)	5)	5)	1	
6) Health Plan referral process/procedures/resources	6)	6)	6)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores.					
Totals					

3. Office Management

😥 🗁 RN/MD Review only (#B)

Office Management Survey Criteria	Yes	No	N/A	Wt	Site Score
A. Physician coverage is available 24 hours a day, 7 days a week. 22 CCR §56500, §53855					
The following are maintained current on site: 1) Clinic office hours are posted, or readily available upon request.	1)	1)	1)	1	
2) Provider office hour schedules are available to staff.	2)	2)	2)	1	
3) Arrangement/schedule for after-hours, on-call, supervisory back-up physician coverage is available to site	3)	3)	3)	1	
staff.	4)	4)	4)	1	
4) Contact information for off-site physician(s) is available at all times during office hours.	5)	5)	5)	1	
5) After-hours emergency care instructions/telephone information is made available to patients.					
B. There is sufficient health care personnel to provide timely, appropriate health care services. 22 CCR §53855; 28 CCR §1300.67.1, §1300.80 ∰					
1) Appropriate personnel handle emergent, urgent, and medical advice telephone calls.	1)	1)	1)	1	
2) Telephone answering machine, voice mail system or answering service is used whenever office staff does not directly answer phone calls.	2)	2)	2)	1	
3) Telephone system, answering service, recorded telephone information, and recording device are periodically checked and updated.	3)	3)	3)	1	

RN/MD Review only (#C)

Office Management Survey Criteria	Yes	No	N/A	Wt	Site Score
C. Health care services are readily available. 22 CCR §56000 (2) ∰					
1) Appointments are scheduled according to patients' stated clinical needs within the timeliness standards established for Plan members.	1)	1)	1)	1	
2) Patients are notified of scheduled routine and/or preventive screening appointments.	2)	2)	2)	1	
3) There is a system in place to follow-up on missed and canceled appointments.	3)	3)	3)	1	
D. There is 24-hour access to interpreter services for limited-English proficient members. 22 CCR §53855; CA H&S Code §1259; 42 USC §2000d					
1) Interpreter services are made available in identified threshold languages specified for location of site.	1)	1)	1)	1	
2) Persons providing language interpreter services on site are trained in medical interpretation.	2)	2)	2)	1	

RN/MD Review only (#E)

Office Management Survey Criteria	Yes	No	N/A	Wt	Site Score
E. Procedures for timely referral/consultative services are established on site. 22 CCR §53851; 28 CCR §1300.67 😨 🗁					
Office practice procedures allow timely provision for: 1) Processing internal and external referrals, consultant reports and diagnostic test results	1)	1)	1)	1	
2) Physician review and follow-up of referral/consultation reports and diagnostic test results.	2)	2)	2)	2	
F. Member Grievance/Complaint processes is established on site. 22 CCR §53858, §56260; 28 CCR §1300.67					
1) Phone number(s) for filing grievances/complaints are located on site.	1)	1)	1)	1	
2) Complaint forms and a copy of the grievance procedure(s) are available on site.	2)	2)	2)	1	

😥 🗁 RN/MD Review only (#H)

Office Management Survey Criteria	Yes	No	N/A	Wt	Site Score
G. Medical records are available for the Provider at each scheduled patient encounter. 22 CCR §75055; 28 CCR §1300.80					
1) Medical records are readily retrievable for scheduled patient encounters.	1)	1)	1)	1	
2) Medical documents are filed in a timely manner to ensure availability for patient encounters.	2)	2)	2)	1	
H. Confidentiality of personal medical information is protected according to State and federal guidelines. 22 CCR §51009, §53861, §75055; §28 CCR §1300.80; CA Civil Code §56.10 (Confidentiality of Medical Information Act)					
1) Exam rooms and dressing areas safeguard patients' right to privacy.	1)	1)	1)	1	
2) Procedures are followed to maintain the confidentiality of personal patient information.	2)	2)	2)	1	
3) Medical record release procedures are compliant with State and federal guidelines.	3)	3)	3)	1	
4) Storage and transmittal of medical records preserves confidentiality and security.	4)	4)	4)	1	
5) Medical records are retained for a minimum of 5 years, or according to current State DHS standard.	5)	5)	5)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores.					
Totals					

4. Clinical Services

Yes	No	N/A	Wt	Site Score
1)	1)	1)	1	
2)	2)	2)	1	
3)	3)	3)	1	
4)	4)	4)	1	
	1)	1) 1)	1) 1) 1)	1) 1) 1) 1

😨 🗁 RN/MD Review only

Pharmaceutical Services Survey Criteria	Yes	No	N/A	Wt.	Site Score
B. Drugs are handled safely and stored appropriately. 22 CCR §75037(a-g), §75039; 21 CFR §211.137; 21 USC §351 ∰ / →					
1) Drugs are prepared in a clean area, or "designated clean" area if prepared in a multipurpose room.	1)	1)	1)	1	
2) Drugs for external use are stored separately from drugs for internal use.	2)	2)	2)	1	
3) Items other than medications in refrigerator/freezer are kept in a secured, separate compartment from drugs.	3)	3)	3)	1	
4) Refrigerator thermometer temperature is 35°-46° Fahrenheit or 2°-8° Centigrade (at time of site visit).	4)	4)	4)	1	
5) Freezer thermometer temperature is 5° Fahrenheit or -15° Centigrade, or lower (at time of site visit).	5)	5)	5)	1	
6) Daily temperature readings of medication refrigerator and freezer are documented.	6)	6)	6)	1	
7) Drugs are stored separately from test reagents, germicides, disinfectants and other household substances.	7)	7)	7)	1	
8) Hazardous substances are appropriately labeled.	8)	8)	8)	1	
(a) Site has method(s) in place for drug and hazardous substance disposal.	9)	9)	9)	1	

Pharmaceutical Services Survey Criteria	Yes	No	N/A	Wt.	Site Score
C. Drugs are dispensed according to State and federal drug distribution laws and regulations. CA B&P Code §4024, §4076, §4170, §4171, §4173, §4174; 22 CCR §75032, §75033, §75036, §75037(a-g), §75038, §75039; 16 CCR §1718.1; 21 CFR §211.137, 42 USC 6A §300AA-26					
1) There are no expired drugs on site.	1)	1)	1)	1	
2) Site has a procedure to check expiration date of all drugs (including vaccines and samples), and infant and therapeutic formulas.	2)	2)	2)	1	
3) All stored and dispensed prescription drugs are appropriately labeled.	3)	3)	3)	1	
4) Only lawfully authorized persons dispense drugs to patients.	4)	4)	4)	2	
5) Vaccine Information Sheets (VIS) for distribution to patients are present on site.	5)	5)	5)	1	
6) If there is a pharmacy on site, it is licensed by the CA State Board of Pharmacy.	6)	6)	6)	1	

Laboratory Services Survey Criteria	Yes	No	N/A	Wt	Site Score
D. Site is compliant with Clinical Laboratory Improvement Amendment (CLIA) regulations. 17 CCR §1050; 22 CCR §51211.2, §51137.2; B&P Code §1220; 42 USC 263a; Public Law 100-578					
1) Laboratory test procedures are performed according to current site-specific CLIA certificate.	1)	1)	1)	1	
2) Testing personnel performing clinical lab procedures have been trained.	2)	2)	2)	1	
3) Lab supplies are inaccessible to unauthorized persons.	3)	3)	3)	1	
4) Lab test supplies (e.g. vacutainers, culture swabs, test solutions) are not expired.	4)	4)	4)	1	
5) Site has a procedure to check expiration date and a method to dispose of expired lab test supplies.	5)	5)	5)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores.	-1	•			-

Radiology Services Survey Criteria	Yes	No	N/A	Wt	Site Score
E. Site meets California DHS Radiological inspection and safety regulations . 17 CCR §30255, §30305, §30404, §30405					
1) Site has current CA Radiologic Health Branch Inspection Report, if there is radiological equipment on site.	1)	1)	1)	1	
The following documents are <u>posted</u> on site: 2) Current copy of Title 17 with a posted notice about availability of Title 17 and its location	2)	2)	2)	1	
3) "Radiation Safety Operating Procedures" posted in highly visible location.	3)	3)	3)	1	
4) "Notice to Employees Poster" posted in highly visible location.	4)	4)	4)	1	
5) "Caution, X-ray" sign posted on or next to door of each room that has X-ray equipment	5)	5)	5)	1	
6) Physician Supervisor/Operator certificate posted and within current expiration date	6)	6)	6)	1	
7) Technologist certificate posted and within current expiration date	7)	7)	7)	1	
The following radiological protective equipment is present on site: 8) Operator protection devices: radiological equipment operator must use lead apron or lead shield.	8)	8)	8)	1	
9) Gonadal shield (0.5 mm or greater lead equivalent): for patient procedures in which gonads are in direct beam.	9)	9)	9)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores.					

5. Preventive Services

Preventive Services Survey Criteria	Yes	No	N/A	Wt	Site Score
A. Preventive health care services and health appraisal examinations are provided on a periodic basis for the detection of asymptomatic diseases. 22 CCR §53851, §56210; 28 CCR §1300.67					
Examination equipment, appropriate for primary care services, is available on site: 1) Exam tables and lights are in good repair.	1)	1)	1)	1	
2) Stethoscope and sphygmomanometer with various size cuffs (e.g. child, adult, obese/thigh).3) Thermometers: oral and/or tympanic, and rectal.	2)	2) 3)	2) 3)	1	
4) Scales: standing balance beam and infant scales.	4)	4)	4)	1	
5) Measuring devices for stature (height/length) measurement and head circumference measurement.	5)	5)	5)	1	
6) Basic exam equipment: percussion hammer, tongue blades, patient gowns.7) Eye charts (literate and illiterate) and occluder for vision testing.	6)	6)	6)	1	
8) Ophthalmoscope.	7) 8)	7) 8)	7) 8)	1	
9) Otoscope with adult and pediatric ear speculums.	9)	9)	9)	1 1	
10) Audiometer in quiet location for testing.	10)	10)	10)	1	

😨 🗁 RN/MD Review only

Health Education Survey Criteria	Yes	No	N/A	Wt	Site Score
B. Health education services are available to Plan members. 22 CCR §53851; 28 CCR 1300.67 🕵 🗁					
Health education materials and Plan-specific resource information are: 1) readily accessible on site, or are made available upon request,	1)	1)	1)	1	
2) applicable to the practice and population served on site,	2)	2)	2)	1	
3) available in threshold languages identified for county and/or area of site location.	3)	3)	3)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores.					
Totals					

6. Infection Control

Infection Control Survey Criteria	Yes	No	N/A	Wt	Site Score
A. Infection control procedures for Standard/Universal precautions are followed. 8 CCR §5193; 22 CCR §53230; 29 CFR §1910.1030; Federal Register 1989, §54:23042					
1) Antiseptic hand cleaner and running water are available in exam and/or treatment areas for hand washing.	1)	1)	1)	1	
2) A waste disposal container is available in exam rooms, procedure/treatment rooms and restrooms.	2)	2)	2)	1	
3) Site has procedure for effectively isolating infectious patients with potential communicable conditions.	3)	3)	3)	1	

Infection Control Survey Criteria	Yes	No	N/A	Wt	Site Score		
B. Site is compliant with OSHA Bloodborne Pathogens Standard and Waste Management Act. 8 CCR §5193 (Cal OSHA Health Care Worker Needlestick Prevention Act, 1999); H& S Code, §117600-118360 (CA Medical Waste Management Act, 1997); 29 CFR §1910.1030.							
1) Personal Protective Equipment is readily available for staff use.	1)	1)	1)	2			
2) <u>Needlestick safety precautions are practiced on site</u> .	2)	2)	2)	2			
3) All sharp injury incidents are documented.	3)	3)	3)	1			
4) <u>Blood, other potentially infectious materials and Regulated Wastes are placed in appropriate <i>leak proof, labeled</i> containers for collection, handling, processing, storage, transport or shipping.</u>	4)	4)	4)	2			
5) Biohazardous (non-sharp) wastes are contained separate from other trash/waste.	5)	5)	5)	1			
6) Contaminated laundry is laundered at the workplace or at a commercial laundry.	6)	6)	6)	1			
7) Storage areas for regulated medical wastes are maintained secure and inaccessible to unauthorized persons.	7)	7)	7)	1			
8) Transportation of regulated medical wastes is only by a registered hazardous waste hauler or by a person with an approved limited-quantity exemption.	8)	8)	8)	1			
Comments: Write comments for all "No" (0 points) and "N/A" scores.							

👧 🗁 RN/MD Review only

Infection Control Survey Criteria	Yes	No	N/A	Wt	Site Score
C. Contaminated surfaces are decontaminated according to Cal-OSHA Standards. 8 CCR §5193; CA H&S Code §118275 😨 🗁					
1) Equipment and work surfaces are appropriately cleaned and decontaminated after contact with blood or other potentially infectious material.	1)	1)	1)	1	
2) Routine cleaning and decontamination of equipment/work surfaces is completed according to site-specific written schedule.	2)	2)	2)	1	
Disinfectant solutions used on site are: 3) approved by the Environmental Protection Agency (EPA).	3)	3)	3)	1	
4) effective in killing HIV/HBV/TB.	4)	4)	4)	1	
5) used according to product label for desired effect.	5)	5)	5)	1	

😥 🗁 RN/MD Review only

Infection Control Survey Criteria	Yes	No	N/A	Wt	Site Score
 D. Reusable medical instruments are properly sterilized after each use. 22 CCR §53230, §53856; CA H&S Code, Chapter 6.1, §25090 					
1) Written site-specific policy/procedures or Manufacturer's Instructions for instrument/equipment sterilization are available to staff.	1)	1)	1)	1	
Staff adheres to site-specific policy <u>and/or</u> manufacturer/product label directions for the following procedures: 2) Cleaning reusable instruments/equipment prior to sterilization	2)	2)	2)	1	
3) Cold chemical sterilization	3)	3)	3)	1	
4) Autoclave/steam sterilization	4)	4)	4)	1	
5) Autoclave maintenance	5)	5)	5)	1	
6) Spore testing of autoclave/steam sterilizer with documented results (at least monthly)	6)	6)	6)	2	
7) Sterilized packages are labeled with sterilization date and load identification information.	7)	7)	7)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores.					
Totals					

Site Review Full Scope Survey Summary California Department of Health Services Medi-Cal Managed Care Division

Access/Safety	Personnel	Office Mgnt.	Clinical Svcs.	Preventive Svcs.	Infection Control	Total
29	22	25	34	13	27	Exempted Pass 90% or above w/o critical element deficiencies Conditional Pass: 80-89%, or 90%/ above w/critical element deficiencies Not Pass: Below 80%
						Not Pass: Below 80%
Access/Safety						
Personnel						
Office Managemen	ıt					
Clinical Services						
Infantion Control						
Infection Control						

Reviewer(s)/Title _____

Date _____