

**CALIFORNIA DEPARTMENT OF MENTAL HEALTH
OFFICE OF SUICIDE PREVENTION
DATA SUMMARY SHEET ON SUICIDE DEATHS AND NONFATAL SELF-INFLICTED INJURIES
FRESNO COUNTY**


YEAR 2009

CALIFORNIA DATA

| | |
|-------------------------------------|------------|
| POPULATION | 38,688,293 |
| SUICIDE DEATHS | 3,760 |
| SUICIDE DEATH RATE | 9.7 |
| NONFATAL SELF-INFLICTED INJURIES | 16,554 |
| NONFATAL SELF-INFLICTED INJURY RATE | 42.8 |

COUNTY: Fresno

| | |
|-------------------------------------|---------|
| POPULATION | 964,755 |
| SUICIDE DEATHS | 64 |
| SUICIDE DEATH RATE | 6.6 |
| NONFATAL SELF-INFLICTED INJURIES | 257 |
| NONFATAL SELF-INFLICTED INJURY RATE | 26.6 |



**ADDITIONAL COUNTY DATA
SUICIDE DEATHS BY AGE, GENDER & RACE/ETHNICITY**

| AGE GROUPS | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
|--------------------|---------|---------|---------|---------|---------|--------|--------|--------|--------|
| POPULATION | 144,932 | 166,530 | 150,183 | 123,622 | 117,858 | 87,262 | 48,416 | 29,353 | 12,486 |
| SUICIDE DEATHS | 0 | 14 | 4 | 10 | 12 | 13 | 4 | 3 | 4 |
| SUICIDE DEATH RATE | 0.0 | 8.4 | 2.7 | 8.1 | 10.2 | 14.9 | 8.3 | 10.2 | 32.0 |

| GENDER | FEMALES | MALES |
|--------------------|---------|---------|
| POPULATION | 478,764 | 485,991 |
| SUICIDE DEATHS | 12 | 52 |
| SUICIDE DEATH RATE | 2.5 | 10.7 |

| RACE/ETHNICITY | AMERICAN INDIAN / ALASKAN NATIVE | ASIAN | BLACK | HISPANIC | HAWAIIAN / PACIFIC ISLANDER | WHITE | TWO OR MORE RACES |
|--------------------|----------------------------------|--------|--------|----------|-----------------------------|---------|-------------------|
| POPULATION | 8,190 | 89,403 | 46,045 | 478,224 | 789 | 330,357 | 11,747 |
| SUICIDE DEATHS | 0 | 2 | 3 | 20 | 0 | 38 | 1 |
| SUICIDE DEATH RATE | 0.0 | 2.2 | 6.5 | 4.2 | 0.0 | 11.5 | 8.5 |

* 1) Use caution when analyzing small numbers and rates derived from them; 2) Rates calculated from small numbers of deaths or from small populations tend to be **unreliable** and are subject to significant variation between years; 3) Rates may not provide statistically valid methods for comparison, particularly among smaller children.