

Table 16B
2002 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 11/7/2003

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	528	6.1	528	12.9	528	10.4	0	0.0	0.0
12 - 23 Months	248	6.5	248	6.0	248	13.7	0	0.0	0.0
24 - 59 Months	342	4.7	342	5.0	342	14.9	342	14.3	14.9
Total	1,118	5.7	1,118	8.9	1,118	12.5	342	14.3	14.9
Black, Not Hispanic									
0 - 11 Months	511	7.0	511	11.0	511	11.4	0	0.0	0.0
12 - 23 Months	266	4.9	266	9.8	266	14.3	0	0.0	0.0
24 - 59 Months	452	4.6	452	6.6	452	13.7	452	12.2	13.7
Total	1,229	5.7	1,229	9.1	1,229	12.9	452	12.2	13.7
Hispanic									
0 - 11 Months	1,041	4.6	1,041	9.8	1,041	8.2	0	0.0	0.0
12 - 23 Months	567	6.5	567	6.7	567	15.7	0	0.0	0.0
24 - 59 Months	906	4.1	906	3.9	906	16.4	906	17.2	16.4
Total	2,514	4.9	2,514	7.0	2,514	12.8	906	17.2	16.4
American Indian/Alaskan Native									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	8	*	8	*	8	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2002 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 11/7/2003

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	63	*	63	*	63	*	0	*	*
12 - 23 Months	40	*	40	*	40	*	0	*	*
24 - 59 Months	53	*	53	*	53	*	53	*	*
Total	156	7.7	156	7.1	156	14.1	53	*	*
All Other/Unknown									
0 - 11 Months	444	5.9	444	13.5	444	6.3	0	0.0	0.0
12 - 23 Months	204	3.4	204	7.4	204	11.8	0	0.0	0.0
24 - 59 Months	371	5.7	371	5.4	371	14.6	371	17.8	14.6
Total	1,019	5.3	1,019	9.3	1,019	10.4	371	17.8	14.6
Total All Race/Ethnic Groups									
0 - 11 Months	2,591	5.7	2,591	11.3	2,591	9.0	0	0.0	0.0
12 - 23 Months	1,326	5.7	1,326	7.3	1,326	14.5	0	0.0	0.0
24 - 59 Months	2,127	4.7	2,127	5.0	2,127	15.2	2,127	15.6	15.2
Total	6,044	5.3	6,044	8.2	6,044	12.4	2,127	15.6	15.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2002 Pediatric Nutrition Surveillance (1)
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 11 Years	332	6.3	332	3.0	332	17.2 20.8
12 - 19 Years	171	9.4	171	4.7	171	24.0 20.5
Total	503	7.4	503	3.6	503	19.5 20.7
Black, Not Hispanic						
5 - 11 Years	443	3.8	443	3.4	443	18.1 17.4
12 - 19 Years	307	7.8	307	2.3	307	21.8 22.8
Total	750	5.5	750	2.9	750	19.6 19.6
Hispanic						
5 - 11 Years	561	8.4	561	1.6	561	21.6 24.6
12 - 19 Years	223	10.8	223	1.8	223	19.7 29.6
Total	784	9.1	784	1.7	784	21.0 26.0
American Indian/Alaskan Native						
5 - 11 Years	1	*	1	*	1	* *
12 - 19 Years	2	*	2	*	2	* *
Total	3	*	3	*	3	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2002 Pediatric Nutrition Surveillance (1)
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Asian/Pacific Islander						
5 - 11 Years	46	*	46	*	46	*
12 - 19 Years	23	*	23	*	23	*
Total	69	*	69	*	69	*
All Other/Unknown						
5 - 11 Years	336	6.8	336	6.3	336	15.2 17.6
12 - 19 Years	198	13.1	198	2.0	198	16.7 23.2
Total	534	9.2	534	4.7	534	15.7 19.7
Total All Race/Ethnic Groups						
5 - 11 Years	1,719	6.7	1,719	3.3	1,719	18.4 20.7
12 - 19 Years	924	10.2	924	2.5	924	20.6 23.8
Total	2,643	7.9	2,643	3.0	2,643	19.1 21.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.