

Table 17B
2002 Pediatric Nutrition Surveillance (1)
Alpine
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 7 / 03

State: California

County: 002

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %				
	Number		Number		
		%			
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	3	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	1	*
24 - 35 Months	1	*	24 - 35 Months	1	*
36 - 59 Months	2	*	36 - 59 Months	1	*
Total	7	*	Total	3	*
Black, Not Hispanic			All Other/Unknown		
6 - 11 Months	1	*	6 - 11 Months	3	*
12 - 17 Months	1	*	12 - 17 Months	5	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	2	*
36 - 59 Months	3	*	36 - 59 Months	3	*
Total	5	*	Total	13	*
Hispanic			Total All Race/Ethnic Groups		
6 - 11 Months	8	*	6 - 11 Months	16	*
12 - 17 Months	5	*	12 - 17 Months	12	*
18 - 23 Months	2	*	18 - 23 Months	3	*
24 - 35 Months	11	*	24 - 35 Months	15	*
36 - 59 Months	16	*	36 - 59 Months	25	*
Total	42	*	Total	71	*
American Indian/Alaskan Native					
6 - 11 Months	1	*			
12 - 17 Months	0	*			
18 - 23 Months	0	*			
24 - 35 Months	0	*			
36 - 59 Months	0	*			
Total	1	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2002 Pediatric Nutrition Surveillance (1)
Alpine
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 002

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				
	Number	%			
	Anemia Low Hb/Hct				
	Number	%			
White, Not Hispanic			Asian/Pacific Islander		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
12 - 14 Years - Girls	3	*	12 - 14 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
Total	5	*	Total	0	*
Black, Not Hispanic			All Other/Unknown		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	1	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	1	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	2	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
Total	2	*	Total	4	*
Hispanic			Total All Race/Ethnic Groups		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	7	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	9	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	5	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	6	*
Total	14	*	Total	27	*
American Indian/Alaskan Native					
5 - 7 Years	0	*			
8 - 11 Years	0	*			
12 - 14 Years - Boys	1	*			
12 - 14 Years - Girls	0	*			
15 - 19 Years - Boys	1	*			
15 - 19 Years - Girls	0	*			
Total	2	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.