

Table 17B
2002 Pediatric Nutrition Surveillance (1)
Inyo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 7 / 03

State: California

County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct %		
	Number		Number
		%	
White, Not Hispanic			
6 - 11 Months	5	*	
12 - 17 Months	7	*	
18 - 23 Months	3	*	
24 - 35 Months	8	*	
36 - 59 Months	16	*	
Total	39	*	
Black, Not Hispanic			
6 - 11 Months	0	*	
12 - 17 Months	0	*	
18 - 23 Months	0	*	
24 - 35 Months	2	*	
36 - 59 Months	1	*	
Total	3	*	
Hispanic			
6 - 11 Months	21	*	
12 - 17 Months	18	*	
18 - 23 Months	8	*	
24 - 35 Months	21	*	
36 - 59 Months	29	*	
Total	97	*	
American Indian/Alaskan Native			
6 - 11 Months	15	*	
12 - 17 Months	15	*	
18 - 23 Months	7	*	
24 - 35 Months	15	*	
36 - 59 Months	15	*	
Total	67	*	
Asian/Pacific Islander			
6 - 11 Months	0	*	
12 - 17 Months	1	*	
18 - 23 Months	0	*	
24 - 35 Months	0	*	
36 - 59 Months	1	*	
Total	2	*	
All Other/Unknown			
6 - 11 Months	0	*	
12 - 17 Months	0	*	
18 - 23 Months	0	*	
24 - 35 Months	0	*	
36 - 59 Months	0	*	
Total	0	*	
Total All Race/Ethnic Groups			
6 - 11 Months	41	*	
12 - 17 Months	41	*	
18 - 23 Months	18	*	
24 - 35 Months	46	*	
36 - 59 Months	62	*	
Total	208	10.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2002 Pediatric Nutrition Surveillance (1)
Inyo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				
	Number	%			
	Anemia Low Hb/Hct				
	Number	%			
White, Not Hispanic			Asian/Pacific Islander		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
12 - 14 Years - Girls	3	*	12 - 14 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	1	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
Total	6	*	Total	1	*
Black, Not Hispanic			All Other/Unknown		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	1	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
Total	3	*	Total	1	*
Hispanic			Total All Race/Ethnic Groups		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	9	*	12 - 14 Years - Boys	14	*
12 - 14 Years - Girls	16	*	12 - 14 Years - Girls	28	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	5	*
15 - 19 Years - Girls	10	*	15 - 19 Years - Girls	17	*
Total	36	*	Total	64	*
American Indian/Alaskan Native					
5 - 7 Years	0	*			
8 - 11 Years	0	*			
12 - 14 Years - Boys	4	*			
12 - 14 Years - Girls	9	*			
15 - 19 Years - Boys	1	*			
15 - 19 Years - Girls	3	*			
Total	17	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.