

**Table 20C**  
**2002 Pediatric Nutrition Surveillance** (1)  
**California**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth Indicators by Age</b> (3)															
Age and Year *	Height and Weight								Age and Year *	Height and Weight					
	Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)					Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%			Number	%	%	%	Number	%
	<5th	<5th	≥95th		85th-<95th	≥95th			<5th	<5th	≥95th		85th-<95th	≥95th	
<b>0 - 11 Months</b>								<b>24 - 35 Months</b>							
2002	344,797	5.7	7.0	13.3	-	-	-	2002	115,176	4.1	4.6	16.1	115,176	15.8	16.1
2001	316,201	5.7	7.2	13.2	-	-	-	2001	103,287	4.3	4.5	15.5	103,287	16.0	15.5
2000	346,799	5.6	7.2	13.2	-	-	-	2000	116,508	4.5	4.5	15.6	116,508	15.8	15.6
1999	335,604	5.7	7.3	13.1	-	-	-	1999	116,731	4.4	4.4	15.1	116,731	16.1	15.1
1998	360,754	5.6	7.2	12.8	-	-	-	1998	124,688	4.3	4.5	15.0	124,688	16.0	15.0
1997	383,509	5.6	7.5	12.3	-	-	-	1997	132,149	4.4	5.0	14.3	132,149	15.1	14.3
1996	386,640	5.6	7.6	12.0	-	-	-	1996	131,385	4.5	4.8	14.1	131,385	15.2	14.1
1995	398,813	5.7	7.2	12.5	-	-	-	1995	127,934	4.7	5.0	14.1	127,934	15.1	14.1
1994	403,880	5.6	7.3	12.3	-	-	-	1994	126,007	4.9	5.0	14.0	126,007	15.4	14.0
1993	396,565	5.6	7.8	11.9	-	-	-	1993	112,510	5.1	5.3	13.6	112,510	14.8	13.6
<b>12 - 23 Months</b>								<b>36 - 47 Months</b>							
2002	171,641	5.4	4.2	20.1	-	-	-	2002	103,025	4.0	4.0	17.7	103,025	16.6	17.7
2001	159,637	5.7	4.1	20.0	-	-	-	2001	93,683	4.3	4.0	16.9	93,683	16.5	16.9
2000	179,836	5.7	4.0	20.3	-	-	-	2000	113,482	4.5	4.1	17.0	113,482	16.5	17.0
1999	186,802	5.7	4.0	19.7	-	-	-	1999	117,892	4.4	4.0	16.0	117,892	16.6	16.0
1998	200,455	5.2	4.0	19.8	-	-	-	1998	124,959	4.4	4.0	15.6	124,959	16.6	15.6
1997	212,257	5.3	4.2	18.8	-	-	-	1997	132,107	4.4	4.2	14.9	132,107	15.9	14.9
1996	215,231	5.3	4.3	18.5	-	-	-	1996	125,780	4.7	4.2	14.7	125,780	16.0	14.7
1995	217,631	5.3	4.2	18.7	-	-	-	1995	119,193	4.7	4.4	14.4	119,193	15.8	14.4
1994	212,997	5.1	4.2	18.5	-	-	-	1994	112,529	4.9	4.4	14.4	112,529	15.7	14.4
1993	204,293	5.2	4.4	18.1	-	-	-	1993	95,691	5.2	4.6	14.0	95,691	15.6	14.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 20C**  
**2002 Pediatric Nutrition Surveillance** (1)  
**California**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth Indicators by Age</b> (3)																
Age and Year *	Height and Weight								Age and Year *	Height and Weight						
	Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)					Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)		
	Number	%	%	%	Number	%	%			Number	%	%	%	Number	%	%
	<5th	<5th	≥95th		85th-<95th	≥95th			<5th	<5th	≥95th		85th-<95th	≥95th		
<b>48 - 59 Months</b>																
2002	116,117	3.5	3.7	18.2	116,117	16.6	18.2									
2001	109,114	3.6	3.8	17.1	109,114	16.3	17.1									
2000	133,975	3.6	3.8	17.4	133,975	16.2	17.4									
1999	140,875	3.7	3.7	16.4	140,875	16.2	16.4									
1998	148,575	3.6	3.6	16.0	148,575	16.5	16.0									
1997	153,942	3.8	4.0	15.2	153,942	15.7	15.2									
1996	146,545	3.8	4.0	15.0	146,545	15.8	15.0									
1995	139,633	4.0	4.1	14.8	139,633	15.6	14.8									
1994	129,820	4.1	4.2	14.3	129,820	15.4	14.3									
1993	113,616	4.3	4.2	13.8	113,616	15.3	13.8									
<b>Total All Age Group</b>																
2002	850,756	4.9	5.3	16.2	334,318	16.3	17.3									
2001	781,922	5.0	5.3	15.9	306,084	16.3	16.5									
2000	890,600	5.1	5.3	16.1	363,965	16.2	16.7									
1999	897,904	5.0	5.2	15.6	375,498	16.3	15.9									
1998	959,431	4.9	5.2	15.4	398,222	16.4	15.5									
1997	1,013,964	4.9	5.5	14.7	418,198	15.6	14.8									
1996	1,005,581	5.0	5.6	14.4	403,710	15.6	14.6									
1995	1,003,204	5.1	5.5	14.6	386,760	15.5	14.4									
1994	985,233	5.1	5.6	14.3	368,356	15.5	14.2									
1993	922,675	5.3	6.0	13.9	321,817	15.2	13.8									

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 20C**  
**2002 Pediatric Nutrition Surveillance** (1)  
**California**

**Summary of Trends in Growth Indicators by Age**  
**Children Aged 5 to <20 Years** (2)  
**Standard Year (School Age Coding)**

Summary of Trends in Growth Indicators by Age (3)											
Age and Year *	Height and Weight					Age and Year *	Height and Weight				
	Short Stature (4)	Under-weight (5)	Over-weight (5)		Short Stature (4)		Under-weight (5)	Over-weight (5)			
	Number	%	%	%	Number		%	%	%		
	<5th	<5th	85th-<95th	≥95th		<5th	<5th	85th-<95th	≥95th		
<b>5 - 8 Years</b>						<b>12 - 14 years</b>					
2002	217,422	5.5	3.3	16.8	18.6	2002	101,376	7.5	2.0	19.6	22.8
2001	207,584	5.4	3.2	16.5	18.0	2001	88,480	7.9	2.1	19.2	21.7
2000	251,773	5.5	3.2	16.5	17.9	2000	109,527	8.1	2.1	19.2	21.5
1999	259,327	5.4	3.2	16.3	17.0	1999	117,330	8.1	2.2	19.0	21.1
1998	260,657	5.4	3.2	16.1	16.2	1998	92,244	8.5	2.2	18.9	19.7
1997	260,429	5.4	3.5	15.5	15.4	1997	80,011	9.1	2.5	18.1	18.0
1996	227,534	5.8	3.5	15.5	14.7	1996	66,732	9.5	2.6	17.9	17.5
1995	216,214	6.2	3.7	15.3	14.2	1995	60,415	10.6	2.8	17.9	16.9
1994	202,286	6.6	3.8	15.0	13.4	1994	53,285	11.2	2.8	17.7	16.7
1993	195,176	7.1	3.8	14.9	12.9	1993	46,858	11.4	3.0	17.2	15.6
<b>9 - 11 Years</b>						<b>15 - 19 Years</b>					
2002	122,354	5.3	2.6	19.2	24.2	2002	70,991	11.7	2.0	17.8	18.5
2001	114,805	5.2	2.6	19.1	23.0	2001	63,624	12.6	2.1	17.9	17.8
2000	137,036	5.4	2.7	18.8	22.9	2000	76,484	12.5	2.2	17.9	17.1
1999	142,813	5.2	2.7	18.5	21.8	1999	80,635	12.4	2.2	17.7	16.8
1998	116,263	5.4	2.9	18.0	20.4	1998	76,291	12.3	2.2	17.6	15.7
1997	98,261	5.9	3.2	17.5	18.8	1997	68,348	12.3	2.4	17.1	15.1
1996	79,848	6.7	3.2	17.1	17.6	1996	60,512	13.0	2.5	16.9	14.4
1995	73,385	7.2	3.5	16.9	16.8	1995	53,888	14.1	2.3	16.8	14.7
1994	67,307	8.4	3.5	16.3	15.9	1994	45,462	14.3	2.4	16.6	14.2
1993	60,881	8.7	3.8	16.3	14.8	1993	40,207	14.7	2.7	15.8	13.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 20C**  
**2002 Pediatric Nutrition Surveillance** (1)  
**California**

**Summary of Trends in Growth Indicators by Age**  
**Children Aged 5 to <20 Years** (2)  
**Standard Year (School Age Coding)**

<b>Summary of Trends in Growth Indicators by Age</b> (3)												
Age and Year *	Height and Weight						Age and Year *	Height and Weight				
	Short Stature (4)	Under-weight (5)	Over-weight (5)		Short Stature (4)			Under-weight (5)	Over-weight (5)			
	Number	% <5th	% <5th	% 85th-<95th	% ≥95th			Number	% <5th	% <5th	% 85th-<95th	% ≥95th
<b>Total All Age Group</b>												
2002	512,143	6.7	2.7	18.1	20.8							
2001	474,493	6.8	2.7	17.8	19.9							
2000	574,820	6.9	2.8	17.7	19.7							
1999	600,105	6.8	2.8	17.5	18.9							
1998	545,455	6.9	2.8	17.2	17.6							
1997	507,049	7.0	3.2	16.5	16.4							
1996	434,626	7.5	3.2	16.3	15.6							
1995	403,902	8.1	3.3	16.2	15.1							
1994	368,340	8.5	3.4	15.8	14.4							
1993	343,122	8.9	3.6	15.6	13.7							

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.