

Table 17B
2004 Pediatric Nutrition Surveillance (1)
Mono
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 30 / 05

State: California

County: 026

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
White, Not Hispanic			Asian/Pacific Islander
6 - 11 Months	9	*	6 - 11 Months
12 - 17 Months	4	*	12 - 17 Months
18 - 23 Months	0	*	18 - 23 Months
24 - 35 Months	8	*	24 - 35 Months
36 - 59 Months	15	*	36 - 59 Months
Total	36	*	Total
Black, Not Hispanic			All Other/Unknown
6 - 11 Months	0	*	6 - 11 Months
12 - 17 Months	0	*	12 - 17 Months
18 - 23 Months	0	*	18 - 23 Months
24 - 35 Months	0	*	24 - 35 Months
36 - 59 Months	0	*	36 - 59 Months
Total	0	*	Total
Hispanic			Total All Race/Ethnic Groups
6 - 11 Months	41	*	6 - 11 Months
12 - 17 Months	14	*	12 - 17 Months
18 - 23 Months	5	*	18 - 23 Months
24 - 35 Months	27	*	24 - 35 Months
36 - 59 Months	50	*	36 - 59 Months
Total	137	13.1	Total
American Indian/Alaskan Native			
6 - 11 Months	1	*	
12 - 17 Months	1	*	
18 - 23 Months	0	*	
24 - 35 Months	0	*	
36 - 59 Months	0	*	
Total	2	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2004 Pediatric Nutrition Surveillance (1)
Mono

Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

Standard Year (School Age Coding)

County: 026

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian/Pacific Islander		
5 - 8 Years	13	*	5 - 8 Years	0	*
9 - 11 Years	3	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
Total	20	*	Total	0	*
Black, Not Hispanic			All Other/Unknown		
5 - 8 Years	2	*	5 - 8 Years	2	*
9 - 11 Years	0	*	9 - 11 Years	1	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	2	*
Total	2	*	Total	7	*
Hispanic			Total All Race/Ethnic Groups		
5 - 8 Years	26	*	5 - 8 Years	46	*
9 - 11 Years	14	*	9 - 11 Years	18	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	8	*
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	11	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	5	*
Total	58	*	Total	93	*
American Indian/Alaskan Native					
5 - 8 Years	3	*			
9 - 11 Years	0	*			
12 - 14 Years - Girls	1	*			
12 - 14 Years - Boys	1	*			
15 - 19 Years - Girls	0	*			
15 - 19 Years - Boys	1	*			
Total	6	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.