

Table 2C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Summary of Health Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Health Indicators ⁽³⁾						
			California Prevalence		National Prevalence (Prior Year)	
			Number	%	Number	%
Birthweight (4)						
Low	< 2500 g		178,165	7.2	1,607,770	9.3
High	> 4000 g		178,165	8.1	1,607,770	6.8
Height and Weight						
Short Stature (5)	< 5th		864,004	5.0	6,477,531	6.4
	< 10th		864,004	8.8	6,477,531	11.4
Underweight (6)	< 5th		864,004	5.3	6,477,531	4.7
	< 10th		864,004	8.8	6,477,531	8.0
Overweight (6) ≥ 2 Yrs Overweight (6)	≥ 95th		864,004	15.9	6,477,531	14.2
	85th - < 95th		331,975	16.3	2,774,537	16.1
	≥ 95th		331,975	17.4	2,774,537	14.8
Anemia (7)						
Low Hb			451,684	14.0	3,744,212	14.2
Low Hct			67,602	8.1	506,125	9.0
Low Hb/Hct			493,286	13.4	4,020,686	13.7
Breastfeeding (8)						
Ever Breastfed			0	*	1,454,283	56.0
Breastfed At Least 6 Months			0	*	710,005	23.3
Breastfed At Least 12 Months			0	*	781,927	17.5
Smoking in Household			0	*	389,446	20.1
≤ 2 Hours TV Viewing/ Day (9)			0	*	64,128	40.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 2C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Summary of Health Indicators
Children Aged 5 to <20 Years ⁽²⁾

Summary of Health Indicators ⁽³⁾					
	California Prevalence		National Prevalence (Prior Year)		
	Number	%	Number	%	
Height and Weight					
Short Stature (4)	< 5th	490,680	6.9	0	*
Underweight (5)	< 5th	490,680	2.5	0	*
Overweight (5)	85th - < 95th	490,680	18.3	0	*
	≥ 95th	490,680	22.7	0	*
Anemia (6)					
Low Hb		393,188	12.7	0	*
Low Hct		53,983	10.3	0	*
Low Hb/Hct		422,990	12.5	0	*
Smoking in Household					
≤2 Hours TV Viewing/Day (7)		0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - <95th percentile category identifies children at risk of overweight.

(6) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

(7) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.