Table 16B

2005 Pediatric Nutrition Surveillance (1)

Calaveras

Growth Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)

State: California **County: 005**

Growth Indicators by Race/Ethnicity and Age (3)

	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	121	5.0	121	13.2	121	4.1	0	0.0	0.0
12 - 23 Months	64	*	64	*	64	*	0	*	*
24 - 59 Months	127	3.9	127	3.9	127	12.6	127	18.1	12.6
Total	**312**	**5.4**	**312**	**8.0**	**312**	**9.0**	**127**	**18.1**	**12.6**
Black, Not Hispanic									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	**10**	*****	**10**	*****	**10**	*****	**5**	*****	*****
Hispanic									
0 - 11 Months	189	7.9	189	5.3	189	19.6	0	0.0	0.0
12 - 23 Months	101	9.9	101	4.0	101	23.8	0	0.0	0.0
24 - 59 Months	248	3.6	248	2.4	248	17.3	248	14.5	17.3
Total	**538**	**6.3**	**538**	**3.7**	**538**	**19.3**	**248**	**14.5**	**17.3**
American Indian/Alaskan Native									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	**8**	*****	**8**	*****	**8**	*****	**1**	*****	*****

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

Table 16B

2005 Pediatric Nutrition Surveillance (1)

Calaveras

Growth Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)

State: California **County: 005**

Growth Indicators by Race/Ethnicity and Age (3)

	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	**9**	*	**9**	*	**9**	*	**5**	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	**1**	*	**1**	*	**1**	*	**0**	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	**5**	*	**5**	*	**5**	*	**2**	*	*
All Other									
0 - 11 Months	52	*	52	*	52	*	0	*	*
12 - 23 Months	26	*	26	*	26	*	0	*	*
24 - 59 Months	65	*	65	*	65	*	65	*	*
Total	**143**	**5.6**	**143**	**11.2**	**143**	**18.2**	**65**	*	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

Table 16B

2005 Pediatric Nutrition Surveillance (1)

Calaveras

Growth Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)

State: California **County: 005**

Growth Indicators by Race/Ethnicity and Age (3)

	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	377	6.6	377	9.5	377	13.3	0	0.0	0.0
12 - 23 Months	196	8.7	196	6.6	196	18.4	0	0.0	0.0
24 - 59 Months	453	4.4	453	3.5	453	16.8	453	14.8	16.8
Total	**1,026**	**6.0**	**1,026**	**6.3**	**1,026**	**15.8**	**453**	**14.8**	**16.8**

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

Table 16B
2005 Pediatric Nutrition Surveillance (1)
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California **County: 005**

Growth Indicators by Race/Ethnicity and Age (3)

	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	65	*	65	*	65	*	*
9 - 11 Years	28	*	28	*	28	*	*
12 - 14 years	42	*	42	*	42	*	*
15 - 19 Years	42	*	42	*	42	*	*
Total	**177**	**7.3**	**177**	**3.4**	**177**	**17.5**	**15.8**
Black, Not Hispanic							
5 - 8 Years	5	*	5	*	5	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	5	*	5	*	5	*	*
Total	**12**	*****	**12**	*****	**12**	*****	*****
Hispanic							
5 - 8 Years	105	1.9	105	2.9	105	17.1	21.9
9 - 11 Years	57	*	57	*	57	*	*
12 - 14 years	81	*	81	*	81	*	*
15 - 19 Years	66	*	66	*	66	*	*
Total	**309**	**4.9**	**309**	**2.6**	**309**	**21.4**	**22.0**

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

Table 16B
2005 Pediatric Nutrition Surveillance (1)
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California **County: 005**

Growth Indicators by Race/Ethnicity and Age (3)

	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	**3**	*	**3**	*	**3**	*	*
Asian							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	2	*	2	*	2	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	**6**	*	**6**	*	**6**	*	*
Pacific Islander							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	**5**	*	**5**	*	**5**	*	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

Table 16B

2005 Pediatric Nutrition Surveillance (1)

Calaveras

Growth Indicators by Race/Ethnicity and Age

Children Aged 5 to <20 Years (2)

State: California **County: 005**

Growth Indicators by Race/Ethnicity and Age (3)

	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	**1**	*	**1**	*	**1**	*	*
All Other							
5 - 8 Years	33	*	33	*	33	*	*
9 - 11 Years	13	*	13	*	13	*	*
12 - 14 years	25	*	25	*	25	*	*
15 - 19 Years	17	*	17	*	17	*	*
Total	**88**	*	**88**	*	**88**	*	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

Table 16B

2005 Pediatric Nutrition Surveillance (1)

Calaveras

Growth Indicators by Race/Ethnicity and Age

Children Aged 5 to <20 Years (2)

State: California **County: 005**

Growth Indicators by Race/Ethnicity and Age (3)

	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	216	4.2	216	3.7	216	13.9	18.5
9 - 11 Years	101	9.9	101	1.0	101	17.8	27.7
12 - 14 years	152	5.9	152	3.9	152	23.0	20.4
15 - 19 Years	132	7.6	132	2.3	132	22.0	20.5
Total	**601**	**6.3**	**601**	**3.0**	**601**	**18.6**	**21.0**

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC