

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,569	7.8	1,569	5.1	1,569	12.5	0	0.0	0.0
12 - 23 Months	754	5.2	754	2.8	754	16.2	0	0.0	0.0
24 - 59 Months	1,249	4.2	1,249	4.5	1,249	14.2	1,249	16.2	14.2
Total	3,572	6.0	3,572	4.4	3,572	13.9	1,249	16.2	14.2
Black, Not Hispanic									
0 - 11 Months	864	9.0	864	4.3	864	15.2	0	0.0	0.0
12 - 23 Months	486	4.7	486	4.5	486	16.5	0	0.0	0.0
24 - 59 Months	1,067	3.0	1,067	4.3	1,067	11.8	1,067	15.2	11.8
Total	2,417	5.5	2,417	4.3	2,417	13.9	1,067	15.2	11.8
Hispanic									
0 - 11 Months	12,206	6.0	12,206	3.9	12,206	14.8	0	0.0	0.0
12 - 23 Months	6,528	5.8	6,528	3.2	6,528	19.9	0	0.0	0.0
24 - 59 Months	13,772	4.2	13,772	3.9	13,772	18.3	13,772	16.6	18.3
Total	32,506	5.2	32,506	3.7	32,506	17.3	13,772	16.6	18.3
American Indian/Alaskan Native									
0 - 11 Months	52	*	52	*	52	*	0	*	*
12 - 23 Months	37	*	37	*	37	*	0	*	*
24 - 59 Months	86	*	86	*	86	*	86	*	*
Total	175	4.6	175	4.6	175	21.1	86	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,114	9.6	1,114	4.6	1,114	16.9	0	0.0	0.0
12 - 23 Months	669	14.1	669	3.0	669	14.3	0	0.0	0.0
24 - 59 Months	1,473	12.2	1,473	4.7	1,473	14.2	1,473	16.2	14.2
Total	3,256	11.7	3,256	4.3	3,256	15.1	1,473	16.2	14.2
Pacific Islander									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	14	*	14	*	14	*	14	*	*
Total	27	*	27	*	27	*	14	*	*
Filipino									
0 - 11 Months	19	*	19	*	19	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	28	*	28	*	28	*	28	*	*
Total	59	*	59	*	59	*	28	*	*
All Other									
0 - 11 Months	1,288	6.5	1,288	7.7	1,288	9.5	0	0.0	0.0
12 - 23 Months	589	5.9	589	5.8	589	17.5	0	0.0	0.0
24 - 59 Months	1,183	4.7	1,183	4.7	1,183	13.7	1,183	15.9	13.7
Total	3,060	5.7	3,060	6.2	3,060	12.6	1,183	15.9	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	17,119	6.6	17,119	4.4	17,119	14.3	0	0.0	0.0
12 - 23 Months	9,081	6.3	9,081	3.4	9,081	18.9	0	0.0	0.0
24 - 59 Months	18,872	4.8	18,872	4.1	18,872	17.1	18,872	16.4	17.1
Total	45,072	5.8	45,072	4.0	45,072	16.4	18,872	16.4	17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	925	6.2	925	2.9	925	15.8
9 - 11 Years	494	4.7	494	2.8	494	27.3
12 - 14 years	498	5.0	498	2.4	498	26.1
15 - 19 Years	423	5.9	423	3.5	423	20.3
Total	2,340	5.6	2,340	2.9	2,340	21.2
Black, Not Hispanic						
5 - 8 Years	874	1.9	874	2.9	874	14.9
9 - 11 Years	531	3.8	531	2.1	531	19.6
12 - 14 years	547	3.1	547	1.3	547	25.0
15 - 19 Years	493	5.5	493	2.0	493	22.9
Total	2,445	3.3	2,445	2.2	2,445	19.8
Hispanic						
5 - 8 Years	9,309	4.9	9,309	2.4	9,309	23.7
9 - 11 Years	4,661	4.8	4,661	2.2	4,661	31.1
12 - 14 years	4,228	5.7	4,228	1.3	4,228	29.4
15 - 19 Years	2,982	12.4	2,982	1.9	2,982	24.0
Total	21,180	6.1	21,180	2.1	21,180	26.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	58	*	58	*	58	*
9 - 11 Years	21	*	21	*	21	*
12 - 14 years	31	*	31	*	31	*
15 - 19 Years	16	*	16	*	16	*
Total	126	5.6	126	0.0	126	26.2 28.6
Asian						
5 - 8 Years	1,203	22.2	1,203	5.2	1,203	12.6 13.8
9 - 11 Years	973	18.8	973	4.3	973	13.4 20.7
12 - 14 years	1,215	16.9	1,215	2.1	1,215	15.6 19.7
15 - 19 Years	1,192	33.5	1,192	3.4	1,192	14.6 16.4
Total	4,583	23.0	4,583	3.7	4,583	14.1 17.5
Pacific Islander						
5 - 8 Years	9	*	9	*	9	* *
9 - 11 Years	5	*	5	*	5	* *
12 - 14 years	9	*	9	*	9	* *
15 - 19 Years	2	*	2	*	2	* *
Total	25	*	25	*	25	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	7	*	7	*	7	*
15 - 19 Years	6	*	6	*	6	*
Total	35	*	35	*	35	*
All Other						
5 - 8 Years	857	5.7	857	3.3	857	15.4 19.3
9 - 11 Years	422	5.5	422	3.3	422	15.4 25.6
12 - 14 years	426	5.9	426	4.5	426	23.5 26.5
15 - 19 Years	400	10.5	400	3.0	400	20.0 23.8
Total	2,105	6.6	2,105	3.5	2,105	17.9 22.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	13,250	6.4	13,250	2.8	13,250	17.1	21.4
9 - 11 Years	7,114	6.7	7,114	2.6	7,114	18.3	28.2
12 - 14 years	6,961	7.5	6,961	1.7	6,961	19.1	27.0
15 - 19 Years	5,514	15.7	5,514	2.4	5,514	17.3	22.0
Total	32,839	8.2	32,839	2.5	32,839	17.8	24.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

