

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 153 | 2.6 | 153 | 5.9 | 153 | 16.3 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 83 | * | 83 | * | 83 | * | 0 | * | * |
| 24 - 59 Months | 165 | 4.2 | 165 | 4.8 | 165 | 21.8 | 165 | 21.8 | 21.8 |
| Total | 401 | 5.7 | 401 | 5.2 | 401 | 21.7 | 165 | 21.8 | 21.8 |
| Black, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 57 | * | 57 | * | 57 | * | 0 | * | * |
| 12 - 23 Months | 31 | * | 31 | * | 31 | * | 0 | * | * |
| 24 - 59 Months | 79 | * | 79 | * | 79 | * | 79 | * | * |
| Total | 167 | 3.6 | 167 | 7.2 | 167 | 21.6 | 79 | * | * |
| Hispanic | | | | | | | | | |
| 0 - 11 Months | 1,119 | 4.2 | 1,119 | 4.8 | 1,119 | 17.0 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 573 | 5.6 | 573 | 3.7 | 573 | 25.3 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 1,215 | 4.7 | 1,215 | 3.5 | 1,215 | 23.0 | 1,215 | 16.2 | 23.0 |
| Total | 2,907 | 4.7 | 2,907 | 4.0 | 2,907 | 21.1 | 1,215 | 16.2 | 23.0 |
| American Indian/Alaskan Native | | | | | | | | | |
| 0 - 11 Months | 11 | * | 11 | * | 11 | * | 0 | * | * |
| 12 - 23 Months | 2 | * | 2 | * | 2 | * | 0 | * | * |
| 24 - 59 Months | 6 | * | 6 | * | 6 | * | 6 | * | * |
| Total | 19 | * | 19 | * | 19 | * | 6 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| Asian | | | | | | | | | |
| 0 - 11 Months | 5 | * | 5 | * | 5 | * | 0 | * | * |
| 12 - 23 Months | 1 | * | 1 | * | 1 | * | 0 | * | * |
| 24 - 59 Months | 6 | * | 6 | * | 6 | * | 6 | * | * |
| Total | 12 | * | 12 | * | 12 | * | 6 | * | * |
| Pacific Islander | | | | | | | | | |
| 0 - 11 Months | 0 | * | 0 | * | 0 | * | 0 | * | * |
| 12 - 23 Months | 0 | * | 0 | * | 0 | * | 0 | * | * |
| 24 - 59 Months | 0 | * | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | 0 | * | * |
| Filipino | | | | | | | | | |
| 0 - 11 Months | 7 | * | 7 | * | 7 | * | 0 | * | * |
| 12 - 23 Months | 5 | * | 5 | * | 5 | * | 0 | * | * |
| 24 - 59 Months | 5 | * | 5 | * | 5 | * | 5 | * | * |
| Total | 17 | * | 17 | * | 17 | * | 5 | * | * |
| All Other | | | | | | | | | |
| 0 - 11 Months | 240 | 5.8 | 240 | 8.3 | 240 | 12.5 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 109 | 3.7 | 109 | 4.6 | 109 | 22.0 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 182 | 5.5 | 182 | 4.9 | 182 | 22.5 | 182 | 12.1 | 22.5 |
| Total | 531 | 5.3 | 531 | 6.4 | 531 | 17.9 | 182 | 12.1 | 22.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | | | |
| 0 - 11 Months | 1,592 | 4.3 | 1,592 | 5.5 | 1,592 | 16.3 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 804 | 6.2 | 804 | 4.1 | 804 | 25.9 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 1,658 | 4.6 | 1,658 | 3.8 | 1,658 | 22.4 | 1,658 | 16.2 | 22.4 |
| Total | 4,054 | 4.8 | 4,054 | 4.5 | 4,054 | 20.7 | 1,658 | 16.2 | 22.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 99 | * | 99 | * | 99 | * |
| 9 - 11 Years | 28 | * | 28 | * | 28 | * |
| 12 - 14 years | 32 | * | 32 | * | 32 | * |
| 15 - 19 Years | 35 | * | 35 | * | 35 | * |
| Total | 194 | 5.2 | 194 | 2.6 | 194 | 14.4 26.3 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 34 | * | 34 | * | 34 | * |
| 9 - 11 Years | 16 | * | 16 | * | 16 | * |
| 12 - 14 years | 28 | * | 28 | * | 28 | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * |
| Total | 90 | * | 90 | * | 90 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 574 | 4.9 | 574 | 1.2 | 574 | 20.0 19.2 |
| 9 - 11 Years | 244 | 5.3 | 244 | 1.2 | 244 | 20.5 32.4 |
| 12 - 14 years | 246 | 8.9 | 246 | 2.0 | 246 | 21.5 30.5 |
| 15 - 19 Years | 212 | 8.5 | 212 | 1.4 | 212 | 17.5 23.6 |
| Total | 1,276 | 6.3 | 1,276 | 1.4 | 1,276 | 20.0 24.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 5 | * | 5 | * | 5 | * |
| Asian | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 12 | * | 12 | * | 12 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 2 | * | 2 | * | 2 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 3 | * | 3 | * | 3 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 94 | * | 94 | * | 94 | * | * |
| 9 - 11 Years | 29 | * | 29 | * | 29 | * | * |
| 12 - 14 years | 30 | * | 30 | * | 30 | * | * |
| 15 - 19 Years | 28 | * | 28 | * | 28 | * | * |
| Total | 181 | 8.3 | 181 | 2.8 | 181 | 24.3 | 20.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 811 | 4.8 | 811 | 1.8 | 811 | 19.5 | 19.9 |
| 9 - 11 Years | 320 | 5.9 | 320 | 0.9 | 320 | 20.3 | 29.7 |
| 12 - 14 years | 337 | 8.3 | 337 | 1.8 | 337 | 21.4 | 30.9 |
| 15 - 19 Years | 295 | 7.5 | 295 | 2.0 | 295 | 18.0 | 21.7 |
| Total | 1,763 | 6.1 | 1,763 | 1.7 | 1,763 | 19.7 | 24.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.