

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 95 | * | 95 | * | 95 | * | 0 | * | * |
| 12 - 23 Months | 34 | * | 34 | * | 34 | * | 0 | * | * |
| 24 - 59 Months | 102 | 2.0 | 102 | 2.9 | 102 | 10.8 | 102 | 14.7 | 10.8 |
| Total | 231 | 4.3 | 231 | 6.5 | 231 | 10.4 | 102 | 14.7 | 10.8 |
| Black, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 426 | 8.7 | 426 | 5.6 | 426 | 16.0 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 229 | 3.1 | 229 | 3.9 | 229 | 20.5 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 511 | 1.8 | 511 | 4.7 | 511 | 14.5 | 511 | 18.2 | 14.5 |
| Total | 1,166 | 4.5 | 1,166 | 4.9 | 1,166 | 16.2 | 511 | 18.2 | 14.5 |
| Hispanic | | | | | | | | | |
| 0 - 11 Months | 2,530 | 6.2 | 2,530 | 6.0 | 2,530 | 16.0 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 1,313 | 7.1 | 1,313 | 2.3 | 1,313 | 23.0 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 2,951 | 3.0 | 2,951 | 2.9 | 2,951 | 21.3 | 2,951 | 16.7 | 21.3 |
| Total | 6,794 | 5.0 | 6,794 | 3.9 | 6,794 | 19.6 | 2,951 | 16.7 | 21.3 |
| American Indian/Alaskan Native | | | | | | | | | |
| 0 - 11 Months | 1 | * | 1 | * | 1 | * | 0 | * | * |
| 12 - 23 Months | 3 | * | 3 | * | 3 | * | 0 | * | * |
| 24 - 59 Months | 4 | * | 4 | * | 4 | * | 4 | * | * |
| Total | 8 | * | 8 | * | 8 | * | 4 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|-------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| Asian | | | | | | | | | |
| 0 - 11 Months | 188 | 6.4 | 188 | 6.9 | 188 | 12.2 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 99 | * | 99 | * | 99 | * | 0 | * | * |
| 24 - 59 Months | 257 | 4.7 | 257 | 5.8 | 257 | 14.8 | 257 | 12.8 | 14.8 |
| Total | 544 | 6.3 | 544 | 6.6 | 544 | 14.0 | 257 | 12.8 | 14.8 |
| Pacific Islander | | | | | | | | | |
| 0 - 11 Months | 36 | * | 36 | * | 36 | * | 0 | * | * |
| 12 - 23 Months | 13 | * | 13 | * | 13 | * | 0 | * | * |
| 24 - 59 Months | 38 | * | 38 | * | 38 | * | 38 | * | * |
| Total | 87 | * | 87 | * | 87 | * | 38 | * | * |
| Filipino | | | | | | | | | |
| 0 - 11 Months | 33 | * | 33 | * | 33 | * | 0 | * | * |
| 12 - 23 Months | 23 | * | 23 | * | 23 | * | 0 | * | * |
| 24 - 59 Months | 40 | * | 40 | * | 40 | * | 40 | * | * |
| Total | 96 | * | 96 | * | 96 | * | 40 | * | * |
| All Other | | | | | | | | | |
| 0 - 11 Months | 753 | 2.1 | 753 | 15.5 | 753 | 7.2 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 234 | 3.0 | 234 | 9.4 | 234 | 10.3 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 232 | 5.2 | 232 | 5.6 | 232 | 15.1 | 232 | 18.1 | 15.1 |
| Total | 1,219 | 2.9 | 1,219 | 12.5 | 1,219 | 9.3 | 232 | 18.1 | 15.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | | | |
| 0 - 11 Months | 4,062 | 5.7 | 4,062 | 7.9 | 4,062 | 14.1 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 1,948 | 6.2 | 1,948 | 3.7 | 1,948 | 20.5 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 4,135 | 3.0 | 4,135 | 3.4 | 4,135 | 19.6 | 4,135 | 16.7 | 19.6 |
| Total | 10,145 | 4.7 | 10,145 | 5.3 | 10,145 | 17.5 | 4,135 | 16.7 | 19.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 56 | * | 56 | * | 56 | * |
| 9 - 11 Years | 48 | * | 48 | * | 48 | * |
| 12 - 14 years | 35 | * | 35 | * | 35 | * |
| 15 - 19 Years | 39 | * | 39 | * | 39 | * |
| Total | 178 | 5.6 | 178 | 3.9 | 178 | 19.1 24.7 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 347 | 2.3 | 347 | 2.6 | 347 | 14.4 17.3 |
| 9 - 11 Years | 252 | 0.4 | 252 | 0.4 | 252 | 19.8 20.6 |
| 12 - 14 years | 268 | 4.1 | 268 | 1.1 | 268 | 16.8 26.5 |
| 15 - 19 Years | 212 | 7.5 | 212 | 2.4 | 212 | 14.2 27.4 |
| Total | 1,079 | 3.3 | 1,079 | 1.7 | 1,079 | 16.2 22.3 |
| Hispanic | | | | | | |
| 5 - 8 Years | 1,255 | 4.0 | 1,255 | 2.9 | 1,255 | 18.7 23.6 |
| 9 - 11 Years | 708 | 4.0 | 708 | 1.3 | 708 | 20.8 31.6 |
| 12 - 14 years | 630 | 5.1 | 630 | 2.1 | 630 | 20.0 27.0 |
| 15 - 19 Years | 366 | 10.4 | 366 | 1.6 | 366 | 18.9 28.4 |
| Total | 2,959 | 5.0 | 2,959 | 2.2 | 2,959 | 19.5 26.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 7 | * | 7 | * | 7 | * |
| Asian | | | | | | |
| 5 - 8 Years | 95 | * | 95 | * | 95 | * |
| 9 - 11 Years | 93 | * | 93 | * | 93 | * |
| 12 - 14 years | 99 | * | 99 | * | 99 | * |
| 15 - 19 Years | 105 | 15.2 | 105 | 3.8 | 105 | 12.4 14.3 |
| Total | 392 | 9.2 | 392 | 5.9 | 392 | 14.3 16.1 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 22 | * | 22 | * | 22 | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * |
| 12 - 14 years | 17 | * | 17 | * | 17 | * |
| 15 - 19 Years | 15 | * | 15 | * | 15 | * |
| Total | 63 | * | 63 | * | 63 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 24 | * | 24 | * | 24 | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 40 | * | 40 | * | 40 | * |
| All Other | | | | | | |
| 5 - 8 Years | 113 | 1.8 | 113 | 0.9 | 113 | 15.9 |
| 9 - 11 Years | 63 | * | 63 | * | 63 | * |
| 12 - 14 years | 59 | * | 59 | * | 59 | * |
| 15 - 19 Years | 35 | * | 35 | * | 35 | * |
| Total | 270 | 5.2 | 270 | 2.6 | 270 | 15.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 1,916 | 3.8 | 1,916 | 3.1 | 1,916 | 22.0 |
| 9 - 11 Years | 1,181 | 3.0 | 1,181 | 1.5 | 1,181 | 27.8 |
| 12 - 14 years | 1,113 | 5.5 | 1,113 | 2.2 | 1,113 | 26.1 |
| 15 - 19 Years | 778 | 10.7 | 778 | 2.6 | 778 | 26.1 |
| Total | 4,988 | 5.1 | 4,988 | 2.4 | 4,988 | 24.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

