

**Table 16B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Riverside**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

State: California

County: 033

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	3,278	7.0	3,278	7.5	3,278	11.0	0	0.0	0.0
12 - 23 Months	719	7.6	719	4.5	719	16.3	0	0.0	0.0
24 - 59 Months	1,237	3.6	1,237	5.0	1,237	12.8	1,237	15.8	12.8
<b>Total</b>	<b>5,234</b>	<b>6.3</b>	<b>5,234</b>	<b>6.5</b>	<b>5,234</b>	<b>12.2</b>	<b>1,237</b>	<b>15.8</b>	<b>12.8</b>
Black, Not Hispanic									
0 - 11 Months	797	11.9	797	5.6	797	15.7	0	0.0	0.0
12 - 23 Months	225	6.7	225	4.4	225	14.2	0	0.0	0.0
24 - 59 Months	516	4.7	516	9.3	516	10.5	516	12.0	10.5
<b>Total</b>	<b>1,538</b>	<b>8.7</b>	<b>1,538</b>	<b>6.7</b>	<b>1,538</b>	<b>13.7</b>	<b>516</b>	<b>12.0</b>	<b>10.5</b>
Hispanic									
0 - 11 Months	13,841	6.4	13,841	5.1	13,841	15.8	0	0.0	0.0
12 - 23 Months	4,975	6.4	4,975	3.2	4,975	21.0	0	0.0	0.0
24 - 59 Months	10,146	3.7	10,146	4.2	10,146	16.8	10,146	15.2	16.8
<b>Total</b>	<b>28,962</b>	<b>5.5</b>	<b>28,962</b>	<b>4.5</b>	<b>28,962</b>	<b>17.1</b>	<b>10,146</b>	<b>15.2</b>	<b>16.8</b>
American Indian/Alaskan Native									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
<b>Total</b>	<b>19</b>	<b>*</b>	<b>19</b>	<b>*</b>	<b>19</b>	<b>*</b>	<b>5</b>	<b>*</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Riverside**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

State: California

County: 033

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	111	7.2	111	10.8	111	11.7	0	0.0	0.0
12 - 23 Months	34	*	34	*	34	*	0	*	*
24 - 59 Months	77	*	77	*	77	*	77	*	*
<b>Total</b>	<b>222</b>	<b>6.8</b>	<b>222</b>	<b>8.6</b>	<b>222</b>	<b>11.7</b>	<b>77</b>	<b>*</b>	<b>*</b>
Pacific Islander									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	13	*	13	*	13	*	13	*	*
<b>Total</b>	<b>30</b>	<b>*</b>	<b>30</b>	<b>*</b>	<b>30</b>	<b>*</b>	<b>13</b>	<b>*</b>	<b>*</b>
Filipino									
0 - 11 Months	41	*	41	*	41	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	22	*	22	*	22	*	22	*	*
<b>Total</b>	<b>72</b>	<b>*</b>	<b>72</b>	<b>*</b>	<b>72</b>	<b>*</b>	<b>22</b>	<b>*</b>	<b>*</b>
All Other									
0 - 11 Months	1,348	6.8	1,348	9.5	1,348	12.1	0	0.0	0.0
12 - 23 Months	396	6.8	396	4.5	396	16.7	0	0.0	0.0
24 - 59 Months	627	3.0	627	5.4	627	11.5	627	15.0	11.5
<b>Total</b>	<b>2,371</b>	<b>5.8</b>	<b>2,371</b>	<b>7.6</b>	<b>2,371</b>	<b>12.7</b>	<b>627</b>	<b>15.0</b>	<b>11.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Riverside**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

State: California

County: 033

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	19,438	6.7	19,438	5.9	19,438	14.7	0	0.0	0.0
12 - 23 Months	6,367	6.5	6,367	3.5	6,367	19.9	0	0.0	0.0
24 - 59 Months	12,643	3.7	12,643	4.6	12,643	15.9	12,643	15.1	15.9
<b>Total</b>	<b>38,448</b>	<b>5.7</b>	<b>38,448</b>	<b>5.1</b>	<b>38,448</b>	<b>15.9</b>	<b>12,643</b>	<b>15.1</b>	<b>15.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Riverside**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

State: California

County: 033

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	832	6.0	832	4.3	832	15.7	13.2
9 - 11 Years	362	6.4	362	2.5	362	16.6	19.9
12 - 14 years	410	7.8	410	3.2	410	19.8	23.4
15 - 19 Years	376	7.7	376	2.7	376	21.3	20.2
<b>Total</b>	<b>1,980</b>	<b>6.8</b>	<b>1,980</b>	<b>3.4</b>	<b>1,980</b>	<b>17.8</b>	<b>17.9</b>
Black, Not Hispanic							
5 - 8 Years	344	4.4	344	3.5	344	18.3	9.6
9 - 11 Years	192	4.7	192	3.6	192	13.5	18.8
12 - 14 years	250	3.6	250	1.6	250	19.6	16.8
15 - 19 Years	233	6.4	233	2.6	233	22.3	17.6
<b>Total</b>	<b>1,019</b>	<b>4.7</b>	<b>1,019</b>	<b>2.8</b>	<b>1,019</b>	<b>18.6</b>	<b>14.9</b>
Hispanic							
5 - 8 Years	5,745	4.8	5,745	2.9	5,745	15.7	19.9
9 - 11 Years	2,727	3.7	2,727	2.6	2,727	18.9	25.6
12 - 14 years	2,781	6.3	2,781	1.8	2,781	20.2	25.4
15 - 19 Years	2,139	9.5	2,139	1.9	2,139	18.4	21.6
<b>Total</b>	<b>13,392</b>	<b>5.6</b>	<b>13,392</b>	<b>2.4</b>	<b>13,392</b>	<b>17.7</b>	<b>22.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Riverside**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age <sup>(3)</sup>						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	4	*	4	*	4	*
<b>Total</b>	<b>8</b>	<b>*</b>	<b>8</b>	<b>*</b>	<b>8</b>	<b>*</b>
Asian						
5 - 8 Years	49	*	49	*	49	*
9 - 11 Years	26	*	26	*	26	*
12 - 14 years	24	*	24	*	24	*
15 - 19 Years	21	*	21	*	21	*
<b>Total</b>	<b>120</b>	<b>12.5</b>	<b>120</b>	<b>6.7</b>	<b>120</b>	<b>13.3</b> <b>8.3</b>
Pacific Islander						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	2	*	2	*	2	*
<b>Total</b>	<b>23</b>	<b>*</b>	<b>23</b>	<b>*</b>	<b>23</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Riverside**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

State: California

County: 033

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
<b>Filipino</b>						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	12	*	12	*	12	*
<b>Total</b>	<b>52</b>	<b>*</b>	<b>52</b>	<b>*</b>	<b>52</b>	<b>*</b>
<b>All Other</b>						
5 - 8 Years	408	8.1	408	4.2	408	14.2 17.9
9 - 11 Years	192	2.6	192	2.6	192	16.1 20.3
12 - 14 years	203	4.4	203	1.5	203	19.7 25.1
15 - 19 Years	149	11.4	149	2.0	149	19.5 18.8
<b>Total</b>	<b>952</b>	<b>6.7</b>	<b>952</b>	<b>2.9</b>	<b>952</b>	<b>16.6</b> <b>20.1</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Riverside**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

State: California

County: 033

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	7,414	5.1	7,414	3.1	7,414	15.8	18.4
9 - 11 Years	3,516	4.0	3,516	2.8	3,516	18.1	24.2
12 - 14 years	3,680	6.1	3,680	1.9	3,680	20.0	24.5
15 - 19 Years	2,936	9.2	2,936	2.1	2,936	19.0	21.0
<b>Total</b>	<b>17,546</b>	<b>5.8</b>	<b>17,546</b>	<b>2.6</b>	<b>17,546</b>	<b>17.7</b>	<b>21.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

