

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,080	6.8	1,080	9.6	1,080	13.1	0	0.0	0.0
12 - 23 Months	480	6.5	480	5.0	480	20.4	0	0.0	0.0
24 - 59 Months	935	4.2	935	7.0	935	14.9	935	15.8	14.9
Total	2,495	5.7	2,495	7.7	2,495	15.2	935	15.8	14.9
Black, Not Hispanic									
0 - 11 Months	708	8.5	708	9.2	708	10.5	0	0.0	0.0
12 - 23 Months	335	6.0	335	9.3	335	16.4	0	0.0	0.0
24 - 59 Months	791	3.5	791	9.1	791	11.9	791	13.3	11.9
Total	1,834	5.9	1,834	9.2	1,834	12.2	791	13.3	11.9
Hispanic									
0 - 11 Months	5,504	4.1	5,504	9.6	5,504	11.1	0	0.0	0.0
12 - 23 Months	2,502	5.0	2,502	4.6	2,502	19.8	0	0.0	0.0
24 - 59 Months	5,286	3.3	5,286	4.4	5,286	17.8	5,286	15.9	17.8
Total	13,292	4.0	13,292	6.6	13,292	15.4	5,286	15.9	17.8
American Indian/Alaskan Native									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	19	*	19	*	19	*	10	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	712	9.8	712	9.1	712	13.2	0	0.0	0.0
12 - 23 Months	355	11.8	355	4.8	355	14.9	0	0.0	0.0
24 - 59 Months	780	11.8	780	5.1	780	14.7	780	16.4	14.7
Total	1,847	11.0	1,847	6.6	1,847	14.2	780	16.4	14.7
Pacific Islander									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	22	*	22	*	22	*	9	*	*
Filipino									
0 - 11 Months	75	*	75	*	75	*	0	*	*
12 - 23 Months	38	*	38	*	38	*	0	*	*
24 - 59 Months	90	*	90	*	90	*	90	*	*
Total	203	11.8	203	7.4	203	14.8	90	*	*
All Other									
0 - 11 Months	1,734	5.8	1,734	8.9	1,734	8.8	0	0.0	0.0
12 - 23 Months	891	5.2	891	3.7	891	15.4	0	0.0	0.0
24 - 59 Months	1,513	4.0	1,513	4.9	1,513	16.9	1,513	16.3	16.9
Total	4,138	5.0	4,138	6.3	4,138	13.1	1,513	16.3	16.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	9,826	5.5	9,826	9.4	9,826	11.0	0	0.0	0.0
12 - 23 Months	4,610	5.8	4,610	4.8	4,610	18.4	0	0.0	0.0
24 - 59 Months	9,414	4.3	9,414	5.2	9,414	16.6	9,414	15.7	16.6
Total	23,850	5.1	23,850	6.9	23,850	14.6	9,414	15.7	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	543	3.9	543	4.1	543	17.1 15.8
9 - 11 Years	340	4.1	340	4.1	340	17.6 19.7
12 - 14 years	341	5.6	341	2.9	341	19.1 29.3
15 - 19 Years	240	7.1	240	3.3	240	20.4 23.3
Total	1,464	4.8	1,464	3.7	1,464	18.2 21.1
Black, Not Hispanic						
5 - 8 Years	554	1.6	554	3.6	554	17.5 14.4
9 - 11 Years	346	4.0	346	3.5	346	20.5 18.8
12 - 14 years	304	2.3	304	2.0	304	18.4 24.7
15 - 19 Years	251	4.4	251	1.2	251	15.1 19.9
Total	1,455	2.8	1,455	2.8	1,455	18.0 18.6
Hispanic						
5 - 8 Years	2,596	4.2	2,596	3.2	2,596	16.3 21.5
9 - 11 Years	1,213	3.8	1,213	2.4	1,213	19.8 30.2
12 - 14 years	1,137	6.2	1,137	1.5	1,137	19.5 28.5
15 - 19 Years	745	10.3	745	2.7	745	18.0 24.6
Total	5,691	5.3	5,691	2.6	5,691	17.9 25.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaskan Native						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	5	*	5	*	5	*
Total	16	*	16	*	16	*
Asian						
5 - 8 Years	666	16.8	666	5.1	666	11.1 15.2
9 - 11 Years	483	12.6	483	5.4	483	14.5 18.6
12 - 14 years	770	11.0	770	3.4	770	14.2 15.7
15 - 19 Years	939	23.0	939	4.5	939	11.6 13.2
Total	2,858	16.6	2,858	4.5	2,858	12.7 15.3
Pacific Islander						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	3	*	3	*	3	*
Total	19	*	19	*	19	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	62	*	62	*	62	*
9 - 11 Years	20	*	20	*	20	*
12 - 14 years	23	*	23	*	23	*
15 - 19 Years	26	*	26	*	26	*
Total	131	9.2	131	4.6	131	15.3 16.8
All Other						
5 - 8 Years	765	4.4	765	3.3	765	15.7 19.6
9 - 11 Years	406	5.4	406	2.5	406	19.2 25.6
12 - 14 years	435	9.4	435	2.3	435	19.5 23.7
15 - 19 Years	366	9.8	366	3.8	366	15.8 23.8
Total	1,972	6.7	1,972	3.0	1,972	17.3 22.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	5,198	5.5	5,198	3.6	5,198	15.7	18.9
9 - 11 Years	2,816	5.7	2,816	3.3	2,816	18.6	24.9
12 - 14 years	3,017	7.5	3,017	2.3	3,017	18.0	24.2
15 - 19 Years	2,575	14.0	2,575	3.5	2,575	15.2	19.9
Total	13,606	7.6	13,606	3.2	13,606	16.7	21.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

