

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	121	4.1	121	10.7	121	2.5	0	0.0	0.0
12 - 23 Months	58	*	58	*	58	*	0	*	*
24 - 59 Months	104	3.8	104	3.8	104	13.5	104	18.3	13.5
Total	283	3.5	283	7.8	283	6.4	104	18.3	13.5
Black, Not Hispanic									
0 - 11 Months	59	*	59	*	59	*	0	*	*
12 - 23 Months	46	*	46	*	46	*	0	*	*
24 - 59 Months	80	*	80	*	80	*	80	*	*
Total	185	9.7	185	5.4	185	23.8	80	*	*
Hispanic									
0 - 11 Months	2,297	4.0	2,297	8.7	2,297	9.7	0	0.0	0.0
12 - 23 Months	1,246	3.5	1,246	5.9	1,246	13.1	0	0.0	0.0
24 - 59 Months	1,894	4.3	1,894	3.2	1,894	20.9	1,894	18.8	20.9
Total	5,437	4.0	5,437	6.1	5,437	14.3	1,894	18.8	20.9
American Indian/Alaskan Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	10	*	10	*	10	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	35	*	35	*	35	*	0	*	*
12 - 23 Months	17	*	17	*	17	*	0	*	*
24 - 59 Months	18	*	18	*	18	*	18	*	*
Total	70	*	70	*	70	*	18	*	*
Pacific Islander									
0 - 11 Months	80	*	80	*	80	*	0	*	*
12 - 23 Months	36	*	36	*	36	*	0	*	*
24 - 59 Months	57	*	57	*	57	*	57	*	*
Total	173	1.2	173	2.3	173	22.5	57	*	*
Filipino									
0 - 11 Months	94	*	94	*	94	*	0	*	*
12 - 23 Months	29	*	29	*	29	*	0	*	*
24 - 59 Months	56	*	56	*	56	*	56	*	*
Total	179	2.8	179	12.8	179	8.4	56	*	*
All Other									
0 - 11 Months	1,446	3.9	1,446	10.6	1,446	7.9	0	0.0	0.0
12 - 23 Months	700	4.0	700	7.7	700	9.7	0	0.0	0.0
24 - 59 Months	1,146	2.8	1,146	5.0	1,146	17.2	1,146	14.7	17.2
Total	3,292	3.5	3,292	8.0	3,292	11.5	1,146	14.7	17.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,134	4.0	4,134	9.5	4,134	9.1	0	0.0	0.0
12 - 23 Months	2,137	3.8	2,137	6.6	2,137	11.8	0	0.0	0.0
24 - 59 Months	3,358	3.8	3,358	3.9	3,358	19.6	3,358	17.3	19.6
Total	9,629	3.9	9,629	6.9	9,629	13.4	3,358	17.3	19.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	43	*	43	*	43	*
9 - 11 Years	30	*	30	*	30	*
12 - 14 years	35	*	35	*	35	*
15 - 19 Years	31	*	31	*	31	*
Total	139	2.2	139	2.2	139	23.7 26.6
Black, Not Hispanic						
5 - 8 Years	41	*	41	*	41	*
9 - 11 Years	34	*	34	*	34	*
12 - 14 years	35	*	35	*	35	*
15 - 19 Years	27	*	27	*	27	*
Total	137	5.1	137	2.2	137	18.2 32.8
Hispanic						
5 - 8 Years	806	6.0	806	1.6	806	18.4 25.9
9 - 11 Years	350	4.0	350	2.0	350	24.6 29.1
12 - 14 years	340	7.9	340	1.2	340	22.1 25.0
15 - 19 Years	296	16.6	296	2.0	296	21.6 17.2
Total	1,792	7.7	1,792	1.7	1,792	20.8 24.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaskan Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 years	17	*	17	*	17	*
15 - 19 Years	29	*	29	*	29	*
Total	83	*	83	*	83	*
Pacific Islander						
5 - 8 Years	36	*	36	*	36	*
9 - 11 Years	19	*	19	*	19	*
12 - 14 years	15	*	15	*	15	*
15 - 19 Years	7	*	7	*	7	*
Total	77	*	77	*	77	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	40	*	40	*	40	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 years	30	*	30	*	30	*
15 - 19 Years	18	*	18	*	18	*
Total	106	17.9	106	2.8	106	15.1 17.0
All Other						
5 - 8 Years	524	6.5	524	2.1	524	19.3 25.0
9 - 11 Years	284	6.7	284	2.1	284	16.2 31.7
12 - 14 years	294	8.8	294	2.4	294	22.1 19.4
15 - 19 Years	210	11.4	210	2.4	210	20.0 22.4
Total	1,312	7.9	1,312	2.2	1,312	19.4 24.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	1,511	5.9	1,511	2.1	1,511	18.7	25.7
9 - 11 Years	755	5.6	755	1.9	755	20.5	30.2
12 - 14 years	767	7.7	767	1.4	767	21.9	24.0
15 - 19 Years	619	14.4	619	2.4	619	20.8	18.7
Total	3,652	7.6	3,652	2.0	3,652	20.1	25.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

