

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,284	8.2	1,284	6.0	1,284	11.1	0	0.0	0.0
12 - 23 Months	649	6.2	649	3.2	649	16.3	0	0.0	0.0
24 - 59 Months	1,222	6.5	1,222	3.0	1,222	14.4	1,222	16.5	14.4
Total	3,155	7.1	3,155	4.3	3,155	13.4	1,222	16.5	14.4
Black, Not Hispanic									
0 - 11 Months	40	*	40	*	40	*	0	*	*
12 - 23 Months	22	*	22	*	22	*	0	*	*
24 - 59 Months	33	*	33	*	33	*	33	*	*
Total	95	*	95	*	95	*	33	*	*
Hispanic									
0 - 11 Months	198	6.1	198	4.5	198	13.6	0	0.0	0.0
12 - 23 Months	102	13.7	102	2.9	102	12.7	0	0.0	0.0
24 - 59 Months	168	5.4	168	3.0	168	17.3	168	18.5	17.3
Total	468	7.5	468	3.6	468	14.7	168	18.5	17.3
American Indian/Alaskan Native									
0 - 11 Months	65	*	65	*	65	*	0	*	*
12 - 23 Months	27	*	27	*	27	*	0	*	*
24 - 59 Months	63	*	63	*	63	*	63	*	*
Total	155	5.2	155	5.8	155	18.7	63	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	69	*	69	*	69	*	0	*	*
12 - 23 Months	29	*	29	*	29	*	0	*	*
24 - 59 Months	60	*	60	*	60	*	60	*	*
Total	158	6.3	158	3.8	158	11.4	60	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
Filipino									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	17	*	17	*	17	*	6	*	*
All Other									
0 - 11 Months	181	8.3	181	8.3	181	12.2	0	0.0	0.0
12 - 23 Months	89	*	89	*	89	*	0	*	*
24 - 59 Months	211	5.7	211	1.9	211	16.6	211	16.1	16.6
Total	481	6.2	481	4.6	481	14.8	211	16.1	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,846	7.9	1,846	6.2	1,846	11.3	0	0.0	0.0
12 - 23 Months	921	6.5	921	2.9	921	15.9	0	0.0	0.0
24 - 59 Months	1,764	6.3	1,764	2.8	1,764	15.1	1,764	17.1	15.1
Total	4,531	7.0	4,531	4.2	4,531	13.7	1,764	17.1	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	505	7.5	505	2.6	505	18.0	12.7
9 - 11 Years	197	7.1	197	2.0	197	15.2	14.7
12 - 14 years	249	6.8	249	1.6	249	18.9	26.9
15 - 19 Years	235	6.8	235	0.9	235	14.9	23.4
Total	1,186	7.2	1,186	1.9	1,186	17.1	18.1
Black, Not Hispanic							
5 - 8 Years	29	*	29	*	29	*	*
9 - 11 Years	7	*	7	*	7	*	*
12 - 14 years	12	*	12	*	12	*	*
15 - 19 Years	15	*	15	*	15	*	*
Total	63	*	63	*	63	*	*
Hispanic							
5 - 8 Years	79	*	79	*	79	*	*
9 - 11 Years	24	*	24	*	24	*	*
12 - 14 years	27	*	27	*	27	*	*
15 - 19 Years	36	*	36	*	36	*	*
Total	166	7.2	166	4.2	166	18.1	24.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaskan Native						
5 - 8 Years	28	*	28	*	28	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 years	11	*	11	*	11	*
15 - 19 Years	15	*	15	*	15	*
Total	64	*	64	*	64	*
Asian						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	5	*	5	*	5	*
Total	39	*	39	*	39	*
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	79	*	79	*	79	*
9 - 11 Years	38	*	38	*	38	*
12 - 14 years	59	*	59	*	59	*
15 - 19 Years	56	*	56	*	56	*
Total	232	5.6	232	1.7	232	18.1 17.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	742	6.3	742	2.8	742	16.7	14.8
9 - 11 Years	278	6.1	278	1.8	278	16.2	17.3
12 - 14 years	371	7.0	371	1.9	371	19.1	25.3
15 - 19 Years	363	8.5	363	0.6	363	19.3	21.8
Total	1,754	6.9	1,754	2.0	1,754	17.7	18.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

