

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,323	5.9	1,323	9.9	1,323	9.3	0	0.0	0.0
12 - 23 Months	618	5.2	618	4.2	618	21.0	0	0.0	0.0
24 - 59 Months	1,170	3.1	1,170	6.3	1,170	14.7	1,170	14.1	14.7
Total	3,111	4.7	3,111	7.4	3,111	13.7	1,170	14.1	14.7
Black, Not Hispanic									
0 - 11 Months	172	9.3	172	8.1	172	10.5	0	0.0	0.0
12 - 23 Months	90	*	90	*	90	*	0	*	*
24 - 59 Months	163	3.1	163	8.6	163	11.0	163	14.7	11.0
Total	425	5.2	425	7.8	425	13.2	163	14.7	11.0
Hispanic									
0 - 11 Months	4,506	4.2	4,506	9.6	4,506	10.7	0	0.0	0.0
12 - 23 Months	2,266	3.7	2,266	6.1	2,266	18.4	0	0.0	0.0
24 - 59 Months	4,596	3.4	4,596	4.3	4,596	18.8	4,596	16.1	18.8
Total	11,368	3.8	11,368	6.7	11,368	15.5	4,596	16.1	18.8
American Indian/Alaskan Native									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	41	*	41	*	41	*	11	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	90	*	90	*	90	*	0	*	*
12 - 23 Months	54	*	54	*	54	*	0	*	*
24 - 59 Months	102	5.9	102	6.9	102	13.7	102	8.8	13.7
Total	246	8.9	246	9.3	246	13.8	102	8.8	13.7
Pacific Islander									
0 - 11 Months	19	*	19	*	19	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	33	*	33	*	33	*	10	*	*
Filipino									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	16	*	16	*	16	*	7	*	*
All Other									
0 - 11 Months	407	7.4	407	8.4	407	11.3	0	0.0	0.0
12 - 23 Months	257	3.9	257	5.8	257	16.7	0	0.0	0.0
24 - 59 Months	418	3.8	418	5.5	418	16.3	418	16.0	16.3
Total	1,082	5.2	1,082	6.7	1,082	14.5	418	16.0	16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	6,541	5.1	6,541	9.5	6,541	10.5	0	0.0	0.0
12 - 23 Months	3,304	3.9	3,304	5.8	3,304	18.8	0	0.0	0.0
24 - 59 Months	6,477	3.4	6,477	4.9	6,477	17.6	6,477	15.5	17.6
Total	16,322	4.2	16,322	6.9	16,322	15.0	6,477	15.5	17.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	739	4.2	739	3.1	739	17.9
9 - 11 Years	337	4.5	337	2.4	337	20.8
12 - 14 years	385	7.5	385	1.6	385	26.0
15 - 19 Years	318	7.2	318	1.6	318	24.2
Total	1,779	5.5	1,779	2.4	1,779	21.3
Black, Not Hispanic						
5 - 8 Years	118	0.8	118	0.0	118	23.7
9 - 11 Years	59	*	59	*	59	*
12 - 14 years	72	*	72	*	72	*
15 - 19 Years	84	*	84	*	84	*
Total	333	2.4	333	0.9	333	26.1
Hispanic						
5 - 8 Years	2,201	5.2	2,201	2.5	2,201	20.6
9 - 11 Years	982	4.9	982	1.2	982	31.0
12 - 14 years	865	7.3	865	0.2	865	28.8
15 - 19 Years	613	15.3	613	0.8	613	28.4
Total	4,661	6.8	4,661	1.6	4,661	25.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaskan Native						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	2	*	2	*	2	*
Total	22	*	22	*	22	*
Asian						
5 - 8 Years	69	*	69	*	69	*
9 - 11 Years	68	*	68	*	68	*
12 - 14 years	97	*	97	*	97	*
15 - 19 Years	166	24.7	166	1.2	166	19.9 14.5
Total	400	20.3	400	2.8	400	17.5 14.0
Pacific Islander						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	7	*	7	*	7	*
15 - 19 Years	2	*	2	*	2	*
Total	18	*	18	*	18	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	15	*	15	*	15	*
All Other						
5 - 8 Years	219	3.7	219	3.2	219	15.5 16.0
9 - 11 Years	126	2.4	126	4.8	126	19.8 27.0
12 - 14 years	80	*	80	*	80	* *
15 - 19 Years	96	*	96	*	96	* *
Total	521	4.6	521	3.1	521	16.9 22.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	3,368	5.0	3,368	2.6	3,368	16.8	19.7
9 - 11 Years	1,585	4.9	1,585	2.0	1,585	19.5	27.7
12 - 14 years	1,514	7.7	1,514	1.1	1,514	19.8	26.2
15 - 19 Years	1,282	13.4	1,282	1.2	1,282	19.0	25.9
Total	7,749	6.9	7,749	1.9	7,749	18.3	23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

