

Table 16C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|-------------------------------------------------------------------|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 33,470 | 5.7 | 33,470 | 9.5 | 33,470 | 9.6 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 14,909 | 5.0 | 14,909 | 5.6 | 14,909 | 15.5 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 26,238 | 4.4 | 26,238 | 5.1 | 26,238 | 13.4 | 26,238 | 15.5 | 13.4 |
| Total | 74,617 | 5.1 | 74,617 | 7.1 | 74,617 | 12.1 | 26,238 | 15.5 | 13.4 |
| Black, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 18,100 | 10.1 | 18,100 | 7.0 | 18,100 | 13.9 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 8,935 | 5.7 | 8,935 | 5.6 | 8,935 | 17.8 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 18,290 | 3.7 | 18,290 | 6.1 | 18,290 | 13.2 | 18,290 | 14.8 | 13.2 |
| Total | 45,325 | 6.7 | 45,325 | 6.4 | 45,325 | 14.4 | 18,290 | 14.8 | 13.2 |
| Hispanic | | | | | | | | | |
| 0 - 11 Months | 239,896 | 5.5 | 239,896 | 5.8 | 239,896 | 14.3 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 114,492 | 5.4 | 114,492 | 3.7 | 114,492 | 20.1 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 230,859 | 3.6 | 230,859 | 3.8 | 230,859 | 18.8 | 230,859 | 16.7 | 18.8 |
| Total | 585,247 | 4.7 | 585,247 | 4.6 | 585,247 | 17.2 | 230,859 | 16.7 | 18.8 |
| American Indian/Alaskan Native | | | | | | | | | |
| 0 - 11 Months | 912 | 5.6 | 912 | 7.7 | 912 | 12.8 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 454 | 4.6 | 454 | 3.7 | 454 | 21.8 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 824 | 5.5 | 824 | 3.9 | 824 | 19.4 | 824 | 20.1 | 19.4 |
| Total | 2,190 | 5.3 | 2,190 | 5.4 | 2,190 | 17.2 | 824 | 20.1 | 19.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|-------------------------------------------------------------------|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| Asian | | | | | | | | | |
| 0 - 11 Months | 11,480 | 6.2 | 11,480 | 6.2 | 11,480 | 11.8 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 6,359 | 8.1 | 6,359 | 6.7 | 6,359 | 11.2 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 12,665 | 6.8 | 12,665 | 5.7 | 12,665 | 12.5 | 12,665 | 13.8 | 12.5 |
| Total | 30,504 | 6.9 | 30,504 | 6.1 | 30,504 | 12.0 | 12,665 | 13.8 | 12.5 |
| Pacific Islander | | | | | | | | | |
| 0 - 11 Months | 653 | 2.8 | 653 | 7.5 | 653 | 17.8 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 283 | 4.6 | 283 | 2.8 | 283 | 30.0 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 530 | 2.8 | 530 | 2.8 | 530 | 25.8 | 530 | 21.9 | 25.8 |
| Total | 1,466 | 3.1 | 1,466 | 4.9 | 1,466 | 23.1 | 530 | 21.9 | 25.8 |
| Filipino | | | | | | | | | |
| 0 - 11 Months | 1,809 | 6.5 | 1,809 | 7.7 | 1,809 | 11.2 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 914 | 7.3 | 914 | 7.5 | 914 | 11.8 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 1,583 | 7.1 | 1,583 | 4.9 | 1,583 | 14.7 | 1,583 | 13.8 | 14.7 |
| Total | 4,306 | 6.9 | 4,306 | 6.6 | 4,306 | 12.6 | 1,583 | 13.8 | 14.7 |
| All Other | | | | | | | | | |
| 0 - 11 Months | 55,390 | 5.7 | 55,390 | 9.0 | 55,390 | 10.4 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 23,973 | 5.3 | 23,973 | 6.3 | 23,973 | 15.7 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 40,986 | 4.2 | 40,986 | 4.8 | 40,986 | 15.5 | 40,986 | 16.0 | 15.5 |
| Total | 120,349 | 5.1 | 120,349 | 7.0 | 120,349 | 13.2 | 40,986 | 16.0 | 15.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|-------------------------------------------------------------------|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | | | |
| 0 - 11 Months | 361,710 | 5.8 | 361,710 | 6.7 | 361,710 | 13.1 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 170,319 | 5.5 | 170,319 | 4.4 | 170,319 | 18.6 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 331,975 | 3.9 | 331,975 | 4.2 | 331,975 | 17.4 | 331,975 | 16.3 | 17.4 |
| Total | 864,004 | 5.0 | 864,004 | 5.3 | 864,004 | 15.9 | 331,975 | 16.3 | 17.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|-------------------------------------------------------------------|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 14,923 | 5.5 | 14,923 | 3.5 | 14,923 | 15.8 | 15.3 |
| 9 - 11 Years | 7,572 | 5.6 | 7,572 | 3.1 | 7,572 | 18.0 | 21.1 |
| 12 - 14 years | 8,011 | 6.4 | 8,011 | 2.7 | 8,011 | 18.5 | 23.9 |
| 15 - 19 Years | 6,964 | 8.4 | 6,964 | 2.9 | 6,964 | 18.1 | 21.1 |
| Total | 37,470 | 6.3 | 37,470 | 3.1 | 37,470 | 17.2 | 19.4 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 12,745 | 3.3 | 12,745 | 3.4 | 12,745 | 16.5 | 16.2 |
| 9 - 11 Years | 8,075 | 3.1 | 8,075 | 2.4 | 8,075 | 18.5 | 22.5 |
| 12 - 14 years | 8,660 | 4.4 | 8,660 | 1.5 | 8,660 | 18.8 | 23.9 |
| 15 - 19 Years | 7,857 | 6.2 | 7,857 | 2.0 | 7,857 | 17.8 | 22.7 |
| Total | 37,337 | 4.1 | 37,337 | 2.5 | 37,337 | 17.7 | 20.7 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 135,871 | 4.7 | 135,871 | 2.7 | 135,871 | 17.8 | 22.4 |
| 9 - 11 Years | 69,689 | 4.7 | 69,689 | 2.0 | 69,689 | 20.7 | 28.3 |
| 12 - 14 years | 64,122 | 6.9 | 64,122 | 1.5 | 64,122 | 20.5 | 26.5 |
| 15 - 19 Years | 53,259 | 13.1 | 53,259 | 1.8 | 53,259 | 18.3 | 20.3 |
| Total | 322,941 | 6.5 | 322,941 | 2.2 | 322,941 | 19.0 | 24.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|-------------------------------------------------------------------|----------------------|-------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 489 | 5.1 | 489 | 1.8 | 489 | 26.2 |
| 9 - 11 Years | 222 | 5.0 | 222 | 2.3 | 222 | 32.4 |
| 12 - 14 years | 243 | 6.6 | 243 | 0.4 | 243 | 31.7 |
| 15 - 19 Years | 190 | 8.9 | 190 | 1.1 | 190 | 27.4 |
| Total | 1,144 | 6.0 | 1,144 | 1.5 | 1,144 | 28.8 |
| Asian | | | | | | |
| 5 - 8 Years | 8,805 | 12.8 | 8,805 | 5.8 | 8,805 | 13.8 |
| 9 - 11 Years | 6,340 | 11.7 | 6,340 | 5.2 | 6,340 | 16.1 |
| 12 - 14 years | 7,455 | 11.7 | 7,455 | 3.9 | 7,455 | 14.1 |
| 15 - 19 Years | 8,820 | 21.7 | 8,820 | 5.6 | 8,820 | 10.6 |
| Total | 31,420 | 14.8 | 31,420 | 5.2 | 31,420 | 13.4 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 406 | 3.2 | 406 | 3.4 | 406 | 29.3 |
| 9 - 11 Years | 163 | 4.9 | 163 | 1.2 | 163 | 41.7 |
| 12 - 14 years | 180 | 4.4 | 180 | 0.6 | 180 | 43.3 |
| 15 - 19 Years | 136 | 2.2 | 136 | 3.7 | 136 | 43.4 |
| Total | 885 | 3.6 | 885 | 2.5 | 885 | 36.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|-------------------------------------------------------------------|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 1,132 | 9.2 | 1,132 | 3.6 | 1,132 | 15.8 | 20.0 |
| 9 - 11 Years | 567 | 8.3 | 567 | 3.5 | 567 | 19.4 | 24.3 |
| 12 - 14 years | 523 | 9.0 | 523 | 3.3 | 523 | 16.8 | 17.4 |
| 15 - 19 Years | 453 | 19.6 | 453 | 4.6 | 453 | 10.8 | 17.4 |
| Total | 2,675 | 10.7 | 2,675 | 3.7 | 2,675 | 15.9 | 20.0 |
| All Other | | | | | | | |
| 5 - 8 Years | 23,136 | 5.4 | 23,136 | 3.2 | 23,136 | 16.6 | 20.1 |
| 9 - 11 Years | 12,019 | 5.4 | 12,019 | 2.8 | 12,019 | 17.8 | 25.6 |
| 12 - 14 years | 11,941 | 7.1 | 11,941 | 2.7 | 11,941 | 19.1 | 24.7 |
| 15 - 19 Years | 9,712 | 10.5 | 9,712 | 2.7 | 9,712 | 18.2 | 21.4 |
| Total | 56,808 | 6.7 | 56,808 | 2.9 | 56,808 | 17.6 | 22.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|-------------------------------------------------------------------|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 197,507 | 5.2 | 197,507 | 3.0 | 197,507 | 17.2 | 20.8 |
| 9 - 11 Years | 104,647 | 5.2 | 104,647 | 2.4 | 104,647 | 19.6 | 26.3 |
| 12 - 14 years | 101,135 | 7.0 | 101,135 | 1.9 | 101,135 | 19.5 | 25.0 |
| 15 - 19 Years | 87,391 | 12.7 | 87,391 | 2.4 | 87,391 | 17.6 | 19.8 |
| Total | 490,680 | 6.9 | 490,680 | 2.5 | 490,680 | 18.3 | 22.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.