

**Table 17B**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Alpine**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 11 / 30 / 06

State: California

County: 002

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	5	*	6 - 11 Months	0	*
12 - 17 Months	2	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	3	*	36 - 59 Months	1	*
<b>Total</b>	<b>10</b>	<b>*</b>	<b>Total</b>	<b>1</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	0	*
<b>Total</b>	<b>3</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
Hispanic			Filipino		
6 - 11 Months	5	*	6 - 11 Months	1	*
12 - 17 Months	7	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	12	*	24 - 35 Months	1	*
36 - 59 Months	17	*	36 - 59 Months	0	*
<b>Total</b>	<b>43</b>	<b>*</b>	<b>Total</b>	<b>2</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	1	*
12 - 17 Months	1	*	12 - 17 Months	1	*
18 - 23 Months	1	*	18 - 23 Months	2	*
24 - 35 Months	0	*	24 - 35 Months	1	*
36 - 59 Months	4	*	36 - 59 Months	2	*
<b>Total</b>	<b>7</b>	<b>*</b>	<b>Total</b>	<b>7</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Alpine**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

State: California

County: 002

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	13	*	
6 - 11 Months	12	*	
12 - 17 Months	5	*	
18 - 23 Months	14	*	
24 - 35 Months	29	*	
36 - 59 Months	73	*	
<b>Total</b>	<b>73</b>	<b>*</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Alpine**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

State: California

County: 002

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	3	*	5 - 8 Years	6	*
9 - 11 Years	6	*	9 - 11 Years	1	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>13</b>	<b>*</b>	<b>Total</b>	<b>13</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	3	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>5</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	14	*	5 - 8 Years	1	*
9 - 11 Years	4	*	9 - 11 Years	1	*
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>28</b>	<b>*</b>	<b>Total</b>	<b>3</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	2	*	5 - 8 Years	2	*
9 - 11 Years	2	*	9 - 11 Years	1	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>6</b>	<b>*</b>	<b>Total</b>	<b>5</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Alpine**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

**State: California**

**County: 002**

<b>Anemia Indicators by Race/Ethnicity and Age</b> <sup>(3, 4)</sup>			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	31	*	
5 - 8 Years	16	*	
9 - 11 Years	10	*	
12 - 14 Years - Girls	4	*	
12 - 14 Years - Boys	7	*	
15 - 19 Years - Girls	5	*	
15 - 19 Years - Boys	73	*	
<b>Total</b>	<b>73</b>	<b>*</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.