

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Colusa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 11 / 30 / 06

State: California

County: 006

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	13	*		6 - 11 Months	0	*
12 - 17 Months	11	*		12 - 17 Months	0	*
18 - 23 Months	3	*		18 - 23 Months	0	*
24 - 35 Months	8	*		24 - 35 Months	0	*
36 - 59 Months	35	*		36 - 59 Months	2	*
Total	70	*		Total	2	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	1	*		6 - 11 Months	0	*
12 - 17 Months	3	*		12 - 17 Months	0	*
18 - 23 Months	2	*		18 - 23 Months	0	*
24 - 35 Months	2	*		24 - 35 Months	1	*
36 - 59 Months	14	*		36 - 59 Months	0	*
Total	22	*		Total	1	*
Hispanic				Filipino		
6 - 11 Months	144	24.3		6 - 11 Months	0	*
12 - 17 Months	110	17.3		12 - 17 Months	0	*
18 - 23 Months	35	*		18 - 23 Months	0	*
24 - 35 Months	86	*		24 - 35 Months	0	*
36 - 59 Months	235	11.9		36 - 59 Months	0	*
Total	610	16.6		Total	0	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	5	*
12 - 17 Months	0	*		12 - 17 Months	9	*
18 - 23 Months	2	*		18 - 23 Months	2	*
24 - 35 Months	1	*		24 - 35 Months	3	*
36 - 59 Months	0	*		36 - 59 Months	17	*
Total	3	*		Total	36	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Colusa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 006

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups	163	24.5	
6 - 11 Months	133	16.5	
12 - 17 Months	44	*	
18 - 23 Months	101	13.9	
24 - 35 Months	303	13.2	
36 - 59 Months			
Total	744	16.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct				
	Number	%	Anemia Low Hb/Hct		
	Number	%	Number		
White, Not Hispanic			Asian		
5 - 8 Years	20	*	5 - 8 Years	0	*
9 - 11 Years	13	*	9 - 11 Years	0	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	8	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	0	*
Total	56	*	Total	2	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	4	*	5 - 8 Years	0	*
9 - 11 Years	3	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
Total	14	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	175	12.6	5 - 8 Years	1	*
9 - 11 Years	72	*	9 - 11 Years	3	*
12 - 14 Years - Girls	34	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	23	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	23	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	29	*	15 - 19 Years - Boys	0	*
Total	356	13.2	Total	5	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	2	*	5 - 8 Years	11	*
9 - 11 Years	2	*	9 - 11 Years	2	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	4	*
Total	4	*	Total	24	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	213	12.7	
5 - 8 Years	95	*	
9 - 11 Years	43	*	
12 - 14 Years - Girls	33	*	
12 - 14 Years - Boys	39	*	
15 - 19 Years - Girls	38	*	
15 - 19 Years - Boys	38	*	
Total	461	13.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

