

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Contra Costa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 007

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic					
6 - 11 Months	40		*		
12 - 17 Months	41		*		
18 - 23 Months	13		*		
24 - 35 Months	36		*		
36 - 59 Months	68		*		
Total	198		9.1		
Black, Not Hispanic					
6 - 11 Months	42		*		
12 - 17 Months	77		*		
18 - 23 Months	17		*		
24 - 35 Months	65		*		
36 - 59 Months	185		7.6		
Total	386		11.7		
Hispanic					
6 - 11 Months	306		18.3		
12 - 17 Months	413		13.3		
18 - 23 Months	119		14.3		
24 - 35 Months	366		17.5		
36 - 59 Months	809		8.8		
Total	2,013		13.1		
American Indian/Alaskan Native					
6 - 11 Months	1		*		
12 - 17 Months	0		*		
18 - 23 Months	0		*		
24 - 35 Months	0		*		
36 - 59 Months	1		*		
Total	2		*		
Asian					
6 - 11 Months	10		*		
12 - 17 Months	4		*		
18 - 23 Months	0		*		
24 - 35 Months	5		*		
36 - 59 Months	15		*		
Total	34		*		
Pacific Islander					
6 - 11 Months	3		*		
12 - 17 Months	7		*		
18 - 23 Months	0		*		
24 - 35 Months	0		*		
36 - 59 Months	2		*		
Total	12		*		
Filipino					
6 - 11 Months	8		*		
12 - 17 Months	8		*		
18 - 23 Months	1		*		
24 - 35 Months	9		*		
36 - 59 Months	6		*		
Total	32		*		
All Other					
6 - 11 Months	240		15.0		
12 - 17 Months	119		19.3		
18 - 23 Months	56		*		
24 - 35 Months	184		15.8		
36 - 59 Months	288		8.3		
Total	887		13.8		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Contra Costa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 007

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	650	16.8	
6 - 11 Months	669	13.5	
12 - 17 Months	206	15.0	
18 - 23 Months	665	16.5	
24 - 35 Months	1,374	8.6	
36 - 59 Months	3,564	12.9	
Total	3,564	12.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	68	*	5 - 8 Years	15	*
9 - 11 Years	32	*	9 - 11 Years	7	*
12 - 14 Years - Girls	16	*	12 - 14 Years - Girls	4	*
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	10	*
15 - 19 Years - Girls	13	*	15 - 19 Years - Girls	8	*
15 - 19 Years - Boys	19	*	15 - 19 Years - Boys	2	*
Total	155	9.7	Total	46	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	194	21.1	5 - 8 Years	4	*
9 - 11 Years	116	26.7	9 - 11 Years	2	*
12 - 14 Years - Girls	63	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	76	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	47	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	53	*	15 - 19 Years - Boys	1	*
Total	549	25.1	Total	9	*
Hispanic			Filipino		
5 - 8 Years	588	14.5	5 - 8 Years	13	*
9 - 11 Years	248	12.1	9 - 11 Years	5	*
12 - 14 Years - Girls	92	*	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	113	11.5	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	76	*	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	74	*	15 - 19 Years - Boys	3	*
Total	1,191	13.4	Total	30	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	0	*	5 - 8 Years	293	11.6
9 - 11 Years	1	*	9 - 11 Years	118	8.5
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	72	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	76	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	49	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	53	*
Total	2	*	Total	661	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
5 - 8 Years	1,175	14.6	
9 - 11 Years	529	14.4	
12 - 14 Years - Girls	251	12.7	
12 - 14 Years - Boys	286	18.9	
15 - 19 Years - Girls	197	18.8	
15 - 19 Years - Boys	205	17.1	
Total	2,643	15.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

