

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Humboldt
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 012

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian		
6 - 11 Months	127	18.9	6 - 11 Months	0	*
12 - 17 Months	143	18.2	12 - 17 Months	1	*
18 - 23 Months	32	*	18 - 23 Months	0	*
24 - 35 Months	123	13.0	24 - 35 Months	2	*
36 - 59 Months	232	11.2	36 - 59 Months	3	*
Total	657	14.9	Total	6	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	3	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	1	*
36 - 59 Months	3	*	36 - 59 Months	0	*
Total	9	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	52	*	6 - 11 Months	1	*
12 - 17 Months	48	*	12 - 17 Months	0	*
18 - 23 Months	9	*	18 - 23 Months	0	*
24 - 35 Months	56	*	24 - 35 Months	0	*
36 - 59 Months	115	7.8	36 - 59 Months	0	*
Total	280	16.4	Total	1	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	4	*	6 - 11 Months	224	10.3
12 - 17 Months	14	*	12 - 17 Months	175	8.0
18 - 23 Months	4	*	18 - 23 Months	55	*
24 - 35 Months	13	*	24 - 35 Months	186	8.1
36 - 59 Months	33	*	36 - 59 Months	292	6.2
Total	68	*	Total	932	8.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Humboldt
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 012

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	409	15.4	
6 - 11 Months	384	13.8	
12 - 17 Months	102	17.6	
18 - 23 Months	381	12.1	
24 - 35 Months	678	8.6	
36 - 59 Months			
Total	1,954	12.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number				Number	
White, Not Hispanic				Asian			
5 - 8 Years	140	15.0		5 - 8 Years	3	*	
9 - 11 Years	43	*		9 - 11 Years	1	*	
12 - 14 Years - Girls	19	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	15	*		12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	16	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	25	*		15 - 19 Years - Boys	0	*	
Total	258	12.8		Total	5	*	
Black, Not Hispanic				Pacific Islander			
5 - 8 Years	1	*		5 - 8 Years	0	*	
9 - 11 Years	0	*		9 - 11 Years	0	*	
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	1	*	
Total	1	*		Total	1	*	
Hispanic				Filipino			
5 - 8 Years	58	*		5 - 8 Years	1	*	
9 - 11 Years	26	*		9 - 11 Years	1	*	
12 - 14 Years - Girls	12	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	9	*		12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	12	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	14	*		15 - 19 Years - Boys	0	*	
Total	131	3.1		Total	3	*	
American Indian/Alaskan Native				All Other			
5 - 8 Years	17	*		5 - 8 Years	165	9.7	
9 - 11 Years	2	*		9 - 11 Years	75	*	
12 - 14 Years - Girls	4	*		12 - 14 Years - Girls	34	*	
12 - 14 Years - Boys	3	*		12 - 14 Years - Boys	30	*	
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	25	*	
15 - 19 Years - Boys	3	*		15 - 19 Years - Boys	13	*	
Total	29	*		Total	342	11.1	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
 Run Date: 11 / 22 / 06

State: California

County: 012

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	385	11.4	
5 - 8 Years	148	9.5	
9 - 11 Years	69	*	
12 - 14 Years - Girls	59	*	
12 - 14 Years - Boys	53	*	
15 - 19 Years - Girls	56	*	
15 - 19 Years - Boys	56	*	
Total	770	10.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.