

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Imperial
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 013

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	11	*		6 - 11 Months	0	*
12 - 17 Months	15	*		12 - 17 Months	2	*
18 - 23 Months	4	*		18 - 23 Months	0	*
24 - 35 Months	14	*		24 - 35 Months	1	*
36 - 59 Months	41	*		36 - 59 Months	0	*
Total	85	*		Total	3	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	8	*		6 - 11 Months	0	*
12 - 17 Months	2	*		12 - 17 Months	0	*
18 - 23 Months	2	*		18 - 23 Months	0	*
24 - 35 Months	7	*		24 - 35 Months	1	*
36 - 59 Months	17	*		36 - 59 Months	0	*
Total	36	*		Total	1	*
Hispanic				Filipino		
6 - 11 Months	719	9.0		6 - 11 Months	0	*
12 - 17 Months	629	8.1		12 - 17 Months	0	*
18 - 23 Months	241	10.8		18 - 23 Months	2	*
24 - 35 Months	926	7.7		24 - 35 Months	1	*
36 - 59 Months	1,758	4.4		36 - 59 Months	1	*
Total	4,273	6.8		Total	4	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	3	*
12 - 17 Months	0	*		12 - 17 Months	7	*
18 - 23 Months	0	*		18 - 23 Months	1	*
24 - 35 Months	3	*		24 - 35 Months	3	*
36 - 59 Months	3	*		36 - 59 Months	21	*
Total	6	*		Total	35	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Imperial
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 013

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups	741	8.9
6 - 11 Months	655	8.7
12 - 17 Months	250	10.4
18 - 23 Months	956	7.6
24 - 35 Months	1,841	4.5
36 - 59 Months		
Total	4,443	6.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct %		
	Number		Anemia Low Hb/Hct %
			Number
White, Not Hispanic			
5 - 8 Years	29	*	
9 - 11 Years	9	*	
12 - 14 Years - Girls	9	*	
12 - 14 Years - Boys	5	*	
15 - 19 Years - Girls	3	*	
15 - 19 Years - Boys	1	*	
Total	56	*	
Black, Not Hispanic			
5 - 8 Years	9	*	
9 - 11 Years	7	*	
12 - 14 Years - Girls	7	*	
12 - 14 Years - Boys	3	*	
15 - 19 Years - Girls	9	*	
15 - 19 Years - Boys	5	*	
Total	40	*	
Hispanic			
5 - 8 Years	1,164	5.5	
9 - 11 Years	423	8.0	
12 - 14 Years - Girls	199	7.5	
12 - 14 Years - Boys	230	11.7	
15 - 19 Years - Girls	165	8.5	
15 - 19 Years - Boys	129	11.6	
Total	2,310	7.3	
American Indian/Alaskan Native			
5 - 8 Years	3	*	
9 - 11 Years	1	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*	
Total	5	*	
Asian			
5 - 8 Years			1
9 - 11 Years			0
12 - 14 Years - Girls			0
12 - 14 Years - Boys			0
15 - 19 Years - Girls			1
15 - 19 Years - Boys			1
Total			3
Pacific Islander			
5 - 8 Years			0
9 - 11 Years			0
12 - 14 Years - Girls			0
12 - 14 Years - Boys			1
15 - 19 Years - Girls			0
15 - 19 Years - Boys			0
Total			1
Filipino			
5 - 8 Years			0
9 - 11 Years			0
12 - 14 Years - Girls			0
12 - 14 Years - Boys			0
15 - 19 Years - Girls			0
15 - 19 Years - Boys			0
Total			0
All Other			
5 - 8 Years			17
9 - 11 Years			4
12 - 14 Years - Girls			2
12 - 14 Years - Boys			3
15 - 19 Years - Girls			2
15 - 19 Years - Boys			5
Total			33

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 11 / 22 / 06

State: California

County: 013

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
5 - 8 Years	1,223	5.9	
9 - 11 Years	444	7.7	
12 - 14 Years - Girls	217	7.4	
12 - 14 Years - Boys	243	11.5	
15 - 19 Years - Girls	180	10.6	
15 - 19 Years - Boys	141	13.5	
Total	2,448	7.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

