

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Inyo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	7	*		6 - 11 Months	1	*
12 - 17 Months	5	*		12 - 17 Months	0	*
18 - 23 Months	3	*		18 - 23 Months	1	*
24 - 35 Months	2	*		24 - 35 Months	0	*
36 - 59 Months	12	*		36 - 59 Months	0	*
Total	29	*		Total	2	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	2	*		6 - 11 Months	0	*
12 - 17 Months	1	*		12 - 17 Months	0	*
18 - 23 Months	0	*		18 - 23 Months	0	*
24 - 35 Months	3	*		24 - 35 Months	0	*
36 - 59 Months	1	*		36 - 59 Months	0	*
Total	7	*		Total	0	*
Hispanic				Filipino		
6 - 11 Months	13	*		6 - 11 Months	1	*
12 - 17 Months	29	*		12 - 17 Months	1	*
18 - 23 Months	7	*		18 - 23 Months	0	*
24 - 35 Months	16	*		24 - 35 Months	0	*
36 - 59 Months	47	*		36 - 59 Months	0	*
Total	112	11.6		Total	2	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	15	*		6 - 11 Months	3	*
12 - 17 Months	16	*		12 - 17 Months	4	*
18 - 23 Months	3	*		18 - 23 Months	0	*
24 - 35 Months	12	*		24 - 35 Months	5	*
36 - 59 Months	22	*		36 - 59 Months	3	*
Total	68	*		Total	15	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Inyo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	42	*	
6 - 11 Months	56	*	
12 - 17 Months	14	*	
18 - 23 Months	38	*	
24 - 35 Months	85	*	
36 - 59 Months			
Total	235	10.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Inyo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	10	*	5 - 8 Years	1	*
9 - 11 Years	5	*	9 - 11 Years	1	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
Total	25	*	Total	4	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	2	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	3	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	31	*	5 - 8 Years	0	*
9 - 11 Years	11	*	9 - 11 Years	0	*
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	5	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	0	*
Total	60	*	Total	0	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	20	*	5 - 8 Years	3	*
9 - 11 Years	16	*	9 - 11 Years	1	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	4	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	1	*
Total	50	*	Total	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Inyo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			Anemia Low Hb/Hct
5 - 8 Years	67	*	Number
9 - 11 Years	34	*	%
12 - 14 Years - Girls	13	*	
12 - 14 Years - Boys	12	*	
15 - 19 Years - Girls	15	*	
15 - 19 Years - Boys	6	*	
Total	147	12.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.