

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Madera
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 020

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	48	*		6 - 11 Months	0	*
12 - 17 Months	65	*		12 - 17 Months	2	*
18 - 23 Months	14	*		18 - 23 Months	2	*
24 - 35 Months	48	*		24 - 35 Months	0	*
36 - 59 Months	111	11.7		36 - 59 Months	0	*
Total	286	17.5		Total	4	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	7	*		6 - 11 Months	0	*
12 - 17 Months	5	*		12 - 17 Months	0	*
18 - 23 Months	1	*		18 - 23 Months	0	*
24 - 35 Months	12	*		24 - 35 Months	0	*
36 - 59 Months	19	*		36 - 59 Months	0	*
Total	44	*		Total	0	*
Hispanic				Filipino		
6 - 11 Months	757	29.2		6 - 11 Months	1	*
12 - 17 Months	721	22.7		12 - 17 Months	1	*
18 - 23 Months	209	17.2		18 - 23 Months	0	*
24 - 35 Months	792	15.3		24 - 35 Months	0	*
36 - 59 Months	1,462	12.4		36 - 59 Months	1	*
Total	3,941	18.3		Total	3	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	1	*		6 - 11 Months	26	*
12 - 17 Months	11	*		12 - 17 Months	32	*
18 - 23 Months	0	*		18 - 23 Months	9	*
24 - 35 Months	2	*		24 - 35 Months	29	*
36 - 59 Months	10	*		36 - 59 Months	46	*
Total	24	*		Total	142	16.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Madera
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 020

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
Total All Race/Ethnic Groups	840	28.6			
6 - 11 Months	837	22.8			
12 - 17 Months	235	16.2			
18 - 23 Months	883	15.6			
24 - 35 Months	1,649	12.2			
36 - 59 Months					
Total	4,444	18.2			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	114	14.9	5 - 8 Years	3	*
9 - 11 Years	43	*	9 - 11 Years	0	*
12 - 14 Years - Girls	22	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	23	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	13	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	13	*	15 - 19 Years - Boys	0	*
Total	228	14.5	Total	4	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	16	*	5 - 8 Years	0	*
9 - 11 Years	12	*	9 - 11 Years	0	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*
Total	44	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	1,201	17.2	5 - 8 Years	0	*
9 - 11 Years	543	17.9	9 - 11 Years	1	*
12 - 14 Years - Girls	204	11.3	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	267	10.1	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	147	13.6	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	153	9.2	15 - 19 Years - Boys	0	*
Total	2,515	15.4	Total	1	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	13	*	5 - 8 Years	61	*
9 - 11 Years	4	*	9 - 11 Years	38	*
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	7	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	8	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	10	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	8	*
Total	30	*	Total	132	25.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 11 / 22 / 06

State: California

County: 020

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
5 - 8 Years	1,408	17.7
9 - 11 Years	641	18.7
12 - 14 Years - Girls	243	11.5
12 - 14 Years - Boys	307	11.7
15 - 19 Years - Girls	177	11.9
15 - 19 Years - Boys	178	9.0
Total	2,954	15.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.