

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Mono
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 026

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	11	*		6 - 11 Months	0	*
12 - 17 Months	9	*		12 - 17 Months	0	*
18 - 23 Months	0	*		18 - 23 Months	0	*
24 - 35 Months	1	*		24 - 35 Months	0	*
36 - 59 Months	10	*		36 - 59 Months	0	*
Total	31	*		Total	0	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	0	*		6 - 11 Months	0	*
12 - 17 Months	0	*		12 - 17 Months	0	*
18 - 23 Months	0	*		18 - 23 Months	0	*
24 - 35 Months	1	*		24 - 35 Months	0	*
36 - 59 Months	0	*		36 - 59 Months	0	*
Total	1	*		Total	0	*
Hispanic				Filipino		
6 - 11 Months	53	*		6 - 11 Months	0	*
12 - 17 Months	33	*		12 - 17 Months	0	*
18 - 23 Months	7	*		18 - 23 Months	0	*
24 - 35 Months	27	*		24 - 35 Months	1	*
36 - 59 Months	63	*		36 - 59 Months	0	*
Total	183	12.6		Total	1	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	1	*
12 - 17 Months	2	*		12 - 17 Months	1	*
18 - 23 Months	0	*		18 - 23 Months	0	*
24 - 35 Months	2	*		24 - 35 Months	1	*
36 - 59 Months	0	*		36 - 59 Months	2	*
Total	4	*		Total	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Mono
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 026

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	65	*	
6 - 11 Months	45	*	
12 - 17 Months	7	*	
18 - 23 Months	33	*	
24 - 35 Months	75	*	
36 - 59 Months	225	12.4	
Total	225	12.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	6	*	5 - 8 Years	0	*
9 - 11 Years	6	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	16	*	Total	0	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	1	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	1	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	36	*	5 - 8 Years	0	*
9 - 11 Years	21	*	9 - 11 Years	0	*
12 - 14 Years - Girls	10	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	10	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	10	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*
Total	90	*	Total	0	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	2	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	1	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	1	*
Total	3	*	Total	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
 Run Date: 11 / 22 / 06

State: California

County: 026

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	45	*	
5 - 8 Years	28	*	
9 - 11 Years	11	*	
12 - 14 Years - Girls	15	*	
12 - 14 Years - Boys	10	*	
15 - 19 Years - Girls	4	*	
15 - 19 Years - Boys	113	8.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.