

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Napa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 028

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	26	*		6 - 11 Months	1	*
12 - 17 Months	5	*		12 - 17 Months	0	*
18 - 23 Months	3	*		18 - 23 Months	0	*
24 - 35 Months	11	*		24 - 35 Months	0	*
36 - 59 Months	21	*		36 - 59 Months	0	*
Total	66	*		Total	1	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	4	*		6 - 11 Months	0	*
12 - 17 Months	0	*		12 - 17 Months	0	*
18 - 23 Months	0	*		18 - 23 Months	0	*
24 - 35 Months	1	*		24 - 35 Months	1	*
36 - 59 Months	1	*		36 - 59 Months	1	*
Total	6	*		Total	2	*
Hispanic				Filipino		
6 - 11 Months	261	24.1		6 - 11 Months	0	*
12 - 17 Months	79	*		12 - 17 Months	0	*
18 - 23 Months	51	*		18 - 23 Months	0	*
24 - 35 Months	92	*		24 - 35 Months	0	*
36 - 59 Months	280	14.6		36 - 59 Months	0	*
Total	763	20.4		Total	0	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	3	*		6 - 11 Months	105	20.0
12 - 17 Months	0	*		12 - 17 Months	28	*
18 - 23 Months	0	*		18 - 23 Months	25	*
24 - 35 Months	1	*		24 - 35 Months	50	*
36 - 59 Months	0	*		36 - 59 Months	91	*
Total	4	*		Total	299	23.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Napa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 028

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups	400	22.8	
6 - 11 Months	112	25.0	
12 - 17 Months	79	*	
18 - 23 Months	156	21.2	
24 - 35 Months	394	17.5	
36 - 59 Months			
Total	1,141	20.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Napa
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 028

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct %		
	Number		Number Anemia Low Hb/Hct %
White, Not Hispanic			
5 - 8 Years	19	*	
9 - 11 Years	13	*	
12 - 14 Years - Girls	3	*	
12 - 14 Years - Boys	8	*	
15 - 19 Years - Girls	4	*	
15 - 19 Years - Boys	7	*	
Total	54	*	
Black, Not Hispanic			
5 - 8 Years	3	*	
9 - 11 Years	0	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	2	*	
Total	7	*	
Hispanic			
5 - 8 Years	203	16.3	
9 - 11 Years	108	13.9	
12 - 14 Years - Girls	48	*	
12 - 14 Years - Boys	63	*	
15 - 19 Years - Girls	45	*	
15 - 19 Years - Boys	49	*	
Total	516	14.0	
American Indian/Alaskan Native			
5 - 8 Years	1	*	
9 - 11 Years	1	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*	
Total	2	*	
Asian			
5 - 8 Years	2	*	
9 - 11 Years	1	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	1	*	
Total	5	*	
Pacific Islander			
5 - 8 Years	0	*	
9 - 11 Years	1	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*	
Total	2	*	
Filipino			
5 - 8 Years	0	*	
9 - 11 Years	1	*	
12 - 14 Years - Girls	1	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*	
Total	2	*	
All Other			
5 - 8 Years	48	*	
9 - 11 Years	24	*	
12 - 14 Years - Girls	7	*	
12 - 14 Years - Boys	24	*	
15 - 19 Years - Girls	19	*	
15 - 19 Years - Boys	19	*	
Total	141	21.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	276	16.7	
5 - 8 Years	149	14.8	
9 - 11 Years	59	*	
12 - 14 Years - Girls	97	*	
12 - 14 Years - Boys	70	*	
15 - 19 Years - Girls	78	*	
15 - 19 Years - Boys	78	*	
Total	729	15.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.