

**Table 17B**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Orange**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 11 / 30 / 06

State: California

County: 030

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	277	14.8		6 - 11 Months	199	9.5
12 - 17 Months	243	11.5		12 - 17 Months	226	6.2
18 - 23 Months	111	6.3		18 - 23 Months	68	*
24 - 35 Months	273	12.5		24 - 35 Months	247	11.7
36 - 59 Months	506	7.9		36 - 59 Months	591	9.8
<b>Total</b>	<b>1,410</b>	<b>10.6</b>		<b>Total</b>	<b>1,331</b>	<b>9.3</b>
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	41	*		6 - 11 Months	8	*
12 - 17 Months	43	*		12 - 17 Months	9	*
18 - 23 Months	16	*		18 - 23 Months	3	*
24 - 35 Months	50	*		24 - 35 Months	5	*
36 - 59 Months	95	*		36 - 59 Months	14	*
<b>Total</b>	<b>245</b>	<b>11.8</b>		<b>Total</b>	<b>39</b>	<b>*</b>
Hispanic				Filipino		
6 - 11 Months	5,155	16.8		6 - 11 Months	21	*
12 - 17 Months	4,858	14.7		12 - 17 Months	14	*
18 - 23 Months	1,970	14.3		18 - 23 Months	7	*
24 - 35 Months	5,834	15.1		24 - 35 Months	15	*
36 - 59 Months	11,966	9.8		36 - 59 Months	41	*
<b>Total</b>	<b>29,783</b>	<b>13.1</b>		<b>Total</b>	<b>98</b>	<b>*</b>
American Indian/Alaskan Native				All Other		
6 - 11 Months	6	*		6 - 11 Months	429	19.8
12 - 17 Months	2	*		12 - 17 Months	386	15.0
18 - 23 Months	2	*		18 - 23 Months	126	15.1
24 - 35 Months	1	*		24 - 35 Months	346	16.5
36 - 59 Months	3	*		36 - 59 Months	710	14.8
<b>Total</b>	<b>14</b>	<b>*</b>		<b>Total</b>	<b>1,997</b>	<b>16.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Orange**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

**State: California**

**County: 030**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	Number
<b>Total All Race/Ethnic Groups</b>			
6 - 11 Months	6,136	16.7	
12 - 17 Months	5,781	14.2	
18 - 23 Months	2,303	13.5	
24 - 35 Months	6,771	14.9	
36 - 59 Months	13,926	10.0	
<b>Total</b>	<b>34,917</b>	<b>13.1</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Orange**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

State: California

County: 030

<b>Anemia Indicators by Race/Ethnicity and Age</b> <sup>(3, 4)</sup>					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	627	11.5	5 - 8 Years	715	15.5
9 - 11 Years	239	13.0	9 - 11 Years	560	15.9
12 - 14 Years - Girls	152	9.2	12 - 14 Years - Girls	295	11.2
12 - 14 Years - Boys	134	17.9	12 - 14 Years - Boys	303	16.8
15 - 19 Years - Girls	139	8.6	15 - 19 Years - Girls	420	14.8
15 - 19 Years - Boys	116	15.5	15 - 19 Years - Boys	404	13.9
<b>Total</b>	<b>1,407</b>	<b>12.2</b>	<b>Total</b>	<b>2,697</b>	<b>14.9</b>
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	101	18.8	5 - 8 Years	25	*
9 - 11 Years	67	*	9 - 11 Years	13	*
12 - 14 Years - Girls	38	*	12 - 14 Years - Girls	7	*
12 - 14 Years - Boys	36	*	12 - 14 Years - Boys	10	*
15 - 19 Years - Girls	40	*	15 - 19 Years - Girls	11	*
15 - 19 Years - Boys	38	*	15 - 19 Years - Boys	7	*
<b>Total</b>	<b>320</b>	<b>17.2</b>	<b>Total</b>	<b>73</b>	<b>*</b>
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	12,248	12.2	5 - 8 Years	64	*
9 - 11 Years	6,374	11.5	9 - 11 Years	31	*
12 - 14 Years - Girls	2,901	9.0	12 - 14 Years - Girls	12	*
12 - 14 Years - Boys	3,000	13.0	12 - 14 Years - Boys	10	*
15 - 19 Years - Girls	2,606	13.4	15 - 19 Years - Girls	15	*
15 - 19 Years - Boys	2,303	13.9	15 - 19 Years - Boys	13	*
<b>Total</b>	<b>29,432</b>	<b>12.0</b>	<b>Total</b>	<b>145</b>	<b>13.8</b>
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	7	*	5 - 8 Years	681	17.0
9 - 11 Years	5	*	9 - 11 Years	326	12.9
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	185	9.7
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	163	16.6
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	160	21.3
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	168	20.2
<b>Total</b>	<b>19</b>	<b>*</b>	<b>Total</b>	<b>1,683</b>	<b>16.1</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Orange**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

**State: California**

**County: 030**

<b>Anemia Indicators by Race/Ethnicity and Age</b> <sup>(3, 4)</sup>		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
5 - 8 Years	14,468 12.6	
9 - 11 Years	7,615 12.0	
12 - 14 Years - Girls	3,592 9.2	
12 - 14 Years - Boys	3,658 13.6	
15 - 19 Years - Girls	3,393 13.9	
15 - 19 Years - Boys	3,050 14.3	
<b>Total</b>	<b>35,776</b> <b>12.5</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.