

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Pasadena
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 063

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
White, Not Hispanic			Asian
6 - 11 Months	4	*	6 - 11 Months
12 - 17 Months	6	*	12 - 17 Months
18 - 23 Months	1	*	18 - 23 Months
24 - 35 Months	7	*	24 - 35 Months
36 - 59 Months	15	*	36 - 59 Months
Total	33	*	Total
Black, Not Hispanic			Pacific Islander
6 - 11 Months	15	*	6 - 11 Months
12 - 17 Months	27	*	12 - 17 Months
18 - 23 Months	8	*	18 - 23 Months
24 - 35 Months	41	*	24 - 35 Months
36 - 59 Months	88	*	36 - 59 Months
Total	179	16.8	Total
Hispanic			Filipino
6 - 11 Months	74	*	6 - 11 Months
12 - 17 Months	107	8.4	12 - 17 Months
18 - 23 Months	38	*	18 - 23 Months
24 - 35 Months	161	16.1	24 - 35 Months
36 - 59 Months	266	8.3	36 - 59 Months
Total	646	11.9	Total
American Indian/Alaskan Native			All Other
6 - 11 Months	1	*	6 - 11 Months
12 - 17 Months	0	*	12 - 17 Months
18 - 23 Months	0	*	18 - 23 Months
24 - 35 Months	0	*	24 - 35 Months
36 - 59 Months	1	*	36 - 59 Months
Total	2	*	Total
			6 - 11 Months
			12 - 17 Months
			18 - 23 Months
			24 - 35 Months
			36 - 59 Months
			Total

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Pasadena
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 063

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups	201	19.4	
6 - 11 Months	249	12.9	
12 - 17 Months	67	*	
18 - 23 Months	332	16.3	
24 - 35 Months	531	8.3	
36 - 59 Months			
Total	1,380	13.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
5 - 8 Years	11	*		5 - 8 Years	4	*	
9 - 11 Years	14	*		9 - 11 Years	1	*	
12 - 14 Years - Girls	4	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	6	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	6	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	4	*		15 - 19 Years - Boys	1	*	
Total	45	*		Total	6	*	
Black, Not Hispanic				Pacific Islander			
5 - 8 Years	93	*		5 - 8 Years	0	*	
9 - 11 Years	49	*		9 - 11 Years	0	*	
12 - 14 Years - Girls	18	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	21	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	27	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	13	*		15 - 19 Years - Boys	0	*	
Total	221	10.9		Total	0	*	
Hispanic				Filipino			
5 - 8 Years	276	6.5		5 - 8 Years	6	*	
9 - 11 Years	155	4.5		9 - 11 Years	4	*	
12 - 14 Years - Girls	84	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	77	*		12 - 14 Years - Boys	2	*	
15 - 19 Years - Girls	62	*		15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	55	*		15 - 19 Years - Boys	1	*	
Total	709	5.5		Total	14	*	
American Indian/Alaskan Native				All Other			
5 - 8 Years	1	*		5 - 8 Years	135	12.6	
9 - 11 Years	0	*		9 - 11 Years	76	*	
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	34	*	
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	32	*	
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	31	*	
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	26	*	
Total	1	*		Total	334	14.1	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
 Run Date: 11 / 22 / 06

State: California

County: 063

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	526 7.4	
5 - 8 Years	299 10.4	
9 - 11 Years	140 5.7	
12 - 14 Years - Girls	138 5.1	
12 - 14 Years - Boys	127 14.2	
15 - 19 Years - Girls	100 10.0	
15 - 19 Years - Boys	1,330 8.5	
Total		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.