

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Placer
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 031

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic					
6 - 11 Months	77		*		
12 - 17 Months	73		*		
18 - 23 Months	35		*		
24 - 35 Months	77		*		
36 - 59 Months	129	12.4			
Total	391	10.7			
Black, Not Hispanic					
6 - 11 Months	4		*		
12 - 17 Months	5		*		
18 - 23 Months	1		*		
24 - 35 Months	2		*		
36 - 59 Months	5		*		
Total	17		*		
Hispanic					
6 - 11 Months	175	10.3			
12 - 17 Months	161	11.8			
18 - 23 Months	87		*		
24 - 35 Months	139	19.4			
36 - 59 Months	296	7.8			
Total	858	11.1			
American Indian/Alaskan Native					
6 - 11 Months	0		*		
12 - 17 Months	0		*		
18 - 23 Months	0		*		
24 - 35 Months	0		*		
36 - 59 Months	1		*		
Total	1		*		
Asian					
6 - 11 Months	2		*		
12 - 17 Months	1		*		
18 - 23 Months	1		*		
24 - 35 Months	2		*		
36 - 59 Months	2		*		
Total	8		*		
Pacific Islander					
6 - 11 Months	2		*		
12 - 17 Months	0		*		
18 - 23 Months	0		*		
24 - 35 Months	1		*		
36 - 59 Months	0		*		
Total	3		*		
Filipino					
6 - 11 Months	0		*		
12 - 17 Months	0		*		
18 - 23 Months	0		*		
24 - 35 Months	0		*		
36 - 59 Months	0		*		
Total	0		*		
All Other					
6 - 11 Months	80		*		
12 - 17 Months	91		*		
18 - 23 Months	10		*		
24 - 35 Months	84		*		
36 - 59 Months	100	20.0			
Total	365	17.0			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Placer
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 031

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	340	12.6	
6 - 11 Months	331	10.6	
12 - 17 Months	134	11.9	
18 - 23 Months	305	15.4	
24 - 35 Months	533	11.3	
36 - 59 Months	1,643	12.2	
Total	1,643	12.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Placer
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 031

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number				Number	
White, Not Hispanic				Asian			
5 - 8 Years	122	18.9		5 - 8 Years	4	*	
9 - 11 Years	54	*		9 - 11 Years	0	*	
12 - 14 Years - Girls	33	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	39	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	45	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	31	*		15 - 19 Years - Boys	0	*	
Total	324	18.5		Total	4	*	
Black, Not Hispanic				Pacific Islander			
5 - 8 Years	1	*		5 - 8 Years	1	*	
9 - 11 Years	1	*		9 - 11 Years	0	*	
12 - 14 Years - Girls	3	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	2	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	3	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	2	*		15 - 19 Years - Boys	0	*	
Total	12	*		Total	1	*	
Hispanic				Filipino			
5 - 8 Years	175	8.0		5 - 8 Years	1	*	
9 - 11 Years	84	*		9 - 11 Years	0	*	
12 - 14 Years - Girls	33	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	31	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	25	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	16	*		15 - 19 Years - Boys	0	*	
Total	364	7.1		Total	1	*	
American Indian/Alaskan Native				All Other			
5 - 8 Years	0	*		5 - 8 Years	58	*	
9 - 11 Years	0	*		9 - 11 Years	40	*	
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	9	*	
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	11	*	
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	9	*	
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	6	*	
Total	0	*		Total	133	11.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 031

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	362	12.7	
5 - 8 Years	179	11.7	
9 - 11 Years	78	*	
12 - 14 Years - Girls	83	*	
12 - 14 Years - Boys	82	*	
15 - 19 Years - Girls	55	*	
15 - 19 Years - Boys	839	12.6	
Total			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.