

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Plumas
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 032

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	10	*		6 - 11 Months	0	*
12 - 17 Months	16	*		12 - 17 Months	0	*
18 - 23 Months	1	*		18 - 23 Months	0	*
24 - 35 Months	21	*		24 - 35 Months	0	*
36 - 59 Months	35	*		36 - 59 Months	1	*
Total	83	*		Total	1	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	1	*		6 - 11 Months	0	*
12 - 17 Months	0	*		12 - 17 Months	0	*
18 - 23 Months	0	*		18 - 23 Months	0	*
24 - 35 Months	0	*		24 - 35 Months	0	*
36 - 59 Months	0	*		36 - 59 Months	2	*
Total	1	*		Total	2	*
Hispanic				Filipino		
6 - 11 Months	5	*		6 - 11 Months	0	*
12 - 17 Months	10	*		12 - 17 Months	0	*
18 - 23 Months	4	*		18 - 23 Months	0	*
24 - 35 Months	9	*		24 - 35 Months	0	*
36 - 59 Months	24	*		36 - 59 Months	0	*
Total	52	*		Total	0	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	6	*
12 - 17 Months	1	*		12 - 17 Months	5	*
18 - 23 Months	0	*		18 - 23 Months	1	*
24 - 35 Months	1	*		24 - 35 Months	3	*
36 - 59 Months	1	*		36 - 59 Months	6	*
Total	3	*		Total	21	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Plumas
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 032

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	22	*	
12 - 17 Months	32	*	
18 - 23 Months	6	*	
24 - 35 Months	34	*	
36 - 59 Months	69	*	
Total	163	10.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Plumas
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 032

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	32	*	5 - 8 Years	0	*
9 - 11 Years	15	*	9 - 11 Years	1	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	15	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	8	*	15 - 19 Years - Boys	3	*
Total	79	*	Total	4	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	5	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	7	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	20	*	5 - 8 Years	1	*
9 - 11 Years	13	*	9 - 11 Years	0	*
12 - 14 Years - Girls	3	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*
Total	47	*	Total	1	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	0	*	5 - 8 Years	7	*
9 - 11 Years	0	*	9 - 11 Years	5	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	4	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	3	*
Total	0	*	Total	23	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 11 / 22 / 06

State: California

County: 032

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct		Anemia Low Hb/Hct
	Number	%	Number %
Total All Race/Ethnic Groups	65	*	
5 - 8 Years	34	*	
9 - 11 Years	9	*	
12 - 14 Years - Girls	22	*	
12 - 14 Years - Boys	14	*	
15 - 19 Years - Girls	17	*	
15 - 19 Years - Boys	17	*	
Total	161	6.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.