

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Riverside
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 033

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	299	16.1	6 - 11 Months	11	*
12 - 17 Months	288	17.0	12 - 17 Months	17	*
18 - 23 Months	112	17.0	18 - 23 Months	7	*
24 - 35 Months	290	15.5	24 - 35 Months	20	*
36 - 59 Months	589	10.4	36 - 59 Months	47	*
Total	1,578	14.1	Total	102	15.7
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	88	*	6 - 11 Months	1	*
12 - 17 Months	94	*	12 - 17 Months	3	*
18 - 23 Months	43	*	18 - 23 Months	0	*
24 - 35 Months	116	27.6	24 - 35 Months	1	*
36 - 59 Months	305	19.3	36 - 59 Months	10	*
Total	646	22.6	Total	15	*
Hispanic			Filipino		
6 - 11 Months	2,244	20.9	6 - 11 Months	4	*
12 - 17 Months	2,474	17.1	12 - 17 Months	2	*
18 - 23 Months	989	18.2	18 - 23 Months	1	*
24 - 35 Months	3,140	19.1	24 - 35 Months	3	*
36 - 59 Months	6,135	12.6	36 - 59 Months	12	*
Total	14,982	16.3	Total	22	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	208	17.3
12 - 17 Months	2	*	12 - 17 Months	169	12.4
18 - 23 Months	0	*	18 - 23 Months	78	*
24 - 35 Months	1	*	24 - 35 Months	158	21.5
36 - 59 Months	2	*	36 - 59 Months	356	10.4
Total	6	*	Total	969	14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Riverside
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 033

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	2,856	20.4	
6 - 11 Months	3,049	16.9	
12 - 17 Months	1,230	18.2	
18 - 23 Months	3,729	19.2	
24 - 35 Months	7,456	12.6	
36 - 59 Months	18,320	16.3	
Total	18,320	16.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
5 - 8 Years	582	11.9		5 - 8 Years	47 *
9 - 11 Years	245	19.2		9 - 11 Years	20 *
12 - 14 Years - Girls	156	9.6		12 - 14 Years - Girls	14 *
12 - 14 Years - Boys	146	12.3		12 - 14 Years - Boys	12 *
15 - 19 Years - Girls	179	16.2		15 - 19 Years - Girls	8 *
15 - 19 Years - Boys	100	16.0		15 - 19 Years - Boys	8 *
Total	1,408	13.8		Total	109 11.0
Black, Not Hispanic				Pacific Islander	
5 - 8 Years	292	24.7		5 - 8 Years	12 *
9 - 11 Years	162	23.5		9 - 11 Years	5 *
12 - 14 Years - Girls	104	26.0		12 - 14 Years - Girls	0 *
12 - 14 Years - Boys	115	22.6		12 - 14 Years - Boys	5 *
15 - 19 Years - Girls	97	*		15 - 19 Years - Girls	1 *
15 - 19 Years - Boys	101	26.7		15 - 19 Years - Boys	1 *
Total	871	25.1		Total	24 *
Hispanic				Filipino	
5 - 8 Years	5,352	13.5		5 - 8 Years	19 *
9 - 11 Years	2,556	12.1		9 - 11 Years	8 *
12 - 14 Years - Girls	1,242	8.5		12 - 14 Years - Girls	3 *
12 - 14 Years - Boys	1,300	12.8		12 - 14 Years - Boys	6 *
15 - 19 Years - Girls	1,043	12.6		15 - 19 Years - Girls	5 *
15 - 19 Years - Boys	932	13.6		15 - 19 Years - Boys	4 *
Total	12,425	12.5		Total	45 *
American Indian/Alaskan Native				All Other	
5 - 8 Years	3	*		5 - 8 Years	337 13.9
9 - 11 Years	2	*		9 - 11 Years	156 10.9
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	69 *
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	87 *
15 - 19 Years - Girls	4	*		15 - 19 Years - Girls	55 *
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	57 *
Total	9	*		Total	761 13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	6,644	13.7	
5 - 8 Years	3,154	13.1	
9 - 11 Years	1,588	9.8	
12 - 14 Years - Girls	1,671	13.6	
12 - 14 Years - Boys	1,392	14.7	
15 - 19 Years - Girls	1,203	15.4	
15 - 19 Years - Boys	15,652	13.4	
Total			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.