

Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Benito
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 11 / 30 / 06

State: California

County: 035

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
White, Not Hispanic			Asian
6 - 11 Months	6	*	6 - 11 Months
12 - 17 Months	8	*	12 - 17 Months
18 - 23 Months	2	*	18 - 23 Months
24 - 35 Months	6	*	24 - 35 Months
36 - 59 Months	7	*	36 - 59 Months
Total	29	*	Total
Black, Not Hispanic			Pacific Islander
6 - 11 Months	0	*	6 - 11 Months
12 - 17 Months	3	*	12 - 17 Months
18 - 23 Months	0	*	18 - 23 Months
24 - 35 Months	2	*	24 - 35 Months
36 - 59 Months	1	*	36 - 59 Months
Total	6	*	Total
Hispanic			Filipino
6 - 11 Months	104	25.0	6 - 11 Months
12 - 17 Months	170	22.9	12 - 17 Months
18 - 23 Months	65	*	18 - 23 Months
24 - 35 Months	120	25.0	24 - 35 Months
36 - 59 Months	250	19.6	36 - 59 Months
Total	709	21.2	Total
American Indian/Alaskan Native			All Other
6 - 11 Months	1	*	6 - 11 Months
12 - 17 Months	0	*	12 - 17 Months
18 - 23 Months	0	*	18 - 23 Months
24 - 35 Months	0	*	24 - 35 Months
36 - 59 Months	0	*	36 - 59 Months
Total	1	*	Total
			131 4.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Benito
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 035

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups	133	20.3	
6 - 11 Months	207	19.8	
12 - 17 Months	72	*	
18 - 23 Months	151	21.2	
24 - 35 Months	319	16.9	
36 - 59 Months			
Total	882	18.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	10	*	5 - 8 Years	0	*
9 - 11 Years	5	*	9 - 11 Years	0	*
12 - 14 Years - Girls	7	*	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	5	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	1	*
Total	31	*	Total	4	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	4	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	6	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	171	26.3	5 - 8 Years	2	*
9 - 11 Years	75	*	9 - 11 Years	1	*
12 - 14 Years - Girls	28	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	26	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	18	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	24	*	15 - 19 Years - Boys	0	*
Total	342	23.1	Total	3	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	0	*	5 - 8 Years	46	*
9 - 11 Years	0	*	9 - 11 Years	16	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	9	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	15	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	13	*
Total	0	*	Total	104	12.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	233	22.7	
5 - 8 Years	98	*	
9 - 11 Years	46	*	
12 - 14 Years - Girls	48	*	
12 - 14 Years - Boys	25	*	
15 - 19 Years - Girls	40	*	
15 - 19 Years - Boys	40	*	
Total	490	20.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.