

Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Bernardino
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 11 / 30 / 06

State: California

County: 036

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian		
6 - 11 Months	284	19.0	6 - 11 Months	39	*
12 - 17 Months	222	9.0	12 - 17 Months	27	*
18 - 23 Months	115	19.1	18 - 23 Months	8	*
24 - 35 Months	294	17.3	24 - 35 Months	49	*
36 - 59 Months	580	10.7	36 - 59 Months	88	*
Total	1,495	14.0	Total	211	12.8
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	228	29.4	6 - 11 Months	7	*
12 - 17 Months	204	24.5	12 - 17 Months	1	*
18 - 23 Months	120	28.3	18 - 23 Months	6	*
24 - 35 Months	283	26.5	24 - 35 Months	8	*
36 - 59 Months	628	20.4	36 - 59 Months	21	*
Total	1,463	24.2	Total	43	*
Hispanic			Filipino		
6 - 11 Months	2,530	23.0	6 - 11 Months	5	*
12 - 17 Months	2,667	17.5	12 - 17 Months	6	*
18 - 23 Months	1,312	18.1	18 - 23 Months	1	*
24 - 35 Months	3,288	18.4	24 - 35 Months	5	*
36 - 59 Months	6,686	12.2	36 - 59 Months	16	*
Total	16,483	16.4	Total	33	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	4	*	6 - 11 Months	422	22.0
12 - 17 Months	6	*	12 - 17 Months	529	12.9
18 - 23 Months	0	*	18 - 23 Months	239	13.8
24 - 35 Months	6	*	24 - 35 Months	568	13.7
36 - 59 Months	7	*	36 - 59 Months	1,132	9.5
Total	23	*	Total	2,890	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Bernardino
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 036

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups	3,519	23.0	
6 - 11 Months	3,662	16.6	
12 - 17 Months	1,801	18.2	
18 - 23 Months	4,501	18.2	
24 - 35 Months	9,158	12.3	
36 - 59 Months			
Total	22,641	16.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Bernardino
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 036

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
5 - 8 Years	559	14.8	5 - 8 Years	81	*
9 - 11 Years	341	12.0	9 - 11 Years	53	*
12 - 14 Years - Girls	144	11.8	12 - 14 Years - Girls	26	*
12 - 14 Years - Boys	177	19.2	12 - 14 Years - Boys	21	*
15 - 19 Years - Girls	166	16.9	15 - 19 Years - Girls	27	*
15 - 19 Years - Boys	155	14.2	15 - 19 Years - Boys	28	*
Total	1,542	14.6	Total	236	15.7
Black, Not Hispanic				Pacific Islander	
5 - 8 Years	691	27.6	5 - 8 Years	20	*
9 - 11 Years	373	22.8	9 - 11 Years	7	*
12 - 14 Years - Girls	222	18.9	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	232	28.9	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	270	32.6	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	222	27.5	15 - 19 Years - Boys	4	*
Total	2,010	26.6	Total	38	*
Hispanic				Filipino	
5 - 8 Years	6,842	13.3	5 - 8 Years	17	*
9 - 11 Years	3,346	12.6	9 - 11 Years	2	*
12 - 14 Years - Girls	1,594	9.0	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	1,642	12.9	12 - 14 Years - Boys	5	*
15 - 19 Years - Girls	1,429	12.5	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	1,171	11.7	15 - 19 Years - Boys	4	*
Total	16,024	12.5	Total	36	*
American Indian/Alaskan Native				All Other	
5 - 8 Years	11	*	5 - 8 Years	1,339	13.4
9 - 11 Years	5	*	9 - 11 Years	675	12.7
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	368	10.9
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	356	15.2
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	298	16.4
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	250	15.6
Total	25	*	Total	3,286	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
 Run Date: 11 / 22 / 06

State: California

County: 036

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	9,560	14.4	
9 - 11 Years	4,802	13.5	
12 - 14 Years - Girls	2,363	10.5	
12 - 14 Years - Boys	2,435	15.1	
15 - 19 Years - Girls	2,199	15.8	
15 - 19 Years - Boys	1,838	14.5	
Total	23,197	14.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

