

Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Diego
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 037

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	394	9.4		6 - 11 Months	72	*
12 - 17 Months	326	8.9		12 - 17 Months	73	*
18 - 23 Months	127	5.5		18 - 23 Months	26	*
24 - 35 Months	320	7.5		24 - 35 Months	92	*
36 - 59 Months	498	6.8		36 - 59 Months	224	8.5
Total	1,665	7.9		Total	487	9.9
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	182	11.0		6 - 11 Months	8	*
12 - 17 Months	201	10.4		12 - 17 Months	6	*
18 - 23 Months	108	13.9		18 - 23 Months	2	*
24 - 35 Months	256	18.0		24 - 35 Months	10	*
36 - 59 Months	505	8.7		36 - 59 Months	14	*
Total	1,252	11.7		Total	40	*
Hispanic				Filipino		
6 - 11 Months	3,346	15.6		6 - 11 Months	44	*
12 - 17 Months	3,675	12.2		12 - 17 Months	47	*
18 - 23 Months	1,525	11.1		18 - 23 Months	14	*
24 - 35 Months	4,121	12.3		24 - 35 Months	53	*
36 - 59 Months	7,920	7.7		36 - 59 Months	105	12.4
Total	20,587	11.0		Total	263	11.0
American Indian/Alaskan Native				All Other		
6 - 11 Months	10	*		6 - 11 Months	1,411	13.9
12 - 17 Months	28	*		12 - 17 Months	1,178	12.2
18 - 23 Months	5	*		18 - 23 Months	370	10.3
24 - 35 Months	23	*		24 - 35 Months	1,124	13.2
36 - 59 Months	26	*		36 - 59 Months	2,074	10.3
Total	92	*		Total	6,157	12.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Diego
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 037

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number %	
	Number	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
6 - 11 Months	5,467	14.5
12 - 17 Months	5,534	11.8
18 - 23 Months	2,177	10.7
24 - 35 Months	5,999	12.5
36 - 59 Months	11,366	8.2
Total	30,543	11.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	520	10.2	5 - 8 Years	164	12.8
9 - 11 Years	228	10.1	9 - 11 Years	67	*
12 - 14 Years - Girls	116	6.0	12 - 14 Years - Girls	33	*
12 - 14 Years - Boys	107	7.5	12 - 14 Years - Boys	27	*
15 - 19 Years - Girls	101	12.9	15 - 19 Years - Girls	34	*
15 - 19 Years - Boys	118	14.4	15 - 19 Years - Boys	28	*
Total	1,190	10.2	Total	353	15.3
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	466	15.2	5 - 8 Years	10	*
9 - 11 Years	256	15.2	9 - 11 Years	5	*
12 - 14 Years - Girls	143	10.5	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	148	25.7	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	134	13.4	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	119	23.5	15 - 19 Years - Boys	2	*
Total	1,266	16.5	Total	21	*
Hispanic			Filipino		
5 - 8 Years	7,175	9.8	5 - 8 Years	133	13.5
9 - 11 Years	3,555	9.5	9 - 11 Years	83	*
12 - 14 Years - Girls	1,511	8.3	12 - 14 Years - Girls	27	*
12 - 14 Years - Boys	1,581	10.7	12 - 14 Years - Boys	30	*
15 - 19 Years - Girls	1,135	13.8	15 - 19 Years - Girls	27	*
15 - 19 Years - Boys	1,001	15.0	15 - 19 Years - Boys	21	*
Total	15,958	10.3	Total	321	14.3
American Indian/Alaskan Native			All Other		
5 - 8 Years	22	*	5 - 8 Years	1,732	11.1
9 - 11 Years	6	*	9 - 11 Years	805	9.4
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	373	8.6
12 - 14 Years - Boys	5	*	12 - 14 Years - Boys	378	10.3
15 - 19 Years - Girls	7	*	15 - 19 Years - Girls	271	12.5
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	252	19.8
Total	50	*	Total	3,811	11.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	10,222 10.4	
5 - 8 Years	5,005 9.9	
9 - 11 Years	2,211 8.4	
12 - 14 Years - Girls	2,277 11.6	
12 - 14 Years - Boys	1,710 13.6	
15 - 19 Years - Girls	1,545 16.9	
15 - 19 Years - Boys	22,970 10.9	
Total		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.