

Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Francisco
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 038

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	7	*	6 - 11 Months	81	*
12 - 17 Months	4	*	12 - 17 Months	194	13.4
18 - 23 Months	11	*	18 - 23 Months	39	*
24 - 35 Months	6	*	24 - 35 Months	155	12.9
36 - 59 Months	22	*	36 - 59 Months	287	12.2
Total	50	*	Total	756	11.9
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	3	*	6 - 11 Months	0	*
12 - 17 Months	8	*	12 - 17 Months	1	*
18 - 23 Months	3	*	18 - 23 Months	0	*
24 - 35 Months	5	*	24 - 35 Months	0	*
36 - 59 Months	31	*	36 - 59 Months	3	*
Total	50	*	Total	4	*
Hispanic			Filipino		
6 - 11 Months	48	*	6 - 11 Months	2	*
12 - 17 Months	103	20.4	12 - 17 Months	3	*
18 - 23 Months	32	*	18 - 23 Months	1	*
24 - 35 Months	110	10.9	24 - 35 Months	0	*
36 - 59 Months	196	11.2	36 - 59 Months	6	*
Total	489	14.3	Total	12	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	6	*
12 - 17 Months	1	*	12 - 17 Months	17	*
18 - 23 Months	0	*	18 - 23 Months	9	*
24 - 35 Months	0	*	24 - 35 Months	13	*
36 - 59 Months	1	*	36 - 59 Months	44	*
Total	2	*	Total	89	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Francisco
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 038

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	147	11.6	
6 - 11 Months	331	15.7	
12 - 17 Months	95	*	
18 - 23 Months	289	12.1	
24 - 35 Months	590	12.5	
36 - 59 Months			
Total	1,452	13.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Francisco
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 038

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	29	*	5 - 8 Years	385	10.9
9 - 11 Years	27	*	9 - 11 Years	346	9.5
12 - 14 Years - Girls	18	*	12 - 14 Years - Girls	198	5.6
12 - 14 Years - Boys	12	*	12 - 14 Years - Boys	152	9.2
15 - 19 Years - Girls	12	*	15 - 19 Years - Girls	237	9.3
15 - 19 Years - Boys	16	*	15 - 19 Years - Boys	220	22.7
Total	114	13.2	Total	1,538	11.2
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	36	*	5 - 8 Years	7	*
9 - 11 Years	28	*	9 - 11 Years	3	*
12 - 14 Years - Girls	13	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	12	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	8	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	10	*	15 - 19 Years - Boys	0	*
Total	107	29.0	Total	13	*
Hispanic			Filipino		
5 - 8 Years	156	11.5	5 - 8 Years	6	*
9 - 11 Years	98	*	9 - 11 Years	7	*
12 - 14 Years - Girls	28	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	47	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	35	*	15 - 19 Years - Girls	7	*
15 - 19 Years - Boys	29	*	15 - 19 Years - Boys	2	*
Total	393	9.7	Total	23	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	2	*	5 - 8 Years	42	*
9 - 11 Years	0	*	9 - 11 Years	25	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	16	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	13	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	10	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	14	*
Total	2	*	Total	120	20.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
 Run Date: 11 / 22 / 06

State: California

County: 038

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
5 - 8 Years	663	11.9	
9 - 11 Years	534	11.8	
12 - 14 Years - Girls	274	8.8	
12 - 14 Years - Boys	239	10.9	
15 - 19 Years - Girls	309	10.0	
15 - 19 Years - Boys	291	22.3	
Total	2,310	12.5	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.