

Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Joaquin
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 039

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	152	16.4	6 - 11 Months	84	*
12 - 17 Months	175	13.1	12 - 17 Months	130	9.2
18 - 23 Months	57	*	18 - 23 Months	45	*
24 - 35 Months	177	15.3	24 - 35 Months	155	8.4
36 - 59 Months	341	9.4	36 - 59 Months	276	5.1
Total	902	12.9	Total	690	7.4
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	135	18.5	6 - 11 Months	0	*
12 - 17 Months	87	*	12 - 17 Months	2	*
18 - 23 Months	45	*	18 - 23 Months	1	*
24 - 35 Months	102	10.8	24 - 35 Months	2	*
36 - 59 Months	249	11.6	36 - 59 Months	7	*
Total	618	12.6	Total	12	*
Hispanic			Filipino		
6 - 11 Months	1,298	19.4	6 - 11 Months	3	*
12 - 17 Months	1,267	14.6	12 - 17 Months	4	*
18 - 23 Months	380	19.7	18 - 23 Months	3	*
24 - 35 Months	1,286	16.1	24 - 35 Months	7	*
36 - 59 Months	2,678	9.1	36 - 59 Months	20	*
Total	6,909	13.9	Total	37	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	3	*	6 - 11 Months	135	13.3
12 - 17 Months	1	*	12 - 17 Months	217	12.4
18 - 23 Months	1	*	18 - 23 Months	74	*
24 - 35 Months	1	*	24 - 35 Months	187	11.8
36 - 59 Months	4	*	36 - 59 Months	366	9.3
Total	10	*	Total	979	11.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Joaquin
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 039

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	1,810	18.2	
6 - 11 Months	1,883	13.7	
12 - 17 Months	606	17.0	
18 - 23 Months	1,917	14.7	
24 - 35 Months	3,941	9.0	
36 - 59 Months			
Total	10,157	13.1	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Joaquin
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 039

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	276	13.4	5 - 8 Years	311	7.1
9 - 11 Years	170	12.4	9 - 11 Years	234	5.6
12 - 14 Years - Girls	76	*	12 - 14 Years - Girls	152	6.6
12 - 14 Years - Boys	66	*	12 - 14 Years - Boys	152	50.7
15 - 19 Years - Girls	36	*	15 - 19 Years - Girls	212	5.2
15 - 19 Years - Boys	60	*	15 - 19 Years - Boys	156	73.1
Total	684	13.2	Total	1,217	20.3
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	258	19.8	5 - 8 Years	3	*
9 - 11 Years	156	17.9	9 - 11 Years	2	*
12 - 14 Years - Girls	58	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	42	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	48	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	36	*	15 - 19 Years - Boys	1	*
Total	598	18.1	Total	7	*
Hispanic			Filipino		
5 - 8 Years	1,828	13.3	5 - 8 Years	15	*
9 - 11 Years	803	14.6	9 - 11 Years	6	*
12 - 14 Years - Girls	321	13.4	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	347	16.4	12 - 14 Years - Boys	4	*
15 - 19 Years - Girls	208	13.0	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	204	16.7	15 - 19 Years - Boys	5	*
Total	3,711	14.0	Total	35	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	2	*	5 - 8 Years	276	9.4
9 - 11 Years	2	*	9 - 11 Years	123	9.8
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	69	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	55	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	47	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	67	*
Total	6	*	Total	637	13.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)		
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups	2,969	12.8
5 - 8 Years	1,496	12.8
9 - 11 Years	680	10.4
12 - 14 Years - Girls	666	26.4
12 - 14 Years - Boys	555	9.9
15 - 19 Years - Girls	529	34.4
15 - 19 Years - Boys	6,895	15.3
Total		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.