

Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Luis Obispo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 040

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	145	18.6		6 - 11 Months	2	*
12 - 17 Months	116	22.4		12 - 17 Months	1	*
18 - 23 Months	38	*		18 - 23 Months	3	*
24 - 35 Months	81	*		24 - 35 Months	2	*
36 - 59 Months	151	9.3		36 - 59 Months	2	*
Total	531	14.3		Total	10	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	4	*		6 - 11 Months	0	*
12 - 17 Months	1	*		12 - 17 Months	0	*
18 - 23 Months	1	*		18 - 23 Months	0	*
24 - 35 Months	6	*		24 - 35 Months	0	*
36 - 59 Months	6	*		36 - 59 Months	0	*
Total	18	*		Total	0	*
Hispanic				Filipino		
6 - 11 Months	236	19.1		6 - 11 Months	3	*
12 - 17 Months	253	12.3		12 - 17 Months	2	*
18 - 23 Months	119	16.0		18 - 23 Months	1	*
24 - 35 Months	208	15.4		24 - 35 Months	6	*
36 - 59 Months	422	8.3		36 - 59 Months	6	*
Total	1,238	13.1		Total	18	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	55	*
12 - 17 Months	0	*		12 - 17 Months	34	*
18 - 23 Months	0	*		18 - 23 Months	7	*
24 - 35 Months	0	*		24 - 35 Months	51	*
36 - 59 Months	1	*		36 - 59 Months	73	*
Total	1	*		Total	220	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Luis Obispo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 040

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	445	18.7	
6 - 11 Months	407	15.5	
12 - 17 Months	169	13.0	
18 - 23 Months	354	13.8	
24 - 35 Months	661	9.1	
36 - 59 Months	2,036	13.6	
Total	2,036	13.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Luis Obispo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 040

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number				Number	
White, Not Hispanic				Asian			
5 - 8 Years	118	16.9		5 - 8 Years	2	*	
9 - 11 Years	51	*		9 - 11 Years	1	*	
12 - 14 Years - Girls	27	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	23	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	13	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	20	*		15 - 19 Years - Boys	0	*	
Total	252	13.1		Total	3	*	
Black, Not Hispanic				Pacific Islander			
5 - 8 Years	8	*		5 - 8 Years	0	*	
9 - 11 Years	1	*		9 - 11 Years	0	*	
12 - 14 Years - Girls	1	*		12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	3	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	2	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	1	*		15 - 19 Years - Boys	0	*	
Total	16	*		Total	0	*	
Hispanic				Filipino			
5 - 8 Years	268	13.4		5 - 8 Years	3	*	
9 - 11 Years	111	10.8		9 - 11 Years	1	*	
12 - 14 Years - Girls	51	*		12 - 14 Years - Girls	1	*	
12 - 14 Years - Boys	52	*		12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	20	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	33	*		15 - 19 Years - Boys	0	*	
Total	535	12.5		Total	6	*	
American Indian/Alaskan Native				All Other			
5 - 8 Years	2	*		5 - 8 Years	29	*	
9 - 11 Years	1	*		9 - 11 Years	24	*	
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	4	*	
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	7	*	
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	4	*	
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	4	*	
Total	3	*		Total	72	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
 Run Date: 11 / 22 / 06

State: California

County: 040

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	430	14.2	
5 - 8 Years	190	11.6	
12 - 14 Years - Girls	84	*	
12 - 14 Years - Boys	86	*	
15 - 19 Years - Girls	39	*	
15 - 19 Years - Boys	58	*	
Total	887	13.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

