

Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Mateo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 041

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	30		*	6 - 11 Months	4	*
12 - 17 Months	29		*	12 - 17 Months	8	*
18 - 23 Months	5		*	18 - 23 Months	1	*
24 - 35 Months	26		*	24 - 35 Months	5	*
36 - 59 Months	31		*	36 - 59 Months	11	*
Total	121		9.9	Total	29	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	16		*	6 - 11 Months	12	*
12 - 17 Months	30		*	12 - 17 Months	9	*
18 - 23 Months	5		*	18 - 23 Months	7	*
24 - 35 Months	23		*	24 - 35 Months	18	*
36 - 59 Months	23		*	36 - 59 Months	22	*
Total	97		*	Total	68	*
Hispanic				Filipino		
6 - 11 Months	702	10.1		6 - 11 Months	13	*
12 - 17 Months	510	6.5		12 - 17 Months	16	*
18 - 23 Months	279	7.5		18 - 23 Months	5	*
24 - 35 Months	536	8.0		24 - 35 Months	8	*
36 - 59 Months	856	3.0		36 - 59 Months	23	*
Total	2,883	6.7		Total	65	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0		*	6 - 11 Months	304	12.8
12 - 17 Months	0		*	12 - 17 Months	209	6.2
18 - 23 Months	2		*	18 - 23 Months	100	6.0
24 - 35 Months	0		*	24 - 35 Months	212	11.8
36 - 59 Months	2		*	36 - 59 Months	434	12.9
Total	4		*	Total	1,259	11.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
San Mateo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 041

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	1,081	10.4	
6 - 11 Months	811	6.9	
12 - 17 Months	404	6.7	
18 - 23 Months	828	9.7	
24 - 35 Months	1,402	6.0	
36 - 59 Months	4,526	7.9	
Total	4,526	7.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number				Number	
White, Not Hispanic				Asian			
5 - 8 Years	16	*		5 - 8 Years	13	*	
9 - 11 Years	13	*		9 - 11 Years	14	*	
12 - 14 Years - Girls	11	*		12 - 14 Years - Girls	6	*	
12 - 14 Years - Boys	6	*		12 - 14 Years - Boys	3	*	
15 - 19 Years - Girls	8	*		15 - 19 Years - Girls	7	*	
15 - 19 Years - Boys	8	*		15 - 19 Years - Boys	7	*	
Total	62	*		Total	50	*	
Black, Not Hispanic				Pacific Islander			
5 - 8 Years	28	*		5 - 8 Years	26	*	
9 - 11 Years	22	*		9 - 11 Years	13	*	
12 - 14 Years - Girls	11	*		12 - 14 Years - Girls	7	*	
12 - 14 Years - Boys	9	*		12 - 14 Years - Boys	4	*	
15 - 19 Years - Girls	8	*		15 - 19 Years - Girls	3	*	
15 - 19 Years - Boys	4	*		15 - 19 Years - Boys	2	*	
Total	82	*		Total	55	*	
Hispanic				Filipino			
5 - 8 Years	505	5.5		5 - 8 Years	28	*	
9 - 11 Years	219	7.8		9 - 11 Years	12	*	
12 - 14 Years - Girls	122	2.5		12 - 14 Years - Girls	14	*	
12 - 14 Years - Boys	97	*		12 - 14 Years - Boys	11	*	
15 - 19 Years - Girls	116	8.6		15 - 19 Years - Girls	9	*	
15 - 19 Years - Boys	110	8.2		15 - 19 Years - Boys	5	*	
Total	1,169	6.2		Total	79	*	
American Indian/Alaskan Native				All Other			
5 - 8 Years	1	*		5 - 8 Years	259	17.4	
9 - 11 Years	1	*		9 - 11 Years	124	9.7	
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	61	*	
12 - 14 Years - Boys	1	*		12 - 14 Years - Boys	57	*	
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	53	*	
15 - 19 Years - Boys	1	*		15 - 19 Years - Boys	32	*	
Total	4	*		Total	586	14.5	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	876	9.5	
5 - 8 Years	418	9.6	
9 - 11 Years	232	3.9	
12 - 14 Years - Girls	188	10.1	
12 - 14 Years - Boys	204	11.3	
15 - 19 Years - Girls	169	8.9	
15 - 19 Years - Boys	2,087	9.1	
Total			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.