

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Santa Barbara
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 11 / 30 / 06

State: California

County: 042

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic					
6 - 11 Months	75		*		
12 - 17 Months	64		*		
18 - 23 Months	22		*		
24 - 35 Months	94		*		
36 - 59 Months	133	6.0			
Total	388	9.0			
Black, Not Hispanic					
6 - 11 Months	20		*		
12 - 17 Months	15		*		
18 - 23 Months	6		*		
24 - 35 Months	20		*		
36 - 59 Months	32		*		
Total	93		*		
Hispanic					
6 - 11 Months	1,742	18.7			
12 - 17 Months	1,309	16.4			
18 - 23 Months	493	15.6			
24 - 35 Months	1,569	16.5			
36 - 59 Months	2,992	13.2			
Total	8,105	15.7			
American Indian/Alaskan Native					
6 - 11 Months	1		*		
12 - 17 Months	0		*		
18 - 23 Months	3		*		
24 - 35 Months	3		*		
36 - 59 Months	5		*		
Total	12		*		
Asian					
6 - 11 Months	5		*		
12 - 17 Months	3		*		
18 - 23 Months	0		*		
24 - 35 Months	4		*		
36 - 59 Months	10		*		
Total	22		*		
Pacific Islander					
6 - 11 Months	1		*		
12 - 17 Months	0		*		
18 - 23 Months	2		*		
24 - 35 Months	1		*		
36 - 59 Months	1		*		
Total	5		*		
Filipino					
6 - 11 Months	2		*		
12 - 17 Months	3		*		
18 - 23 Months	1		*		
24 - 35 Months	3		*		
36 - 59 Months	2		*		
Total	11		*		
All Other					
6 - 11 Months	298	20.5			
12 - 17 Months	236	8.9			
18 - 23 Months	36	*			
24 - 35 Months	255	11.0			
36 - 59 Months	456	7.9			
Total	1,281	11.4			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Santa Barbara
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 042

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	2,144	18.5	
6 - 11 Months	1,630	14.9	
12 - 17 Months	563	14.7	
18 - 23 Months	1,949	15.3	
24 - 35 Months	3,631	12.2	
36 - 59 Months	9,917	14.8	
Total	9,917	14.8	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Santa Barbara
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 042

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	96	*	5 - 8 Years	6	*
9 - 11 Years	51	*	9 - 11 Years	2	*
12 - 14 Years - Girls	20	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	27	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	18	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	12	*	15 - 19 Years - Boys	0	*
Total	224	8.0	Total	11	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	28	*	5 - 8 Years	1	*
9 - 11 Years	17	*	9 - 11 Years	0	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	5	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	0	*
Total	65	*	Total	3	*
Hispanic			Filipino		
5 - 8 Years	1,796	14.3	5 - 8 Years	2	*
9 - 11 Years	827	15.2	9 - 11 Years	0	*
12 - 14 Years - Girls	284	10.2	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	355	17.5	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	193	14.0	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	199	18.1	15 - 19 Years - Boys	1	*
Total	3,654	14.7	Total	6	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	5	*	5 - 8 Years	240	12.9
9 - 11 Years	3	*	9 - 11 Years	100	27.0
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	27	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	47	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	30	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	31	*
Total	11	*	Total	475	18.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
 Run Date: 11 / 22 / 06

State: California

County: 042

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	2,174	13.8	
9 - 11 Years	1,000	15.9	
12 - 14 Years - Girls	338	11.2	
12 - 14 Years - Boys	437	16.9	
15 - 19 Years - Girls	252	13.5	
15 - 19 Years - Boys	248	18.1	
Total	4,449	14.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

