

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Santa Clara
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 043

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	75	*	6 - 11 Months	192	17.7
12 - 17 Months	58	*	12 - 17 Months	175	7.4
18 - 23 Months	27	*	18 - 23 Months	117	14.5
24 - 35 Months	76	*	24 - 35 Months	181	17.1
36 - 59 Months	122	4.9	36 - 59 Months	388	13.9
Total	358	5.3	Total	1,053	14.2
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	22	*	6 - 11 Months	4	*
12 - 17 Months	28	*	12 - 17 Months	1	*
18 - 23 Months	7	*	18 - 23 Months	0	*
24 - 35 Months	26	*	24 - 35 Months	3	*
36 - 59 Months	48	*	36 - 59 Months	6	*
Total	131	16.8	Total	14	*
Hispanic			Filipino		
6 - 11 Months	2,301	13.5	6 - 11 Months	9	*
12 - 17 Months	1,488	11.4	12 - 17 Months	8	*
18 - 23 Months	811	8.6	18 - 23 Months	3	*
24 - 35 Months	1,987	9.5	24 - 35 Months	8	*
36 - 59 Months	3,480	4.9	36 - 59 Months	15	*
Total	10,067	9.0	Total	43	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	521	10.2
12 - 17 Months	5	*	12 - 17 Months	406	8.4
18 - 23 Months	3	*	18 - 23 Months	201	11.4
24 - 35 Months	3	*	24 - 35 Months	455	10.3
36 - 59 Months	12	*	36 - 59 Months	786	7.8
Total	24	*	Total	2,369	9.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Santa Clara
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 043

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups			
6 - 11 Months	3,125	13.1	
12 - 17 Months	2,169	10.6	
18 - 23 Months	1,169	9.6	
24 - 35 Months	2,739	10.2	
36 - 59 Months	4,857	6.2	
Total	14,059	9.5	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
5 - 8 Years	112	8.0		5 - 8 Years	288	17.0	
9 - 11 Years	40	*		9 - 11 Years	201	14.9	
12 - 14 Years - Girls	30	*		12 - 14 Years - Girls	133	11.3	
12 - 14 Years - Boys	34	*		12 - 14 Years - Boys	159	12.6	
15 - 19 Years - Girls	33	*		15 - 19 Years - Girls	221	10.4	
15 - 19 Years - Boys	27	*		15 - 19 Years - Boys	176	13.1	
Total	276	6.5		Total	1,178	13.6	
Black, Not Hispanic				Pacific Islander			
5 - 8 Years	62	*		5 - 8 Years	5	*	
9 - 11 Years	36	*		9 - 11 Years	3	*	
12 - 14 Years - Girls	16	*		12 - 14 Years - Girls	4	*	
12 - 14 Years - Boys	11	*		12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	14	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	16	*		15 - 19 Years - Boys	2	*	
Total	155	24.5		Total	14	*	
Hispanic				Filipino			
5 - 8 Years	2,371	9.5		5 - 8 Years	17	*	
9 - 11 Years	925	10.5		9 - 11 Years	8	*	
12 - 14 Years - Girls	406	7.1		12 - 14 Years - Girls	5	*	
12 - 14 Years - Boys	386	8.8		12 - 14 Years - Boys	2	*	
15 - 19 Years - Girls	294	11.2		15 - 19 Years - Girls	2	*	
15 - 19 Years - Boys	250	10.0		15 - 19 Years - Boys	3	*	
Total	4,632	9.6		Total	37	*	
American Indian/Alaskan Native				All Other			
5 - 8 Years	10	*		5 - 8 Years	592	9.8	
9 - 11 Years	5	*		9 - 11 Years	259	8.1	
12 - 14 Years - Girls	5	*		12 - 14 Years - Girls	148	12.2	
12 - 14 Years - Boys	3	*		12 - 14 Years - Boys	124	12.9	
15 - 19 Years - Girls	1	*		15 - 19 Years - Girls	122	9.8	
15 - 19 Years - Boys	1	*		15 - 19 Years - Boys	121	13.2	
Total	25	*		Total	1,366	10.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 11 / 22 / 06

State: California

County: 043

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	3,457 10.5	
5 - 8 Years	3,457 10.5	
9 - 11 Years	1,477 10.9	
12 - 14 Years - Girls	747 8.8	
12 - 14 Years - Boys	719 10.7	
15 - 19 Years - Girls	687 10.5	
15 - 19 Years - Boys	596 11.9	
Total	7,683 10.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.