

**Table 17B**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Santa Cruz**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 11 / 30 / 06

State: California

County: 044

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Number	Anemia Low Hb/Hct %	
White, Not Hispanic			Asian
6 - 11 Months	4	*	6 - 11 Months
12 - 17 Months	9	*	12 - 17 Months
18 - 23 Months	2	*	18 - 23 Months
24 - 35 Months	6	*	24 - 35 Months
36 - 59 Months	12	*	36 - 59 Months
<b>Total</b>	<b>33</b>	<b>*</b>	<b>Total</b>
Black, Not Hispanic			Pacific Islander
6 - 11 Months	2	*	6 - 11 Months
12 - 17 Months	0	*	12 - 17 Months
18 - 23 Months	0	*	18 - 23 Months
24 - 35 Months	0	*	24 - 35 Months
36 - 59 Months	0	*	36 - 59 Months
<b>Total</b>	<b>2</b>	<b>*</b>	<b>Total</b>
Hispanic			Filipino
6 - 11 Months	104	19.2	6 - 11 Months
12 - 17 Months	121	18.2	12 - 17 Months
18 - 23 Months	65	*	18 - 23 Months
24 - 35 Months	132	18.9	24 - 35 Months
36 - 59 Months	296	6.8	36 - 59 Months
<b>Total</b>	<b>718</b>	<b>13.8</b>	<b>Total</b>
American Indian/Alaskan Native			All Other
6 - 11 Months	0	*	6 - 11 Months
12 - 17 Months	0	*	12 - 17 Months
18 - 23 Months	0	*	18 - 23 Months
24 - 35 Months	0	*	24 - 35 Months
36 - 59 Months	0	*	36 - 59 Months
<b>Total</b>	<b>0</b>	<b>*</b>	<b>Total</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Santa Cruz**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

**State: California**

**County: 044**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
<b>Total All Race/Ethnic Groups</b>			
6 - 11 Months	112	21.4	
12 - 17 Months	133	18.8	
18 - 23 Months	71	*	
24 - 35 Months	143	18.9	
36 - 59 Months	318	6.9	
<b>Total</b>	<b>777</b>	<b>14.3</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Santa Cruz**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

State: California

County: 044

<b>Anemia Indicators by Race/Ethnicity and Age</b> <sup>(3, 4)</sup>					
	Anemia Low Hb/Hct %				
	Number		Number Anemia Low Hb/Hct %		
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	13	*	5 - 8 Years	0	*
9 - 11 Years	7	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>28</b>	<b>*</b>	<b>Total</b>	<b>3</b>	<b>*</b>
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	2	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>5</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	303	13.2	5 - 8 Years	3	*
9 - 11 Years	157	10.2	9 - 11 Years	1	*
12 - 14 Years - Girls	78	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	86	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	111	5.4	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	73	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>808</b>	<b>11.0</b>	<b>Total</b>	<b>5</b>	<b>*</b>
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	0	*	5 - 8 Years	3	*
9 - 11 Years	2	*	9 - 11 Years	3	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>3</b>	<b>*</b>	<b>Total</b>	<b>15</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Santa Cruz**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

Page: 2  
Run Date: 11 / 22 / 06

**State: California**

**County: 044**

<b>Anemia Indicators by Race/Ethnicity and Age</b> <sup>(3, 4)</sup>		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	324	13.0
5 - 8 Years	170	9.4
9 - 11 Years	85	*
12 - 14 Years - Girls	91	*
12 - 14 Years - Boys	120	6.7
15 - 19 Years - Girls	77	*
15 - 19 Years - Boys	<b>867</b>	<b>11.0</b>
<b>Total</b>		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.