

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Sierra
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 046

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	8	*	6 - 11 Months	0	*
12 - 17 Months	4	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	3	*	24 - 35 Months	0	*
36 - 59 Months	9	*	36 - 59 Months	0	*
Total	24	*	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	1	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	1	*
Total	0	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	2	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	2	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	1	*
Total	8	*	Total	1	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	2	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	0	*
Total	3	*	Total	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Sierra
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 046

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	12	*	
6 - 11 Months	8	*	
12 - 17 Months	2	*	
18 - 23 Months	5	*	
24 - 35 Months	13	*	
36 - 59 Months	40	*	
Total	40	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	7	*	5 - 8 Years	0	*
9 - 11 Years	4	*	9 - 11 Years	1	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
Total	14	*	Total	1	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	0	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	5	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	9	*	Total	0	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	1	*	5 - 8 Years	1	*
9 - 11 Years	0	*	9 - 11 Years	1	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	1	*	Total	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	14	*	
5 - 8 Years	7	*	
9 - 11 Years	3	*	
12 - 14 Years - Girls	2	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	1	*	
Total	27	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.