

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Solano
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 11 / 30 / 06

State: California

County: 048

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	56	*	6 - 11 Months	9	*
12 - 17 Months	54	*	12 - 17 Months	20	*
18 - 23 Months	26	*	18 - 23 Months	4	*
24 - 35 Months	57	*	24 - 35 Months	19	*
36 - 59 Months	117	5.1	36 - 59 Months	19	*
Total	310	6.8	Total	71	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	57	*	6 - 11 Months	1	*
12 - 17 Months	93	*	12 - 17 Months	1	*
18 - 23 Months	49	*	18 - 23 Months	0	*
24 - 35 Months	73	*	24 - 35 Months	3	*
36 - 59 Months	180	13.9	36 - 59 Months	6	*
Total	452	12.4	Total	11	*
Hispanic			Filipino		
6 - 11 Months	254	13.4	6 - 11 Months	10	*
12 - 17 Months	365	11.8	12 - 17 Months	16	*
18 - 23 Months	141	9.9	18 - 23 Months	4	*
24 - 35 Months	337	11.6	24 - 35 Months	14	*
36 - 59 Months	603	6.3	36 - 59 Months	19	*
Total	1,700	9.9	Total	63	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	50	*
12 - 17 Months	0	*	12 - 17 Months	68	*
18 - 23 Months	0	*	18 - 23 Months	23	*
24 - 35 Months	0	*	24 - 35 Months	76	*
36 - 59 Months	0	*	36 - 59 Months	132	10.6
Total	0	*	Total	349	10.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Solano
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 048

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups	437	13.5
6 - 11 Months	617	10.5
12 - 17 Months	247	9.3
18 - 23 Months	579	9.5
24 - 35 Months	1,076	7.7
36 - 59 Months		
Total	2,956	9.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number				Number	
White, Not Hispanic				Asian			
5 - 8 Years	105	11.4		5 - 8 Years	15	*	
9 - 11 Years	43	*		9 - 11 Years	5	*	
12 - 14 Years - Girls	15	*		12 - 14 Years - Girls	2	*	
12 - 14 Years - Boys	22	*		12 - 14 Years - Boys	4	*	
15 - 19 Years - Girls	17	*		15 - 19 Years - Girls	3	*	
15 - 19 Years - Boys	12	*		15 - 19 Years - Boys	1	*	
Total	214	13.6		Total	30	*	
Black, Not Hispanic				Pacific Islander			
5 - 8 Years	154	18.8		5 - 8 Years	8	*	
9 - 11 Years	84	*		9 - 11 Years	5	*	
12 - 14 Years - Girls	45	*		12 - 14 Years - Girls	4	*	
12 - 14 Years - Boys	40	*		12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	36	*		15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	35	*		15 - 19 Years - Boys	0	*	
Total	394	26.4		Total	18	*	
Hispanic				Filipino			
5 - 8 Years	332	13.3		5 - 8 Years	27	*	
9 - 11 Years	136	8.8		9 - 11 Years	8	*	
12 - 14 Years - Girls	41	*		12 - 14 Years - Girls	6	*	
12 - 14 Years - Boys	60	*		12 - 14 Years - Boys	3	*	
15 - 19 Years - Girls	32	*		15 - 19 Years - Girls	3	*	
15 - 19 Years - Boys	29	*		15 - 19 Years - Boys	2	*	
Total	630	11.9		Total	49	*	
American Indian/Alaskan Native				All Other			
5 - 8 Years	2	*		5 - 8 Years	94	*	
9 - 11 Years	1	*		9 - 11 Years	73	*	
12 - 14 Years - Girls	1	*		12 - 14 Years - Girls	24	*	
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	25	*	
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	23	*	
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	17	*	
Total	4	*		Total	256	12.5	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 11 / 22 / 06

State: California

County: 048

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	737	13.7	
5 - 8 Years	355	15.5	
9 - 11 Years	138	17.4	
12 - 14 Years - Girls	155	20.0	
12 - 14 Years - Boys	114	19.3	
15 - 19 Years - Girls	96	*	
15 - 19 Years - Boys			
Total	1,595	16.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

