

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Sonoma
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 11 / 30 / 06

State: California

County: 049

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	44	*		6 - 11 Months	2	*
12 - 17 Months	60	*		12 - 17 Months	3	*
18 - 23 Months	36	*		18 - 23 Months	2	*
24 - 35 Months	41	*		24 - 35 Months	9	*
36 - 59 Months	80	*		36 - 59 Months	9	*
Total	261	12.6		Total	25	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	5	*		6 - 11 Months	2	*
12 - 17 Months	4	*		12 - 17 Months	1	*
18 - 23 Months	2	*		18 - 23 Months	0	*
24 - 35 Months	8	*		24 - 35 Months	0	*
36 - 59 Months	10	*		36 - 59 Months	2	*
Total	29	*		Total	5	*
Hispanic				Filipino		
6 - 11 Months	435	26.7		6 - 11 Months	1	*
12 - 17 Months	440	27.0		12 - 17 Months	0	*
18 - 23 Months	222	17.6		18 - 23 Months	1	*
24 - 35 Months	366	16.7		24 - 35 Months	0	*
36 - 59 Months	819	11.8		36 - 59 Months	3	*
Total	2,282	18.9		Total	5	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	4	*		6 - 11 Months	47	*
12 - 17 Months	6	*		12 - 17 Months	52	*
18 - 23 Months	5	*		18 - 23 Months	21	*
24 - 35 Months	8	*		24 - 35 Months	36	*
36 - 59 Months	16	*		36 - 59 Months	73	*
Total	39	*		Total	229	13.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Sonoma
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 049

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	540	25.2	
6 - 11 Months	566	25.8	
12 - 17 Months	289	16.3	
18 - 23 Months	468	16.2	
24 - 35 Months	1,012	11.2	
36 - 59 Months			
Total	2,875	18.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Sonoma
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 049

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	67	*	5 - 8 Years	1	*
9 - 11 Years	35	*	9 - 11 Years	0	*
12 - 14 Years - Girls	22	*	12 - 14 Years - Girls	4	*
12 - 14 Years - Boys	21	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	19	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	8	*	15 - 19 Years - Boys	1	*
Total	172	15.1	Total	9	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	5	*	5 - 8 Years	1	*
9 - 11 Years	4	*	9 - 11 Years	2	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*
Total	16	*	Total	6	*
Hispanic			Filipino		
5 - 8 Years	479	14.4	5 - 8 Years	2	*
9 - 11 Years	222	10.8	9 - 11 Years	0	*
12 - 14 Years - Girls	94	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	102	10.8	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	82	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	71	*	15 - 19 Years - Boys	0	*
Total	1,050	12.0	Total	2	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	13	*	5 - 8 Years	37	*
9 - 11 Years	5	*	9 - 11 Years	11	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	13	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	7	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	12	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	5	*
Total	30	*	Total	85	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 049

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
5 - 8 Years	605	14.7	
9 - 11 Years	279	11.1	
12 - 14 Years - Girls	139	5.0	
12 - 14 Years - Boys	135	14.1	
15 - 19 Years - Girls	123	17.1	
15 - 19 Years - Boys	89	*	
Total	1,370	12.8	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.