

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Tehama
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 052

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	56		*	6 - 11 Months	0	*
12 - 17 Months	46		*	12 - 17 Months	0	*
18 - 23 Months	22		*	18 - 23 Months	0	*
24 - 35 Months	84		*	24 - 35 Months	1	*
36 - 59 Months	151	15.9		36 - 59 Months	0	*
Total	359	20.6		Total	1	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	1		*	6 - 11 Months	0	*
12 - 17 Months	1		*	12 - 17 Months	0	*
18 - 23 Months	2		*	18 - 23 Months	1	*
24 - 35 Months	1		*	24 - 35 Months	1	*
36 - 59 Months	5		*	36 - 59 Months	2	*
Total	10		*	Total	4	*
Hispanic				Filipino		
6 - 11 Months	56		*	6 - 11 Months	2	*
12 - 17 Months	70		*	12 - 17 Months	0	*
18 - 23 Months	34		*	18 - 23 Months	0	*
24 - 35 Months	96		*	24 - 35 Months	0	*
36 - 59 Months	173	17.3		36 - 59 Months	0	*
Total	429	23.5		Total	2	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	2		*	6 - 11 Months	72	*
12 - 17 Months	3		*	12 - 17 Months	46	*
18 - 23 Months	2		*	18 - 23 Months	41	*
24 - 35 Months	3		*	24 - 35 Months	80	*
36 - 59 Months	11		*	36 - 59 Months	134	11.9
Total	21		*	Total	373	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Tehama
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 052

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	189	23.3	
6 - 11 Months	166	21.1	
12 - 17 Months	102	18.6	
18 - 23 Months	266	22.6	
24 - 35 Months	476	15.3	
Total	1,199	19.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	106	23.6	5 - 8 Years	0	*
9 - 11 Years	32	*	9 - 11 Years	2	*
12 - 14 Years - Girls	29	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	21	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	20	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	27	*	15 - 19 Years - Boys	1	*
Total	235	19.6	Total	5	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	9	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	0	*
Total	20	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	139	22.3	5 - 8 Years	0	*
9 - 11 Years	30	*	9 - 11 Years	1	*
12 - 14 Years - Girls	27	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	19	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	19	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	25	*	15 - 19 Years - Boys	0	*
Total	259	21.2	Total	1	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	3	*	5 - 8 Years	72	*
9 - 11 Years	2	*	9 - 11 Years	21	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	9	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	13	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	7	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	9	*
Total	11	*	Total	131	18.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	329	21.3	
5 - 8 Years	89	*	
9 - 11 Years	68	*	
12 - 14 Years - Girls	56	*	
12 - 14 Years - Boys	54	*	
15 - 19 Years - Girls	66	*	
15 - 19 Years - Boys	66	*	
Total	662	19.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.