

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Trinity
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 053

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			Anemia Low Hb/Hct %
		Number			Number
White, Not Hispanic			Asian		
6 - 11 Months	14	*	6 - 11 Months	0	*
12 - 17 Months	20	*	12 - 17 Months	0	*
18 - 23 Months	10	*	18 - 23 Months	0	*
24 - 35 Months	32	*	24 - 35 Months	0	*
36 - 59 Months	45	*	36 - 59 Months	1	*
Total	121	24.0	Total	1	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	1	*
12 - 17 Months	2	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	1	*
Total	5	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	10	*	6 - 11 Months	0	*
12 - 17 Months	8	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	4	*	24 - 35 Months	0	*
36 - 59 Months	5	*	36 - 59 Months	0	*
Total	29	*	Total	0	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	2	*
12 - 17 Months	1	*	12 - 17 Months	2	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	1	*
36 - 59 Months	3	*	36 - 59 Months	3	*
Total	5	*	Total	8	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Trinity
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 053

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	28	*	
6 - 11 Months	33	*	
12 - 17 Months	13	*	
18 - 23 Months	37	*	
24 - 35 Months	60	*	
36 - 59 Months	171	24.0	
Total			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	43	*	5 - 8 Years	0	*
9 - 11 Years	22	*	9 - 11 Years	0	*
12 - 14 Years - Girls	13	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	9	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	8	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	7	*	15 - 19 Years - Boys	0	*
Total	102	11.8	Total	0	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	1	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	3	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	8	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	0	*
Total	17	*	Total	0	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	0	*	5 - 8 Years	1	*
9 - 11 Years	4	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	5	*	Total	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
 Run Date: 11 / 22 / 06

State: California

County: 053

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	%	
Total All Race/Ethnic Groups	53	*	
5 - 8 Years	28	*	
9 - 11 Years	15	*	
12 - 14 Years - Girls	11	*	
12 - 14 Years - Boys	12	*	
15 - 19 Years - Girls	9	*	
15 - 19 Years - Boys	128	13.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.